Cucumber Report

| Start : Jan 23, 8:36:42.275 PM	End : Jan 23, 8:36:43.688 PM	Duration : 1.413 s
Features	Scenarios	Steps
PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 3 FAILED - 1 SKIPPED - 6

Features: 1

Scenarios: 1

Steps: 10

Features Pass %: 0 %

Scenarios Pass %: 0 %

Steps Pass %: 30 %

Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
Test Customer all Endpoints using different HTTP Request	*1.413 s*	*1*	*0*	*1*	*0*	*10*	*3*	*1*	*6*

Tag	Scenario				Feature			
Name	T	P	F	S	T	P	F	S
@Customers	1	0	1	0	1	0	1	0

#	Feature Name	T	P	F	S	Duration
1	Test Customer all Endpoints using different HTTP Request	1	0	1	0	1.413 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Test Customer all Endpoints using different HTTP Request	Retrieve Customer Entity	10	3	1	6	1.408 s

Test Customer all Endpoints using different HTTP Request

FAILED	DURATION - 1.413 s	Scenarios		Steps	
		Total - 1		Total - 10	
/ 8:36:42.275 PM // 8:36:43.688 PM /		Pass - 0	1	Pass - 3	10
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 6	

Retrieve Customer Entity

FAILED	DURATION - 1.408 s		Steps	
/ 8:36:42.280 PM // 8:36:43.688 PM /			Total - 10	
Test Customer all Endpoints using different HTTP Request			Pass - 3	10
			Fail - 1	
@Customers			Skip - 6	

#	Step / Hook Details	Status	Duration
1	* user set the Base URI	PASSED	0.997 s
2	Given user set "customers" base path	PASSED	0.001 s
3	And user get the Request Specification interface object	PASSED	0.373 s
4	And user add customer path parameter	FAILED	0.006 s
	io.cucumber.core.exception.CucumberException: Step [user add customer path parameter] is defined with 1 parameters at 'StepApi. CustomerStep.user_add_customer_path_parameter(java.lang.String)'. However, the gherkin step has 0 arguments. Step text: user add customer path parameter 　　at io.cucumber.core.runner.PickleStepDefinitionMatch.arityMismatch(PickleStepDefinitionMatch.java:83) 　　at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:42) 　　at io.cucumber.core.runner.ExecutionMode$1.execute(ExecutionMode.java:10) 　　at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:85) 　　at io.cucumber.core.runner.TestStep.run(TestStep.java:57) 　　at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) 　　at io.cucumber.core.runner.TestCase.run(TestCase.java:84) 　　at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) 　　at io.cucumber.testng.TestNGCucumberRunner.lambda$runScenario$1(TestNGCucumberRunner.java:132) 　　at io.cucumber.core.runtime.CucumberExecutionContext.lambda$runTestCase$5(CucumberExecutionContext.java:129)		

#	Step / Hook Details	Status	Duration
	at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23)		
	at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:129)		
	at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129)		
	at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77)		
	at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)		
	at java.base/java.lang.reflect.Method.invoke(Method.java:568)		
	at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:133)		
	at org.testng.internal.TestInvoker.invokeMethod(TestInvoker.java:598)		
	at org.testng.internal.TestInvoker.invokeTestMethod(TestInvoker.java:173)		
	at org.testng.internal.MethodRunner.runInSequence(MethodRunner.java:46)		
	at org.testng.internal.TestInvoker$MethodInvocationAgent.invoke(TestInvoker.java:824)		
	at org.testng.internal.TestInvoker.invokeTestMethods(TestInvoker.java:146)		
	at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:146)		
	at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:128)		
	at java.base/java.util.ArrayList.forEach(ArrayList.java:1511)		
	at org.testng.TestRunner.privateRun(TestRunner.java:794)		
	at org.testng.TestRunner.run(TestRunner.java:596)		
	at org.testng.SuiteRunner.runTest(SuiteRunner.java:377)		
	at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:371)		
	at org.testng.SuiteRunner.privateRun(SuiteRunner.java:332)		
	at org.testng.SuiteRunner.run(SuiteRunner.java:276)		
	at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:53)		
	at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:96)		
	at org.testng.TestNG.runSuitesSequentially(TestNG.java:1212)		
	at org.testng.TestNG.runSuitesLocally(TestNG.java:1134)		
	at org.testng.TestNG.runSuites(TestNG.java:1063)		
	at org.testng.TestNG.run(TestNG.java:1031)		
	at org.testng.remote.AbstractRemoteTestNG.run(AbstractRemoteTestNG.java:115)		
	at org.testng.remote.RemoteTestNG.initAndRun(RemoteTestNG.java:293)		
	at org.testng.remote.RemoteTestNG.main(RemoteTestNG.java:91)		
5	When user select http get Request to retrieve single entity	SKIPPED	0.000 s
6	Then user get the Validatable response interface	SKIPPED	0.000 s
7	And user validate status code as 201	SKIPPED	0.000 s
8	And user validate status line as "200 OK"	SKIPPED	0.001 s
9	And user validate response time is below 5000 ms	SKIPPED	0.000 s
10	And user generate response logs	SKIPPED	0.000 s