




Precision\_General




Recall\_General



Precision\_per\_value



Recall\_per\_value



Precision_General_val									
command	arg1	p_arg1	arg2	p_arg2	full_triple	full_seq	full_minus1	full_pddfull	_pddl_pred_goal
0.896	0.807	0.807	0.758	0.758	0.741	0.601	0.607	0.0	0.0

Precision_General_test									
command	arg1	p_arg1	arg2	p_arg2	full_triple	full_seq	full_minus1	full_pddfull	_pddl_pred_goal
0.915	0.846	0.846	0.816	0.816	0.799	0.685	0.69	0.0	0.0

Precision_General_test_unseen									
command	arg1	p_arg1	arg2	p_arg2	full_triple	full_seq	full_minus1	full_pddfull	_pddl_pred_goal
0.927	0.78	0.78	0.741	0.741	0.693	0.463	0.466	0.0	0.0

Recall_General_val									
command	arg1	p_arg1	arg2	p_arg2	full_triple	full_seq	full_minus1	full_pddfull	_pddl_pred_goal
0.88	0.793	0.793	0.756	0.756	0.728	0.601	0.607	0.0	0.0

Recall_General_test									
command	arg1	p_arg1	arg2	p_arg2	full_triple	full_seq	full_minus1	full_pddfull	_pddl_pred_goal
0.903	0.835	0.835	0.817	0.817	0.789	0.685	0.69	0.0	0.0

Recall_General_test_unseen									
command	arg1	p_arg1	arg2	p_arg2	full_triple	full_seq	full_minus1	full_pddfull	_pddl_pred_goal
0.916	0.771	0.771	0.733	0.733	0.685	0.463	0.466	0.0	0.0

Precision_per_value_val							
goto	pickup	put	slice	toggle	cool	clean	heat
0.777	0.684	0.725	0.475	0.927	0.8	0.821	0.74

Precision_per_value_test							
goto	pickup	put	slice	toggle	cool	clean	heat
0.835	0.773	0.76	0.567	0.893	0.848	0.806	0.772

Precision_per_value_test_unseen							
goto	pickup	put	slice	toggle	cool	clean	heat
0.753	0.557	0.67	0.551	0.754	0.782	0.747	0.798

Recall_per_value_val							
goto	pickup	put	slice	toggle	cool	clean	heat
0.767	0.664	0.711	0.431	0.932	0.741	0.863	0.762

Recall_per_value_test							
goto	pickup	put	slice	toggle	cool	clean	heat
0.822	0.759	0.755	0.543	0.893	0.841	0.818	0.772

Recall_per_value_test_unseen							
goto	pickup	put	slice	toggle	cool	clean	heat
0.75	0.542	0.656	0.462	0.748	0.791	0.763	0.85