

Connected Web

Default.aspx


```
<a href="http://www.w3.org/1999/xhtml">
<head runat="server">
 <title></title>
</head>
<body>
 <form id="form1" runat="server">
    Employee Details</div>
     Employee No:      <asp:TextBox ID="TextBox1"
runat="server"></asp:TextBox>
    </div>
    <div>
Name:                
sp;   
      <asp:TextBox ID="TextBox2" runat="server"></asp:TextBox>
    </div>
<div>Job:&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;
nbsp;     
     <asp:TextBox ID="TextBox3" runat="server"></asp:TextBox>
 </div>
<div>Salary:&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;
p;   
    <asp:TextBox ID="TextBox4" runat="server"></asp:TextBox>
 </div>
 <div>
    <asp:Button ID="Button1" runat="server" Text="Insert" />
         
    <asp:Button ID="Button2" runat="server" style="margin-left: 0px"
     Text="Update" />
                                                                                                                                                                                                                                                                                                                                                     
bsp;  
    <asp:Button ID="Button3" runat="server" Text="Delete" />
 </div>
 </form>
</body>
</html>
```




> Add new Database(emp):



Connect Database to application:



Make emp table in database:



> Add records in table:

②						
eid	enm	job	sal			
1	ram	assitant	12000			
2	sham	operator	10000			
3	priti	programmer	15000			
NULL	NULL	NULL	NULL			

> Add connection string in web.config:

<configuration>

<connectionStrings>

<add name="con" connectionString="Data

 $Source=(LocalDB)\v11.0; AttachDbFilename=C:\Users\Shreesh\Documents\Visual Studio 2012\WebSites\session\App_Data\emp.mdf; Integrated Security=True; Connect Timeout=30" /> </connectionStrings>$

</configuration>

Form Run

Employee Details					
Employee No:					
Name:					
Job:					
Salary:					
Insert	Update	Delete			

> Insert Button

\leftarrow \rightarrow G (i)	localhost:1901/WebSite19/Default2.aspx				
Employee Details					
Employee No:	1				
Name:	abc				
Job:	manager				
Salary:	75000				
Insert	Update				
1 record inserted successfully					

Code:

```
protected void Button1_Click(object sender, EventArgs e)

{
    cmd = new SqlCommand("insert into emp values(eid=@eid,enm=@enm,job=@job,sal=@sal)", con);
    cmd.Parameters.AddWithValue("eid", TextBox1.Text);
    cmd.Parameters.AddWithValue("enm", TextBox2.Text);
    cmd.Parameters.AddWithValue("job", TextBox3.Text);
    cmd.Parameters.AddWithValue("sal", TextBox4.Text);
    cmd.ExecuteNonQuery();
    Label5.Visible = true;
    Label5.Text="1 record inserted successfully";
    Button7. Enabled = false;
    Button9. Enabled = true;
    TextBox1.Text = "";
    TextBox2.Text = "";
```

```
TextBox3.Text = "";
TextBox4.Text = "";
TextBox1.Focus();
display();
}
```

Update Button

Employee Details Employee No: 2 Name: sham Job: operator Salary: 4000| Insert Update Delete 1 record updated

Code:

```
protected void Button2_Click(object sender, EventArgs e)
{
    cmd = new SqlCommand("update emp set enm=@enm,job=@job,sal=@sal where eid=@eid,)",
con);

    cmd.Parameters.AddWithValue("enm", TextBox2.Text);

    cmd.Parameters.AddWithValue("job", TextBox3.Text);

    cmd.Parameters.AddWithValue("sal", TextBox4.Text);

    cmd.Parameters.AddWithValue("eid", TextBox1.Text);


    cmd.ExecuteNonQuery();

    Button8.Enabled = false;

    Button7.Enabled = true;
```

```
Button5.Enabled = true;
Label5.Visible = true;
Label5.Text="1 record updated";
display();
}
```

> Delete Button



Code:

```
protected void Button3_Click(object sender, EventArgs e)
{
    cmd = new SqlCommand("delete from emp where eid=@eid,)", con);
    cmd.Parameters.AddWithValue("eid", TextBox1.Text);
    cmd.ExecuteNonQuery();
    Label5.Visible = true;
    Label5.Text="1 record deleted";
    display();}
```