### Write simple Android program for Android Activity Life Cycle.

### MainActivity.java

```
package com.technoboy.androidactivitylifecycle;
import androidx.appcompat.app.AppCompatActivity;
import android.os.Bundle;
import android.util.Log;
public class MainActivity extends AppCompatActivity {
  //CSRPSRD
  @Override
  protected void onCreate(Bundle savedInstanceState) {
    super.onCreate(savedInstanceState);
    setContentView(R.layout.activity_main);
    Log.i("Life Cycle","onCreate Method Called");
  }
  @Override
  protected void onStart() {
    super.onStart();
    Log.i("Life Cycle", "onStart Method Called");
  @Override
  protected void onResume() {
    super.onResume();
    Log.i("Life Cycle","onResume Method Called");
  @Override
  protected void onPause() {
    super.onPause();
    Log.i("Life Cycle","onPause Method Called");
  @Override
  protected void onStop() {
    super.onStop();
    Log.i("Life Cycle", "onStop Method Called");
  }
  @Override
  protected void onRestart() {
    super.onRestart();
    Log.i("Life Cycle","onRestart Method Called");
  }
  @Override
  protected void onDestroy() {
    super.onDestroy();
    Log.i("Life Cycle","onDestroy Method Called");
  }
}
```

### Write a simple Android program for Activity overloading

```
activit main.xml
<?xml version="1.0" encoding="utf-8"?>
<LinearLayout xmlns:android="http://schemas.android.com/apk/res/android"</p>
  xmlns:app="http://schemas.android.com/apk/res-auto"
  xmlns:tools="http://schemas.android.com/tools"
  android:layout width="match parent"
  android:layout height="match parent"
  android:orientation="vertical"
  tools:context=".MainActivity">
  <TextView
    android:text="@string/name"
    android:layout_width="wrap_content"
    android:layout_height="wrap_content"/>
  <EditText
    android:id="@+id/edittext1"
    android:layout_width="214dp"
    android:layout_height="wrap_content"/>
  <Button
    android:id="@+id/btn1"
    android:layout_width="106dp"
    android:layout_height="wrap_content"
    android:text="@string/ok"/>
  <Button
    android:id="@+id/btn2"
    android:layout_width="106dp"
    android:layout_height="wrap_content"
    android:text="@string/cancel"/>
</LinearLayout>
ActivityMain.java
package com.technoboy.activityoverloading;
import androidx.appcompat.app.AppCompatActivity;
import android.os.Bundle;
import android.view.KeyEvent;
import android.view.View;
import android.widget.Button;
import android.widget.EditText;
import android.widget.Toast;
public class MainActivity extends AppCompatActivity {
  Button btn1,btn2;
  EditText editText;
```

-TechnoBoy

```
@Override
  protected void onCreate(Bundle savedInstanceState) {
    super.onCreate(savedInstanceState);
    setContentView(R.layout.activity_main);
    btn1=findViewById(R.id.btn1);
    btn2=findViewById(R.id.btn2);
    editText=findViewById(R.id.edittext1);
    btn1.setOnClickListener(btnListner);
    btn2.setOnClickListener(btnListner);
    editText.setOnFocusChangeListener(
        new View.OnFocusChangeListener() {
           @Override
           public void onFocusChange(View v, boolean hasFocus) {
             Toast.makeText(getBaseContext(), v.getId()+" has focus "+ hasFocus,
Toast.LENGTH SHORT).show();
         }
    );
  private View.OnClickListener btnListner=new View.OnClickListener() {
    @Override
    public void onClick(View v) {
      Toast.makeText(getBaseContext(), ((Button)v).getText()+" was Clicked",
Toast.LENGTH_SHORT).show();
  };
  @Override
  public boolean onKeyDown(int keyCode, KeyEvent event) {
    switch (keyCode){
      case KeyEvent.KEYCODE_DPAD_CENTER:
        Toast.makeText(getBaseContext(), "Center was Clicked",
Toast.LENGTH_SHORT).show();
        break;
      case KeyEvent.KEYCODE_DPAD_LEFT:
        Toast.makeText(getBaseContext(), "Left Arrow was Clicked",
Toast.LENGTH_SHORT).show();
        break;
      case KeyEvent.KEYCODE_DPAD_RIGHT:
        Toast.makeText(getBaseContext(), "Right Arrow was Clicked",
Toast.LENGTH_SHORT).show();
      case KeyEvent.KEYCODE_DPAD_UP:
        Toast.makeText(getBaseContext(), "Up Arrow was Clicked",
Toast.LENGTH_LONG).show();
        break;
      case KeyEvent.KEYCODE DPAD DOWN:
        Toast.makeText(getBaseContext(), "Down Arrow was Clicked",
Toast.LENGTH_SHORT).show();
        break;
    return false; }
}
```

Write an android code to fetch weburl into mobile screen using webview.

### AndroidManifest.xml

<uses-permission android:name=''android.permission.INTERNET''></uses-permission>
activity\_main.xml

```
<?xml version="1.0" encoding="utf-8"?>
<androidx.constraintlayout.widget.ConstraintLayout</p>
xmlns:android="http://schemas.android.com/apk/res/android"
  xmlns:app="http://schemas.android.com/apk/res-auto"
  xmlns:tools="http://schemas.android.com/tools"
  android:layout width="match parent"
  android:layout_height="match_parent"
  tools:context=".MainActivity">
  <TextView
    android:id="@+id/input_layout_URL_Name"
    android:layout width="wrap content"
    android:layout_height="0dp"
    android:layout_marginTop="60dp"
    android:text="@string/welcome_to_webview"
    android:textSize="24sp"
    android:textStyle="bold"
    app:layout_constraintEnd_toEndOf="parent"
    app:layout_constraintStart_toStartOf="parent"
    app:layout_constraintTop_toTopOf="parent"
    app:layout_editor_absoluteX="88dp" />
  <EditText
    android:id="@+id/URL Name"
    android:layout_width="wrap_content"
    android:layout_height="0dp"
    android:layout_marginTop="44dp"
    android:ems="10"
    android:hint="@string/enter url"
    android:inputType="textPersonName"
    app:layout_constraintEnd_toEndOf="parent"
    app:layout_constraintStart_toStartOf="parent"
    app:layout_constraintTop_toBottomOf="@id/input_layout_URL_Name"
    app:layout_editor_absoluteX="99dp"
    tools:ignore="TextFields" />
  <Button
    android:id="@+id/button"
    android:layout_width="wrap_content"
    android:layout_height="39dp"
    android:layout_marginTop="72dp"
    android:text="@string/enter"
    app:layout constraintEnd toEndOf="parent"
    app:layout_constraintStart_toStartOf="parent"
    app:layout_constraintTop_toBottomOf="@id/URL_Name"
    app:layout_editor_absoluteX="161dp" />
  <WebView
    android:id="@+id/webview"
```

```
android:layout width="319dp"
    android:layout_height="192dp"
    android:layout_marginStart="8dp"
    android:layout_marginEnd="8dp"
    android:layout_marginTop="10dp"
    android:layout_marginBottom="8dp"
    app:layout constraintBottom toBottomOf="parent"
    app:layout_constraintEnd_toEndOf="parent"
    app:layout_constraintStart_toStartOf="parent"
    app:layout_constraintTop_toBottomOf="@id/button"/>
</androidx.constraintlayout.widget.ConstraintLayout>
MainActivity.java
package com.technoboy.webview;
import androidx.appcompat.app.AppCompatActivity;
import android.os.Bundle;
import android.view.View;
import android.webkit.WebView;
import android.widget.Button;
import android.widget.EditText;
public class MainActivity extends AppCompatActivity {
  EditText editText:
  Button button;
  WebView webView;
  @Override
  protected void onCreate(Bundle savedInstanceState) {
    super.onCreate(savedInstanceState);
    setContentView(R.layout.activity_main);
    editText=findViewById(R.id.URL_Name);
    button=findViewById(R.id.button);
    webView=findViewById(R.id.webview);
    webView.setWebViewClient(new MyBrowser());
    button.setOnClickListener(
         new View.OnClickListener() {
           @Override
           public void onClick(View v) {
             webView.getSettings().setLoadsImagesAutomatically(true);
             webView.setScrollBarStyle(View.SCROLLBARS_INSIDE_OVERLAY);
             webView.loadUrl(editText.getText().toString());
```


); } }

### MyBrowser.java

```
import android.os.Build;
import android.webkit.WebResourceRequest;
import android.webkit.WebView;
import android.webkit.WebViewClient;
import androidx.annotation.RequiresApi;

class MyBrowser extends WebViewClient {
    @RequiresApi(api = Build.VERSION_CODES.LOLLIPOP)
    @Override
    public boolean shouldOverrideUrlLoading(WebView view, WebResourceRequest request) {
        view.loadUrl(request.getUrl().toString());
        return true;
    }
}
```

Write an android code for Android Google Maps Current Location.



### For detail: Practical No:21 Link: https://github.com/TechnoJunior/Android-PDF

### MapsActivity.java

package com.technoboy.googlemapscurrentlocation;

import androidx.fragment.app.FragmentActivity;

import android.os.Bundle;

import com.google.android.gms.maps.CameraUpdateFactory;

import com.google.android.gms.maps.GoogleMap;

import com.google.android.gms.maps.OnMapReadyCallback;

 $import\ com.google. and roid.gms. maps. Support Map Fragment;$ 

import com.google.android.gms.maps.model.LatLng;

import com.google.android.gms.maps.model.MarkerOptions;

public class MapsActivity extends FragmentActivity implements OnMapReadyCallback {

private GoogleMap mMap;

```
@Override
```

 $protected\ void\ on Create (Bundle\ savedInstanceState)\ \{$ 

super.onCreate(savedInstanceState);

setContentView(R.layout.activity\_maps);

// Obtain the SupportMapFragment and get notified when the map is ready to be used.

Write an android program for Simple calculator.

### Activity\_main.xml

```
<?xml version="1.0" encoding="utf-8"?>
<androidx.constraintlayout.widget.ConstraintLayout
xmlns:android="http://schemas.android.com/apk/res/android"
  xmlns:app="http://schemas.android.com/apk/res-auto"
  xmlns:tools="http://schemas.android.com/tools"
  android:layout width="match parent"
  android:layout height="match parent"
  tools:context=".MainActivity">
  <EditText
    android:id="@+id/editText"
    android:layout width="wrap content"
    android:layout_height="wrap_content"
    android:ems="10"
    android:inputType="number"
    android:hint="@string/no1"
    app:layout_constraintBottom_toBottomOf="parent"
    app:layout constraintEnd toEndOf="parent"
    app:layout_constraintStart_toStartOf="parent"
    app:layout_constraintTop_toTopOf="parent"
    app:layout_constraintVertical_bias="0.123" />
  <EditText
    android:id="@+id/editText2"
    android:layout_width="wrap_content"
    android:layout_height="wrap_content"
    android:ems="10"
    android:inputType="number"
    android:hint="@string/no2"
    app:layout_constraintBottom_toBottomOf="parent"
    app:layout constraintEnd toEndOf="parent"
    app:layout constraintStart toStartOf="parent"
    app:layout_constraintTop_toTopOf="parent"
    app:layout_constraintVertical_bias="0.241" />
  <Button
    android:id="@+id/button"
    android:layout width="wrap content"
    android:layout height="wrap content"
    android:text="@string/add"
    app:layout_constraintBottom_toBottomOf="parent"
    app:layout_constraintEnd_toStartOf="@+id/button2"
    app:layout_constraintStart_toStartOf="parent"
    app:layout_constraintTop_toTopOf="parent" />
  <Button
    android:id="@+id/button2"
    android:layout_width="wrap_content"
    android:layout height="wrap content"
    android:text="@string/minus"
    app:layout_constraintBottom_toBottomOf="parent"
```

```
app:layout constraintEnd toStartOf="@+id/button3"
    app:layout_constraintHorizontal_bias="0.9"
    app:layout_constraintStart_toStartOf="parent"
    app:layout_constraintTop_toTopOf="parent" />
  <Button
    android:id="@+id/button3"
    android:layout_width="wrap_content"
    android:layout_height="wrap_content"
    android:text="@string/multiply"
    app:layout constraintBottom toBottomOf="parent"
    app:layout_constraintEnd_toEndOf="parent"
    app:layout_constraintHorizontal_bias="0.693"
    app:layout_constraintStart_toStartOf="parent"
    app:layout_constraintTop_toTopOf="parent" />
  <Button
    android:id="@+id/button4"
    android:layout_width="wrap_content"
    android:layout_height="wrap_content"
    android:text="@string/divide"
    app:layout_constraintBottom_toBottomOf="parent"
    app:layout constraintEnd toEndOf="parent"
    app:layout_constraintHorizontal_bias="0.965"
    app:layout_constraintStart_toStartOf="parent"
    app:layout_constraintTop_toTopOf="parent" />
</androidx.constraintlayout.widget.ConstraintLayout>
MainActivity.java
package com.technoboy.simplecalculator;
import androidx.appcompat.app.AppCompatActivity;
import android.content.Intent;
import android.os.Bundle;
import android.view.View;
import android.widget.Button;
import android.widget.EditText;
import android.widget.Toast;
public class MainActivity extends AppCompatActivity {
  Button add, sub, div, mul;
  EditText no1,no2;
  int num1, num2;
  @Override
  protected void onCreate(Bundle savedInstanceState) {
    super.onCreate(savedInstanceState);
    setContentView(R.layout.activity_main);
    add=findViewById(R.id.button);
    sub=findViewById(R.id.button2);
    mul=findViewById(R.id.button3);
```

```
div mul=findViewById(R.id.button4);
    no1=findViewById(R.id.editText);
    no2=findViewById(R.id.editText2);
    add.setOnClickListener(
         new View.OnClickListener() {
           @Override
           public void onClick(View v) {
              num1= Integer.parseInt(no1.getText().toString());
              num2=Integer.parseInt(no2.getText().toString());
              Toast.makeText(MainActivity.this, "Addition: "+ (num1 + num2),
Toast.LENGTH_SHORT).show();
    );
    sub.setOnClickListener(
         new View.OnClickListener() {
            @Override
           public void onClick(View v) {
              num1= Integer.parseInt(no1.getText().toString());
              num2=Integer.parseInt(no2.getText().toString());
             Toast.makeText(MainActivity.this, "Subtraction: "+ (num1 - num2),
Toast.LENGTH SHORT).show();
           }
         }
    );
    mul.setOnClickListener(
         new View.OnClickListener() {
            @Override
           public void onClick(View v) {
              num1= Integer.parseInt(no1.getText().toString());
              num2=Integer.parseInt(no2.getText().toString());
              Toast.makeText(MainActivity.this, "Multiplication: "+ (num1 * num2),
Toast.LENGTH_SHORT).show();
    );
    div.setOnClickListener(
         new View.OnClickListener() {
            @Override
           public void onClick(View v) {
              num1= Integer.parseInt(no1.getText().toString());
              num2=Integer.parseInt(no2.getText().toString());
              Toast.makeText(MainActivity.this, "Division: "+ (num1 / num2),
Toast.LENGTH_SHORT).show();
         }
    );
  }
```

Write an android program for temperature converter from Fahrenheit to Celsius and vice versa

#### activity main.xml

```
<?xml version="1.0" encoding="utf-8"?>
<androidx.constraintlayout.widget.ConstraintLayout
xmlns:android="http://schemas.android.com/apk/res/android"
  xmlns:app="http://schemas.android.com/apk/res-auto"
  xmlns:tools="http://schemas.android.com/tools"
  android:layout_width="match_parent"
  android:layout_height="match_parent"
  tools:context=".MainActivity">
  <EditText
    android:id="@+id/editText"
    android:layout width="wrap content"
    android:layout_height="wrap_content"
    android:ems="10"
    android:inputType="number"
    app:layout_constraintBottom_toBottomOf="parent"
    app:layout constraintEnd toEndOf="parent"
    app:layout constraintHorizontal bias="0.454"
    app:layout constraintStart toStartOf="parent"
    app:layout constraintTop toTopOf="parent"
    app:layout_constraintVertical_bias="0.179" />
  <Button
    android:id="@+id/button"
    android:layout_width="match_parent"
    android:layout_height="wrap_content"
    android:text="@string/ftc"
    app:layout constraintBottom toBottomOf="parent"
    app:layout_constraintEnd_toEndOf="parent"
    app:layout_constraintStart_toStartOf="parent"
    app:layout_constraintTop_toTopOf="parent"
    app:layout_constraintVertical_bias="0.412" />
  <Button
    android:id="@+id/button2"
    android:layout_width="match_parent"
    android:layout_height="wrap_content"
    android:text="@string/ctf"
    app:layout_constraintBottom_toBottomOf="parent"
    app:layout_constraintEnd_toEndOf="parent"
    app:layout_constraintStart_toStartOf="parent"
    app:layout constraintTop toTopOf="parent"/>
</androidx.constraintlayout.widget.ConstraintLayout>
```

### MainActivity.java

package com.technoboy.temperatureconverter;

import androidx.appcompat.app.AppCompatActivity; import android.os.Bundle;

```
import android.view.View;
import android.widget.Button;
import android.widget.EditText;
import android.widget.Toast;
public class MainActivity extends AppCompatActivity {
  EditText temp;
  Button ftc,ctf;
  @Override
  protected void onCreate(Bundle savedInstanceState) {
    super.onCreate(savedInstanceState);
    setContentView(R.layout.activity main);
    temp=findViewById(R.id.editText);
    ftc=findViewById(R.id.button);
    ctf=findViewById(R.id.button2);
    ftc.setOnClickListener(
         new View.OnClickListener() {
           @Override
           public void onClick(View v) {
             double temperature=Integer.parseInt(temp.getText().toString());
             Double b=temperature-32;
             Double c=b*5/9;
             String r=String.valueOf(c);
             Toast.makeText(MainActivity.this,r+"°C",Toast.LENGTH_SHORT).show();
           }});
    ctf.setOnClickListener(
         new View.OnClickListener() {
           @Override
           public void onClick(View v) {
             double temperature=Integer.parseInt(temp.getText().toString());
             Double b=temperature*9/5+32;
             String r=String.valueOf(b);
             Toast.makeText(MainActivity.this,r+"°F",Toast.LENGTH_SHORT).show();
           }});}}
Strings.xml
<resources>
  <string name="app_name">Temperature Converter</string>
  <string name="ctf">Celsius to Fahrenheit</string>
  <string name="ftc">Fahrenheit to Celsius</string>
</resources>
```

Write an android program for shared preference to store value in name-value pair.

### Activity\_main.xml


```
<?xml version="1.0" encoding="utf-8"?>
<androidx.constraintlayout.widget.ConstraintLayout
xmlns:android="http://schemas.android.com/apk/res/android"
  xmlns:app="http://schemas.android.com/apk/res-auto"
  xmlns:tools="http://schemas.android.com/tools"
  android:layout_width="match_parent"
  android:layout height="match parent"
  tools:context=".MainActivity">
  <EditText
    android:id="@+id/editText"
    android:layout_width="wrap_content"
    android:layout_height="wrap_content"
    android:ems="10"
    android:inputType="textPersonName"
    android:hint="@string/name"
    app:layout constraintBottom toBottomOf="parent"
    app:layout_constraintEnd_toEndOf="parent"
    app:layout_constraintStart_toStartOf="parent"
    app:layout_constraintTop_toTopOf="parent"
    app:layout_constraintVertical_bias="0.173" />
  <Button
    android:id="@+id/button"
    android:layout width="wrap content"
    android:layout_height="wrap_content"
    android:text="@string/add"
    app:layout constraintBottom toBottomOf="parent"
    app:layout constraintEnd toEndOf="parent"
    app:layout constraintHorizontal bias="0.526"
    app:layout constraintStart toStartOf="parent"
    app:layout_constraintTop_toBottomOf="@+id/editText"
    app:layout_constraintVertical_bias="0.225" />
</androidx.constraintlayout.widget.ConstraintLayout>
```

#### MainActivity.java

```
package com.technoboy.sharedpreferences;
import androidx.appcompat.app.AppCompatActivity;
import android.content.SharedPreferences;
import android.os.Bundle;
import android.view.View;
import android.widget.Button;
import android.widget.EditText;
import android.widget.Toast;
```

```
public class MainActivity extends AppCompatActivity {
  EditText name;
  Button add;
  @Override
  protected void onCreate(Bundle savedInstanceState) {
    super.onCreate(savedInstanceState);
    setContentView(R.layout.activity_main);
    name=findViewById(R.id.editText);
    add=findViewById(R.id.button);
    add.setOnClickListener(
        new View.OnClickListener() {
           @Override
           public void onClick(View v) {
             SharedPreferences
sharedPreferences=getSharedPreferences("Data",MODE_PRIVATE);
             String nm=name.getText().toString();
             SharedPreferences.Editor editor=sharedPreferences.edit();
             editor.putString("Name",nm);
             editor.commit();
             Toast.makeText(MainActivity.this, "Name added in Shared Preferences",
Toast.LENGTH_SHORT).show();
    );
Output:
```

After clicking on Add Button



### Write a simple Login page program using android code.

Create an application for login form. For successful login, display welcome page and in the cast of failure display alert box indicating the error message and attempts made. Disable the submit button after 3 wrong attempts and display the alert indicating the same.

### Activity\_main.xml

```
<?xml version="1.0" encoding="utf-8"?>
<androidx.constraintlayout.widget.ConstraintLayout
xmlns:android="http://schemas.android.com/apk/res/android"
  xmlns:app="http://schemas.android.com/apk/res-auto"
  xmlns:tools="http://schemas.android.com/tools"
  android:layout width="match parent"
  android:layout_height="match_parent"
  tools:context=".MainActivity">
  <EditText
    android:id="@+id/editText"
    android:layout_width="wrap_content"
    android:layout_height="wrap_content"
    android:ems="10"
    android:inputType="textPersonName"
    android:hint="@string/username"
    app:layout constraintBottom toBottomOf="parent"
    app:layout_constraintEnd_toEndOf="parent"
    app:layout_constraintHorizontal_bias="0.404"
    app:layout_constraintStart_toStartOf="parent"
    app:layout constraintTop toTopOf="parent"
    app:layout_constraintVertical_bias="0.204"
    android:importantForAutofill="no" />
  <EditText
    android:id="@+id/editText2"
    android:layout width="wrap content"
    android:layout height="wrap content"
    android:ems="10"
    android:hint="@string/password"
    android:inputType="textPassword"
    app:layout_constraintBottom_toBottomOf="parent"
    app:layout constraintEnd toEndOf="parent"
    app:layout_constraintHorizontal_bias="0.404"
    app:layout_constraintStart_toStartOf="parent"
    app:layout constraintTop toTopOf="parent"
    app:layout_constraintVertical_bias="0.306"
    android:importantForAutofill="no" />
  <Button
    android:id="@+id/button"
    android:layout width="wrap content"
```

```
android:layout height="wrap content"
    android:text="@string/login"
    app:layout_constraintBottom_toBottomOf="parent"
    app:layout_constraintEnd_toEndOf="parent"
    app:layout constraintStart toStartOf="parent"
    app:layout_constraintTop_toTopOf="parent" />
  <TextView
    android:id="@+id/textView2"
    android:layout width="wrap content"
    android:layout height="wrap content"
    app:layout_constraintBottom_toBottomOf="parent"
    app:layout constraintEnd toEndOf="parent"
    app:layout_constraintHorizontal_bias="0.255"
    app:layout_constraintStart_toStartOf="parent"
    app:layout constraintTop toTopOf="parent"
    app:layout constraintVertical bias="0.415" />
</androidx.constraintlayout.widget.ConstraintLayout>
MainActivity.java
package com.technoboy.loginpage;
import androidx.appcompat.app.AlertDialog;
import androidx.appcompat.app.AppCompatActivity;
import android.annotation.SuppressLint;
import android.content.DialogInterface;
import android.content.Intent;
import android.content.SharedPreferences;
import android.os.Bundle;
import android.view.View;
import android.widget.Button;
import android.widget.EditText;
import android.widget.TextView;
import android.widget.Toast;
import static android.content.SharedPreferences.*;
public class MainActivity extends AppCompatActivity {
  EditText username, password;
  TextView attempts;
  Button login;
  int counter=3;
  @SuppressLint("SetTextI18n")
  @Override
  protected void onCreate(Bundle savedInstanceState) {
    super.onCreate(savedInstanceState);
    setContentView(R.layout.activity main);
    username=findViewById(R.id.editText);
    password=findViewById(R.id.editText2);
    login=findViewById(R.id.button);
    attempts=findViewById(R.id.textView2);
    attempts.setText("No. of Attempts Remaining: "+counter);
```

```
login.setOnClickListener(
         new View.OnClickListener() {
            @Override
           public void onClick(View v) {
             if(username.getText().length()==0){
                username.setError("Username cannot be Blank");
             else if(password.getText().length()==0){
                password.setError("Password cannot be Blank");
             else{
                if(username.getText().toString().equals("admin") &&
password.getText().toString().equals("admin")){
                  Intent intent=new Intent(MainActivity.this,Welcome.class);
                  startActivity(intent);
                else
                  counter--;
                  attempts.setText("No. of Attempts Remaining: "+counter);
                  if(counter==0){
                     login.setEnabled(false);
                     AlertDialog.Builder builder=new AlertDialog.Builder(MainActivity.this);
                     builder.setMessage("Invalid Login Details")
                         .setPositiveButton("Ok", new DialogInterface.OnClickListener() {
                            @Override
                            public void onClick(DialogInterface dialog, int which) {
                              dialog.cancel();
                         })
                     .show();
                  }
                }
              }
           }
    );
activity_welcome.xml
<?xml version="1.0" encoding="utf-8"?>
<androidx.constraintlayout.widget.ConstraintLayout
xmlns:android="http://schemas.android.com/apk/res/android"
  xmlns:app="http://schemas.android.com/apk/res-auto"
  xmlns:tools="http://schemas.android.com/tools"
  android:layout_width="match_parent"
  android:layout_height="match_parent"
  tools:context=".Welcome">
  <TextView
    android:id="@+id/textView"
    android:layout_width="wrap_content"
    android:layout_height="wrap_content"
    android:text="@string/welcome"
```

android:textSize="36sp"
app:layout\_constraintBottom\_toBottomOf="parent"
app:layout\_constraintEnd\_toEndOf="parent"
app:layout\_constraintStart\_toStartOf="parent"
app:layout\_constraintTop\_toTopOf="parent" />
</androidx.constraintlayout.widget.ConstraintLayout>

Create a login form with remember me checkbox. Save the user name and password if the check box is checked using shared preference and show the welcome page when login button is clicked.

### Activity\_main.xml

```
<?xml version="1.0" encoding="utf-8"?>
<androidx.constraintlayout.widget.ConstraintLayout
xmlns:android="http://schemas.android.com/apk/res/android"
  xmlns:app="http://schemas.android.com/apk/res-auto"
  xmlns:tools="http://schemas.android.com/tools"
  android:layout_width="match_parent"
  android:layout_height="match_parent"
  tools:context=".MainActivity">
  <EditText
    android:id="@+id/editText"
    android:layout_width="wrap_content"
    android:layout_height="wrap_content"
    android:ems="10"
    android:inputType="textPersonName"
    android:hint="@string/username"
    app:layout constraintBottom toBottomOf="parent"
    app:layout_constraintEnd_toEndOf="parent"
    app:layout constraintHorizontal bias="0.404"
    app:layout_constraintStart_toStartOf="parent"
    app:layout constraintTop toTopOf="parent"
    app:layout_constraintVertical_bias="0.204"
    android:importantForAutofill="no" />
  <EditText
    android:id="@+id/editText2"
    android:layout width="wrap content"
    android:layout_height="wrap_content"
    android:ems="10"
    android:hint="@string/password"
    android:inputType="textPassword"
    app:layout_constraintBottom_toBottomOf="parent"
    app:layout constraintEnd toEndOf="parent"
    app:layout_constraintHorizontal_bias="0.404"
    app:layout_constraintStart_toStartOf="parent"
    app:layout constraintTop toTopOf="parent"
    app:layout constraintVertical bias="0.306"
    android:importantForAutofill="no" />
  <Button
    android:id="@+id/button"
    android:layout width="wrap content"
    android:layout height="wrap content"
    android:text="@string/login"
    app:layout_constraintBottom_toBottomOf="parent"
```


```
app:layout constraintEnd toEndOf="parent"
    app:layout_constraintStart_toStartOf="parent"
    app:layout_constraintTop_toTopOf="parent" />
  <CheckBox
    android:id="@+id/checkBox"
    android:layout width="wrap content"
    android:layout_height="wrap_content"
    android:layout_marginTop="284dp"
    android:layout_marginEnd="240dp"
    android:layout_marginRight="240dp"
    android:text="@string/remember_me"
    app:layout constraintEnd toEndOf="parent"
    app:layout_constraintTop_toTopOf="parent" />
</androidx.constraintlayout.widget.ConstraintLayout>
MainActivity.java
package com.technoboy.loginsharedpreferences;
import androidx.appcompat.app.AppCompatActivity;
import android.content.Intent;
import android.content.SharedPreferences;
import android.os.Bundle;
import android.view.View;
import android.widget.Button;
import android.widget.CheckBox;
import android.widget.CheckedTextView;
import android.widget.EditText;
import android.widget.TextView;
public class MainActivity extends AppCompatActivity {
  EditText username, password;
  TextView attempts;
  Button login;
  CheckBox checkBox;
  @Override
  protected void onCreate(Bundle savedInstanceState) {
    super.onCreate(savedInstanceState);
    setContentView(R.layout.activity_main);
    username=findViewById(R.id.editText);
    password=findViewById(R.id.editText2);
    login=findViewById(R.id.button);
    checkBox=findViewById(R.id.checkBox);
    login.setOnClickListener(
         new View.OnClickListener() {
           @Override
           public void onClick(View v) {
             SharedPreferences
```

```
sharedPreferences=getSharedPreferences("LoginDetails",MODE PRIVATE);
             SharedPreferences.Editor editor=sharedPreferences.edit();
             if(username.getText().length()==0){
                username.setError("Username cannot be Blank");
             else if(password.getText().length()==0){
                password.setError("Password cannot be Blank");
             else{
                if(username.getText().toString().equals("technoboy") &&
password.getText().toString().equals("technoboy")){
                  if(checkBox.isChecked()){
                    editor.putString("username",username.getText().toString());
                    editor.putString("password",password.getText().toString());
                    editor.commit();
                  Intent intent=new Intent(MainActivity.this, Welcome.class);
                  startActivity(intent);
              }
           }
        }
    );
  }
activity_welcome.xml
<?xml version="1.0" encoding="utf-8"?>
<androidx.constraintlayout.widget.ConstraintLayout
xmlns:android="http://schemas.android.com/apk/res/android"
  xmlns:app="http://schemas.android.com/apk/res-auto"
  xmlns:tools="http://schemas.android.com/tools"
  android:layout_width="match_parent"
  android:layout_height="match_parent"
  tools:context=".Welcome">
  <TextView
    android:id="@+id/textView"
    android:layout_width="wrap_content"
    android:layout height="wrap content"
    android:text="@string/welcome"
    android:textSize="36sp"
    app:layout_constraintBottom_toBottomOf="parent"
    app:layout constraintEnd toEndOf="parent"
    app:layout_constraintStart_toStartOf="parent"
    app:layout constraintTop toTopOf="parent"/>
</androidx.constraintlayout.widget.ConstraintLayout>
```

### Strings.xml

```
<resources>
    <string name="app_name">LoginSharedPreferences</string>
    <string name="login">Login</string>
    <string name="password">Enter Password</string>
    <string name="username">Enter UserName</string>
    <string name="remember_me">Remember Me</string>
    <string name="welcome">Welcome</string>
    </resources>
```

### After Clicking on Login



Write an android application to parse JSON data using JSON objects and set it in Textview. Create JSON data with the following information: employee name, age, department and salary

### Write an Android Program to Demonstrate Parsing a Json Object

```
JSON Urls:
```

GOT: https://api.myjson.com/bins/v8v8g

### AndroidManifest.xml

<uses-permission android:name="android.permission.INTERNET"></uses-permission>

### Activiy\_main.xml

```
<?xml version="1.0" encoding="utf-8"?>
< Relative Layout xmlns: android="http://schemas.android.com/apk/res/android"
  xmlns:app="http://schemas.android.com/apk/res-auto"
  xmlns:tools="http://schemas.android.com/tools"
  android:layout_width="match_parent"
  android:layout_height="match_parent"
  tools:context=".MainActivity">
  <Button
    android:id="@+id/button"
    android:text="@string/show"
    android:layout_width="wrap_content"
    android:layout_height="wrap_content"
    android:layout_marginBottom="10dp"/>
  <ScrollView
    android:layout_width="match_parent"
    android:layout_height="match_parent"
    android:layout_below="@id/button">
    <TextView
       android:id="@+id/textview"
       android:padding="5dp"
       android:textSize="24sp"
       android:hint="@string/data"
       android:layout width="match parent"
       android:layout_height="wrap_content"/>
  </ScrollView>
</RelativeLayout>
```

### MainActivity.java

package com.technoboy.jsonobject;

import androidx.appcompat.app.AppCompatActivity;

import android.os.Bundle; import android.view.View;

-TechnoBoy

```
import android.widget.Button;
import android.widget.TextView;
public class MainActivity extends AppCompatActivity {
  public static TextView show;
  Button fetch:
  fetchData fd;
  @Override
  protected void onCreate(Bundle savedInstanceState) {
    super.onCreate(savedInstanceState);
    setContentView(R.layout.activity_main);
    show=findViewById(R.id.textview);
    fetch=findViewById(R.id.button);
    fetch.setOnClickListener(
         new View.OnClickListener() {
            @Override
            public void onClick(View v) {
              fd=new fetchData();
              fd.execute();
            }
         }
    );
  }
fetchData.java
package com.technoboy.jsonobject;
import android.os. AsyncTask;
import org.json.JSONArray;
import org.json.JSONException;
import org.json.JSONObject;
import java.io.BufferedReader;
import java.io.IOException;
import java.io.InputStreamReader;
import java.net.HttpURLConnection;
import java.net.URL;
public class fetchData extends AsyncTask<Void, Void, Void> {
  String data="",singleline,alldata;
  @Override
  protected Void doInBackground(Void... voids) {
       URL url=new URL("https://api.myjson.com/bins/v8v8g");
       HttpURLConnection httpURLConnection=(HttpURLConnection) url.openConnection();
       BufferedReader br=new BufferedReader(new
InputStreamReader(httpURLConnection.getInputStream()));
```


-TechnoBoy

```
String line="";
    while(line!=null){
       line=br.readLine();
       data=data+line;
    }
    JSONArray jsonArray=new JSONArray(data);
    for(int i=0;i<jsonArray.length();i++){</pre>
      JSONObject jsonObject=jsonArray.getJSONObject(i);
      singleline=jsonObject.getString("emp_name")+" --> "+jsonObject.getString("emp_age")+" -->
          +jsonObject.getString("emp_dept")+" --> "+jsonObject.getString("emp_sal")+"\n";
      alldata=alldata+singleline;
  } catch (IOException | JSONException e) {
    e.printStackTrace();
  return null;
@Override
protected void onPostExecute(Void aVoid) {
  super.onPostExecute(aVoid);
  MainActivity.show.setText(alldata);
}
```

Write an android program to demonstrate volley library.

Write an android application to retrieve the JSON object using Volley library and display it in a text view.

### build.gradle



### AndroidManifest.xml

```
<uses-permission android:name="android.permission.INTERNET"/>
```

### Activity\_main.xml

```
<?xml version="1.0" encoding="utf-8"?>
<RelativeLayout xmlns:android="http://schemas.android.com/apk/res/android"</p>
  xmlns:app="http://schemas.android.com/apk/res-auto"
  xmlns:tools="http://schemas.android.com/tools"
  android:layout width="match parent"
  android:layout_height="match_parent"
  tools:context=".MainActivity">
  <TextView
    android:id="@+id/show"
    android:layout_width="wrap_content"
    android:layout_height="wrap_content"
    android:textSize="20sp"/>
  <Button
    android:id="@+id/button"
    android:layout_width="wrap_content"
    android:layout_height="wrap_content"
    android:layout_alignParentStart="true"
    android:layout_alignParentLeft="true"
    android:layout_alignParentBottom="true"
    android:layout_marginStart="149dp"
    android:layout_marginLeft="149dp"
    android:layout_marginBottom="154dp"
    android:text="@string/parse"/>
</RelativeLayout>
```

### MainActivity.java

```
package com.technoboy.jsonusingvolleylibrary;
import androidx.appcompat.app.AppCompatActivity;
import android.os.Bundle;
import android.view.View;
import android.widget.Button;
import android.widget.TextView;
import com.android.volley.RequestQueue;
import com.android.volley.Response;
import com.android.volley.VolleyError;
import com.android.volley.toolbox.JsonArrayRequest;
import com.android.volley.toolbox.Volley;
import org.json.JSONArray;
import org.json.JSONException;
import org.json.JSONObject;
import java.io.BufferedReader;
import java.io.IOException;
import java.io.InputStreamReader;
import java.net.HttpURLConnection;
import java.net.URL;
public class MainActivity extends AppCompatActivity {
  Button parse;
  TextView textView;
  RequestQueue result;
  String data;
  @Override
  protected void onCreate(Bundle savedInstanceState) {
    super.onCreate(savedInstanceState);
    setContentView(R.layout.activity_main);
    textView=findViewById(R.id.show);
    parse=findViewById(R.id.button);
    result= Volley.newRequestQueue(this);
    parse.setOnClickListener(
         new View.OnClickListener() {
           @Override
           public void onClick(View v) {
             jsonparse();
         }
    );
  private void jsonparse() {
    String url="https://api.myjson.com/bins/v8v8g";
    final JsonArrayRequest request=new JsonArrayRequest(url, new
Response.Listener<JSONArray>() {
```

```
@Override
      public void onResponse(JSONArray response) {
         for(int i=0;i<response.length();i++){</pre>
           try {
             JSONObject jsonObject=response.getJSONObject(i);
             String name=jsonObject.getString("emp_name");
             String age=jsonObject.getString("emp_age");
             String dept=jsonObject.getString("emp_dept");
             String sal=jsonObject.getString("emp_sal");
             textView.append("Name: "+name+"\nAge: "+age+"\nDept: "+dept+"\nSal:
"+sal+"\n");
           } catch (JSONException e) {
             e.printStackTrace();
      }
    }, new Response.ErrorListener() {
      @Override
      public void onErrorResponse(VolleyError error) {
         error.printStackTrace();
    });
    result.add(request);
  }
}
```

Write an android program for database connection to insert records into database.

Write an android program for database connection to delete records from database.

Write an android program for database connection to update records into database

### Activity\_main.xml

```
<?xml version="1.0" encoding="utf-8"?>
<androidx.constraintlayout.widget.ConstraintLayout
xmlns:android="http://schemas.android.com/apk/res/android"
  xmlns:app="http://schemas.android.com/apk/res-auto"
  xmlns:tools="http://schemas.android.com/tools"
  android:layout_width="match_parent"
  android:layout_height="match_parent"
  tools:context=".MainActivity">
  <Button
    android:id="@+id/btnDelete"
    android:layout width="wrap content"
    android:layout_height="wrap_content"
    android:text="@string/delete"
    app:layout_constraintBottom_toBottomOf="parent"
    app:layout constraintEnd toEndOf="parent"
    app:layout_constraintHorizontal_bias="0.73"
    app:layout constraintStart toStartOf="parent"
    app:layout_constraintTop_toTopOf="parent"
    app:layout_constraintVertical_bias="0.613" />
  <Button
    android:id="@+id/btnUpdate"
    android:layout_width="wrap_content"
    android:layout_height="wrap_content"
    android:text="@string/update"
    app:layout constraintBottom toBottomOf="parent"
    app:layout constraintEnd toEndOf="parent"
    app:layout constraintHorizontal bias="0.73"
    app:layout_constraintStart_toStartOf="parent"
    app:layout_constraintTop_toTopOf="parent"
    app:layout_constraintVertical_bias="0.72" />
  <Button
    android:id="@+id/btnShow"
    android:layout width="wrap content"
    android:layout_height="wrap_content"
    android:text="@string/show"
    app:layout constraintBottom toBottomOf="parent"
    app:layout constraintEnd toEndOf="parent"
    app:layout constraintHorizontal bias="0.73"
    app:layout constraintStart toStartOf="parent"
    app:layout_constraintTop_toTopOf="parent" />
```

```
<Button
  android:id="@+id/btnInsert"
  android:layout_width="wrap_content"
  android:layout_height="wrap_content"
  android:text="@string/insert"
  app:layout constraintBottom toBottomOf="parent"
  app:layout_constraintEnd_toStartOf="@+id/btnShow"
  app:layout_constraintStart_toStartOf="parent"
  app:layout_constraintTop_toTopOf="parent" />
<EditText
  android:id="@+id/gotname"
  android:layout_width="wrap_content"
  android:layout_height="wrap_content"
  android:ems="10"
  android:hint="@string/enter your name"
  android:inputType="textPersonName"
  app:layout_constraintBottom_toTopOf="@+id/btnInsert"
  app:layout_constraintEnd_toEndOf="parent"
  app:layout_constraintStart_toStartOf="parent"
  app:layout_constraintTop_toTopOf="parent"
  android:autofillHints=""/>
<EditText
  android:id="@+id/gothouse"
  android:layout_width="wrap_content"
  android:layout_height="wrap_content"
  android:ems="10"
  android:inputType="textPersonName"
  android:hint="@string/house name"
  app:layout constraintBottom toTopOf="@+id/btnInsert"
  app:layout_constraintEnd_toEndOf="parent"
  app:layout_constraintStart_toStartOf="parent"
  app:layout_constraintTop_toBottomOf="@+id/gotname"
  app:layout_constraintVertical_bias="0.271" />
<EditText
  android:id="@+id/gotid"
  android:layout width="96dp"
  android:layout_height="43dp"
  android:ems="10"
  android:hint="@string/id"
  android:inputType="number"
  app:layout_constraintBottom_toBottomOf="parent"
  app:layout constraintEnd toStartOf="@+id/btnUpdate"
  app:layout_constraintHorizontal_bias="0.528"
  app:layout constraintStart toStartOf="parent"
  app:layout_constraintTop_toBottomOf="@+id/btnInsert"
  app:layout_constraintVertical_bias="0.197" />
```

</androidx.constraintlayout.widget.ConstraintLayout>

### MainActivity.java

```
package com.technoboy.database;
import androidx.appcompat.app.AlertDialog;
import androidx.appcompat.app.AppCompatActivity;
import android. Manifest;
import android.content.DialogInterface;
import android.content.Intent;
import android.database.Cursor;
import android.os.Bundle;
import android.view.View;
import android.widget.Button;
import android.widget.EditText;
import android.widget.Toast;
public class MainActivity extends AppCompatActivity {
  Button insert, show, update, delete;
  EditText name, house, id;
  databaseHelper databaseHelper;
  @Override
  protected void onCreate(Bundle savedInstanceState) {
    super.onCreate(savedInstanceState);
    setContentView(R.layout.activity main);
    databaseHelper=new databaseHelper(this);
    insert=findViewById(R.id.btnInsert);
    show=findViewById(R.id.btnShow);
    update=findViewById(R.id.btnUpdate);
    delete=findViewById(R.id.btnDelete);
    name=findViewById(R.id.gotname);
    house=findViewById(R.id.gothouse);
    id=findViewById(R.id.gotid);
    insert.setOnClickListener(
         new View.OnClickListener() {
            @Override
            public void onClick(View v) {
              boolean\ result=database Helper.insert Data(name.get Text().to String(), house.get Text().to String());
              Toast.makeText(MainActivity.this, "Data Inserted", Toast.LENGTH_SHORT).show();
           else{
              Toast.makeText(MainActivity.this, "Unable to Insert Data", Toast.LENGTH_SHORT).show();
    );
    show.setOnClickListener(
         new View.OnClickListener() {
            @Override
            public void onClick(View v) {
              Cursor data=databaseHelper.getData();
           if(data.getCount()==0){
              Toast.makeText(MainActivity.this, "Empty Database", Toast.LENGTH_SHORT).show();
```

```
StringBuffer stringBuffer=new StringBuffer();
             while(data.moveToNext()){
               stringBuffer.append("Id: "+data.getString(0)+"\nName: "+data.getString(1)
               +''\nHouse: ''+data.getString(2)+''\n\n'');
             AlertDialog.Builder builder=new AlertDialog.Builder(MainActivity.this);
             builder.setTitle("Data");
             builder.setMessage(stringBuffer):
             builder.setPositiveButton("Ok", new DialogInterface.OnClickListener() {
               @Override
               public void onClick(DialogInterface dialog, int which) {
                 dialog.cancel();
             });
             builder.show();
//
              Intent intent=new Intent(MainActivity.this,Show.class);
//
              startActivity(intent);
           }
     );
     update.setOnClickListener(
          new View.OnClickListener() {
             @Override
             public void onClick(View v) {
                if (id.getText().toString().equals(""")){
               Toast.makeText(MainActivity.this, "Id cannot be blank", Toast.LENGTH_SHORT).show();
             else if(name.getText().toString().equals('''')){
               Toast.makeText(MainActivity.this, "Name cannot be blank", Toast.LENGTH_SHORT).show();
             else\ if (house.getText().toString().equals('''')) \{
               Toast.makeText(MainActivity.this, "House cannot be blank", Toast.LENGTH_SHORT).show();
             else{
               boolean
update=databaseHelper.updateData(id.getText().toString(),name.getText().toString(),house.getText().toString());
               if(update){
                 Toast.makeText(MainActivity.this, "Data Updated", Toast.LENGTH_SHORT).show();
               else{
                 Toast.makeText(MainActivity.this, "Unable to Update", Toast.LENGTH_SHORT).show();
     );
     delete.setOnClickListener(
          new View.OnClickListener() {
             @Override
             public void onClick(View v) {
                if (id.getText().toString().equals("")){
               Toast.makeText(MainActivity.this, "Id cannot be blank", Toast.LENGTH_SHORT).show();
             else {
               boolean b = databaseHelper.deleteData(id.getText().toString());
                 Toast.makeText(MainActivity.this, "Data Deleted", Toast.LENGTH_SHORT).show();
                 Toast.makeText(MainActivity.this, "No Data Found", Toast.LENGTH_SHORT).show();
```

```
}
    );
  }
}
databaseHelper.java
package com.technoboy.database;
import android.content.ContentValues;
import android.content.Context;
import android.database.Cursor;
import android.database.sqlite.SQLiteDatabase;
import android.database.sqlite.SQLiteOpenHelper;
import androidx.annotation.Nullable;
public class databaseHelper extends SQLiteOpenHelper {
  private static final String Db_Name="GOT.db";
  private static final String Tb Name="GOT";
  private static final String Col1="Id";
  private static final String Col2="Name";
  private static final String Col3="House";
  public databaseHelper(@Nullable Context context) {
    super(context, Db_Name, null, 1);
  @Override
  public void onCreate(SQLiteDatabase db) {
    db.execSQL("CREATE TABLE "+ Tb_Name + "("+Col1+" INTEGER PRIMARY KEY
AUTOINCREMENT,"+Col2+" TEXT,"+Col3+" TEXT)");
  @Override
  public void onUpgrade(SQLiteDatabase db, int oldVersion, int newVersion) {
    db.execSQL("DROP TABLE IF EXISTS "+Tb_Name);
    onCreate(db);
  }
  public boolean insertData(String Name,String House){
    SQLiteDatabase db=this.getWritableDatabase();
    ContentValues data=new ContentValues();
    data.put(Col2,Name);
    data.put(Col3,House);
    long insert = db.insert(Tb_Name, null, data);
    if(insert==-1)
      return false;
    else{
      return true;
    }
  }
```

-TechnoBoy

```
public Cursor getData(){
    SQLiteDatabase();
    Cursor cursor=db.rawQuery("SELECT * FROM "+Tb_Name,null);
    return cursor;
  }
  public boolean updateData(String Id,String Name,String House){
    SQLiteDatabase();
    ContentValues contentValues=new ContentValues();
    contentValues.put(Col1,Id);
    contentValues.put(Col2,Name);
    contentValues.put(Col3,House);
    int update = db.update(Tb_Name, contentValues, Col1 + "=?", new String[]{Id});
    if(update>0){
      return true;
    else{
      return false;
  public boolean deleteData(String Id){
    SQLiteDatabase();
    int delete = db.delete(Tb_Name, Col1 + "=?", new String[]{Id});
    if(delete>0){
      return true;
    }
    else {
      return false;
  }
Output:
```

Name
House Name

INSERT SHOW

DELETE
D

UPDATE

Write an android program for simple animation.

Write an android application to rotate an image.

Write an android application to expand and shrink the image.

Create an application to move the image in x and y direction

#### Structure

```
Simple Animation [F:\MCA\Solved Android Practicals\SimpleAnimation] - ...\app\
File Edit View Navigate Code Analyze Refactor Build Run Tools VCS
eAnimation 🕽 📭 app 🕽 🖿 src 🕽 🖿 main 🕽 🖿 java 🕽 🖿 com 🕽 🗖 technoboy 🥻 🗖
     🖷 Android 🔻
      app
      manifests
      ▼ 📄 java
         Resource Manager

    com.technoboy.simpleanimation (androidTest)

    com.technoboy.simpleanimation (test)

    is java (generated)

      ▼ 📭 res
         ▼ 🖿 anim
               🚜 expand.xml
 Build Variants
               🚜 move.xml
               🚜 rotate.xml
               🚜 shrink.xml
         ▶ ☐ drawable
         ▼ layout
               🚜 activity_main.xml
         ▶ ■ mipmap
         values
..
         res (generated)
      Gradle Scripts
```

#### Expand.xml

```
<?xml version="1.0" encoding="utf-8"?>
<set xmlns:android="http://schemas.android.com/apk/res/android"
   android:fillAfter="true" >

   <scale
    android:duration="1000"
    android:fromXScale="1"
   android:fromYScale="1"
   android:pivotX="50%"
   android:pivotY="50%"</pre>
```

```
android:toXScale="3"
    android:toYScale="3">
  </scale>
</set>
Shrink.xml
<?xml version="1.0" encoding="utf-8"?>
<set xmlns:android="http://schemas.android.com/apk/res/android"
android:fillAfter="true" >
<scale
  android:duration="1000"
  android:fromXScale="1.0"
  android:fromYScale="1.0"
  android:pivotX="50%"
  android:pivotY="50%"
  android:toXScale="0.5"
  android:toYScale="0.5" >
</scale>
</set>
Rotate.xml
<?xml version="1.0" encoding="utf-8"?>
<set xmlns:android="http://schemas.android.com/apk/res/android">
  <rotate android:fromDegrees="0"
    android:toDegrees="360"
    android:pivotX="50%"
    android:pivotY="50%"
    android:duration="600"
    android:repeatMode="restart"
    android:repeatCount="infinite"
    android:interpolator="@android:anim/cycle_interpolator"/>
</set>
Move.xml
<?xml version="1.0" encoding="utf-8"?>
<set
  xmlns:android="http://schemas.android.com/apk/res/android"
  android:interpolator="@android:anim/linear_interpolator"
  android:fillAfter="true">
  <translate
    android:fromXDelta="0%p"
```

-TechnoBoy

```
android:toXDelta="75%p"
    android:duration="800" />
</set>
Activity_main.xml
<?xml version="1.0" encoding="utf-8"?>
<RelativeLayout xmlns:android="http://schemas.android.com/apk/res/android"
  xmlns:tools="http://schemas.android.com/tools"
  android:layout_width="match_parent"
  android:layout height="match parent"
  android:orientation="vertical"
  tools:context=".MainActivity">
  <Button
    android:id="@+id/btnShrink"
    android:layout_width="wrap_content"
    android:layout_height="wrap_content"
    android:layout alignParentEnd="true"
    android:layout_alignParentRight="true"
    android:layout_alignParentBottom="true"
    android:layout_marginEnd="51dp"
    android:layout_marginRight="51dp"
    android:layout marginBottom="276dp"
    android:text="@string/shrink"/>
  <TextView
    android:layout_width="wrap_content"
    android:layout height="wrap content"
    android:id="@+id/textView"
    android:layout_alignParentTop="true"
    android:layout centerHorizontal="true"
    android:textSize="30sp"
    android:text="@string/image_animation"/>
  <ImageView
    android:id="@+id/imageView"
    android:layout width="325dp"
    android:layout height="208dp"
    android:layout_alignParentTop="true"
    android:layout_centerHorizontal="true"
    android:layout marginTop="71dp"
    android:contentDescription="@string/logo"
    android:src="@drawable/logo"/>
  <Button
    android:id="@+id/btnExpand"
    android:layout_width="wrap_content"
    android:layout_height="wrap_content"
    android:layout_alignParentTop="true"
    android:layout alignParentEnd="true"
    android:layout alignParentRight="true"
```

```
android:layout_marginTop="321dp"
    android:layout_marginEnd="55dp"
    android:layout marginRight="55dp"
    android:text="@string/expand"/>
  <Button
    android:id="@+id/btnRotate"
    android:layout width="wrap content"
    android:layout height="wrap content"
    android:layout_alignParentStart="true"
    android:layout_alignParentLeft="true"
    android:layout alignParentBottom="true"
    android:layout_marginStart="45dp"
    android:layout_marginLeft="45dp"
    android:layout_marginBottom="280dp"
    android:text="@string/rotate" />
  <Button
    android:id="@+id/btnMove"
    android:layout width="wrap content"
    android:layout height="wrap content"
    android:layout alignParentStart="true"
    android:layout_alignParentLeft="true"
    android:layout_alignParentTop="true"
    android:layout marginStart="39dp"
    android:layout marginLeft="39dp"
    android:layout_marginTop="317dp"
    android:text="@string/move"/>
</RelativeLayout>
MainActivity.java
package com.technoboy.simpleanimation;
import androidx.appcompat.app.AppCompatActivity;
import android.os.Bundle;
import android.view.View;
import android.view.animation.Animation;
import android.view.animation.AnimationUtils;
import android.widget.Button;
import android.widget.ImageView;
public class MainActivity extends AppCompatActivity {
  Button expand, shrink, rotate, move;
  Animation animexpand, animshrink, animrotate, animmove;
  ImageView imageView;
  @Override
  protected void onCreate(Bundle savedInstanceState) {
    super.onCreate(savedInstanceState);
```

-TechnoBoy

```
setContentView(R.layout.activity_main);
expand=findViewById(R.id.btnExpand);
shrink=findViewById(R.id.btnShrink);
rotate=findViewById(R.id.btnRotate);
move=findViewById(R.id.btnMove);
imageView=findViewById(R.id.imageView);
animexpand= AnimationUtils.loadAnimation(getApplicationContext(),R.anim.expand);
animshrink=AnimationUtils.loadAnimation(getApplicationContext(),R.anim.shrink);
animrotate=AnimationUtils.loadAnimation(getApplicationContext(),R.anim.rotate);
animmove=AnimationUtils.loadAnimation(getApplicationContext(),R.anim.move);
expand.setOnClickListener(
    new View.OnClickListener() {
       @Override
       public void onClick(View v) {
         imageView.setVisibility(View.VISIBLE);
         imageView.startAnimation(animexpand);
);
shrink.setOnClickListener(
    new View.OnClickListener() {
       @Override
       public void onClick(View v) {
         imageView.setVisibility(View.VISIBLE);
         imageView.startAnimation(animshrink);
);
rotate.setOnClickListener(
    new View.OnClickListener() {
       @Override
       public void onClick(View v) {
         imageView.setVisibility(View.VISIBLE);
         imageView.startAnimation(animrotate);
);
move.setOnClickListener(
    new View.OnClickListener() {
       @Override
       public void onClick(View v) {
         imageView.setVisibility(View.VISIBLE);
         imageView.startAnimation(animmove);
    }
);
```

Write an android program to check internet connection.

AndroidManifest.xml

```
<uses-permission android:name="android.permission.ACCESS_NETWORK_STATE" />
<uses-permission android:name="android.permission.INTERNET"/>
```

```
Activity_main.xml
```

```
<?xml version="1.0" encoding="utf-8"?>
<androidx.constraintlayout.widget.ConstraintLayout
xmlns:android="http://schemas.android.com/apk/res/android"
  xmlns:app="http://schemas.android.com/apk/res-auto"
  xmlns:tools="http://schemas.android.com/tools"
  android:layout_width="match_parent"
  android:layout height="match parent"
  tools:context=".MainActivity">
  <Button
    android:id="@+id/check"
    android:text="@string/check"
    android:layout width="wrap content"
    android:layout_height="wrap_content"/>
</androidx.constraintlayout.widget.ConstraintLayout>
MainActivity.java
package com.technoboy.checkinternet;
import androidx.appcompat.app.AppCompatActivity;
import android.net.ConnectivityManager;
import android.net.Network;
import android.net.NetworkInfo;
import android.os.Bundle;
import android.telephony.AvailableNetworkInfo;
import android.view.View;
import android.widget.Button;
import android.widget.Toast;
public class MainActivity extends AppCompatActivity {
  Button button;
  checkConnection cn:
  @Override
  protected void onCreate(Bundle savedInstanceState) {
    super.onCreate(savedInstanceState);
    setContentView(R.layout.activity_main);
    button=findViewById(R.id.check);
    cn=new checkConnection(this);
    button.setOnClickListener(
```

-TechnoBoy

```
new View.OnClickListener() {
           @Override
           public void onClick(View v) {
             if(cn.isConnected()){
                Toast.makeText(MainActivity.this, "Connected", Toast.LENGTH_SHORT).show();
             else {
                Toast.makeText(MainActivity.this, "Not Connected",
Toast.LENGTH_SHORT).show();
              }
           }
    );
  }
checkconnection.java
package com.technoboy.checkinternet;
import android.app.Service;
import android.content.Context;
import android.net.ConnectivityManager;
import android.net.NetworkInfo;
public class checkConnection {
  Context context;
  public checkConnection(Context context) {
    this.context=context;
  public boolean isConnected(){
    ConnectivityManager connectivityManager=(ConnectivityManager)
         context.getSystemService(Service.CONNECTIVITY_SERVICE);
    if(connectivityManager!=null){
      NetworkInfo info=connectivityManager.getActiveNetworkInfo();
      if(info!=null){
         if(info.getState()==NetworkInfo.State.CONNECTED){
           return true;
    return false;
```