


# POWER SENSE ALERT

➤ *Get Instant Notification about  
Your power conditions via  
SMS & Call*



## Features

- Call & SMS Alert On Power Failure and Power Resumption
- SMS & Call Alert on Multiple user Mobile Numbers
- Support all types of 2G, 3G & 4G SIM Cards
- Inbuilt Battery Backup up to 24 Hours
- Configurable SMS String format
- SMS Alert with Time Stamp
- Fully Configurable via SMS
- DIN Rail and Wall Mount Enclosure ABS Plastic Body
- One Relay Output for Load control
- One Output for Hooter/Alarm



**TECHNODE**  
Embedding For The Future...

## Specifications

Input Voltage	12V DC , 2 Amp
Cellular Technology	4G LTE-FDD / LTE-TDD B1/B3/B5/B8 B34/B38/B39/B40/B41 & GSM (800/850/900/950)
SIM Card Compatibility	3V and 1.8V - Micro SIM-Card
Antenna	3dbi – 3.5dbi External Antenna
Power sense	3 Phase and 1 Phase
Sensing Voltage	Min- 180 V Max – 510 V AC
Relay Output	1nos 250VAC/30VDC, 5Amp – NO/NC contact
Battery	Li-ion 3.7V, 1200mAh
Indication	5 LED – Power, Signal, Network, Status, SMS
Maximum user number	10 Mobile Numbers
Configuration	SMS
Operating Temperature	0 to 55 Degree C
Humidity	95% RH
Dimension (L x W x H)	110 x 110 x 25 (in mm)
Weight (with Antenna & Adaptor)	0.32 kg - Approx.

## Applications



Aquaculture  
Aerators



Cold Room  
Monitoring



Industrial  
Power Cut



Server Room  
Monitoring