

Cisco Packet Tracer

File Edit Options View Tools Extensions Window Help

Logical Physical 2/4 p. 1/2

Rest

Time: 01:19:01

Scenario 0

Fire Last Status Source Destination Type Color Time(sec) Periodic Num Edit Delete

New Delete

Toggle FDI List Window

Copper Straight-Through

Physical Config Desktop Programming Attributes

Command Prompt

```
Reply from 192.168.200.100: bytes=32 time=8ms TTL=127

Ping statistics for 192.168.200.100:
    Packets: Sent = 3, Received = 3, Lost = 0 (0% loss),
    Approximate round trip times in milli-seconds:
        Minimum = 8ms, Maximum = 8ms, Average = 8ms

Control-C
^C
C:\>PING 192.168.200.100

Pinging 192.168.200.100 with 32 bytes of data:
Reply from 192.168.200.100: bytes=32 time=8ms TTL=127
Reply from 192.168.200.100: bytes=32 time=8ms TTL=127

Ping statistics for 192.168.200.100:
    Packets: Sent = 3, Received = 3, Lost = 0 (0% loss),
    Approximate round trip times in milli-seconds:
        Minimum = 8ms, Maximum = 8ms, Average = 8ms

Control-C
^C
C:\>PING 192.168.100.100

Pinging 192.168.100.100 with 32 bytes of data:
Reply from 192.168.100.100: bytes=32 time=1ms TTL=128
Reply from 192.168.100.100: bytes=32 time=1ms TTL=128
Reply from 192.168.100.100: bytes=32 time=1ms TTL=128
Reply from 192.168.100.100: bytes=32 time=1ms TTL=128

Ping statistics for 192.168.100.100:
    Packets: Sent = 4, Received = 4, Lost = 0 (0% loss),
    Approximate round trip times in milli-seconds:
        Minimum = 1ms, Maximum = 1ms, Average = 1ms

C:\>
```