




5V-3.3V




hosc+losc




CH32V208GBU6



LED



BOOT



DS18B20

openterface

Schematic1\_31

更新日期 2026-01-14

创建日期 2025-12-05

物料编码

Openterface KVM-GO KM

版本

尺寸




页 1

共 3

V1.0

A4


TechxArtisan




|     |               |         |              |
|-----|---------------|---------|--------------|
| 原理图 | Schematic1_31 | 更新日期    | 2026-01-14   |
| 图页  | SDCARD        | 创建日期    | 2025-12-17   |
| 绘制  | Wilson Yu     | 物料编码    |              |
| 审阅  |               |         |              |
|     |               | 版本      | 尺寸           |
|     |               | V1.0    | A4           |
|     |               | 页 2 共 3 | TechXArtisan |

**Openterface KVM-GO KM**


**openterface**



TARGET\_USB




TARGET\_HUB



D+, D- from host side USB 2.0 port



DP\_VIDEO, DM\_VIDEO from MS21xx chip USB 2.0 Video Output, it should connect to Host side hub



HOST\_HUB

|             |                       |      |            |
|-------------|-----------------------|------|------------|
| 原理图         | Schematic1_31         | 更新日期 | 2026-01-14 |
| 图页          | USBHUB                | 创建日期 | 2025-12-05 |
| 绘制          | Wilson Yu             | 物料编码 |            |
| 审阅          | Openterface KVM-GO KM |      |            |
| 版本          | V1.0                  | 尺寸   | A4         |
| 页           | 3                     | 共    | 3          |
| openTerface | TechXArtisan          |      |            |