

Visual Design System

Media Reminder - Offline-First Adaptive Media Alarm

Prepared for Mohamed Aslam Abdul

2026-08-05

Contents

0.1 Document control

Field	Value
Document ID	MR-04
Version	1.0
Status	Approved baseline
Last updated	2026-08-05
Product owner	Mohamed Aslam Abdul
Package identifier	com.aslam.mediareminder
Purpose	Define brand attributes, color, type, spacing, shape, components, responsive behavior, iconography, motion and visual accessibility.

Reading rule: This pack specifies a production-oriented Android application, not a promise that third-party devices will behave identically. Where Android or an OEM controls presentation, timing, sound, or permissions, the app provides transparent status and the strongest compliant fallback.

0.2 Document conventions


The words **MUST**, **MUST NOT**, **SHOULD**, **SHOULD NOT**, and **MAY** are normative. A requirement ID is stable once published. Requirement IDs may be retired but **MUST NOT** be reassigned to a different meaning.

Term	Meaning
Reminder	A user-authored instruction that connects content, a schedule, and a presentation profile.
Occurrence	One calculated due instance of a reminder.
Alarm session	The bounded runtime state created when an occurrence is actively alerting.

Term	Meaning
Media asset	An app-owned local video, audio, image, or text item.
Profile	Reusable alert behavior such as Gentle, Standard, or Persistent.
Exact-alarm access	Android special app access that allows exact scheduling where the platform requires it.
Full-screen intent	Android notification mechanism for urgent, time-sensitive activity presentation. It is not a general overlay.
Heads-up notification	System-rendered high-priority notification shown temporarily over the current app when Android permits it.
Source of truth	The authoritative specification or local persisted record for a decision or state.

1 Design intent

Media Reminder should look like a quiet, modern utility rather than a loud alarm clock or generic social-media clone. The three brand attributes are **calm**, **intentional** and **dependable**. Material 3 provides the interaction foundation, while the product uses a restrained teal system, warm amber accents and generous spacing.



2 Color system

All color pairings **MUST** meet the contrast requirements in MR-13. Dynamic color **MAY** be offered later but the fixed brand palette remains the default for consistent screenshots and alarm recognition.

Token	Light	Dark	Use
Primary	#006A60	#5EDBC8	Primary actions, selected state, key status

Token	Light	Dark	Use
On primary	#FFFFFF	#003732	Content on primary
Primary container	#D7F5EE	#005047	Low-emphasis selected cards
On primary container	#00201C	#D7F5EE	Text/icons on container
Secondary	#D97706	#FFB951	Snooze, warm attention, due-soon indicator
Surface	#F8FAF9	#0E1513	App background
Surface container	#EEF2F0	#17201D	Cards, sheets, navigation
On surface	#171D1B	#DEE4E1	Primary content
On surface variant	#3F4946	#BEC9C5	Secondary content
Outline	#6F7975	#89938F	Dividers, controls
Error	#B42318	#FFB4AB	Destructive actions, blocking errors
Success	#15803D	#68D391	Completed/ healthy state, always with icon/text
Scrim	#000000 at 48%	#000000 at 64%	Modal and alarm backdrop

The alarm surface uses dark tonal surfaces even when the app theme is light, reducing glare on a woken screen. Controls retain full contrast. Red is reserved for destructive action or blocking fault, not normal urgency.

3 Typography

Use the Android system sans family or Noto Sans where bundled size and license are acceptable. Arabic localization uses Noto Sans Arabic or platform equivalent after glyph QA. Avoid custom display fonts that increase APK size or impair script support.

Role	Size/line height	Weight	Typical use
Display small	36/44 sp	500	Locked-screen due time on large devices
Headline large	32/40 sp	500	Alarm title
Headline medium	28/36 sp	500	Screen title on expanded layouts
Title large	22/28 sp	600	Top app bar, major card

Role	Size/line height	Weight	Typical use
Title medium	16/24 sp	600	List/card title
Body large	16/24 sp	400	Primary body copy
Body medium	14/20 sp	400	Supporting copy
Label large	14/20 sp	600	Buttons and tabs
Label medium	12/16 sp	600	Chips and metadata

Use tabular figures for times where available. Do not disable system font scaling. At 200%, action labels may wrap to two lines; critical controls MUST not truncate to ambiguous text.

4 Spacing and grid

The base unit is 4 dp. Common increments: 4, 8, 12, 16, 20, 24, 32 and 40 dp. Phone screen side padding is 16 dp; compact dialog padding is 24 dp; expanded layouts use a centered content max-width of 840 dp.

- Minimum touch target: 48 x 48 dp.
- Alarm primary actions: minimum 56 dp height and 64 dp preferred.
- List row: minimum 64 dp, expanding with font scale.
- Card internal padding: 16 dp.
- Section gap: 24 dp.
- Bottom navigation height: platform Material baseline plus system insets.

5 Shape and elevation

Component	Corner radius	Elevation
Small chip	8 dp	0
Text field / compact control	12 dp	0
Standard card	16 dp	0-1
Dialog	24 dp	3
Bottom sheet	28 dp top corners	3
In-app due strip	20 dp bottom corners	4
Alarm action button	20 dp	1

Do not use shadows as the only boundary in dark mode. Combine tonal surface, outline and elevation as needed.

6 Iconography

Use Material Symbols Rounded with a consistent optical size. Every icon-only button requires an accessibility label and tooltip where supported. Core concepts:

- Play: filled play arrow;
- Snooze: alarm with plus or schedule icon plus text;

- Dismiss: close icon only when paired with visible `Dismiss` on alarm surfaces;
- Health: shield/check;
- Backup: archive/download-upload directional icon;
- Profile: tune or notifications active;
- Missing media: broken image/file warning.

Religious iconography is optional and attached to user categories; the global brand does not assume a religion. Avoid decorative crescents as generic button symbols because they can be mistaken for dark mode or sleep.

7 Component catalog

7.1 Primary button

Filled primary color, verb-first label, optional leading icon. One primary action per surface. Loading replaces icon with progress but preserves width. Disabled state retains readable label and explains validation near the relevant field.

7.2 Secondary and tonal buttons

Outlined or tonal. Snooze on alarm surfaces uses warm secondary tonal treatment, while Play is primary and Dismiss is neutral/destructive depending on context.

7.3 Reminder card

Thumbnail 64 x 64 dp; title; next time; repeat summary; profile glyph; enabled switch with accessible state. Tapping body opens details; switch changes enable state but never propagates tap to the card.

7.4 Capability card

Status icon + Ready, Limited, OR Action needed; title; one-sentence consequence; trailing action. Avoid a dashboard filled with green checks; healthy items can collapse.

7.5 Media card

Aspect ratio 16:9 for video, square treatment for image/audio fallback. Duration/type label sits on a high-contrast scrim. Broken preview uses icon and text, never an empty gray rectangle.

7.6 In-app reminder strip

Maximum height is $\min(144\text{dp}, 20\% \text{ of usable viewport})$. Content scroll is not allowed within the strip. At high font scale it transitions to a compact card with Play and Snooze, while Dismiss moves to overflow but remains reachable in sequential focus.

7.7 Full-screen alarm

High-contrast static background, safe inset handling, time, label, optional thumbnail, profile status and three actions. No tiny swipe-only affordance. Time and title are announced once; continuous TalkBack focus stealing is forbidden.

8 Responsive behavior

Width class	Layout
Compact	Bottom navigation, single-column editors, two-column media grid when

Width class	Layout
	space permits
Medium	Navigation rail, two-pane Library detail, widened alarm controls
Expanded	Navigation rail/drawer, centered max-width content, three-pane optional management layout

Foldables MUST respond to hinge and posture without placing primary alarm controls across an occluding hinge. Rotation during an active alarm rebuilds the native activity from session state without restarting sound.

9 Insets and system UI

All screens honor status, navigation, cutout and gesture insets. Full-screen alarm MAY draw behind system bars but action controls remain inside safe areas. The app does not hide navigation gestures in a way that traps the user. System bar icon contrast follows the actual surface luminance.

10 Motion

Motion	Duration	Easing	Reduced motion
Navigation transition	250 ms	standard	Crossfade 100 ms or instant
Card expand	200 ms	emphasized decelerate	Instant size change
In-app strip enter	220 ms	emphasized decelerate	Fade only
Snackbar	Material default	standard	Fade only
Alarm button confirmation	120 ms	standard	Haptic/color only

No looping decorative animations. Vibration is functional feedback and follows profile and accessibility settings. Visual urgency MUST not rely on flashing.

11 States

Every interactive component specifies default, pressed, focused, hovered where applicable, disabled, loading and error states. Keyboard/switch focus uses a visible 2 dp primary outline with adequate contrast. Pressed-state overlays MUST not reduce text contrast below threshold.

12 Charts and history

Local history uses simple counts and accessible summaries rather than competitive streak visuals. A chart must have a textual equivalent. Completed, dismissed and missed use icon + label + color; no pie chart without values.

13 Brand assets

The initial icon direction is a rounded play triangle inside a subtle alarm-ring form, avoiding a literal bell-heavy or social-app appearance. Required exports: adaptive foreground/background, monochrome themed icon, 512 px store icon, SVG master and high-contrast small-size test. The logo MUST remain legible at 24 px and MUST not contain Arabic scripture or other sacred text that could appear in inappropriate system contexts.

14 Content density and writing

Screen titles use sentence case. Buttons use short verbs. Technical identifiers live behind Details. Times use the user's 12/24-hour preference. Dates use locale formatting. Avoid all-caps except generated archive codes. Keep snackbar text to one action and approximately two lines at normal scale.

15 Visual QA checklist

Before release, verify light/dark/system themes, contrast, 200% font scale, smallest supported width, landscape, cutouts, gesture navigation, RTL mirrored layouts, selected/unselected states, long labels and missing thumbnails. The locked-screen alarm must be reviewed in a dark room for glare and on OLED/LCD devices for readability.

15.1 Governance

This document is part of the **Media Reminder Source-of-Truth Pack v1.0**. In case of conflict, apply this precedence order: (1) explicit platform safety and permission rules, (2) Architecture Decision Records, (3) Android specification, (4) data and backup specifications, (5) PRD and feature specification, (6) UX and visual guidance, (7) implementation notes. Record any intentional deviation in the decision log before release.