

# Fire Audit Management Software




**Nimble. Simple. Stable.**

Centralized safety auditing system that streamlines all manual processes to ensure that audit data is always within your reach digitally.


# Key Features



Create Audit Schedules



Schedule and Review Audit Plan



Audit Calendar with quick summary



Perform Audits and Inspections on mobile



Attach Evidence for NC



NC Followup Dashboard



Audit Reports



Available offline and online

## PAIN AREAS

Employees identified as auditor might not fit into required criteria

Extra Manpower for Data Management

Improper Audit Planning

## SOLUTIONS



Auditor qualification. Only allows qualified auditors to be planned for a particular audit type.



Pre-filled 450+ devices and templates ready to use for audit to reduce dependency for data management.



Intuitive and Calendar view for audit planning for admins in order to plan and schedule the audits

## PAIN AREAS

Difficulty in accessing past database

Detailed reporting preparation adding to non-productive time and mistakes.

Lack of monitoring of NC's and verifications

## SOLUTIONS



Retrieve past audit data within minutes from web portal anytime.



Detailed and accurate audit report generation within minutes



NC follow-up dashboard and notifications via email / sms / WhatsApp to respective contacts for follow-up of NC's

## How it works



### ADMIN

Create Audit Templates

Schedules Audits



### AUDITOR

Reviews Audit Plan

Performs Audit

Records Key Findings & Actions

Submits Audit Report



### REVIEWER

Reviews Audit Report

Approves & Publishes



Responsive and personalized interface designed for end users



Customization done to suit business needs.



Latest technology of Visual Studio 2017 & .NET framework 4.0 used.



Supports Email, SMS and WhatsApp connectivity.



Compatibility with Excel, Word and PDF.



Follows IATF 16949 and ISO 9001 standards



Software is secured at an access level and data view level.



Multi Language Support


# Fire Safety Devices Data



Fire Devices



Extinguisher Devices



Sprinkler Devices



Suppression Devices



Security Devices

## 450+ Device Data Ready

Readily available pre-made master data of 450+ devices in 26 categories available for use.

Initiating	Alarm	Indicating	Auxiliary	Control	Supervisory
Monitor	Device	Valve	Nozzle	Sprinkler	Hose
Pump	Fire Detector	Lighting	Safety	Protective	Detecting
Engineered	Container	Notification	Nurse Cell	Video	Perimeter
		Access	Personnel		

## 450+ Device Data Ready

Readily available pre-made master data of 450+ devices entered by industry experts.

Barcode :	<input type="text" value="Scan or Enter Barcode"/>
Device :	<input type="text" value="Cartridge Extinguisher-D0026"/> <input type="button" value="Show"/>
Inspe. Date :	<input type="text" value="Inspection Date"/> 
Location :	Floor : <input type="text" value="Select"/> Direction : <input type="text" value="Select"/> Location : <input type="text" value="Select"/> Description : <input type="text" value="Select"/>
Service	<input type="text" value=""/>
Manf. Date	<input type="text" value=""/>
Hydro	<input type="text" value=""/>
Serial No.	<input type="text" value=""/>
Model#	<input type="text" value=""/>
Cartridge Weight	<input type="text" value=""/>
Body Condition	<input type="text" value="Select Body Condition"/>
Storage Pressure	<input type="text" value="Select Storage Pressure"/>

Device :	<input type="text" value="Fire Damper-D0083"/> <input type="button" value="Show"/>
Inspe. Date :	<input type="text" value="26/Sep/2019"/> 
Location :	
Floor :	<input type="text" value="Select"/>
Direction :	<input type="text" value="Select"/>
Location :	<input type="text" value="Select"/>
Description :	<input type="text" value="Select"/>
Manufacturer	
<input type="text" value="Select Manufacturer"/>	
Rating	
<input type="text" value="Select Rating"/>	
Type	<input type="text" value="Select Type"/>
Location	<input type="text" value=""/>
Model#	<input type="text" value=""/>
Serial No.	<input type="text" value=""/>

Description :	<input type="text" value="Select"/>
Select Manufacturer	
Advanced	
Air Systems	
Amerex	
American	
Ansul	
Badger	
BegHELLI	
Biosystems	
Breathing Air	
Brooks	
Buckeye	

## Create your own data

Create and configure your own devices from scratch with the help of our intuitive screens with a few clicks and entries.



**Add New Device**

Device Code

Device Name

Device Type

Device Category

Device Purpose

Device Group

**Save**

**Specification :**

Model#

Select Spec. Type

Sequence No

**Add**

---

Specification : Coverage  
Type : Text  
Sequence :   
[Delete](#) [Edit](#)

---

Specification : Install date  
Type : Date  
Sequence :   
[Delete](#) [Edit](#)

---

Specification : Manufacturer  
Type : List  
Sequence :   
[Delete](#) [Edit](#)


---

Specification : Model#  
Type : Text  
Sequence :   
[Delete](#) [Edit](#)

## Safety Device Master

- Facility to create safety devices in software
- Facility to classify the devices in Group, Category, Type and Purpose.
- Facility to generate unique codes for devices.
- Facility to create audit parameters to be checked for devices.
- Facility to define parameter types such as text, date, time, list, etc.
- Facility to define display sequence of audit parameters while doing inspection.
- Facility to predefine list values of parameters to ease the selection while performing audit.
  - E.g. Facility to define list of manufacturers if the audit parameter is “Manufacturer”

# Audit Checklist Master



## Template Data Ready

Choose from pre-made and customizable templates created and shared by industry experts.

General Fire Safety  
Inspection Checklist

School Fire Safety  
Checklist

Workplace Fire  
Safety Checklist

Fire Risk  
Assessment

Fire Safety Advisor  
Inspection

Fire Extinguisher  
Inspection  
Checklists

Fire Door  
Inspection Checklist

Smoke Detector  
Test

Fire Pump  
Inspection Report

Fire Sprinkler  
Inspection Report

Fire Investigation  
Template

Fire Incident Report  
Template

Fire Fighting  
Equipment  
Inspection Checklist

Fire Alarm  
Inspection Report

## Adapt a template

Choose from pre-made and customizable templates created and shared by industry experts.  
 Make them your own by changing, adding or removing questions in the template editor.

Audit Type :	Fire Audit	Frequency (In Days)	45	No of Audit	3
Objective :	Fire Safety Advisor Inspection				

Select Check List :

Facility to define the audit intervals in order to help the admin plan and schedule the audits accordingly.

### Added Templates

Sr.No	Audit Type	Template No	Frequency (In Days)	No of Audit	Created By	Objective	
1	Fire Audit	ADM/00001/20-21/20	30	12	pramod	General Fire Safety Inspection Checklist	<a href="#">Edit Template</a>
2	Fire Audit	ADM/00004/19-20/20	120	2	pramod	School Fire Safety Checklist	<a href="#">Edit Template</a>
3	Fire Audit	ADM/00003/19-20/20	60	3	pramod	Workplace Fire Safety Checklist	<a href="#">Edit Template</a>
4	Fire Audit	ADM/00002/19-20/20	80	2	pramod	Fire Risk Assessment	<a href="#">Edit Template</a>
5	Fire Audit	ADM/00001/19-20/20	45	3	pramod	Fire Safety Advisor Inspection	<a href="#">Edit Template</a>

## Adapt a template

Choose from pre-made and customizable templates created and shared by industry experts.

Make them your own by changing, adding or removing questions in the template editor.

### Fire Safety

Are Fire Risk Assessments in place in accordance with the BBC guidelines and current legislation?

Yes

No

N/A

Are evacuation procedures clearly visible with all routes displayed?

Yes

No

N/A

Are Building Fire Safety Manuals in place and in line with the Fire Risk Assessments?

Yes

No

N/A

Can we evidence inductions being completed for new building users within 20 business days of users been nominated?

Yes

No

N/A

## Create a new template

Easily create a smart template from scratch using our intuitive template builder. Choose from multiple response types including checkboxes, multiple choice, date, list and text fields.

**Edit Selected Question**

Audit Type :

Checklist Section Code : (Search by typing a word)

Checklist Section Name :

Select Quality Regulation :

Select Checklist Title:

Select Purpose :

Select Questions for checklist :

Select Question Type

**Add**

# Audit Planning

Admin



Create Schedule

Email / SMS / WhatsApp

Auditor




Notification

Notification

Approved by auditor

Notification

Audit Rescheduled



# AUDIT PLAN

- Intuitive audit planning screen, with no jargons, no complexities.
- Only qualified auditors will be displayed for planning.

## Audit Planning

Select Customer : Cummins India Ltd. Common Facility

Inspection Date : 02-Oct-2020 

Due Date : 17-Oct-2020 

### Select Building

Building Name	Add1	Add2	Add3	City	Pin	
Admin Building	Plot no-01, Megasite phaltan	Near Kodak Company,	MIDC,	Phaltan	415523	Select

### Select Inspectors

	Inspector : Anant Bhonde Mobile No : 9970678817 Planned Audits: 10
<input type="checkbox"/>	<a href="#">View Pending Inspection</a>

	Inspector : Abhijeet Harale Mobile No : 9890565175 Planned Audits: 6
<input type="checkbox"/>	<a href="#">View Pending Inspection</a>

	Inspector : Lileshwar Keshavrao Gayakwad Mobile No : 9763704423 Planned Audits: 8
<input type="checkbox"/>	<a href="#">View Pending Inspection</a>

[Allocate Inspection](#)

- Easily monitor the workload and schedules of auditors spread across the month based on this intuitive schedule calendar.

Welcome admin
End Day

Late Mark Details		Home	Activity	History	Day	Month	Send Today's Report		Status	Pending	
Manage Code											
< September 2019 >		Monday	Tuesday	Wednesday	Thursday	Friday	Saturday	Sunday			September 1
Su	Mo	Tu	We	Th	Fr	Sa					
1	2	3	4	5	6	7					
8	9	10	11	12	13	14					
15	16	17	18	19	20	21					
22	23	24	25	26	27	28					
29	30	1	2	3	4	5					
6	7	8	9	10	11	12					
<b>Priority wise Task</b>											
<b>HIGH</b>											
<b>MEDIUM</b>											
<b>LOW</b>											
<b>Pending Task</b>											
<b>ABHIJEET (9)</b>											
<b>AMEY (62)</b>											
<b>LAXMIKANT (17)</b>											
<b>RAVIRAJ (103)</b>											
<b>ROHIT (3)</b>											
<b>SHITAL (4)</b>											
<b>SHIVANGI (1)</b>											
<b>SNEHAL (19)</b>											
<b>ALL (218)</b>											
26	POONAM KALKHAMBKAR : D-2 IN-0	27	AMEY BHAVSAR : D-1 IN-0	28	AMEY BHAVSAR : D-1 IN-0	29	AMEY BHAVSAR : D-1 IN-0	30	POONAM KALKHAMBKAR : D-1 IN-0	31	ABHIJEET HARALE : D-0 IN-1
2	ROHIT JADHAV : D-0 IN-1	3	RAVIRAJ DESHPANDE : D-2 IN-0	4	POONAM KALKHAMBKAR : D-2 IN-0	5	POONAM KALKHAMBKAR : D-1 IN-0	6	RAVIRAJ DESHPANDE : D-6 IN-0	7	POONAM KALKHAMBKAR : D-43 IN-0
9	POONAM KALKHAMBKAR : D-1 IN-0	10	RAVIRAJ DESHPANDE : D-0 IN-1	11	AMEY BHAVSAR : D-1 IN-0	12	ABHIJEET HARALE : D-0 IN-1	13	POONAM KALKHAMBKAR : D-1 IN-0	14	POONAM KALKHAMBKAR : D-8 IN-0
16	POONAM KALKHAMBKAR : D-6 IN-0	17	POONAM KALKHAMBKAR : D-9 IN-0	18	POONAM KALKHAMBKAR : D-2 IN-0	19	POONAM KALKHAMBKAR : D-3 IN-0	20	RAVIRAJ DESHPANDE : D-2 IN-1	21	RAVIRAJ DESHPANDE : D-2 IN-0
1	RAVIRAJ DESHPANDE : D-5 IN-1	2	SNEHAL NAWADE : D-0 IN-1	3	RAVIRAJ DESHPANDE : D-6 IN-0	4	RAVIRAJ DESHPANDE : D-2 IN-0	5	SNEHAL NAWADE : D-0 IN-2	6	SNEHAL NAWADE : D-0 IN-1
13	SNEHAL NAWADE : D-0 IN-1	14	AMEY BHAVSAR : D-0 IN-1	15	AMEY BHAVSAR : D-2 IN-0	16	AMEY BHAVSAR : D-3 IN-0	17	POONAM KALKHAMBKAR : D-2 IN-0	18	POONAM KALKHAMBKAR : D-2 IN-0
19	RAVIRAJ DESHPANDE : D-2 IN-2	20	ABHIJEET HARALE : D-0 IN-1	21	POONAM KALKHAMBKAR : D-0 IN-1	22	RAVIRAJ DESHPANDE : D-3 IN-0	23	RAVIRAJ DESHPANDE : D-2 IN-1	24	RAVIRAJ DESHPANDE : D-2 IN-0
25	SNEHAL NAWADE : D-0 IN-1	26	POONAM KALKHAMBKAR : D-1 IN-0	27	RAVIRAJ DESHPANDE : D-1 IN-0	28	POONAM KALKHAMBKAR : D-3 IN-0	29	POONAM KALKHAMBKAR : D-1 IN-0	30	POONAM KALKHAMBKAR : D-1 IN-0

# Auditor Acceptance

- Audit Approval by auditor

Approve Inspection											
Customer	All Customer			From Date	01-Jan-2020		To Date	26-Oct-2020		Show	
Inspection Date	Due Date	Inspection No	Building Name	Address 1	Address 2	Address 3	City	Pin			
23 February 20	26 February 20	INS/00048/19-20/45	Admin Building	Plot no-01, megasite phaltan			phaltan	415523	<a href="#">Approve</a>	<a href="#">Re-Schedule</a>	
28 February 20	28 February 20	INS/00052/19-20/21	jai ganesh A	Phatimanagar			PUNE	411048	<a href="#">Approve</a>	<a href="#">Re-Schedule</a>	
28 February 20	28 February 20	INS/00051/19-20/21	jai ganesh A	Phatimanagar			PUNE	411048	<a href="#">Approve</a>	<a href="#">Re-Schedule</a>	

- Audit Re-Schedule option

## Auditor dashboard

- Helps keep track of pending audits and their progress

### Auditor Dashboard

**From Date:**  

**To Date:**  

**Audit Type:**

**Audit Details Status**

<b>Planned Audit</b> 25	<b>Audit Complete</b> 11	<b>Audit Pending</b> Pending: 12 Cancelled: 2	<b>Summary Pending</b> 50
----------------------------	-----------------------------	---	------------------------------

**Show**

**Planned Audit**

Sr.No	Audit Type	Plant	Audit Name	Audit Date	Auditor
1	Supplier Audit	Raju Raut Builder	INS/00003/19-20/23	2020-01-02	Yogesh
2	System Audit	Raju Raut Builder	INS/00010/19-20/20	2020-01-03	Pramod
3	Process Audit	ganesh builders	INS/00011/19-20/20	2020-01-03	Lileshwar
4	System Audit	VPPL-	INS/00020/19-20/20	2020-01-02	Pramod
5	Process Audit	Varroc Lighting System	INS/00021/19-20/20	2020-01-04	Yogesh
6	System Audit	Varroc Lighting System	INS/00023/19-20/20	2020-01-04	Pramod

## Audit Plan

- Facility to plan audits for the customer with auditor allocation.
- Facility to assign planned from and planned to dates for audits.
- Facility to view auditor schedule on a calendar before allocation of audit.
- Facility to add multiple auditor against one audit.
- Email / SMS / WhatsApp alert to auditor after allocation of audit.

## Auditor Approval

- Facility to approve audit by auditor.
- Facility to re-schedule audit by auditor.

## Audit Management – Annual Audit Plan Report

VPPL	Improsys											Doc No			
	Improsys Quality System											Date:			2020
	Title:Annual Audit Plan-2020											Page No:			2
Sr.No	AuditType	Jan-20	Feb-20	Mar-20	Apr-20	May-20	Jun-20	Jul-20	Aug-20	Sep-20	Oct-20	Nov-20	Dec-20	Total	Completed
1	System Audit	4	3	4	4		2							17	0
2	Process Audit			1	1									2	0
3	Product Audit													0	0
4	Supplier Audit													0	0
Sr No	Total Audit Plan		Audit Type				Completed Audit Plan				Audit Type				
1	17		System Audit Plan				6				System Audit Plan				
2	2		Process Audit Plan				1				Process Audit Plan				
3	0		Product Audit Plan				0				Product Audit Plan				
4	0		Supplier Audit Plan				0				Supplier Audit Plan				

## A holistic view on audit performance



## A holistic view on audit performance



**Pramod Bodne**




**U Patel**

### Plan Vs Actual



### Plan Vs Actual



## Audit Execution – Key Features



### Multi Device Execution

Audit execution can be done through PC as well as through mobile devices.



### Upload Data

Upload evidences found for any non-compliances found.



### Offline Mode

No network? Perform audit in offline mode and then sync data back when you are online



### Report Generation

Generate detailed and extensive reports within minutes.

## MOBILE BASED AUDIT EXECUTION – Online and Offline mode.



### Download Master

- Download Checklist / Device Data for audit



### Download Planned Audit Data

- Download audit scheduled and approved as per plan



### Audit Execution

- Perform Audit Execution



### Re-Audit Execution


- Perform Re-Audit Execution



### Upload Audit Data

- Upload audit data to web server

## Google Maps integration for directions to audit location.



**Upload Sound Tests**

**Download Sound Tests**

### INSPECTION PENDING BUILDINGS

New Building Not Inspected Inspected

Doc No : INS/00025/19-20/24	11 January 20
Building Name : shree ram apt	
Address : Pune-Satara Road.Pune, sbi bank, , pune-4110...	
<b>BUILDING INFO   SOUND TEST   INSPECTION</b>	
Doc No : INS/00022/19-20/24	11 January 20
Building Name : Common Facility	
Address : Cummins Megaite, Surawadi, , , Phaltan-41552...	
<b>BUILDING INFO   SOUND TEST   INSPECTION</b>	
Doc No : INS/00047/19-20/45	28 January 20
Building Name : Admin Building	
Address : Plot no-01, megasite phaltan, , , phaltan-41552...	
<b>BUILDING INFO   SOUND TEST   INSPECTION</b>	

## Audit Management – Audit Execution

**Audit Entry**

**Pending Audits**

<b>Audit Type</b>	: System Audit
<b>Audit No</b>	: AUD/00001/19-20/20
<b>CheckList</b>	: Coating System Assessment
<b>Section</b>	: Floor and Material Handling Responsibility
<b>Plan Date</b>	: 05-Feb-2020 <b>Plan Time</b> : 19:43
<b>Plant</b>	: Varroc Lighting System
<b>Location</b>	: VPPL-I
<b>Address</b>	: Plant -1, Ghat No. 290, Maval Dist., Takve-412106
<b>Start Audit</b>	Total-17 Completed-2 Pending-15

<b>Audit Type</b>	: System Audit
<b>Audit No</b>	: AUD/00001/19-20/20
<b>CheckList</b>	: Coating System Assessment
<b>Section</b>	: Management Responsibility and Quality Planning
<b>Plan Date</b>	: 10-Feb-2020 <b>Plan Time</b> : 19:43
<b>Plant</b>	: Varroc Lighting System
<b>Location</b>	: VPPL-I
<b>Address</b>	: Plant - 2, MIDC , Aurangabad-412220
<b>Start Audit</b>	Total-18 Completed-1 Pending-17

## Execution for checking compliance as per checklist

Audit Entry

**Audit No :** AUD/00001/19-20/20  
**Audit Type :** System Audit  
**Plant :** Varroc Lighting System  
**Plan Date :** 05-Feb-2020 **Plan Time :** 19:43  
**CheckList :** Coating System Assessment  
**Section :** Floor and Material Handling Responsibility

<b>1. Does the facility ensure that the data entered in the receiving system matches the information on the customers shipping documents?</b>	<p>Observations/Improvement: Yes, documentation is also properly maintained.</p> <p>Score: 8</p> <p>Compliance: Compliance</p>
<b>2. Is product clearly identified and staged throughout the coating process?</b>	<p>Observations/Improvement: No</p> <p>Score: 0</p> <p>Compliance: Non-Compliance</p>

**Add Evidence**

**Add Evidence**

**Save**

## Execution for checking compliance for device parameters

**FIRE SCAN**

Previous Inspections      New Inspection

Barcode :  Scan

Device :  Show

- Select Device Category

- Scan Barcodes present on devices
- Option to connect with Bluetooth barcode scanner
- Option to scan barcodes from phone camera

Manufacturer	ADT
Type	Supporting Field Device
Model#	
Install date	<input type="button" value="Calendar"/>

- Enter parameters to be checked along with their inspected values

<input type="button" value="Pass"/>	<input type="button" value="Fail / Other"/>	
Service : <input checked="" type="checkbox"/> Checked		
<input type="button" value="Close"/>		
Enter Note		
<input type="button" value="Save"/>	<input type="button" value="Save and New Device"/>	<input type="button" value="Exit"/>

- Based on inspection done update status of device to Pass / Fail and update the remarks with comments

## Audit Management – Output Report for Devices

- Automatically get professional reports once you finish a fire inspection.
- No more manual reporting, overflowing filing cabinets, and messy audit trails.
- Reports are instantly saved and secured in your account.
- Extensive Reporting covering various sections of reporting such as,
  - Report Summary
  - Summary of Discrepancies
  - Summary of Corrective Actions
  - Summary of Inventory
  - Details of parameters audited for each device
  - Performance graphs for pump tests (if applicable)

- Executive summary in report displays the location info, auditor info, and the main control panel data maintained for fire devices.

## ***Executive Summary***

*Generated by: improsys/*

<b>Building Information</b>		
<b>Building:</b> Sample Inspection Report	<b>Contact:</b> <u>Rahi Shahani</u>	
<b>Address:</b> 123 Main Street	<b>Phone:</b> 555-555-5555	
<b>Address:</b>	<b>Fax:</b>	
<b>City/State/Zip:</b> <u>Nahre</u> Pune, Maharashtra 411041	<b>Mobile:</b>	
<b>Country:</b> India	<b>Email:</b>	
<b>Inspection Performed By</b>		
<b>Company:</b> <u>Accuweigh Automation &amp; Solutions Pvt. Ltd.</u>	<b>Inspector:</b> John Doe	
<b>Address:</b> Shed No.2, Sr. No. 34, <u>Bhoomkar Estate</u> , Near Zeal Education Society	<b>Phone:</b> 555-555-5555	
<b>Address:</b>	<b>Fax:</b>	
<b>City/State/Zip:</b> <u>Narhe</u> Pune, Maharashtra 411041	<b>Mobile:</b>	
<b>Country:</b> India	<b>Email:</b> jdoe@sampleinspection.org	
<b>System Control Unit</b>		
<b>Manufacturer:</b> EST	<b>Inspection Date:</b> 01/10/2013	<b>IDC Style:</b> B
<b>Model Number:</b> 3	<b>Install Date:</b> 05/01/2004	<b>SLC Style:</b> 2
<b>Software Version:</b> 3.0	<b>Version Date:</b> 05/07/2008	<b>NAC Style:</b> X
<b>Location:</b> 1st FACP Room	<b>Current Protection:</b> Breaker	
<b>Monitoring</b>		
<b>Type:</b> Digital Communicator	<b>Mfg:</b> EST	<b>Model #:</b> 3-MODCOM
<b>Test Time/Date:</b> 1/10/13 3:37:14 PM	<b>Restore Time:</b> 3:45pm	

- Inspection summary gives a break up of total devices audited category wise and segregation of passed, failed and repaired devices along with the contribution %

Inspection Summary								
Category	Total Items		Serviced		Passed		Failed/Other	
	Qty	%	Qty	%	Qty	%	Qty	%
Supervisory	5	4.72%	5	100.00%	5	100.00%	0	0%
Monitor	5	4.72%	1	20.00%	1	100.00%	0	0%
Auxiliary	14	13.21%	14	100.00%	14	100.00%	0	0%
Sound Test	11	10.38%	11	100.00%	11	100.00%	0	0%
Initiating	42	39.62%	40	95.24%	36	90.00%	4	10.00%
Alarm	1	0.94%	1	100.00%	0	0%	1	100.00%
Control	28	26.42%	28	100.00%	26	92.86%	2	7.14%
<b>Totals</b>	<b>106</b>	<b>100%</b>	<b>100</b>	<b>94.34%</b>	<b>93</b>	<b>93.00%</b>	<b>7</b>	<b>7.00%</b>

Certification	
Building: Sample Inspection Report	Company: improsys
Contact: <u>Rahj Shahani</u>	Inspector: John Doe

- A separate list of non-confirming devices are listed out separately in order for management to plan action on them accordingly.

## Discrepancy Report

Generated by: introspect.com

Control Panel: 1 - EST 3

**Building:**

The Discrepancy Report consolidates each discrepancy listed within the various Testing sections of your Inspection. Discrepancies are listed by Category, and grouped by device type. The description of the problem is provided and where appropriate, code references are listed for your convenience. Any item that was inspected that is listed on the Consumer Product Safety Commission's website and is subject to a recall by the manufacturer is included.

SrNo	ScanID	Location	Problem	Address	Reference
Alarm					
1	234678	Ground Above Ceiling Bedroom Bathroom	Failed Test	1 Acc/2688 /002 2688/002	
CO2 System					
2	234563	Ground Near Classroom Computer	Failed Test	1 Acc/2688 /004 2688/004	
Pre Action System					
3	2344965	Ground Across Boiler Cabinet	Failed Test	1 Acc/2688 /007 2688/007	
Water Mist System					
4	3875423	Ground Behind Cafetaria Bathroom	Failed Test	1 Acc/2688 /008 2688 /008	
Control					
Annunciator					
5	360478	2nd Northeast Area Chiller	Failed Test	1 2688 009345	
Battery					
6	456890	Ground West Attic Area	Failed Test	2 2688 09890	
Communication Line					
7	3225789	Ground West Area Attic	Failed Test	1 2688 000789	
Communicator					
8	35789	Ground Northeast Bedroom Area	Access Denied	1 2688 00789	
Control Panel					
9	468957	1st Northwest Bathroom Area	Failed Test	1 2688 00789	

- Auditors proposed solutions on failed devices are also printed in order for the management to plan actions.

## Proposed Solutions Report

Generated by: introspect.com

**Building:**

**Control Panel: 1 - EST 3**

The Proposed Solution Report provides a solution for each discrepancy listed on the Discrepancy Report. Provide a check mark where indicated to approve repairs listed within the report. Items listed as T/M are available for repair on a Time and Materials basis.

SrNo	ScanID	Location	Solution	Model#	Fix
Alarm					
<b>Chemical System</b>					
1	234678	Ground Above Ceiling Bedroom Bathroom	Replace	Htp-3455	<input type="checkbox"/>
<b>CO2 System</b>					
2	234563	Ground Near Classroom Computer	Clean		<input type="checkbox"/>
<b>Pre Action System</b>					
3	2344965	Ground Across Boiler Cabinet	Clean	Rtf654	<input type="checkbox"/>
<b>Water Mist System</b>					
4	3875423	Ground Behind Cafetaria Bathroom	Retest	Ggtf865	<input type="checkbox"/>

- Auditors notes / remarks for failed devices are maintained separately for analysis.

## Notes & Recommendations

Generated by: introspect.com

Building:						Control Panel: 1 - EST 3
<i>The Notes &amp; Recommendations Report details additional inspection notes made by the Inspectors during the course of the building inspection. Notes are grouped by Category.</i>						
<b>General Note</b>						
<i>Security could not provide inspection team with access to the 3rd floor computer room preaction system. Recommend rescheduling to provide access for inspection and testing.</i>						
SrNo	ScanID	Note	Device Type	Location	Comment	
			<b>Alarm</b>			
1	234678	1	Chemical System	Ground Above Ceiling Bedroom Bathroom	Failed Test	
2	234563	2	CO2 System	Ground Near Classroom Computer	Failed Test	
3	2344965	3	Pre Action System	Ground Across Boiler Cabinet	Failed Test	
4	3875423	4	Water Mist System	Ground Behind Cafetaria Bathroom	Failed Test	
			<b>Auxiliary</b>			
5	439654	5	Damper Control	Ground Southeast Ceiling Centre	Access Denied	
6	335597	6	Elevator	Basement South Attic Area	Damage/Worn	
7	57839	7	Emergency Power Off	Ground Northeast Bathroom Bathroom	Failed Test	
8	4984577	8	Fan Shutdown	Basement Northeast Bathroom Area	Failed Test	
9	887757	9	Fan Start	4th Northwest Boiler Area	Failed Test	
10	9267886	10	Fire Barrier	Ground Northeast Closet Attic	Failed Test	
11	735668	11	Gas Shutdown	2nd East Attic Cabinet	Air Flow Discrepancy	
12	3986478	12	Lighting Control	Ground Northeast Attic Doorway	Access Denied	
13	497647	13	Locking Device	Ground West Cafetaria Door	Failed Test	
14	6739487	14	Programmable relay	Ground Northeast Attic Area	Failed Test	
15	936794	15	Releasing Device	1st Northeast Executive Electrical	Failed Test	
16	356894	16	Rolling Shutter	3rd Southeast Area Boiler	Failed Test	
17	45799657	17	Sound Shutdown	1st Northeast Aisle Area	Failed Test	
18	244997	18	Stairwell Exit	1st Northeast Club Classroom	Damage/Worn	
19	335678	19	Roll Down Door	2nd West Clothing Closet	Damage/Worn	

- A detail report of every device is printed on report along with all the parameters checked and their values entered during audit entry


## Device Report

Customer Name : Cummins India Ltd. Common Facility		Building Name : Admin Building	
Inspection No. : INS/00047/19-20/45	Device Barcode : 234568865	Device Name : Access Sensor	
Device Status : Pass	Inspection Date : 2020-01-28	Inspection Time : 05:08:40	Inspector Name : Lileshwar Keshoraao Gayakwad
Specification Type	Specification Code	Specification Name	Specification Value
Text	Add	Address	56677
Text	Cover	Coverage	2 feet
List	Man	Manufacturer	Autocall
Text	Mod	Model#	Vjj677
List	mou	Mount	Recessed
List	Typ	Type	Contact
List	Volt	Voltage	12 VAC
Inspection No. : INS/00047/19-20/45	Device Barcode : 34568865	Device Name : Access Sensor	
Device Status : Fail	Inspection Date : 2020-01-29	Inspection Time : 11:11:59	Inspector Name : Lileshwar Keshoraao Gayakwad
Specification Type	Specification Code	Specification Name	Specification Value
Text	Add	Address	45677
Text	Cover	Coverage	2
List	Man	Manufacturer	Evenlite
Text	Mod	Model#	Gj677
List	mou	Mount	Recessed
List	Typ	Type	Contact
List	Volt	Voltage	24 VAC

## Audit Management – Device Summary

Inspector Name : Lileshwar Keshavrao Gayakwad		Building Name : All						
Inspector Summary Report								
Category	Total Devices		Serviced		Passed		Failed/Other	
	Qty	%	Qty	%	Qty	%	Qty	%
Initiating	59	7.01 %	59	100 %	30	50.85 %	29	49.15 %
Alarm	79	9.38 %	82	103.8 %	42	53.16 %	37	46.84 %
Indicating	21	2.49 %	21	100 %	11	52.38 %	10	47.62 %
Auxiliary	57	6.77 %	59	103.51 %	28	49.12 %	29	50.88 %
Control	120	14.25 %	120	100 %	61	50.83 %	59	49.17 %
Supervisory	24	2.85 %	24	100 %	12	50 %	12	50 %
Monitor	16	1.9 %	18	112.5 %	8	50 %	8	50 %
Device	18	2.14 %	18	100 %	9	50 %	9	50 %
Valve	19	2.26 %	20	105.26 %	10	52.63 %	9	47.37 %
Nozzle	10	1.19 %	12	120 %	5	50 %	5	50 %
Sprinkler	21	2.49 %	23	109.52 %	10	47.62 %	11	52.38 %
Hose	10	1.19 %	10	100 %	5	50 %	5	50 %
Pump	30	3.56 %	31	103.33 %	16	53.33 %	14	46.67 %
Detecting	28	3.33 %	28	100 %	14	50 %	14	50 %
Engineered	24	2.85 %	24	100 %	12	50 %	12	50 %
Container	10	1.19 %	10	100 %	5	50 %	5	50 %
Notification	24	2.85 %	24	100 %	12	50 %	12	50 %
Nurse Cell	56	6.65 %	56	100 %	28	50 %	28	50 %
Video	48	5.7 %	48	100 %	24	50 %	24	50 %
Perimeter	48	5.7 %	48	100 %	24	50 %	24	50 %
Access	56	6.65 %	56	100 %	28	50 %	28	50 %
Personnel	64	7.6 %	64	100 %	32	50 %	32	50 %
Total	842	100%	855	102 %	426	51 %	416	49 %

- Pump flow graphs are generated based on the fire pump testing and the pressure and flow values entered. Comparison of previous tests are also mentioned in graph to monitor the performance over the years.



# Audit Management – Output Report for Checklist

Confidential

Plant Name:	VPPL-GJ	Date:	09/Mar/2020 & 09/Mar/2020
Audit Objective:	Test Template	Audit Type:	System Audit
Address:	Gujrat, , ,Gujrat,303107	Audit No.:	AUD/00006/19-20/20

PG-NO	Product Group Name	Reference	Part No.	Samples	A-Error		B-Error		C-Error		Remark						
					System	Random	System	Random	System	Random							
Corrective Action	PG1	PG2	PG3	PG4	PG5	PG6	Remark										
Sorting																	
Process/Work Place Changes																	
Introduce specification change																	
Decreasing work information																	
<b>Customer</b>																	
Conducted by:																	
<b>Signature on Original</b>																	

Confidential

Plant Name:	VPPL-GJ	Date:	09/Mar/2020 & 09/Mar/2020
Audit Objective:	Test Template	Audit Type:	System Audit
Address:	Gujrat, , ,Gujrat,303107	Audit No.:	AUD/00006/19-20/20

Sr No	Check Item	Score	Observation
1	<b>Management Responsibility and Quality Planning</b>		
1.1	Are all coating related and referenced specifications current and available? For example: SAE, AIAG, ASTM, General Motors, Ford, and Chrysler.		
1.2	Are finish process Control Plans up to date and reflecting current processing?		
1.3	Are internal assessments being completed on an annual basis, at a minimum, incorporating AIAG CSA?		
1.4	Are the coaters FMEAs up to date and reflecting current processing?		
1.5	Are there procedures or work instructions available to coating personnel that define the coating process?		
1.6	Does the coater collect and analyze data over time and react to this data? Are records available?		

# NC Management Dashboard

Auditor



Client



NC Followup

Email / SMS / WhatsApp

NC Dashboard

Notification

Email / SMS / WhatsApp

Corrective Actions

Confirmation of  
corrective actions

Email / SMS / WhatsApp

Notifications

## Audit Management – Audit Execution – NC Summary

From Date: 01/01/2020



To Date: 31/03/2020



Audit Type: Select



### Audit Details Status

Total NC

8

NC Closed

6

Total Pending

2

Approval Pending

1

[Show](#)

### Planned Audit

Sr.No	Audit Type	Plant	Audit Name	Process/Product Family/Supplier	Department	Date	Auditor	Approve
1	Product Audit	VPPL-II	AUD/00001/19-20/20		Production	01/Jan/2020	Yogesh	Approve
2	System Audit	VPPL-CH	AUD/00001/19-20/20		Production	10/Jan/2020	Pramod	Approve
3	System Audit	Varroc Lighting System	AUD/00001/19-20/20		Production	26/Jan/2020	Pramod	Approve
4	Process Audit	VPPL-UP	AUD/00001/19-20/20		QC Dept.	15/Feb/2020	Yogesh	Approve
5	System Audit	Varroc Lighting System	AUD/00001/19-20/20		QC Dept.	01/Feb/2020	Rajesh	Approve
6	Product Audit	VVPL-BG	AUD/00002/19-20/20		Production	01/Apr/2020	Sachin	Approve


# Audit Management – Audit Execution – NC Followup

NC Management Dashboard													
Audit From				Audit To		Auditor Name							
Plant Name		Compliance		All									
<b>Show</b>													
Audit Date	Audit No	Plant	Audit Group	Audit Category	Audit By	Requirement	Compliance	NC Observation	Rating	Action Taken By Plant			
2019-12-26	INS/00001 /19-20/23	VPPL - CH	System Audit	Management Responsibility and Quality Planning	Yogesh G jirafe	Does the coater perform advanced quality planning?	Non-Compliant	No documentation maintained.	0		Cause Entry	Corrective Actions	
2019-12-26	INS/00001 /19-20/23	VPPL - CH	System Audit	Management Responsibility and Quality Planning	Yogesh G jirafe	Are the coaters FMEAs up to date and reflecting current processing?	Non-Compliant	No proper documentation.	4		Cause Entry	Corrective Actions	
2019-12-26	INS/00001 /19-20/23	VPPL - CH	System Audit	Management Responsibility and Quality Planning	Yogesh G jirafe	Are finish process Control Plans up to date and reflecting current processing?	Non-Compliant	No	0		Cause Entry	Corrective Actions	


## Audit Management – Audit Execution – NC Analysis



**Pramod Bodne**



**U Patel**



# Audit Management – Non-Conformity Summary Report

**improsys**

A-29, A Wing, Jai Ganesh Vision Near INOX Theatre, Akurdi, Pune-411035 , Maharashtra.			Email:info@improsys.in Website:www.improsys.in Mobile:7720022233													
Non Conformity Summary Report																
Sr No	Plant	Audit No	Audit Date	Audit Type	Division	Department	Shift	NCR No	Clause No	Descrepancy Obsereved	Fresh/Repetitive	Auditor	CAPA	Weekly Review Status 1	Weekly Review Status 2	Weekly Review Status 3
1	Varroc Lighting System	AUD/00001 /19-20/20	01-jan-2020	System Audit	Pune	Production	Second Shift					Pramod S Bodne				
2	Varroc Lighting System	AUD/00001 /19-20/20	07-Jan-2020	System Audit	Pune	Production	First Shift					Pramod S Bodne				
3	Varroc Lighting System	AUD/00001 /19-20/20	25-Jan-2020	System Audit	Pune	Production	First Shift					Pramod S Bodne				

## Audit Management – Audit Execution – NC Management

- Dashboard wherein the auditor can see the NC's marked during the audit
- Facility to add the corrective action against Non-compliances.
- Facility to add the causes also against Non-compliances.
- Facility to view the data with various filter criteria.
- Facility to define due date of corrective actions
- Facility to make follow-up alerts for corrective actions
- Facility to approve corrective actions


# Auditor Management



Auditor Details



Auditor  
Qualifications



Upload  
Documents



Auditor  
Competency



Auditor  
Allocation

## Audit Management – Auditor qualification entry

Select Auditor Name : Pramod S Bodne		Select Criteria Category : Educational Qualification		
Sr.No	Education Qualification	Applicable Audit	Qualification Details	Competency Score
1	Diploma	<input type="checkbox"/>		Select
2	Degree in any Engineering	<input type="checkbox"/>		Select
3	Graduate in Science	<input type="checkbox"/>		Select

Save

Sr.No	Name	Criteria	Status	Auditor Qualification	Qualification Details	Criteria Score	Edit
1	Pramod S Bodne	Educational Qualification	Eligible	Degree in any Engineering	B.E. Mechanical	2	Update Cancel
2	Pramod S Bodne	Training	Eligible	1. Internal Audit as per IATF-16949	Ok	4	Edit
3	Pramod S Bodne	Training	Eligible	2. Internal Audit as per ISO 14001 and OSHAS 450001	Ok	4	Edit

Qualify your auditors for various types of audits based on their qualifications.

Auditor Competency Entry											
Select Auditor Name : Pramod S Bodne				Select Criteria Category : Select							
Sr.No	Name	Requirement Criteria	Status	Auditor Qualification	Qualification Details	Criteria Score	Date	File Upload	View	Edit	
1	Pramod S Bodne	Educational Qualification	Eligible	Diploma	Diploma Mechanical	3	24/12/2021	<a href="#">Upload</a>	<a href="#">View</a>	<a href="#">Edit</a>	
2	Pramod S Bodne	Educational Qualification	Eligible	Degree in any Engineering	B.E. Production	5	01/01/2022	<a href="#">Upload</a>	<a href="#">View</a>	<a href="#">Edit</a>	
3	Pramod S Bodne	Skill	Eligible	Auditing Skill	Average	3	01/12/2020	<a href="#">Upload</a>	<a href="#">View</a>	<a href="#">Edit</a>	
4	Pramod S Bodne	Skill	Eligible	Communication Skill	Good	4	01/12/2020	<a href="#">Upload</a>	<a href="#">View</a>	<a href="#">Edit</a>	
5	Pramod S Bodne	Skill	Eligible	NCR Writing Skill	Good	4	01/12/2020	<a href="#">Upload</a>	<a href="#">View</a>	<a href="#">Edit</a>	
6	Pramod S Bodne	Skill	Eligible	Fact Finding Skill	Excellent	5	01/12/2020	<a href="#">Upload</a>	<a href="#">View</a>	<a href="#">Edit</a>	
7	Pramod S Bodne	Skill	Eligible	Presentation Skill	Good	4	01/12/2020	<a href="#">Upload</a>	<a href="#">View</a>	<a href="#">Edit</a>	
8	Pramod S Bodne	Training	Eligible	1. Internal Audit as per IATF-16949	Diploma electronics	3	17/12/2020	<a href="#">Upload</a>	<a href="#">View</a>	<a href="#">Edit</a>	


  

Auditor is applicable for following audits: (Please tick on applicable type)	<input checked="" type="checkbox"/> System Audit <input type="checkbox"/> Process Audit <input checked="" type="checkbox"/> Product Audit <input type="checkbox"/> Supplier Audit
<a href="#">Save</a>	

## Audit Management –List Of Internal Auditor Criteria Report

<b>improsys</b>													
A-29, A Wing, Jai Ganesh Vision Near INOX Theatre, Akurdi, Pune-411035 , Maharashtra.	Email:info@improsys.in Website:www.improsys.in Mobile:7720022233												
<b>List Of Internal Auditor Criteria</b>													
<b>Audit Type</b>													
Sr No	Auditor Name	Department	Division	System Audit	Process Audit	Product audit	Supplier Audit						
1	Pramod S Bodne	Qc Dept.	Pune	✓	✓	✓	✗						
2	Rajesh S Dhanorkar	Qc Dept.	Pune	✗	✗	✗	✗						
3	Yogesh G jirafe	Qc Dept.	Pune	✓	✗	✓	✗						

# Audit Location Master



## Customer Entry

Customer Name

Cummins India Ltd. Common Facility (C0009)

Status :

Active

Update

Address

Contact

Locations

Reference

## Address Details:

Address Type :

Main Address

Pin :

Enter Pin Code

Address Line 1 :

Address Line 1

City :

Enter City

Address Line 2 :

Address Line 2

State :

State

Address Line 3 :

Address Line 3

Address Status :

Active

Add Address

## Added Address :

	Address Line 1	Address Line 2	Address Line 3	City	Pin	
Edit	Surwadi Phaltan			Phaltan	415523	Delete

# Customer Master

- Facility to customer for audit in software
- Facility to define multiple locations for customer with address.
- Facility to define multiple contact heads for customer.
- Facility to classify customer in region and division based on its location address.
- Facility to update reference documents e.g. OHSAS certificates, etc.
- Facility to activate / de-activate customer contact
- Facility to activate / deactivate location.

## Consultation / Analysis

Within the scope of our consultation / analysis we accompany and support you regarding these topics:

- ❖ Requirements Analysis
- ❖ System Analysis
- ❖ Implementation Planning

## Post Implementation Support

Within the scope of our consultation / analysis we accompany and support you regarding these topics:

- ❖ Support Portal
- ❖ Email Support
- ❖ Phone Support

## Implementation

During the implementation we accompany and support you regarding these topics:

- ❖ Software Configuration
- ❖ Fine-Tuning
- ❖ User-Training (Online / Offline)
- ❖ Training Videos
- ❖ User Practice





**Varroc Polymers Pvt  
Ltd**

(18 plants across  
India)



**Nikhtish Engineering  
Pvt Ltd**



**Klaus Multiparking  
Pune**



**Kakade Laser  
(3 plants in Pune)**



**TRP Sealings, Pune**



**Shiv Om Brass  
Jamnagar**



**iQS<sup>TM</sup>  
Engineering Pvt.  
Ltd.  
Pune**



**FEVINO**

**Fevino Industries  
LLP  
Pune**



## improsys identified as one of the top players in Global Manufacturing Inventory Software Market by Industry Reports

with expected for Mar 2024 + https://industryreports24.com/28045/incredible-growth-expected-for-manufacturing-inventory-software-market-2022-by-top-key-players-iqms-imagic-inventory-make-tracks-bar-code-direct-bio-based-technologies-netsuite-erplite-opto-software-improsys/

Chemicals & Advanced Materials Energy Healthcare Heavy Industries IT Search for

## Industry Reports

Other Industries

Home / IT / incredible growth expected for Manufacturing Inventory Software Market 2022: by Top Key Players IQMS, iMagic Inventory, Make Tracks, Bar Code Direct, BioBased Technologies, NetSuite, ERPlite, Opto Software, Improsys, Sage Software, Openpro, TradeGecko, Inventory Tracker Plus, Goods Order Inventory, and Inventory Pro

### Incredible growth expected for Manufacturing Inventory Software Market 2022: by Top Key Players IQMS, iMagic Inventory, MakeTracks, Bar Code Direct, BioBased Technologies, NetSuite, ERPlite, Opto Software, Improsys,

By Jones John

 Virtual Schools Market Expected to Grow +26% Through 2022: Top Key Players Apex Learning Inc., Classmateacher Learning Systems, Mozy, VCA4A, K-12  
May 31, 2019

 Strategic report on Vacation Rental Software Market Size, Status and Forecast 2022: Top Key Players Kigo, Lodgify, Vreasy, BookingPal, 365villas.com, Xotelia, Avantio, BookingSync, Hostaway, Orbitrental, GENKAN, Stays, Resort Data Processing, Bookalot, I-Pro Software  
May 31, 2019

The Report is available on the following link

<https://industryreports24.com/28045/incredible-growth-expected-for-manufacturing-inventory-software-market-2022-by-top-key-players-iqms-imagic-inventory-make-tracks-bar-code-direct-bio-based-technologies-netsuite-erplite-opto-software-improsys/>



## improsys identified as one of the top players in Global Manufacturing Inventory Software Market by Industry Reports

Incredible growth expected for Mar 2024 + https://industryreports24.com/28045/incredible-growth-expected-for-manufacturing-inventory-software-market-2022-by-top-key-players-iqms-imagic-inventory-make-tracks-bar-code-direct-bio-based-technologies-netsuite-erplite-opto-software-improsys/

Chemicals & Advanced Materials Energy Healthcare Heavy Industries Other Industries Search for

## Manufacturing Inventory Software Market

 This report studies the Global Manufacturing Inventory Software Market and analyzes and researches the Manufacturing Inventory Software development status and forecast in the United States, EU, Japan, China, India, and Southeast Asia. This report focuses on the top players in global market, like Fishbowl Inventory, QuickBooks, DBA, Intellitrack, Infor, IQMS, iMagic Inventory, make tracks, Bar Code Direct, BioBased Technologies, NetSuite, ERPlite, Opto Software, Improsys, Sage Software, Openpro, TradeGecko, Inventory Tracker Plus, Goods Order Inventory, and Inventory Pro

Players CA Technolo (US), IBM (US), Micro (Formerly as HPE) (US), SmartBear Software (US), Parasoft (US), Tricor (Austria), Cavidion Systems (US), Cigniti (India), Cognitiv (India)

Huge Demands for Opportunities on Webinar Software & Services, Status and Forecast 2022: Top Key Play Webinato, Livestorm Join.Me, Adobe, GoToWebinar, ClickMeeting, FreeConferenceCall ON24, WebinarLink, BrightTALK, Demo, EasyTalk, MeetingBurner

May 31, 2019

 Online Payroll Service Market with Growth Opportunities During Forecast Period 2022-2026 Top Leading Companies


May 31, 2019

The Report is available on the following link

<https://industryreports24.com/28045/incredible-growth-expected-for-manufacturing-inventory-software-market-2022-by-top-key-players-iqms-imagic-inventory-make-tracks-bar-code-direct-bio-based-technologies-netsuite-erplite-opto-software-improsys/>



## improsys identified as one of the top players 2019 in Global Manufacturing Inventory Software Market by Investor Opinion



The screenshot shows a news article from InvestorOpinion.co.uk dated June 26, 2019. The headline is "Global Manufacturing Inventory Software Market Top Players 2019 – Fishbowl Inventory, QuickBooks, DBA, Intellitrack, Infor, IQMS". The article discusses the market analysis and growth prospects for various software providers.

Global Manufacturing Inventory Software market looks into a report for analysis of the Manufacturing Inventory Software market showing the most recent situation in the market. It predicts the growth of industry size & share in the upcoming years. The report assesses various perspectives deciding the market expansions and also the volume of the Manufacturing Inventory Software market. It includes the powerful business establishment of the Manufacturing Inventory Software industry synopsis alongside the overview of the overall Manufacturing Inventory Software market players. Fishbowl Inventory, QuickBooks, DBA, Intellitrack, Infor, IQMS, iMagic Inventory, MakeTracks, Bar Code Direct, BioBased Technologies, NetSuite, ERPelite, Opto Software, Improsys, Sage Software, Openpro, TradeGecko, Inventory Tracker Plus, Goods Order Inventory, Inventory Pro.

This Manufacturing Inventory Software report focuses on the global top players, including


Fishbowl Inventory, QuickBooks, DBA, Intellitrack, Infor, IQMS, iMagic Inventory, MakeTracks, Bar Code Direct, BioBased Technologies, NetSuite, ERPelite, Opto Software, Improsys, Sage Software, Openpro, TradeGecko, Inventory Tracker Plus, Goods Order Inventory, Inventory Pro

The Report is available on following link

<https://investoropinion.co.uk/global-manufacturing-inventory-software-market-top-players-2019-fishbowl-inventory-quickbooks-dba-intellitrack-infor-iqms/>



## improsys identified as one of the top players in Manufacturing Inventory Software Market by Markets Gazette 24



The screenshot shows a news article from MarketsGazette24.com dated November 12, 2019. The headline is "Manufacturing Inventory Software: Market 2019 Will Generate New Growth Opportunities in The Upcoming Year to Expand its Size in Overseas Market by – Infor, Bar Code Direct, NetSuite, MakeTracks, Sage Software, Improsys, IQMS, QuickBooks, ERPelite, Openpro". The article discusses the projected growth and expansion of the manufacturing inventory software market.

The Report is available on the following link

<https://marketsgazette24.com/2019/11/12/global-contraceptive-market-latest-industry-growth-trends-and-future-scenario-to-2026/>



Contact Us

# Improsys

A-29, A Wing, Jai Ganesh Vision, Near INOX Theatre, Akurdi,

Pune : 411035.

Phone : 020-46700036 | Mobile : 9922066745

Email : [cio@improsys.in](mailto:cio@improsys.in)

Website : [www.improsys.in](http://www.improsys.in) | [www.fastqualitysoftware.com](http://www.fastqualitysoftware.com)