

# Construire une interface

## Piscine UX/UI — UI

Piscine UX/UI https://github.com/01-edu/UX-UI

*Summary: Un styleguide, une bibliothèque, des écrans, du mouvement, un test de désirabilité.*

*Prerequisites : Le module précédent de cette piscine, ou aucun si c'est le premier.*

*Version: 1.0*

# Contents


| | | |
|---|---|---|
| I | Instructions | 2 |
| II | Avant-propos | 3 |
| III | Exercice 00 : UI IV - Ex 1 - Styleguide | 4 |
| IV | Exercice 01 : UI IV - Ex 2 - Bibliothèque de design system | 6 |
| V | Exercice 02 : UI IV - Ex 3 - Écrans | 8 |
| VI | Exercice 03 : UI IV - Ex 4 - Animation | 10 |
| VII | Exercice 04 : UI IV - Ex 5 - Test de désirabilité | 11 |

# Chapter I

# Instructions

L'avant-propos n'est pas un exercice. Il ne sera pas noté. Les exercices commencent au chapitre suivant, du contrat le plus simple au plus dur. Un exercice plus tardif n'est pas pris en compte si un plus tôt ne tient pas.

On ne regarde que ce qui est dans le répertoire de rendu de l'exercice. N'ajoutez pas un fichier que l'exercice ne nomme pas. Le nom d'un livrable suit le motif imprimé dans l'exercice : `Name_FirstName_DeliverableName_Date_VersionNumber`.

Le geste ne vous est pas donné. Les exemples d'un exercice portent parfois une contrainte que la phrase ne répète pas. Lisez-les. Vos autres références sont le manuel de l'outil choisi, la personne assise à côté, et les liens imprimés dans l'exercice.

L'ordre est celui de la quête. Sauter une étape parce qu'un écran plus tard semble plus intéressant produit un écran que personne ne sait expliquer.

## Des images

La marque en couverture est l'image de ce module. Les paliers pâles derrière le texte sont le fond de page. Ni l'un ni l'autre n'est un indice.

## Des machines qui écrivent

Vous pouvez vous servir d'un outil pour vérifier un mot, comme d'un dictionnaire. Vous ne pouvez pas remplacer un entretien, un test ou un fichier par un texte généré et le signer. Si vous ne pouvez pas montrer la personne, l'écran ou la ligne que vous avancez, l'exercice n'est pas fait.

# Chapter II

# Avant-propos

*Objectified* de Gary Hustwit (2009) filme des gens qui se disputent sur une poignée, un cure-dent, une chaise. La dispute est le travail. Cette quête est cette dispute, tenue sur des écrans que vous dessinez. Une seconde étagère est dans l'avant-propos, une playlist sur l'IA. Elle est là pour entendre comment parlent les outils. Elle n'autorise pas à rendre un deck généré.



Image : freddie marriage fredmarriage, CC0

À regarder. Les vidéos sont un contexte. Elles ne sont pas le livrable.

- UI - Introduction & Quest n°1, 01Edu https://www.youtube.com/watch?v=UbE6WMeuvQg&list=PLHyAJ_GrRtf-_aBft2jQL4-QAunn2bLvu
- Claude AI Enablement piscine, 01Edu https://www.youtube.com/watch?v=M94thLMc6vA&list=PLCiJelRloNB8

La dernière playlist est une piscine d'IA (*Claude AI Enablement*). Regardez-la si vous voulez entendre comment on vend un modèle comme assistant de design. Les fichiers rendus viennent encore de votre recherche, de vos écrans et de vos tests. Une planche générée que vous ne savez pas raconter ne compte pas.

# Chapter III

# Exercice 00 : UI IV - Ex 1 - Styleguide

|  | Exercise 00 |
|---|---|
| UI IV - Ex 1 - Styleguide | |
| Turn-in directory : `ex00/` | |
| Files to turn in : `ex00/fichier Figma, nomme Name_FirstName_DeliverableName_Date_VersionNumber` | |
| Allowed functions : `Those named in the exercise` | |

**Contexte :**

In this quest, you'll have to build your own interface.

After designing your own style guide with a moodboard, colors and typography, you can use the series of consistency principles, atomic design structure, the techniques to build you own library and then a series of screens. Step by step, you'll have built an animated high-fidelity prototype.

The very last step will be to test it on users to detect the impressions they get when they discover your app.

Once again, feel free to get as much inspiration as you need from existing design systems. Dribbble, consistency and structure are your best friends!

**Instructions :**

Your agency works on a digital product to create an e-commerce app for second-hand electronic devices. You collaborate with a UX designer from your team. They have deisgned the wireframes and pass it on to you!

Design a style guide (= a moodboard with typography + examples of typography with buttons, title, description and content).

Also think about the values and spirit you want to spread through this moodboard, we'll get back to it in Ex. 5.

**Livrables :**

- A Figma moodboard that includes:
    - Des photos
    - 2 to 3 main colors
    - Examples of typography applied to graphic elements
        - Title

    - Description or subtitle
    - Content
    - Button

- Déposez le fichier Figma sur Github, nommé ainsi : « Name_FirstName_DeliverableName_Date_VersionNumber ». Exemple : « Doe_John_MidFiPrototype_05242024_V1 ».
- Ajoutez un titre dans le fichier.
- Soignez l'aspect global du fichier. Il doit être clair, simple et lisible. Vous pouvez regarder canva.com, sans surcharger le dessin de détails.

**Ressources :**

- Video tutorial on Figma https://www.youtube.com/watch?v=FTFaQWZBqQ8
- Beginning graphic design https://edu.gcfglobal.org/en/beginning-graphic-design/
- Gareth graphic studio https://www.youtube.com/c/GarethDavidStudio
- Example of a Style Guide in UI https://www.pinterest.pt/pin/454019206175050454/

# Chapter IV

# Exercice 01 : UI IV - Ex 2 - Bibliothèque de design system

|  | Exercise 01 |
|---|---|
| UI IV - Ex 2 - Bibliothèque de design system | |
| Turn-in directory : `ex01/` | |
| Files to turn in : `ex01/fichier Figma, nomme Name_FirstName_DeliverableName_Date_VersionNumber` | |
| Allowed functions : `Those named in the exercise` | |

**Instructions :**

Based on the moodboard you designed in Ex 1, create a design system with at least 30 elements, including atoms, molecules and organisms, and include multistates.

**Livrables :**

- A Figma file with a library including:
  - At least graphic design 30 elements
  - At least 5 atoms
  - At least 5 molecules
  - At least 5 organisms
  - At least 10 multistate variations
- Déposez le fichier Figma sur Github, nommé ainsi : « Name_FirstName_DeliverableName_Date_VersionNumber ». Exemple : « Doe_John_MidFiPrototype_05242024_V1 ».
- Ajoutez un titre dans le fichier.
- Soignez l'aspect global du fichier. Il doit être clair, simple et lisible. Vous pouvez regarder canva.com, sans surcharger le dessin de détails.

**Pistes :**

- Start by asking yourself what key elements may appear in an e-commerce app.

- Inspirez-vous des design systems existants. Parcourez Dribbble et la communauté Figma.

**Ressources :**

- FIGMA FILE (to duplicate) https://www.figma.com/file/U26mctkrOqxiUeAlNHzSxW/UI-IV---Ex-3---E-COMMERCE%3A-Design-screens!?node-id=0%3A1
- Introduction to design systems https://www.youtube.com/watch?v=xEuBCUngJ_U
- Create a design system - Figma course https://www.youtube.com/watch?v=RYDiDpW2VkM
- Building a design system library - Lyft https://medium.com/tap-to-dismiss/building-a-design-system-library-532ef2492811
- Examples of UI Buttons library https://www.pinterest.co.kr/pin/663014376380850291/

# Chapter V

# Exercice 02 : UI IV - Ex 3 - Écrans

|  | Exercise 02 |
|---|---|
| UI IV - Ex 3 - Écrans | |
| Turn-in directory : `ex02/` | |
| Files to turn in : `ex02/fichier Figma, nomme Name_FirstName_ DeliverableName_Date_VersionNumber` | |
| Allowed functions : `Those named in the exercise` | |

**Instructions :**

Based on the wireframes and your design system library, take your mid-fidelity prototype to a high-fidelity level!

Select 5 screens that will show the user flow of a customer who:

- arrives on the homepage
- browses the content
- checks one product page
- adds the product to the cart
- checks out

Use your components, call to actions and visuals to complete the wireframes.

**Livrables :**

- 5 high-fidelity screens from Figma
- Déposez le fichier Figma sur Github, nommé ainsi : « Name_FirstName_DeliverableName_ Date_VersionNumber ». Exemple : « Doe_John_MidFiPrototype_05242024_V1 ».
- Ajoutez un titre dans le fichier.
- Soignez l'aspect global du fichier. Il doit être clair, simple et lisible. Vous pouvez regarder canva.com, sans surcharger le dessin de détails.

**Ressources :**

- Unsplash https://unsplash.com/ for visuals

- From low-fidelity to high-fidelity https://mockitt.wondershare.com/prototyping/low-fidelity-vs-high-fidelity.html

# Chapter VI

# Exercice 03 : UI IV - Ex 4 - Animation

|  | Exercise 03 |
|---|---|
| UI IV - Ex 4 - Animation | |
| Turn-in directory : `ex03/` | |
| Files to turn in : `ex03/fichier Figma, nomme Name_FirstName_DeliverableName_Date_VersionNumber` | |
| Allowed functions : `Those named in the exercise` | |

**Instructions :**
Animate your 5 screens on Figma. Think about multistate!!
**Livrable :**

- An animated high-fidelity prototype on Figma
- Déposez le fichier Figma sur Github, nommé ainsi : « Name_FirstName_DeliverableName_Date_VersionNumber ». Exemple : « Doe_John_MidFiPrototype_05242024_V1 ».
- Ajoutez un titre dans le fichier.
- Soignez l'aspect global du fichier. Il doit être clair, simple et lisible. Vous pouvez regarder canva.com, sans surcharger le dessin de détails.

**Ressources :**

- Efficiently Manage Your Designs - How Mockplus State Page Helps To View & Manage Multiple State https://help.mockplus.com/p/372

**Citation :**
'Speak human: Use the words your users use.' Dan Saffer | Microinteractions

# Chapter VII

# Exercice 04 : UI IV - Ex 5 - Test de désirabilité

|  | Exercise 04 |
|---|---|
| UI IV - Ex 5 - Test de désirabilité | |
| Turn-in directory : `ex04/` | |
| Files to turn in : `ex04/archive zip, nomme Name_FirstName_ DeliverableName_Date_VersionNumber` | |
| Allowed functions : `Those named in the exercise` | |

**Instructions :**
Run a desirability test!
The point of this phase is to make sure the values and the spirit you chose for your design.

- Get back to the values and spirit you chose in Ex 1. Extract 2 to 5 adjectives.
- Prepare a board with 25+ adjectives, randomly distributed.
- Show your design to 5 different people, and ask them to select the adjectives among the list from the board that they are inspired with.
- If the selected adjectives chosen by the users are consistent with the ones you had chosen, congratulations!
- If the selected adjectives chosen by the users are not consistent, that's fine! Make 3 suggestions about how to make your moodboard and library evolve.

**Livrables :**

- A desirability testing board with 25+ different adjectives
- Pictures from the desirability test
- A PDF document with the outcomes of the desirability test
- If the outcomes are not consistent with the values, 3 suggestions on how to make the moodboard and design library evolve.

- Déposez les documents sur Github, dans un zip nommé « ProjectTitle_Name_FirstName », et chaque livrable ainsi : « Name_FirstName_DeliverableName_Date_VersionNumber ». Exemple : « Doe_John_MidFiPrototype_05242024_V1 ».
- Ajoutez un titre dans tous les documents écrits.
- Soignez l'aspect global des livrables. Ils doivent être clairs, simples et lisibles. Vous pouvez regarder canva.com, sans surcharger le dessin de détails.

**Pistes :**

- Avoid confirmation biais: don't tell them the values and ask them to approve them!
- Good to know: Desirability testing is great to assess the impressions a design gives to the users. Whereas Usability testing is great to understand what users understand your prototype and how they navigate across the product.

**Ressources :**

- Desirability Testing analyzing an emotional response to a design https://www.slideshare.net/megangrocki/desirability-testing-analyzing-emotional-response-to-a-design-11262575

**Citation :**

- 'Interaction design focuses on the design of behavior of a person's interaction with a digital interface. It is also concerned with satisfying the needs and desires of the people who will interact with a product or service.' Alan Cooper, About Face: The Essentials of Interaction Design