Generic and Extensible Web of Things Manager Using JSON Schema & AI

DJ

Andreas Eberhart

dashjoin.com

SIEMENS

Ege Korkan

siemens.com

WoT Manager

- Design Goals
  - Generic: Manage any device
  - Extensible: Allow apps for specific use cases
- Value Add
  - Manage: securely connect devices
  - Control: call device actions
  - Automate: react to device events
  - Analyze: provide overview & dashboards

Architecture



[Universal DB Frontend](#)

Connect to any SQL or NoSQL database, browse, search, and edit its contents. Extend the schema on the fly.

[Functions and Processes](#)

Seamlessly start and integrate REST services from the application and monitor progress.

[Getting Started & Cloud Deployment](#)

Download the platform or deploy the apps in your private cloud or book our PaaS service. All apps scale horizontally and support state of the art cloud stacks.



Dashjoin API

default Dashjoin Platform API

POST /rest/database/all/{database}/{table} like read but returns all matches in a list (arguments are and-connected column equalities)

GET /rest/database/crud/{database}/{table} like read but returns all matches in a list (arguments are and-connected column equalities)



Discovery & Role Based Access Control



Identity Management

Device credentials

OpenID

Access devices using credentials on behalf of the user

Associate device to OpenID claim and device credentials

Postgres

Discover & Save to DB

Row-Level Security

Generic Properties & Actions

- On every device page
  - Gather the sensors
  - Display a JSON Schema driven form



water
92

milk
97

chocolate
100



Defines the size of a drink, s = small, m =
large.

```
$c := $read("wot", "thing", value.thing).credentials;
$curl("GET", value.href, {}, $c ? {"Authorization": $c} : {})
```

Background Knowledge

- Integrate additional information to be able to answer more questions
- Asset DB
    - Where is the device installed?
- Datasheets
    - Additional information about the device





Specifications

Supported Systems	Single phase, 2-wire systems;
	Single-split phase, 3-wire systems;
	3-phase, 4-wire Wye systems with earthed (TN or TT) neutral (no-Delta)

CT Current Sensors	Up to 3 x 200A mains and up to 16 x 50A branch circuits
Max Voltage Sensing	264VAC L-N per channel
Wi-Fi	2.4 GHz, IEEE 802.11b/g/n
Ethernet	10/100Base-T, IEEE 802.3
Operating Conditions	-40° - 122° F (-40° - 50° C) | 0-80% RH | 3,000 meters above sea level | Indoor | Dry

Semantic Data Harmonization

- JSON LD allows grouping similar devices
- Not all things within the group might report data in the same format
- Leverage JSONata to translate into a common format
- Allows dashboarding via SQL

```
{ "watt": 45 }
```

```
"power": {
  "unit": "W",
  "amount": 45
```

```
watt ? watt : power.amount *
(power.unit = 'kW' ? 1000 : 1)
```



Natural Language Commands

- Information extraction from text using LLMs and JSON Schema



What kind of drink would you like?

One huge coffee

```
"drinkId": {
  "type": "string",
  "description": "Defines what drink to
},
"size": {
  "type": "string",
  "description": "Defines the size of a
  "enum": [
    "s",
    "m",
    "l"
  ]
},
"quantity": {
  "type": "integer",
  "description": "Defines how many drink
  "minimum": 1,
  "maximum": 5
}
},
```

shutterstock.com · 2428104521

```
{
  "drinkId": "coffee",
  "size": "l",
  "quantity": 1
}
```

WoT Agents

- Expose device actions to the LLM via tools
- User can formulate a higher-level question or goal
- LLM tries to solve the request by leveraging its background knowledge and the provided WoT tools



decisions made by LLM

Question

Agent

Output

Observation

Action

Example: Turn off all lights in unused office spaces

Wot Agent Log



```
Locking system: get a list of persons in the building
Directory service: get LDAP information about persons
Asset DB: get devices by room
Light action: turn lights off/on
```

Here is a sample trace:

```
> Running step 336b4b45-06c4-499f-8bf8-fbf59d943708. Step input: turn off lights in offices where people have gone h
Thought: The current language of the user is English. I need to use a tool to help me identify which offices have pe
Action: lockingSystem
Action Input: {}
Observation: ['joe@emaple.org', 'mike@example.org']
> Running step 637db939-be6e-491a-9a7e-0b80a1498dcf. Step input: None
Thought: I have the list of people currently in the office building. I need to get directory information to determin
Action: ldap
Action Input: {}
Observation: [{'email': 'joe@example.org', 'office': '12b'}, {'email': 'mike@example.org', 'office': '15'}, {'email'
> Running step 8608270f-5f1c-4b84-a74c-5a4946ee739d. Step input: None
Thought: I have the office information for each person. Joe is in office 12b, Mike is in office 15, and Sarah is in
Action: assets
Action Input: {'office': '4a'}
Observation: [{'id': '35313-2426', 'type': 'light-switch'}, {'id': 'af425-f352', 'type': 'energy sensor'}]
> Running step f95c73ed-50a8-42e7-a5a5-aa2303b21cd2. Step input: None
Thought: I have identified the light switch asset in Sarah's office (4a) with the ID '35313-2426'. I will now procee
Action: light
Action Input: {'id': '35313-2426', 'state': False}
Observation: None
> Running step c8d309f5-0a2b-4598-b153-a5dc6d81bfbc. Step input: None
Thought: I have successfully turned off the lights in Sarah's office (4a) as she has gone home. I can now provide th
Answer: The lights in office 4a have been turned off as the occupant has gone home.
```

Demo

- Code
  - https://github.com/dashjoin/djapp-wot
- Live Demo
  - https://wot.run.dashjoin.com/
- Login
  - Create Account using any email
  - Google User



Summary

- Standardization is important
  - WoT thing description (TD) represents any device in a uniform way
  - JSON Schema + TD describes how to interact with devices
  - JSON-LD allows categorizing devices
- Allows developing generic software
  - Works with any kind of device
- Lightweight Low Code Approach
  - Minimal code required
  - Easy to extend (custom actions, dashboards)