

# A short overview of T<sub>E</sub>X, its children and their friends ...

Arno Trautmann \*

October 7, 2010

[Link for the impatient.](#)

In the world of T<sub>E</sub>X, there are many developments and ambiguous names. This paper tries to give an overview of the development of T<sub>E</sub>X and related programs. Contributions are welcome!<sup>1</sup>

## Introduction

The base frame of this document is taken from the article A brief history of T<sub>E</sub>X, volume II by Arthur Reutenauer in the proceedings of EuroBachTeX2007 and his talk there (see references). Additional information is taken from original documentations (see references on page 17) and some review articles. For old, historic information, the historic archive maintained by Ulrik Vieth and hosted on ftp.tug.org (see refs) was very useful. Many thanks for that great archive!

All information is up to the date of the generated pdf. Everything here is without guarantee – this is just to get an overview. Consult the references for further (and/or correct) information!

In the tree views (page 9), every node has a tooltip that shows up when you hover the mouse over it. If your pdf viewer does not support this, go to the end of the document, where every tooltip is written in normal text (page 20). I tried to make the graph more readable by using colors:

**normal** (whatever that means)

**important** developments (only in my opinion) – i. e. engines or distributions that had or have a great impact on (everyday) typesetting for a large community

---

\* arno.trautmann@gmx.de

<sup>1</sup>The current source of this document is available at <http://github.com/alt/tex-overview>. Please feel free to patch there or mail me any suggestions and comments. I'll be happy to extend and correct this document!

**experimental** developments that might still be under construction or were never used by a large community. Nevertheless, these might be very important to the development of other engines or for use of special typesetting.

**other** programs that are not directly connected to T<sub>E</sub>X but are interesting in the overview, are given in black.

Furthermore, there are two versions of the important graphs: A short version mentioning only the most important things and a full one with everything I could find.

In most cases I did not mention the authors of the programs/packages. This is not to diminish their effort but only for clarity (long names make things harder to read). I did not write any of the below-mentioned programs or packages. The authors are given in the documents linked in the references.

## How to contribute

I hope one day this document would become the standard reference for questions like "What program do I need for ...?", "What's the difference between ...T<sub>E</sub>X and ...T<sub>E</sub>X?", "Why is it called ...?" etc.

To get to this point, I need some help of people having read more documentation or even developed some of the programs mentioned here themselves. Special help is needed for:

- font technologies
- METAFONT and sucesors
- BibT<sub>E</sub>X and successors/alternatives


It is up to you to contribute texts, references, links, descriptions, hints etc. I'll be happy about anything I can add here.

# Contents


<b>1</b>	<b>Tree Views – short view</b>	<b>4</b>
1.1	<a href="#">T<sub>E</sub>X</a> . . . . .	5
1.2	<a href="#">L<sup>A</sup>T<sub>E</sub>X</a> . . . . .	6
1.3	<a href="#">ConT<sub>E</sub>Xt</a> . . . . .	7
<b>2</b>	<b>Tree Views</b>	<b>8</b>
2.1	<a href="#">T<sub>E</sub>X</a> . . . . .	9
2.2	<a href="#">L<sup>A</sup>T<sub>E</sub>X</a> . . . . .	10
2.3	<a href="#">ConT<sub>E</sub>Xt</a> . . . . .	11
<b>3</b>	<b>Distributions</b>	<b>12</b>
3.1	<a href="#">T<sub>E</sub>Xlive</a> . . . . .	13
3.2	<a href="#">MikT<sub>E</sub>X</a> . . . . .	13
<b>4</b>	<b>Pandora’s Box</b>	<b>14</b>
4.1	<a href="#">META*</a> . . . . .	15
4.2	<a href="#">BibT<sub>E</sub>X</a> . . . . .	15
4.3	<a href="#">(x)dvipdf(m)(x)</a> . . . . .	15
4.4	<a href="#">Font Technologies</a> . . . . .	15
<b>5</b>	<b>Text Views</b>	<b>19</b>
5.1	<a href="#">T<sub>E</sub>X</a> . . . . .	20
5.2	<a href="#">L<sup>A</sup>T<sub>E</sub>X</a> . . . . .	21
5.3	<a href="#">ConT<sub>E</sub>Xt</a> . . . . .	23
5.4	<a href="#">T<sub>E</sub>Xlive</a> . . . . .	23
5.5	<a href="#">MikT<sub>E</sub>X</a> . . . . .	24
5.6	<a href="#">META*</a> . . . . .	24
5.7	<a href="#">BibT<sub>E</sub>X</a> . . . . .	24
5.8	<a href="#">(x)dvipdf(m)(x)</a> . . . . .	25
5.9	<a href="#">Font Technologies</a> . . . . .	25

# **1 Tree Views – short view**


## 1.1 $\text{T}_{\text{E}}\text{X}$ – the program, and extensions/derivatives



## 1.2 $\text{\LaTeX}$ (Lamport's $\text{\TeX}$ ) – a format and large macro package for $\text{\TeX}$




### 1.3 ConT<sub>E</sub>Xt (Context = con tex t – text with tex; formerly pragmatex) – the other major format and T<sub>E</sub>X macro package




## 2 Tree Views




## 2.1 $\text{T}_{\text{E}}\text{X}$ – the program, and extensions/derivatives



## 2.2 L<sup>A</sup>T<sub>E</sub>X (Lamport's T<sub>E</sub>X) – a format and large macro package for T<sub>E</sub>X




## 2.3 ConT<sub>E</sub>Xt (Context = con tex t – text with tex; formerly pragmatex) – the other major format and T<sub>E</sub>X macro package




# 3 Distributions

This section will feature the main distributions of T<sub>E</sub>X and related programs. Of course, not every Linux Distribution's T<sub>E</sub>X package can be listed here, but only official upstream distributions. So far, only T<sub>E</sub>Xlive and MikT<sub>E</sub>X are listed, but I'll add others if they are/were important.

### 3.1 T<sub>E</sub>Xlive




### 3.2 MikT<sub>E</sub>X




## **4 Pandora's Box**

The following pages will be a hodge-podge of many things that are related to  $\text{T}_{\text{E}}\text{X}$  and used in the process of generating documents in different file formats, i.e. conversion tools, bibliography tools etc. Feel free to contribute, I'll choose case-by-case if I'll add something or won't include it. Text editors or viewers will *not* be included!


#### 4.1 META\*



#### 4.2 Bib $\text{T}_{\text{E}}\text{X}$




#### 4.3 (x)dvipdf(m)(x)



#### 4.4 Font Technologies

This section tries to cover the development of font technologies – the most important thing for a typesetting system is its font mechanism ...

metafont





## References

The references are in order of occurrence in the above document. I.e. if you want information about LuaTeX, it will be below e.g.  $\epsilon$ TeX.

## Books

D.E. Knuth, D. Bibby, and I. Makai. *The TeXbook*. Addison-Wesley Reading, MA, 1986.

F. Mittelbach, M. Goossens, J. Braams, D. Carlisle, C. Rowley, C. Detig, and J. Schrod. *The L<sup>A</sup>T<sub>E</sub>X companion*. Addison-Wesley, 2004.

## Web Sources

This document on github <http://github.com/alt/tex-overview>

### Original Documentation – Engines

ANT project page <http://ant.berlios.de>

A TUGboat report on JTeX Yasuki S AITO, Report on JTEX: A Japanese TEX, TUGboat 8 (1987), no. 2, 103-116.

pTeX: sources and documentation <http://dante.ctan.org/tex-archive/help/Catalogue/entries/ptex.html>

MLTeX source (CH file) <http://www.tex.ac.uk/tex-archive/systems/generic/mltex/mltex.ch>

encTeX page <http://www.olsak.net/enctex.html>

$\mathcal{N}\mathcal{T}\mathcal{S}$  project page <http://nts.tug.org>

VTeX – official homepage of micropress-inc <http://www.micropress-inc.com/>

$\epsilon\chi$ TeX project page <http://www.extex.org>

eeTeX project page <http://tex.aanhet.net/eetex>

LuaTeX project page <http://www.luatex.org>

### Original Documentation – Makro Packages/Formats

ConTeXt wiki <http://wiki.contextgarden.net>

L<sup>A</sup>T<sub>E</sub>X project page <http://www.latex-project.org>

L<sup>A</sup>T<sub>E</sub>X3 project <http://www.latex-project.org/latex3.html>

### Original Documentation – Distributions

TeXlive development history <http://tug.org/texlive/doc/texlive-en/texlive-en.html#>

MikTeX project site <http://miktex.org/>

### Original Documentation – Fonts

Specifications of the Type1 Fonts [http://partners.adobe.com/public/developer/en/font/T1\\_SPEC.PDF](http://partners.adobe.com/public/developer/en/font/T1_SPEC.PDF)

### Original Documentation – Everything Else

dvipdfmx project page <http://project.ktug.or.kr/dvipdfmx/>

## Overview Articles

Arthur Reutenauer. A Brief History of  $\mathrm{T}_{\mathrm{E}}\mathrm{X}$ . Talk at EuroBach $\mathrm{T}_{\mathrm{E}}\mathrm{X}$  2007.

<http://www.gust.org.pl/bachotex/EuroBachoTeX2007/presentations/bhot.pdf/view>

A Brief History of  $\mathrm{L}^{\mathrm{A}}\mathrm{T}_{\mathrm{E}}\mathrm{X}$  <http://www.xent.com/FoRK-archive/feb98/0307.html>

Short Article About Omega And Aleph <http://www.tex.ac.uk/cgi-bin/texfaq2html?label=omegaleph>

Interviews with Will Robertson, Hans Hagen et. al. <http://www.tug.org/interviews>

## Web Archives

Comprehensive TeX Archive Network <http://www.ctan.org>

Historic Archive of TeX Distributions <ftp://ftp.tug.org/historic>

# 5 Text Views

## 5.1 $\text{\TeX}$ – the program, and extensions/derivatives

### $\text{\TeX}$

born in 1978

### $\text{\text{ANT}}$

Ant is Not  $\text{\TeX}$ . A typesetting system inspired by  $\text{\TeX}$ . Only \*inspired\*, so it has nothing to do with  $\text{\TeX}$  in terms of common code.

### $\text{\TeX-X}\text{\text{ET}}$

The first extension to  $\text{\TeX}$ , 1987. It was able to typeset in two directions, but only with a mark in the dvi to change the direction.

### $\text{\text{Nihongo TeX}}$

A true multibyte extension of  $\text{\TeX}$ . Could handle all Japanese characters in one font.

### $\text{\text{JTeX}}$

An extension of  $\text{\TeX}$  for typesetting Japanese. (1987, Yasuki Saito)

### $\text{\text{pTeX}}$

Extension of  $\text{\text{Nihongo TeX}}$  to enable vertical typesetting. ("p" for "publishing")

### $\text{\TeX-X}\text{\text{eT}}$

$\text{\TeX-XeT}$  was able to really put the glyphs on the right place in the dvi.

### $\text{\TeX3}$

Ability to handle 8-bit input. 1989.  $\text{\TeX}$  development was frozen in 1991 and only bugfixes were made. Now it in version 3.1415926, getting closer to pi with every bugfix ...

### $\text{\text{encTeX}}$

A small extension to  $\text{\TeX}$ , started 1997. Adds 10 new primitives relating input re-encoding

### $\text{\text{MLTeX}}$

Extension (started 1990) to  $\text{\TeX}$  that allows hyphenation of words with accented letters. (Therefore the name: MultiLingual  $\text{\TeX}$ .) Distributed as a change file to the original WEB sources of  $\text{\TeX}$ .

### $\text{\text{upTeX}}$

Unicode-aware version of  $\text{\text{pTeX}}$  ("unicode-publishing"- $\text{\TeX}$ ) also modernized from  $\text{\TeX3}$ .

### $\text{\TeX2PDF}$

Early name for  $\text{\text{pdfTeX}}$ .

### $\Omega$

Support for 16bit-unicode-input. Still constrained on the output

### $\varepsilon\text{-TeX}$

\*the\* extension to  $\text{\TeX}$ .

### $\text{\text{pdfTeX}}$

A new engine to directly produce pdf-files from  $\text{\TeX}$ , without the need of dvi-ps-pdf. This allows to use microtypographic extensions and many other features of the pdf format.

## TeXgX

GX stands for Graphic eXtension, a font technologie TeXGX was able to handle. Only on Mac OS.

## N<sub>T</sub>S

A project to completely reimplement TeX in Java. Now NTS is officially declared dead.

## Ω<sub>2</sub>

A short-time try to pick up the development of Omega again in 2006. Seemed more like a good plan and is now regarded as obsolete. LuaTeX is kind of a successor.

## VT<sub>E</sub>X

VT<sub>E</sub>X (VisualTeX) can produce pdf, html, svg, dvi or ps output directly from input. In contrast to pdfTeX, it includes a full PostScript interpreter, thus capable to include EPS figures, PStricks etc. First official version I found: February 15, 1999: VT<sub>E</sub>X 6.3; last official version seems to be from Oct 1, 2005: VT<sub>E</sub>X 8.61. Commercial product.

## ℵ (Aleph)

originally named epsilon-Omega, an attempt to stabilize Omega while merging epsilon extensions.

## X<sub>Y</sub>TeX

This extension enables full multilingual support for left-to-right typesetting, right-to-left and almost any other possible direction. XeTeX also features support for OpenType and AAT-fonts. In newest versions, character protrusion is possible – hence the connection to pdfTeX.

## εX<sub>Y</sub>TeX

Planned implementation of a high-quality typesetting system, written in Java. Based on experiences in NTS, eTeX, pdfTeX and Omega. Started in 2003, current version in repository is 0.0. (i. e. not very far ...)

## pdf(ε)-TeX

Merging the pdfTeX engine with the eTeX-extensions. This engine can produce dvi (with or without the eTeX-extensions) as well as pdf (again, with or without extensions).

## eeTeX

Experimental extension to pdfTeX by Taco Hoekwater, created 2000. Distributed as change file. Now dead due to his development of luaTeX.

## Lua

Script language; has nothing to do with TeX!

## luaTeX

LuaTeX will support unicode, OpenType and totally everything. TeXlive 2010 ships version 0.60.2. luaTeX features an embedded scripting language, lua, making it easy to extend so most of the programming can be done in lua instead of TeX-hackery.

## iTeX

iTeX is the official successor of TeX89, announced by Don Knuth at the TUG conference 2010.

## 5.2 L<sup>A</sup>TeX (Lamport's T<sub>E</sub>X) – a format and large macro package for T<sub>E</sub>X

### L<sup>A</sup>TeX 0.9

First version still on web (historic archive, see refs) is 0.9, for use with TeX 0.95. No installation help found. Apparently one needs the files lplain.tex and latex.tex to create the format.

## **L<sup>A</sup>T<sub>E</sub>X 0.91**

Version 0.91 for use with TeX 0.97 (C) 1983 by Leslie Lamport. Most changes to previous version are in the file lplain.tex.

## **L<sup>A</sup>T<sub>E</sub>X 0.92**

First version with the @ as letter for internal names. Seemingly first version with a manual. For use with TeX Version 0.999999. (no joke, that's the version number given in the latex.tex file!) (C) 1983 by Leslie Lamport, conversion to 0.92 from 0.91 by Arthur Keller.

## **L<sup>A</sup>T<sub>E</sub>X 0.92 - 1.0**

Adaption of 0.92 for TeX version 1.0. (C) 1983 by Leslie Lamport, conversion to 0.92 from 0.91 by Arthur Keller.

## **L<sup>A</sup>T<sub>E</sub>X 2.0 - 1.0**

Seemingly heavy changes compared to 0.92. Version for TeX 1.0. Release of 11 Dec 1983. There were never official versions 1.x

## **L<sup>A</sup>T<sub>E</sub>X 2.05**

No sure information found so far.

## **L<sup>A</sup>T<sub>E</sub>X 2.06a**

Release of version 2.06a of the LaTeX macros. September 1984.

## **L<sup>A</sup>T<sub>E</sub>X 2.09**

The first official version by Leslie Lamport, 1985.

## **SL<sup>A</sup>T<sub>E</sub>X**

A variation of LaTeX2.09 to provide an easy way for producing presentations. In LaTeX2e absorbed as a documentclass (slides).

## **A<sub>M</sub>S<sup>L</sup><sub>A</sub>T<sub>E</sub>X 1.1**

A port of Spivak's AMS-<sub>T</sub>E<sub>X</sub> to LaTeX 2.09, released 1990

## **L<sup>A</sup>T<sub>E</sub>X 2<sub>ε</sub>**

June 1994: New release of LaTeX to avoid incompatible dialects of LaTeX 2.09. Introduced by the LaTeX3-Team.

## **A<sub>M</sub>S<sup>L</sup><sub>A</sub>T<sub>E</sub>X 1.2**

A port of version 1.1 to LaTeX 2e by Downes and Jones.

## **pdf<sub>L</sub>A<sup>T</sup><sub>E</sub>X 2<sub>ε</sub>**

The standard LaTeX. If anyone talks about "LaTeX" it is nearly shure to be this package. pdfLaTeX2e produces pdf or dvi output.

## **X<sub>3</sub>L<sup>A</sup>T<sub>E</sub>X**

Using the XeTeX engine. There are some special packages that provide easy access to the modern features of XeTeX.

## **Lua<sup>A</sup>L<sup>A</sup>T<sub>E</sub>X**

LaTeX based on LuaTeX with pdf (standard) or dvi (dviLuaLaTeX) output. LaTeX support for luaTeX is under heavy development to make this machine usable with the format. Work in progress, but already well useable!

## **p<sub>L</sub>A<sup>T</sup><sub>E</sub>X 2<sub>ε</sub>**

A LaTeX-bundle for the pTeX engine.

## [Λ](#)

A LaTeX-package for the omega-engine.

## [Lamed](#)

A LaTeX-package for the aleph-engine.

## [L<sup>A</sup>T<sub>E</sub>X2.5](#)

Will Robertson suggested in an interview (see refs) an interim unstable version on the way to LaTeX3 with version number 2.5 that should bring package authors towards using LaTeX3 syntax. This version should be backwards incompatible to LaTeX2e. (This version does not exist in any official plannings, but I liked the idea, so it is mentioned here :) )

## [L<sup>A</sup>T<sub>E</sub>X3](#)

The planned successor of LaTeX2e. It is planned to implement a very elaborate low-level programming language. The expl3-package provides an implemantation that can be used on top of LaTeX2e. Several LaTeX packages already make heavy use of expl3.

## **5.3 ConT<sub>E</sub>Xt (Context = con tex t – text with tex; formerly pragmatex) – the other major format and T<sub>E</sub>X macro package**

### [ConT<sub>E</sub>XtMkI](#)

Original ConTeXt with Dutch low level interface.

### [ConT<sub>E</sub>XtMkII](#)

ConTeXt with English low level interface. Works with any TeX-engine, like LaTeX: TeX, e-TeX, pdfTeX, Aleph, XeTeX, ...

### [ConT<sub>E</sub>Xt MkIII](#)

Reserved for future use for files supporting XeTeX. Was "skipped" for "practical reasons" (Hans Hagen)

### [ConT<sub>E</sub>XtMkIV](#)

Specially designed for LuaTeX.

## **5.4 T<sub>E</sub>Xlive**

### [teT<sub>E</sub>X](#)

The (vague) past ... (?)

### [4AllT<sub>E</sub>XCD](#)

The (vague) past ... (?)

### [T<sub>E</sub>Xlive 1996 – 2008](#)

First version 1996, and then a long story of ongoing work – see documentation for a detailed history.

### [T<sub>E</sub>Xlive2009](#)

TeXlive now features package updating like MikTeX!

### [T<sub>E</sub>Xlive2010](#)

Up to now, latest release of TeXlive.

## 5.5 MikTeX

### MikTeX 2.6

featuring pdftex 1.40.4, mpost 1.000

### MikTeX 2.7

featuring xetex 0.999.6, pdftex 1.40.9, mpost 1.005

### MikTeX 2.8

featuring xetex 0.9995.1, pdftex 1.40.10, mpost 1.005

### MikTeX 2.9

featuring xetex 0.9997.4, pdftex 1.40.11, LuaTeX 0.60.2, mpost 1.211

## 5.6 META\*

### METAFONT

The program for creating the fonts originally used by TeX.

### MetaPost

A graphic generating program inspired by METAFONT. MetaPost can produce PostScript graphics as well as SVG.

### MetaFun

”MetaFun is Hans Hagen’s extension to (or module for) the MetaPost language.”

## 5.7 BibTeX

### BibTeX

A helper program to generate a bibliography list.

### NbibTeX

”NbibTeX helps authors take better advantage of BibTeX data” says the homepage.

### BibTeX8

The documentation says: „An 8-bit Implementation of BibTeX 0.99 with a Very Large Capacity“

### BibTeXu

A unicode-aware version of BibTeX

### Pybtex

A python implementation of BibTeX.

### biber

A cooler version of unicode-aware BibTeX, designed for (?) use with BibLaTeX

### BibLaTeX

A LaTeX package as frontend for biber.



## 5.8 (x)dvipdf(m)(x)

### **[dvipdf](#)**

Converts dvi files to pdf files.

### **[dvipdfm](#)**

Converts dvi files to pdf files. Does not build on dvipdf, but is an independent implementation.

### **[dvipdfmx](#)**

Extended version of dvipdfm. Support for multi-byte encodings and more pdfTeX features. Still active. Combined work of dvipdfm-jpn and dvipdfm-kor.

### **[xdvipdfmx](#)**

Converts xdvi files produced by XeTeX to pdf files. Normally always executed after a XeTeX run, so the user won't notice that an xdvi document was created in between.

## 5.9 Font Technologies

### **[metafont](#)**

Fonts based on the METAFONT program.

### **[PostScript Type 1](#)**

### **[TrueType](#)**

### **[FreeType](#)**

### **[TrueType GX](#)**

### **[OpenType](#)**

### **[AAT](#)**