

An overview of T_EX, its children and their friends ...

Arno Trautmann
arno.trautmann@gmx.de

In the world of T_EX, there are many developments and ambiguous names. This paper tries to give an overview of the development of T_EX and related programs. Contributions are very welcome!¹

[Link for the impatient.](#)

Introduction

This document is for people that have stumbled upon different software names including something related to T_EX and are confused by the many different terms – at least I was, so maybe others are, too ...

The base frame and main idea for this overview was taken from the article *A brief history of T_EX, volume II* by Arthur Reutenauer in the proceedings of EuroBachTeX 2007 and his talk there (see references on page 39). Additional information is taken from original documentation of the software and some review articles. For information of very old stuff, the historic archive maintained by Ulrik Vieth and hosted on <ftp.tug.org> (see refs) was very useful, especially in the reconstruction of L^AT_EX versions. Many thanks for that great archive!

All information is up to the date of this generated PDF and up to the information I found. Everything here is without guarantee – this is just to get an overview. Consult the references for further (and/or correct) information!

In the tree views, every node has a tooltip that shows up when you hover the mouse over it. For the case that your PDF viewer does not support this, there is a list of all the descriptions on page 25.

¹The current source code of this document is available at <http://github.com/alt/tex-overview>. Please feel free to patch there or mail me any suggestions and comments. I'll be happy to extend and correct this document!

Contents

1. The Difference Between Engine, Format and Distribution	3
2. How to read this document	4
3. How to contribute	5
4. Problems with PDF viewers	5
I. Tree Views	6
5. \TeX	8
6. \TeX	9
7. $\text{plain}\text{\TeX}$	9
8. \LaTeX	11
9. $\text{Con}\text{\TeX}t$	13
10. Other Formats	14
10.1. $\text{AMS-}\text{\TeX}$	14
10.2. BLUe	14
10.3. $\text{HPT}\text{\TeX}$	14
10.4. $\text{Jade}\text{\TeX}$	14
10.5. Lollipop	14
10.6. $\text{Macro}\text{\TeX}$	14
10.7. MeX	15
10.8. PHYS(E)	15
10.9. PHYZZX	15
10.10 $\text{Star}\text{\TeX}$	15
10.11 Texinfo	15
10.12 TeXsis	15
10.13 $\text{XML}\text{\TeX}$	15
10.14 $\text{Y}\text{\TeX}$	15
10.15 $\text{Zz}\text{\TeX}$	15
11. Distributions	16
11.1. \TeX Live	16
11.2. $\text{MiK}\text{\TeX}$	17
11.3. \TeX collection	17
11.4. standalone $\text{Con}\text{\TeX}t$	17
11.5. $\text{Decus}\text{\TeX}$	17
11.6. $\text{Ker}\text{\TeX}$	17
11.7. $\text{W32}\text{\TeX}$	17
11.8. $\text{Oz}\text{\TeX}$	18
11.9. For Amiga	18
11.10 $\text{NT}\text{\TeX}$	18
12. Pandora's Box	19
12.1. META^*	20
12.2. $\text{Bib}\text{\TeX}$	21
12.3. $(x)\text{dvipdf}(m)(x)$	21
12.4. Fonts	22
12.5. Work Flow	23
II. Text Views	24
5. \TeX	25
6. \TeX	27
7. $\text{plain}\text{\TeX}$	27
8. \LaTeX	27
9. $\text{Con}\text{\TeX}t$	29
10. Other Formats	29
10.1. $\text{AMS-}\text{\TeX}$	29
10.2. BLUe	29
10.3. $\text{HPT}\text{\TeX}$	29
10.4. $\text{Jade}\text{\TeX}$	29
10.5. Lollipop	29
10.6. $\text{Macro}\text{\TeX}$	30
10.7. MeX	30
10.8. PHYS(E)	30
10.9. PHYZZX	30
10.10 $\text{Star}\text{\TeX}$	30
10.11 Texinfo	30
10.12 TeXsis	30
10.13 $\text{XML}\text{\TeX}$	30
10.14 $\text{Y}\text{\TeX}$	30
10.15 $\text{Zz}\text{\TeX}$	30
11. Distributions	30
11.1. \TeX Live	30
11.2. $\text{MiK}\text{\TeX}$	32
11.3. \TeX collection	32
11.4. standalone $\text{Con}\text{\TeX}t$	32
11.5. $\text{Decus}\text{\TeX}$	32
11.6. $\text{Ker}\text{\TeX}$	32
11.7. $\text{W32}\text{\TeX}$	32
11.8. $\text{Oz}\text{\TeX}$	32
11.9. For Amiga	32
11.10 $\text{NT}\text{\TeX}$	33

12. Pandora's Box	33	12.3. (x)dvipdf(m)(x)	34
12.1. META*	33	12.4. Fonts	34
12.2. BibT _E X	33	12.5. Work Flow	34
13. Program Names			36
 III. Appendix			38
A. References			39
B. List of Contributors			44
C. To do list			44

1. The Difference Between Engine, Format and Distribution

There are three kinds of terms that are often confused especially by new users. This will try to explain them very shortly:

engine This is the program that does all the actual work. The original program is $\text{T}_{\text{E}}\text{X}$, a famous development is $\text{pdfT}_{\text{E}}\text{X}$, while $\text{LuaT}_{\text{E}}\text{X}$ is the latest successor.

format A format is a (large) collection of abbreviations (macros) that make the life easy when working with $\text{T}_{\text{E}}\text{X}$. The most commonly used formats are $\text{L}^{\text{A}}\text{T}_{\text{E}}\text{X}$, $\text{ConT}_{\text{E}}\text{Xt}$ and $\text{plainT}_{\text{E}}\text{X}$. The latter one is a minimal set of macros provided by Don Knuth. Formats can be combined with different engines, exploiting the special abilities of these engines. A format is in the beginning a collection of text files, but can be compiled into a binary format that can be read much faster by the engine.

distribution In addition to formats, a large set of supplementary files can be used to work with $\text{T}_{\text{E}}\text{X}$, called *packages* for $\text{L}^{\text{A}}\text{T}_{\text{E}}\text{X}$, *modules* for $\text{ConT}_{\text{E}}\text{Xt}$, and many external programs have proven useful for the work with $\text{T}_{\text{E}}\text{X}$. Distributions such as $\text{T}_{\text{E}}\text{X}$ Live and $\text{MiK}_{\text{T}}\text{E}_{\text{X}}$ strive to provide a full set of such programs and macros by using a package manager to take care of package dependencies and updating. Many Linux distributions, as well as cygwin for Windows, repackaging a $\text{T}_{\text{E}}\text{X}$ distribution (mostly $\text{T}_{\text{E}}\text{X}$ Live) using the Linux distribution's package system.

2. How to read this document

This document consists of several graphs showing the development of software more or less directly related to \TeX . The graphs try to show the time development (downwards), as well as dependencies, changes, etc.

I tried to make the graphs more readable by using colors for different categories. The decisions about what is important and what is “normal” reflect my personal opinion only.

normal That is, not very important in my opinion, no huge user group, but still maybe important for special needs. Was used by a major community at least some time back, but is not of great impact nowadays.

important Engines or formats that had or have a great impact on (everyday) typesetting for a large community.

experimental Developments that might still be under construction or were never used by a large community. Nevertheless, these might be very important to the development of other engines or for use of special typesetting.

planned Things that are planned to raise one day and are in the phase of preparation, i. e. there may be some code but not in the final form yet.

package \LaTeX -packages or single \TeX -files (useable as packages or modules) that seemed worth mentioning. There won't be many of this; just some that might otherwise be confused for something else.

distribution Software bundles that bring \TeX and friends to the normal user.

hist. dist. Historical distributions that have no use today but were important for bringing \TeX to older computer systems.

program Programs that are not directly connected to \TeX (but interesting in the context of using \TeX) or separate helper programs.

font Something related to a font. Neither a program nor libraries that provide access to fonts nor the actual files, but rather the abstract definition or specification.

Some of the graphs are quite complex, which is the reason why there are two versions of them: A short one mentioning only the most important things and a full version with everything I could find.

In most cases I did not mention the authors of the programs/packages. This is not to diminish their effort but only for brevity (long names make things harder to read). I did

not write any of the below-mentioned programs or packages. The authors are given in the documents linked in the references.

3. How to contribute

I hope one day this document would become the standard reference for questions like "What program do I need for ...?", "What's the difference between ... \TeX and ... \TeX ?", "Why is it called ...?" etc.

To get to this point, I need some help of people who know more about the \TeX world than I do. It is up to you to contribute texts, references, links, descriptions, hints etc. I'll be happy about anything I can add here. Also, if you have suggestions about the layout or corrections to the content, let me know.

4. Problems with PDF viewers

As this document makes heavy use of PDF-features, some PDF viewers are not able to show everything correctly or as intended. My experiences with viewers are as follows, where the number is the version which I tested:

evince 3.0.2 Shows the document correct and complete. (Tested on Arch Linux)

Adobe Reader 9 Will show all the information but might hide some text of very long tooltips (at least that's the case on my machine). Also, it draws annoying green boxes around the tooltips which do not belong there. (Tested on Arch Linux)

\TeX works 0.5 r1307 The built-in PDF viewer of the \TeX works editor does not break lines of tooltips, therefore long annotations are not shown completely. (Tested on Arch Linux)

okular 0.13 Also does not break the lines. (Tested on Arch Linux)

xpdf 3.03 Shows only very short tooltips. Most of the information is not visible in the graphs. (Tested on Arch Linux)

gv 3.7.2 shows no tooltips, but the annoying green boxes. (Tested on Arch Linux)

About this document


This document is typeset in the \TeX Gyre Pagella font using the $\text{Lua}\mathcal{A}\mathcal{T}\mathcal{E}\mathcal{X} 2_{\epsilon}$ format with `expl3` and `xpackages` based on $\text{Lua}\mathcal{A}\mathcal{T}\mathcal{E}\mathcal{X}$ 0.80.0.




Part I.

Tree Views

5. T_EX – the program short view



The chronological order may not be exact in this graph. I had to work hard on the arrangement to show both chronological order and code dependence, and for now only the code dependence is (should be) correct.




6. $\text{iniT}_{\text{E}}\text{X}$, $\text{VirT}_{\text{E}}\text{X}$ et. al.



All other engines have the same functionality, but no special names given: | `luatex -ini` | is the INITEX version of $\text{LuaT}_{\text{E}}\text{X}$ etc.

7. $\text{plainT}_{\text{E}}\text{X}$ – the first format




8. \LaTeX – Lamport's \TeX format short view

\LaTeX 2.09




\LaTeX 2 $_{\epsilon}$


8. L^AT_EX – Lamport’s T_EX format



9. ConT_EXt: con tex t – text with tex short view




9. ConT_EXt: con tex t – text with tex



10. Other Formats

10.1. AMS- $\text{T}_\text{E}\text{X}$



10.2. BLUe

BLUe


10.3. HP $\text{T}_\text{E}\text{X}$

HP $\text{T}_\text{E}\text{X}$

10.4. Jade $\text{T}_\text{E}\text{X}$

Jade $\text{T}_\text{E}\text{X}$

10.5. Lollipop



10.6. Macro $\text{T}_\text{E}\text{X}$

Macro $\text{T}_\text{E}\text{X}$

10.7. MeX

MeX

10.8. PHYS(E)

PHYS(E)

10.9. PHYZZX

PHYZZX

10.10. StarT_EX – Starter's T_EX

StarT_EX

10.11. Texinfo

Texinfo

10.12. T_EXsis

T_EXsis

10.13. XMLT_EX

XMLT_EX

10.14. YT_EX

YT_EX


10.15. ZzT_EX

ZzT_EX


11. Distributions

This section will feature the main distributions of T_EX and related programs. Of course, not every Linux Distribution's T_EX package can be listed here, but only official upstream distributions.

11.1. T_EX Live



11.2. MiKTeX



11.3. T_EX collection

T_EX Collection

11.4. standalone ConT_EXt

Standalone

11.5. Decus T_EX

Decus T_EX

11.6. KerT_EX

KerT_EX

11.7. W32T_EX

W32T_EX

11.8. OzTeX

OzTeX

11.9. For Amiga

Amiga-TeX

pasTeX


11.10. NTeX

NTeX


12. Pandora's Box

The following pages will be a hodge-podge of many things that are related to T_EX and used in the process of generating documents in different file formats, i. e. conversion tools, bibliography tools etc. Feel free to contribute, I'll choose case-by-case if I'll add something or won't include it. Text editors or viewers will *not* be included!


12.1. META*



12.2. BibTeX




12.3. (x)dvipdf(m)(x)



12.4. Fonts

This section tries to cover the development of fonts – the most important thing for a typesetting system are font mechanism ...



12.5. Work Flow – Under Construction!

Ok, this section might never be ready, but I will leave it here in the hope that someone will help out: I want to try to depict the typical work flow for working with \TeX . This will never be complete as there are many ways to work with any of the \TeX flavours, including helper programs etc. We will start with a simple \LaTeX document, and maybe we will extend this to different formats, engines etc. ...


The preliminary nomenclature is:

red necessary files

yellow additional input files

blue automatically produced files

green program that is used – editor, processing tool, viewer, ...





Part II.

Text Views

5. T_EX – the program

T_EX

Born in 1978 by Donald Erwin Knuth.

ANT

Ant is Not TeX. A typesetting system inspired by TeX. Only *inspired*, so it has nothing to do with TeX in terms of common code.

HeX

An experimental reimplementaion of TeX in Haskell.

T_EX- \mathbb{X} _ET

The first extension to TeX, 1987. It was able to typeset in two directions, but only with a mark in the DVI to change the direction.

Nihongo T_EX

A true multibyte extension of TeX. Could handle all Japanese characters in one font.

jT_EX

An extension of TeX for typesetting Japanese. (1987, Yasuki Saito)

T_EX- \mathbb{X} _ET

TeX- \mathbb{X} E_T was able to really put the glyphs on the right place in the DVI.

T_EX3

Ability to handle 8-bit input. 1989. TeX development was frozen in 1991 and only bugfixes were made. Now in version 3.14159265 (published 01-2014), it gets closer to pi with every bugfix. Don Knuth wishes the version number to be pi when he dies.

pT_EX

Extension of Nihongo TeX to enable vertical typesetting. (“p” for “publishing”) Distributed as WEB change files. Primary author is D. E. Knuth, latest version (TeX Live 2015) is pTeX 3.14159265-p3.6.

encT_EX

A small extension to TeX, started 1997. Adds 10 new primitives relating input re-encoding

MLT_EX

Extension to TeX (started 1990) that allows hyphenation of words with accented letters. (Therefore the name: MultiLingual TeX.) Distributed as a change file to the original WEB sources of TeX.

upT_EX

Unicode-aware version of pTeX – “Unicode-publishing”-TeX. Current version in TeX Live 2015 is 3.14159265-p3.6-u1.20.

Ω

Support for 16bit-Unicode-input. Still constrained on the output encoding. Started 1994.

ε -T_EX

An extension to TeX, provided by the NTS team as an intermediate project until NTS would be ready. eTeX is a full TeX and backward compatible. The number of TeX’s registers is increased and various new primitives useful to programmers are added.

T_EX2PDF

Early name for pdfTeX. Don’t confuse with converters like dvi2pdf.

\mathcal{N}_{TS}

A project to completely reimplement TeX in Java. Now NTS is officially declared dead.

T_EXgX

“GX” stands for Graphic eXtension, a font technology available only on Mac OS. TeXGX was able to handle these fonts.

Ω_2

A short-time try to pick up the development of Omega again in 2006. Seemed more like a good plan and is now regarded as obsolete. LuaTeX is kind of a successor.

V_TE_X

VTeX (VisualTeX) can produce PDF, HTML, SVG, DVI or ps output directly from input. In contrast to pdfTeX, it includes a full PostScript interpreter, thus capable to include EPS figures, PStricks etc. First official version I found: February 15, 1999: VTeX 6.3; last official version seems to be from Oct 1, 2005: VTeX 8.61. Commercial product.

ε-p_TE_X

A merge of e-TeX with pTeX written by Hironori Kitagawa. Additional support for 256 math fonts, and some pdfTeX functionality. Latest Version (TeX Live 2015) is 3.14159265-p3.6-141210-2.6.

ε-up_TE_X

Merger of e-TeX and upTeX features. Current Version (TeX Live 2015) 3.14159265-p3.6-u1.20-141210-2.6.

ℵ (Aleph)

Originally named epsilon-Omega, an attempt to stabilize Omega while merging epsilon extensions. Authors: John Plaice and Yannis Haralambous, now maintained for severe bugfixes by Taco Hoekwater. Latest version number is 3.14159265-1.15-2.1-0.1.

pdf_TE_X

A new engine to directly produce PDF-files from TeX, without the need of DVI-PS-PDF. This allows to use microtypographic extensions and many other features of the PDF format like page transitions etc.

€_XT_EX

Planned implementation of a high-quality typesetting system, written in Java. Based on experiences in NTS, eTeX, pdfTeX and Omega. Started in 2003, current version in repository is 0.0. (i. e. not very far ...)

pdf(ε)-_TE_X

Merging the pdfTeX engine with the eTeX-extensions. This engine can produce DVI (with or without the eTeX-extensions) as well as PDF (again, with or without extensions). Current Version number 3.14159265-2.6-1.40.16.

X_TE_X

This extension enables full multilingual support for left-to-right typesetting, right-to-left and almost any other possible direction. Unicode encoding is fully supported (utf8 as native encoding). XeTeX also features support for OpenType, AAT, TrueType and Graphite-fonts (via the operation system). In contrary to pdfTeX or LuaTeX, no external configuration file is needed to use fonts. Since version 3.1415926-2.2-0.9997.4, code from pdf(e)TeX for margin kerning has been added. Latest version number is 3.14159265-2.6-0.99992. XeTeX version numbers will converge to 1.

ee_TE_X

Experimental extension to pdfTeX by Taco Hoekwater, created 2000. Distributed as change file. Now dead due to his development of LuaTeX.

Lua

A script language; has nothing to do with TeX.

Lua_TE_X

LuaTeX supports utf8, OpenType and many more things. TeX Live 2015 ships version beta-0.80.0. LuaTeX features an embedded scripting language, Lua, making it easy to extend and to change the TeX interna, so most of the programming can be done in Lua instead of TeX-hackery.

LuaJIT

A just-in-time compiler for Lua.

LuaJIT_TE_X

LuaJITTeX is a LuaTeX based on LuaJIT, a just-in-time compiler for Lua.

i_TE_X

iTeX is the official successor of TeX3, announced by Don Knuth at the TUG conference 2010. Not to be confused with William Cheswick's application for the iPad.

6. iniTeX , VirTeX et. al.

iniTeX

The program TeX without preloaded format ("initial TeX"), intended for format creation. (Format dump possible.)

VirTeX

The program TeX without preloaded format ("virgin TeX"), intended for production use. (Format dump not possible.) No longer part of TeX Live.

TeX

In this special context, TeX means the program with the plain format preloaded. (Format dump not possible.)

iniMETAFONT

The program metafont without preloaded format ("initial metafont"), intended for format creation. (Format dump possible.)

VirMETAFONT

The program metafont without preloaded format ("virgin metafont"), intended for production use. (Format dump not possible.) No (longer?) part of TeX Live.

METAFONT

In this special context, mf means the program with the plain format preloaded. (Format dump not possible.)

7. plainTeX – the first format

plainTeX

The basic format offered by Don Knuth to provide a minimal set of macros to work with.

ec-plain

A plainTeX using EC fonts. Latest changes in May 2002 for pdfTeX.

csplain

A plainTeX using cs-fonts.

Eplain

Extensions of plainTeX to provide often-used utilities. Not thought for document preparation as LaTeX is; you can use it as a standalone format or as extension to a given format. First version that is still available is 2.1 from 1992. Latest version 3.5 is from 2013-02-13.

8. \LaTeX – Lamport's TeX format

\LaTeX 0.90

First version still on web (historic archive, see refs) is 0.90, for use with TeX 0.95. No installation help found. Apparently one needs the files lplain.tex and latex.tex to create the format.

\LaTeX 0.91

Version 0.91 for use with TeX 0.97 (C) 1983 by Leslie Lamport. Most changes to previous version are in the file lplain.tex.

\LaTeX 0.92

First version with the @ as letter for internal names. Seemingly first version with a manual. For use with TeX Version 0.999999. (no joke, that's the version number given in the latex.tex file!) (C) 1983 by Leslie Lamport, conversion to 0.92 from 0.91 by Arthur Keller.

\LaTeX 0.92 - 1.0

Adaptation of 0.92 for TeX version 1.0. (C) 1983 by Leslie Lamport, conversion to 0.92 from 0.91 by Arthur Keller.

\LaTeX 2.0 - 1.0

Seemingly heavy changes compared to 0.92. Version for TeX 1.0. Release of 11 Dec 1983. There were never public versions 1.x

\LaTeX 2.05

No sure information found so far.

\LaTeX 2.06a

Release of version 2.06a of the LaTeX macros. September 1984.

L^AT_EX 2.09

The first official version by Leslie Lamport, 1985.

SLI_TE_X

A variation of LaTeX 2.09 to provide an easy way for producing presentations. In LaTeX 2e absorbed as a documentclass (slides).

A_MS_EL_AT_EX 1.1

A port of Spivak's AMS-TeX to LaTeX 2.09 by Frank Mittelbach and Rainer Schöpf, released 1990.

L^AT_EX 2_ε

June 1994: New release of LaTeX to avoid incompatible dialects of LaTeX 2.09. Introduced by the LaTeX3-Team. This is the latest stable version of LaTeX at the moment. Support for pdfTeX, XeTeX and LuaTeX is given, where small changes allow for the special abilities of the engines. Most adaption to the engines is done on package level (fonts, encodings etc.)

Λ

A LaTeX based format for the omega engine.

Lamed

A LaTeX based format for the aleph engine.

A_MS_EL_AT_EX 1.2

A port of version 1.1 to LaTeX 2e by Downes and Jones.

A_LT_EX

A slightly changed LaTeX format by Matt Swift to offer modularity at format level. Acts as normal LaTeX if not explicitly told to do different. "A" for "alternate", "abstract" or the indefinite article.

A_MS_EL_AT_EX 2.2

Latest AMSLaTeX version is 2.2 from 2001. Intermediate versions are not shown.

p_LT_EX

A LaTeX based format for the pTeX engine.

expl3

The expl3 bundle is the ground stock of LaTeX3. It is a bundle of packages that can be used with LaTeX 2e, but are planned to become the kernel of LaTeX3. They provide the low-level structures, programming structures and everything needed for package authors.

xpackages

The xpackages are a bundle of packages intended to become the ground stock of packages for the high-level and user-level interface in LaTeX3. Based on expl3, they can be used with LaTeX 2e already.

L^AT_EX 2_x

A (somewhat) planned experimental step towards LaTeX3. LaTeX 2_x is a normal LaTeX 2e, but with expl3 and xpackages compiled in the format. It is *not* intended for everyday use but only for experimenting with LaTeX3. Might be concentrated on LuaTeX, but XeTeX and pdfTeX variants will be available.

L^AT_EX 2.2

Unofficial suggestion by Philipp Stephani on the LuaLaTeX list. LaTeX 2.2 should still be a full LaTeX 2e, but with the expl3 bundle in the format. In fact, this is what LaTeX 2_x is planned to be.

L^AT_EX 2.5

Will Robertson suggested in an interview (see refs) an interim unstable version on the way to LaTeX3 with version number 2.5 that should bring package authors towards using LaTeX3 syntax. This version should be backwards *incompatible* to LaTeX 2e. (This version does not exist in any official plans, but I liked the idea, so it is mentioned here ;))

L^AT_EX3

The long-time successor of LaTeX2e. It is planned to implement a very elaborate low-level programming language. (Almost done by now.) The expl3-package provides an implementation that can be used on top of LaTeX2e. Several LaTeX packages already make heavy use of expl3. (As does this document.) LaTeX3 makes use of eTeX primitives and therefore needs this engine or successors. Special adaptations of LuaTeX features are starting to evolve.

timesL^AT_EX

Some LaTeX 2.09 derivate, need more information.

9. ConT_EXt: con tex t – text with tex

INRST_EX

“Extended Plain TeX for use with MLTeX.”

pragmatex

Former name of ConTeXt. Based, besides others, on INRSTeX.

ConT_EXt MKI

Original ConTeXt with Dutch low level interface. “MK” stands for “Mark”, meaning “version”.

ConT_EXt MKII

ConTeXt with English low level interface. Works with any TeX-engine, as LaTeX does: TeX, e-TeX, pdfTeX, Aleph, XeTeX, For the end user, no difference to MKI.

ConT_EXt MKIV

Specially designed for LuaTeX. MKIII was “skipped” for “practical reasons”, as Hans Hagens says, and “MKii, MKvi, MKvi all have 4 chars (which is why I skipped the v, but who knows if MKv will show up some day”)

ConT_EXt MKVI

Latest experimental version of ConTeXt.

10. Other Formats

10.1. AMS-T_EX

A_MS-T_EX2.0

A macro package provided by the American Mathematical Society. Version 2.0 from 1990. No information found for versions pre-2.0.

L_AM_S-T_EX2.0

“LamSTeX is an extension of AmSTeX, and thus almost completely compatible with plain TeX”, as the documentation says. See references for details.

A_MS-T_EX2.1

Version 2.1 released 1991.

A_MS-T_EX2.2

Latest version is 2.2 from 2001.

10.2. BLUe

BLUe

A macro package based on plainTeX. Shareware, last version on CTAN from June 1996.

10.3. HPT_EX

HP T_EX

A format specially written for HP hardware, written 1984.

10.4. JadeT_EX

JadeT_EX

A macro package for processing Jade/OpenJade output, based on LaTeX.

10.5. Lollipop

Lollipop 0.9

First release, October 1992.

Lollipop 0.95

Latest, unofficial, release, January 1993.

Lollipop 0.98

Resurrection of this old format, now by Victor Eijkhout and Vafa Khalighi. Put to CTAN on 04.09.2014.

10.6. Macro \TeX

Macro \TeX

Information needed.

10.7. MeX

MeX

Information needed. There seems to be different formats that use the pdf \TeX engine: mex, pdfmex, htmex and utf8mex.

10.8. PHYS(E)

PHYS(E)

Documentation says: "The \TeX formats PHYSE and PHYS are extensions of the PLAIN format and should simplify the writing of physics papers." Latest version I found is from 1986. PHYS is for german, PHYSE for english usage.

10.9. PHYZZX

PHYZZX

Documentation says: "PHYZZX is a macropackage which is designed to make typing papers destined for Physical Review or Nuclear Physics as simple as possible." Created 1984, latest version I found is from 1988.

10.10. Star \TeX – Starter's \TeX

Star \TeX

A format designed to help students with short documents. Using html-like notation: <command> instead of command

10.11. Texinfo

Texinfo

The official documentation format of the GNU project. Uses \TeX to provide documentations.

10.12. \TeX sis

\TeX sis

A plain \TeX -based format for physicists. Latest version is 2.18 from 21 April 2001.

10.13. XML \TeX

XML \TeX

A format (based on machines like pdf \TeX , Xe \TeX and maybe Lua \TeX) that converts XML input to DVI or PDF output. Can also be based on other formats when parsed at format-building time.

10.14. Y \TeX

Y \TeX

A macro package developed at MIT. Pronounced "why- \TeX ", "upsilon- \TeX " or "oops- \TeX ". Tries to offer an easy structure for novices as well as a powerfull macro libraries for experienced users.

10.15. Zz \TeX

Zz \TeX

"a macro package for producing books, journals, and technical documentation", named "after a rock group from Texas." The author Paul C. Anagnostopoulos found LaTeX too unflexible. Appeared around 1992.

11. Distributions

11.1. \TeX Live

Web2C

An Implementation and Distribution of \TeX which translates the original WEB sources to a C code.

em \TeX

Eberhard Mattes' \TeX Distribution for MS-DOS and OS2.

te \TeX

Maintained by Thomas Esser (hence the te in te \TeX) from 1994 to May 2006.

4AllT_EXCD

The (vague) past ... (?)

fpT_EX

A free TeX distribution for Win32 based on teTeX, by Fabrice Popineau. Still active, provides up-to-date binaries for Windows. Special support for Japanese Typesetting.

GNUT_EX 0.x

A temporary attempt to distribute TeX and related programs according to the GPL. Not a change of teTeX, but a new approach inspired by teTeX. As most (La)TeX packages are not GPL compatible, it was quite "crippled" and never made it into the real world.

XEmT_EX

A TeX distribution for Windows, based on fpTeX with XEmacs/AucTeX as IDE for (La)TeX. XEmTeX was sponsored by the French government.

T_EX Live 1996 – 2007

First version 1996 (UNIX only, later also Windows binaries), and then a long story of ongoing work – see the documentation for a detailed history. Some of the binaries (still) identify themselves as *TeXk. The "k" stands for "Karl" meaning that they were compiled with kpathsea.

T_EX Live 2008

A new package manager and network installer are available. So installation via the net is possible as well as package updates. Missing packages are not installed on-the-fly. The last of the modern machines is added: LuaTeX

gwT_EX

A (re)distribution for Mac OS based on TeX Live (earlier on teTeX) by Gerben Wierda. Provides TeX-related packages for the i-Installer. Unsupported from 2007 on.

T_EX Live 2009

Dropped Omega and Lambda. Aleph and Lamed are kept.

T_EX Live 2010

Release of 2010.

TLContrib

An extension to TeX Live that contains packages that TeX Live cannot hold because: not-free license, binary update, not on CTAN or intermediate release. Useable via the TeX Live manager. Latest version can handle several TL sources.

T_EX Live 2011

2011 release of TeX Live.

T_EX Live 2012

Release of TeX Live for 2012.

T_EXPortal

A TeX Live port for Android OS. Based on binaries from the TeXAndroid project; not all binaries are available at the moment.

T_EX Live 2013

Release of TeX Live for 2013.

T_EX Live 2014

Release of TeX Live for 2014.

T_EX Live 2015

Release of TeX Live for 2015.

MacT_EX

Once based on teTeX, MacTeX is now TeX Live-based. For Mac OS X only, it provides a native installer, the TeXShop editor and Mac-specific tools.

BasicT_EX

"BasicTeX is a subset of TeX Live of size 100 megabytes instead of 2 gigabytes."

11.2. MiKTeX

MiKTeX

MiKTeX is a TeX distribution originally for Windows only. Copyright by Christian Schenk goes back to 2001. Regarding the name, the author stated: “mik used to be my login name. It is an acronym for: Micro-kid. Hence the capital K in MiKTeX.”

MiKTeX 2.6

Windows only. featuring pdftex 1.40.4, mpost 1.000

MiKTeX 2.7

Windows only. featuring XeTeX 0.999.6, pdftex 1.40.9, mpost 1.005

MiKTeX 2.8

Windows only. featuring XeTeX 0.9995.1, pdftex 1.40.10, mpost 1.005

MiKTeX 2.9

Windows only (stable version). Beta version for GNU/Linux available. Featuring XeTeX 0.9997.4, pdftex 1.40.11, LuaTeX 0.60.2, mpost 1.211. Offers both LaTeX and ConTeXt (MK IV) formats.

ProTeXt

A distribution based on MiKTeX (since 2004) with a comfortable install procedure, Editor etc. Provides an easy installation for a full (La)TeX environment.

MiKTeX 3.0

Planned version, no fixed release date yet.

11.3. TeX collection

TeX Collection

A meta-distribution. Provided on DVD by the TUG, this distribution ships with TeX Live, MacTeX and ProTeX as well as with a full CTAN snapshot.

11.4. standalone ConTeXt

Standalone

standalone ConTeXt provides a distribution of latest (beta and stable) ConTeXt versions with binaries and formats. Efficient upgrading is possible as well as parallel use with another TeX distribution. Was renamed from “minimals” into standalone in 2011.

11.5. Decus TeX

Decus TeX

A TeX/LaTeX distribution for VMS. Started at least in 1988.

11.6. KerTeX

KerTeX

A lightweight TeX distribution including all of Don Knuth’s programs and fonts, dvips, MetaPost, bibtex and more. It is pure C89 and under a BSD like license. Latest version 0.9999.8.2.

11.7. W32TeX

W32TeX

A distributon to provide binaries for MS Windows, with special support for Japanese. First version (up to the changelog): 2009/08/02. Still up-to-date.

11.8. OzTeX

OzTeX

A commercial distribution for Mac OS. No longer supported.

11.9. For Amiga

Amiga-TeX

By Thomas Rockicki and Radical Eye Software. Commercial distribution for Amiga.

pasTeX

A free distribution for Amiga. Distributed as 5 floppy disks (TeX) plus 2 floppy disks (Metafont). Available from the Aminet.

11.10. $\text{NT}_{\text{E}}\text{X}$

$\text{NT}_{\text{E}}\text{X}$

A distribution for Linux and other Unix systems. Latest version is 2.3.2, released at 23-Aug-1998. No longer developed.

12. Pandora's Box

12.1. META^*

METAFONT

The program for creating the fonts originally used by TeX .

Metafog

A program to convert metafont shapes to Type1 contours. Uses mathematically correct transformations instead of autotracing.

MetaType1

A program to produce Type1 fonts from METAFONT source code.

MetaPost

A graphic generating program written by John Hobby, inspired by METAFONT . MetaPost can produce PostScript graphics as well as SVG. Latest (experimental) version is 1.750 as of spring 2011.

mptopdf

Actually a pdfTeX -generated format, this program can be used to compile MetaPost source code directly into PDF output. Metafun is supported, too.

MFLua

A (so far) experimental implementation of METAFONT with Lua embedded for better extraction of information from METAFONT .

Metappeal

" Metappeal is an extension to Plain MetaPost , providing a lightweight framework for consistent development in MetaPost ."

MegaPost

A planned extension of MetaPost "that will extend the range and precision of the internal data types."

MetaFun

" MetaFun is Hans Hagen's extension to (or module for) the MetaPost language." A format for MetaPost that is useable with ConTeXt .

12.2. BibTeX

BibTeX

A helper program to sort a bibliography list.

NbibTeX

" NbibTeX helps authors take better advantage of BibTeX data" says the homepage.

BibTeX8

The documentation says: "An 8-bit Implementation of BibTeX 0.99 with a Very Large Capacity"

MLBibTeX

Mentioned in the kpathsea -manual. No idea what it is. BibTeX for MLTeX ?

BibTeXu

A Unicode-aware version of BibTeX

jBibTeX

jBibTeX was developed by Shoichi Matsui around 1988. It is included in the pTeX distribution since 1995.

Pybtex

A python implementation of BibTeX .

pBibTeX

Kind of a successor of jBibTeX , pBibTeX is a Japanese-aware version of BibTeX supporting Japanese bibliography lists. Special support for Japanese (input/output) encodings and punctuation.

upBibTeX

Can be found in the development repositories, but no documentation found.

biber

A perl implementation of a BibTeX-like program, designed as backend for BibLaTeX. “biber” is an animal handling bibliographies. (german for “beaver”, hence the beaver in the biber logo)

BibLaTeX

A LaTeX package as frontend for biber (can also be used with BibTeXu/8).

Librarian

A TeX file (useable with all formats) that typesets BibTeX-style bibliographies without the need of BibTeX. Therefore, it provides a format-independent typesetting of bibliographies.

12.3. (x)dvipdf(m)(x)

dvipdf

A shellscript from Ghostscript that uses dvips and gs for conversion.

xdv2pdf

No idea so far what this is, but it is mentioned in the fontspec manual as possible driver for XeTeX.

dvipdfm

Converts DVI files to PDF files. Does /not/ build on dvipdf, but is an independent implementation.

dvipdfmx

Extended version of dvipdfm. Support for multi-byte encodings and more pdfTeX features. Still active. Combined work of dvipdfm-jpn and dvipdfm-kor.

xdvipdfmx

Converts XDVI files produced by XeTeX to PDF files. Normally always executed after a XeTeX run, so the user won't notice that an xdvi document was created in between.

12.4. Fonts

Bitmap fonts

Bitmap fonts contain the shape of the letters as a number of dots. If you zoom in, a bitmap letter will show pixels. Hence one needs a special version for every resolution.

PostScript Type 1

Outline font. The shape of a letter is described as mathematical curves so the letter can be made arbitrarily large without getting pixelated.

TrueType

Available on Windows and Mac OS. Outline font technology with quadratic B splines.

FreeType

TrueType implementation for Unix.

TrueType GX

“Graphis eXtension”. A font format only available for Mac OS.

OpenType

Extension of the TrueType font format, adding support for PostScript font data. Developed by Microsoft and Adobe.

AAT

“Apple Advanced Typography” fonts are successors of the GX fonts. Only available for Mac OS, too.

12.5. Work Flow – Under Construction!

.tex

The .tex file. A plain text file that typically contains all of the document information.

.bib

The .bib file contains information about the bibliography.

.aux

Every LaTeX run will produce an aux file that stores information for the next run.

latex

Call on the script/binary latex starts pdfTeX.

.pdf

The resulting, ready-compiled document is most often a PDF document. Production of DVI documents is also mostly possible, but seldom used.

13. Program Names

The following list tries to explain what happens if a program is called by a given name. E. g. calling the command `latex` on the command line will start the PDF ϵ -T \TeX engine² in DVI mode with the format L \TeX 2 ϵ . This will list the names used in the *official* (upstream) T \TeX Live 2015 distribution, which should mostly (but not all) be the same in MiK \TeX .

program	meaning
engines / no preloaded format	
<code>initex</code>	INIT \TeX (same as <code>tex --ini</code>)
<code>inimf</code>	INIMF (same as <code>mf --ini</code>)
<code>texlua</code>	LuaT \TeX in Lua mode
<code>texluac</code>	LuaT \TeX as byte compiler
<code>texluajit</code>	LuaJIT \TeX in Lua mode
<code>texluac</code>	LuaJIT \TeX as byte compiler
plain formats	
<code>tex</code>	T \TeX with the plain format
<code>aleph</code>	Aleph with the plain format
<code>csplain</code>	PDF ϵ -T \TeX with the csplain format and DVI output
<code>dviluatex</code>	LuaT \TeX with the plain format and DVI output
<code>eplain</code>	PDF ϵ -T \TeX with the eplain format and DVI output
<code>eptex</code>	ϵ -pT \TeX with the plain format
<code>euptex</code>	ϵ -upT \TeX with the plain format
<code>etex</code>	PDF ϵ -T \TeX with the plain format and DVI output
<code>luatex</code>	LuaT \TeX with the plain format and PDF output
<code>luajitex</code>	LuaJIT \TeX with the plain format and PDF output
<code>mltex</code>	PDF ϵ -T \TeX with MLT \TeX extensions enabled, DVI output
<code>pdfcsplain</code>	PDF ϵ -T \TeX with the csplain format and PDF output
<code>pdfetex</code>	PDF ϵ -T \TeX with the plain format and PDF output
<code>pdftex</code>	PDF ϵ -T \TeX with the plain format and PDF output
<code>ptex</code>	pT \TeX with the plain format
<code>xetex</code>	X \TeX with the plain format
L \TeX 2 ϵ	
<code>latex</code>	PDF ϵ -T \TeX with the L \TeX 2 ϵ format and DVI output
<code>dvilualatex</code>	LuaT \TeX with the L \TeX 2 ϵ format and DVI output
<code>lamed</code>	Aleph with the Lamed format
<code>lualatex</code>	LuaT \TeX with the L \TeX 2 ϵ format and PDF output
<code>mllatex</code>	PDF ϵ -T \TeX with MLT \TeX extensions enabled, L \TeX 2 ϵ format and DVI output
<code>pdflatex</code>	PDF ϵ -T \TeX with the L \TeX 2 ϵ format and PDF output
<code>platex</code>	ϵ -pT \TeX with the pL \TeX format and DVI output
<code>uplatex</code>	ϵ -upT \TeX with the upL \TeX format and DVI output
<code>xelatex</code>	X \TeX with the L \TeX 2 ϵ format
ConT \TeX t	
<code>texexec</code>	PDF ϵ -T \TeX with ConT \TeX t MKII format and PDF output
<code>texexec --interface = de</code>	ditto, with german interface (only an example, more languages available)
<code>texexec --xtx</code>	X \TeX with ConT \TeX t MKII format

²Actually it's only called PDFT \TeX now, but it is always the version that includes ϵ -T \TeX extensions. Here, always the full name is used for clearness.

context
context --interface = de
contextjit

LuaTeX with ConTeXt MKIV format and PDF output
dito, with german interface (only an example)
ConTeXt with LuaJITTeX

other formats

amstex
jadetex
lamed
lollipop
lualollipop
mex
pdfjadetex
pdfmex
pdfxmltex
texsis
utf8mex
xelollipop
xmltex

PDF ϵ -TeX with the $\mathcal{A}\mathcal{M}\mathcal{S}\mathcal{T}\mathcal{E}\mathcal{X}$ format and DVI output
PDF ϵ -TeX with the JadeTeX format and DVI output
Aleph with the Lamed ($\mathcal{L}\mathcal{A}\mathcal{T}\mathcal{E}\mathcal{X}2\epsilon$) format and DVI output
PDF ϵ -TeX with the LOLLIPOP format and PDF output
LuaTeX with the LOLLIPOP format and PDF output
PDF ϵ -TeX with the MeX format and DVI output
PDF ϵ -TeX with the JadeTeX format and PDF output
PDF ϵ -TeX with the MeX format and PDF output
PDF ϵ -TeX with the XMLTeX format
PDF ϵ -TeX with the T $\mathcal{E}\mathcal{X}$ sis format and DVI output
PDF ϵ -TeX with the UTF8MeX format and DVI output
X $\mathcal{Y}\mathcal{T}\mathcal{E}\mathcal{X}$ with the LOLLIPOP format and PDF output
PDF ϵ -TeX with the XMLTeX format

metafont

mf
mp
mptopdf

the METAFONT program
the METAPOST program
PDF ϵ -TeX with the mptopdf format and PDF output



Part III.

Appendix

A. References

The references are in order of occurrence in the above document. i. e. if you want information about LuaTeX, it will be below e. g. εTeX. Everything that is not listed as "book" is freely available on the internet. (TUGboat articles will become freely accessible about one year after publication.)

Books

D.E. Knuth, D. Bibby, and I. Makai. *The TeXbook*
Addison-Wesley Reading, MA, 1986.

F. Mittelbach, M. Goossens, J. Braams, D. Carlisle, C. Rowley, C. Detig, and J. Schrod. *The L^ATeX companion*.
Addison-Wesley, 2004.

Overview Articles / Pages

Arthur Reutenauer. *A Brief History of TeX*. Talk at EuroBachTeX 2007.
<http://www.gust.org.pl/bachotex/EuroBachTeX2007/presentations/bhot.pdf/view>

A Brief History of L^ATeX
<http://www.xent.com/FoRK-archive/feb98/0307.html>

Hans Hagen: *16 years of ConTeXt*. Article in TUGboat Vol. 32, Number 1, 2011.

Short Article About Omega And Aleph
<http://www.tex.ac.uk/cgi-bin/texfaq2html?label=omegaleph>

Interviews with Will Robertson, Hans Hagen et. al.
<http://www.tug.org/interviews>

The levels of TeX – explains shortly the differences between engines, distributions, front ends etc.
<http://tug.org/levels.html>

Things with "TeX" in the name – a page with a similar aim as this document, and many interesting links
<http://www.tex.ac.uk/cgi-bin/texfaq2html?label=textthings>

Archives

CTAN – Comprehensive TeX Archive Network:
<http://www.ctan.org>

Historic Archive of T_EX Distributions:

<ftp://ftp.tug.org/historic>

Engines

ANT project page

<http://ant.berlios.de>

HeX project page

<http://luispedro.org/software/hex>

Yasuki S AITO. Report on JTEX: A Japanese TEX. TUGboat 8 (1987), no. 2, 103–116.

<http://www.tug.org/TUGboat/Articles/tb08-2/tb18saito.pdf>

pT_EX page

<http://ascii.asciimw.jp/pb/ptex/>

pT_EX sources and documentation

<http://dante.ctan.org/tex-archive/help/Catalogue/entries/ptex.html>

encT_EX page

<http://www.olsak.net/enctex.html>

MLT_EX source (CH file)

<http://www.tex.ac.uk/tex-archive/systems/generic/mltex/mltex.ch>

pdfT_EX project page

<http://tug.org/applications/pdftex/>

N_TS project page

<http://nts.tug.org>

V_TE_X – official homepage of micropress-inc

<http://www.micropress-inc.com/>

X_ET_EX project page

<http://tug.org/XeTeX/>

ε_XT_EX project page

<http://www.extex.org>

eeT_EX project page

<http://tex.aanhet.net/eetex>

LuaT_EX project page

<http://www.luatex.org>

LuaJIT_EX project page

<http://foundry.supelec.fr/gf/project/luajittex/>

iT_EX—*Document formatting in an ereader world*. TUGboat 32 (2011), no. 2, 158–163.

iT_EX announcement by Don Knuth at the TUG 2010

<http://river-valley.tv/tug-2010/an-earthshaking-announcement>

Formats

Eplain homepage

<http://www.tug.org/eplain/>

EC plain on CTAN

<http://www.ctan.org/tex-archive/macros/ec-plain>

L^AT_EX project page

<http://www.latex-project.org>

A_MS_LT_EX: Documentation on CTAN

<http://www.ctan.org/tex-archive/macros/amstex/doc/>

L^AT_EX2.2 – mail from Philipp Stephani on LuaLaTeX-dev list (last paragraph)

<http://tug.org/pipermail/lualatex-dev/2011-January/001033.html>

L^AT_EX3 project

<http://www.latex-project.org/latex3.html>

ConT_EXt wiki

<http://wiki.contextgarden.net>

A_LT_EX: Discussion in TUGboat Vol. 16 (1995), No. 3, p. 269ff.

<http://www.tug.org/TUGboat/Articles/tb16-3/tb48swif.pdf>

BLUe on CTAN

<http://www.ctan.org/tex-archive/macros/blu>

A_MS-_T_EX on CTAN

<http://www.ctan.org/tex-archive/macros/amstex>

INRST_EX on CTAN

<http://www.ctan.org/tex-archive/macros/inrstex>

L_AM_S-_T_EX: Announcement of publication in T_EXline13, ISSN 0961-3978

<http://www.tex.ac.uk/tex-archive/digests/texline/no13/lamstex>

HP T_EX on CTAN

<http://www.ctan.org/tex-archive/macros/hptex>

JadeT_EX project page

<http://jadetex.sourceforge.net>

PHYSE and PHYS on CTAN

<http://ctan.org/tex-archive/macros/physe>

PHYZZX on CTAN

<http://ctan.org/tex-archive/macros/phyzzx>

StarT_EX on CTAN

<http://www.ctan.org/tex-archive/macros/startex>

Texinfo project page

<http://www.gnu.org/software/texinfo>

T_EXsis project page

<http://www.texsis.org>

XMLT_EX manual

<http://www.dcarlisle.demon.co.uk/xmltex/manual.html>

Y_TE_X on CTAN

<http://tug.ctan.org/tex-archive/macros/ytex>

ZzT_EX: Article in TUGboat 13 (1992), No. 4

<http://www.tug.org/TUGboat/tb13-4/tb37anag.pdf>

Distributions

fpT_EX: Announcement at TUG 1999

<http://www.tug.org/tug99/program/node39.html>

T_EX Live development history

<http://tug.org/texlive/doc/texlive-en/texlive-en.html>

gwT_EX project page

<http://ii2.sourceforge.net/tex-index.html>

Brief History of gwTeX

<http://www.tug.org/twg/mactex/award/2007/gerben/aboutgwtex.html>

Frank Mittelbach: *Reflections on the history of the L^AT_EX Project Public License (LPPL)—A software license for L^AT_EX and more*. In: TUGboat Vol. 32 (2011) No. 1, p. 83 ff.

<http://www.tug.org/TUGboat/Contents/contents32-1.html>

TLContrib project page

<http://tlcontrib.metatex.org/>

MacT_EX project page

<http://www.tug.org/mactex>

T_EXPortal project page

<https://github.com/anhoavu/TeXPortal>

T_EXAndroid project page

<https://github.com/anhoavu/TeXAndroid>

MiKTeX project page

<http://miktex.org/>

Christian Schenk about the name of MiKTeX (mailing list archive)

http://sourceforge.net/mailarchive/message.php?msg_id=26826076

ProT_EXt project page

<http://www.tug.org/protext>

T_EXCollection page

<http://www.tug.org/texcollection>

ConT_EXt minimalis on ConT_EXt garden wiki

http://wiki.contextgarden.net/ConTeXt_Minimals

KerT_EX project page

<http://www.kergis.com/en/kertex.html>

Win32 project page

<http://w32tex.org/>

OzT_EX project page

<http://www.trevorrow.com/oztex>

T_EX on Amiga

http://serpens.de/~zza/amigafaq/AmigaFAQg_49.html

N_T_EX project page

<http://www.langbein.org/software/ntex>

Fonts

Type1 Fonts specifications

http://partners.adobe.com/public/developer/en/font/T1_SPEC.PDF

The FreeType project

<http://freetype.org/index2.html>

OpenType specifications

<http://www.microsoft.com/typography/otspec/default.htm>

Everything Else

MetaPost developments in TUGboat Vol. 29 (2008), No. 3, p. 380ff.

<http://www.tug.org/TUGboat/Contents/contents29-3.html>

dvipdfmx project page

<http://project.ktug.or.kr/dvipdfmx/>

B. List of Contributors

I have to thank some people for helping me to improve this document. Of course I thank all the people providing the above-mentioned programs and references.

- Paul Isambert, for usefull discussions and testing.
- Heiko Oberdiek, for solving a bug that broke the document with Acrobat Reader.
- Peter Dybala, for detailed historic information.
- Mojca Miklavc, for many information, especially on ConT_EXt-related stuff.
- Hironori Kitagawa, for information about Japanese-specific programs.
- Many people that stumbled upon my questions on different mailinglist, mostly texhax.

C. To do list

- (maybe) Add copyright and licence mark to each software.