

Hands-On: Event Handling in React

In this lab, you will create a simple React component that uses event handling to toggle the visibility of a list of items.

Step 1: Create a new React component

Create a new file called `ItemList.js` and add the following code:

```
import React, { Component } from 'react';

class ItemList extends Component {
  state = {
    items: ['Item 1', 'Item 2', 'Item 3'],
    showItems: true,
  };

  toggleItems = () => {
    this.setState({
      showItems: !this.state.showItems,
    });
  };

  render() {
    return (
      <div>
        <button onClick={this.toggleItems}>Toggle Items</button>
        {this.state.showItems && (
          <ul>
            {this.state.items.map((item) => (
              <li key={item}>{item}</li>
            ))}
          </ul>
        )}
      </div>
    );
  }
}

export default ItemList;
```

This component has an initial state that includes an array of items and a boolean value to track whether the items should be shown or hidden. It also includes an event handler called `toggleItems` that updates the state when the button is clicked. The `render` method conditionally renders the list of items based on the `showItems` state.

Step 2: Render the component

Create a new file called `App.js` and add the following code:

```
import React from 'react';
import ItemList from './ItemList';
```

```
function App() {  
  return (  
    <div className="App">  
      <h1>Event Handling in React</h1>  
      <ItemList />  
    </div>  
  );  
}  
  
export default App;
```

This component simply renders the `ItemList` component.

Step 3: Run the app

Run the app using **npm start** and test the `ItemList` component by clicking the "Toggle Items" button to show or hide the list of items.

Congratulations! You have successfully implemented event handling in a React component.