ANNEXURE I ELECTRONICS AND COMMUNICATION ENGINEERING

- **1. ELECTRONIC DEVICES AND CIRCUITS:** Semiconductor diodes varactor diode zener diode Clippers and clampers-Transistors– FETs UJT (characteristics only) Power supplies Rectifiers and Filters HW, FW and Bridge type RC, LC and CLC filters Series and Shunt regulators Transistor amplifiers CE,CC and CB configurations Biasing techniques-RC coupled Transformer coupled amplifiers Differential amplifiers Feedback, Power and Tuned amplifiers Operational amplifiers characteristics and applications RC , LC and Crystal oscillators Astable , Bistable and Monostable Multivibrators using Transistors and 555 timers- Schmitt Trigger Sweep circuits Miller and Bootstrap circuits.
- **2. CIRCUIT THEORY:** Mesh current and Node voltage analysis Crammer's Rule Network theorems Thevenin's, Norton's, Maximum Power transfer, Superposition and Reciprocity theorems Series and Parallel Resonance Q- factor Selectivity Bandwidth Linear wave shaping circuits. Transmission Lines Characteristic Impedance –Reflection Coefficient SWR Transmission Line losses and Impedance matching.

3. ELECTRONIC MEASURING INSTRUMENTS:

Analog Instruments – Extension of range of Ammeter, Voltmeter and Ohmmeter – FET voltmeter – Differential voltmeter – Digital instruments – Ramp –Dual Slope integration – successive approximation – digital frequency meter-digital LCR meter- CRO – CRT – time base generator – deflection sensitivity – triggered sweep circuits – CRO applications, AF Oscillator – RF Signal generator – AF and RF Power meters – Q meter – Distortion Factor Meter – Digital IC tester

- **4. INDUSTRIAL AND POWER ELECTRONICS**: Thyristor family SCR ,TRIAC, Power BJT –IGBT (characteristics, working principle and applications) Converters Single phase HW , FW fully controlled Choppers modes of operation Inverters and Cycloconverters Series and Parallel Inverters– PWM inverters, Sinusoidal three phase inverters Single phase center tapped cycloconverters Speed control of AC / DC motors using converters and choppers. SMPS Off Line and On Line UPS Opto electronic devices LDR, Photo diode and transistor and Photo voltaic cell (characteristics and applications) Transducers LVDT Strain Gauge, Thermistor, Thermocouple Ultrasonics Pulse echo flaw detector.
- **5. COMMUNICATION SYSTEMS**: Analog Need for modulation Types of modulation AM , FM , PM Modulation Index Bandwidth Power requirements Transmitters Low level , High level and SSB types Receivers Super heterodyne AM and FM receivers characteristics Sensitivity , Selectivity , Fidelity IMRR and choice of IF Wave Propagation Ground , Sky and Space waves Properties. Digital Pulse modulation PCM , Delta modulation Data codes Synchronous and Asynchronous transmission error detection and correction digital modulation ASK ,FSK, PSK and QAM generation and detection Multiplexing TDM , FDM Multiple Access TDMA.
- **6. ADVANCED COMMUNICATION SYSTEMS**: Antennas—radiation resistance—beam width—polarization—directivity—efficiency—bandwidth—gain—front to back ratio—folded dipole—arrays—broadside—end fire—Yagi, Log periodic, Turnstile antennas—Parabolic reflectors—beam width, gain and applications. Wave Guides—Rectangular—Dominant mode—Phase and Group velocity—Cut off wavelength—working principle and applications of Magnetron, Klystron, TWT—Radar—range equation—Pulsed radars—indicators—duplexers—CW radars and MTI radars—Satellite communication—UP link and DOWN link frequencies—types of satellites—satellite on board—earth station systems—satellite applications—Fiber Optic communication—types of fibers—couplers, splices, connectors, switches, optical emitters and detectors—optical repeaters—Wave length

- $\label{eq:continuous} Division\ multiplexing\ -\ Mobile\ Communication\ -\ cellular\ concept\ -\ AMPS\ ,\ GSM\ ,\ CDMA\ systems.$
- **7. DIGITAL ELECTRONICS**: Number systems Logic gates Boolean algebra Adders and Subtractors Flip-flops Registers and Counters Memories RAM, ROM, Flash ROM, NVROM D/A converters binary weighted R-2R Ladder, A /D Converter Counter and Successive approximation types.
- **8. MICROCONTROLLERS AND MICROPROCESSORS:** 8051 Architecture Instruction Set subroutines use of input and output machine related statements time delay programme assembler directives peripheral ICs 8251, 8255, and 8257–8086 Architecture Instruction Set Features of Pentium and its Derivatives.
- 9. AUDIO VIDEO SYSTEMS: Recording and Reproduction of Sound using Magnetic and Optical methods Television Picture elements scanning and synchronization blanking and interlacing composite video signal, flicker camera tubes Image Orthicon Silicon Diode array TV receivers Tuner, IF, Sync separator, deflection circuits, EHT and sound circuits Color TV Additive and subtractive mixing Color Picture tubes degaussing types of color TV systems NTSC, PAL and SECAM PAL system processing DTH system.
- **10. DATA COMMUNICATIONS AND COMPUTER NETWORKS**: Transmission Media twisted pair UTP –STP –Coaxial cable Optical fibre comparison Shannon Capacity theorem Network Topologies BUS, STAR , RING switching Packet and Message switching OSI architecture and functions CSMA , CDMA and token ring properties and operations Wireless LAN Blue tooth technology WAN architecture Packet transmission ARPA Net ISP and ISDN architectures WAN Protocols X .25 , Frame Relay , ATM ,TCP / IP features and comparison –Ports and Sockets Domain Name System POP and SMTP server File transfer protocol Proxy server and Web server architecture.

ANNEXURE II

Number of Questions to be Set Unit Wise

ELECTRONICS AND COMMUNICATION ENGINEERING

UNIT NO	TOPICS	MARKS
I	ELECTRONIC DEVICES AND CIRCUITS	15
II	CIRCUIT THEORY	08
III	ELECTRONIC MEASURING	10
	INSTRUMENTS	
IV	INDUSTRIAL AND POWER	10
1 V	ELECTRONICS	10
V	COMMUNICATION SYSTEMS	15
VI	ADVANCED COMMUNICATION	10
V I	SYSTEMS	
VII	DIGITAL ELECTRONICS	10
VIII	MICROCONTROLLERS AND	10
V 111	MICROPROCESSORS	
IX	AUDIO VIDEO SYSTEMS	05
X	DATA COMMUNICATIONS AND	07
A	COMPUTER NETWORKS	07
	Total	100

ANNEXURE III

MODEL QUESTIONS FOR ELECTRONICS AND COMMUNICATION ENGINEERING

1.	The largest unsigned decimal number that can be represented in binary using 6 bits is
	1. 63

- 2. 64
- 3. 127
- 4. 128
- 2. A 0-10mA Ammeter with 30Ω internal resistance is to be extended to measure up to 20mA . What value of Shunt resistance is to be connected?
 - 1. 10Ω
 - $2. 20 \Omega$
 - 3. 30Ω
 - 4. 60Ω
- 3. The maximum value of modulation index in amplitude modulation is
 - 1. 10
 - 2. 5
 - 3. Infinite
 - 4. 1