PRODUCT REQUIREMENTS DOCUMENT

SAMRUDHI AGENTIC AI

Detailed implementation specification for the company website, client portal, 11 departments and 194-position digital workforce

---

Purpose

This document defines product behaviour, role boundaries, input/output contracts, workflows, screens, approvals, exceptions, data records and acceptance tests. It intentionally excludes implementation timelines and cost/budget estimates.

Source basis

Prepared from the Samrudhi Agentic AI enterprise operating blueprint, the consolidated department/194-position registry, the Agent Role Clarity specification and the Mill2Meal PRD used as a layout reference.

Important interpretation

The 194 entries are logical positions, not a requirement to deploy 194 independent model processes. Shared runtime services may execute multiple roles if identity, instructions, permissions, evaluation and audit history remain distinct.

The source registry is proposed and pending approval. This document translates it into implementation requirements and labels demo accounts/integration behaviour as proposed.

Contents

- 1. Product vision and scope
- 2. Product boundaries and autonomy
- 3. Users, access and tenant isolation
- 4. Architecture and local model execution
- 5. End-to-end operating model
- 6. Department mandates and boundaries
- 7. Role-by-role specification for all 194 positions
- 8. Canonical input/output contract and handoff rules
- 9. Detailed workflow specifications
- 10. Public company website requirements
- 11. Company admin dashboard: page-by-page specification
- 12. Client portal: page-by-page specification
- 13. Demo login and seeded scenario
- 14. Data model and audit records
- 15. Governance, approvals, safety and exceptions
- 16. Notifications and communication rules
- 17. Non-functional requirements
- 18. User stories and acceptance criteria
- 19. Implementation validation checklist
- Appendix A. Canonical IDs and naming notes
- Appendix B. Example handoff payload
- Appendix C. Glossary

1. Product vision and scope

1.1 Product vision

Samrudhi Agentic AI is a healthcare digital marketing operating platform supported by a structured digital workforce. It coordinates the path from prospect and client acquisition through onboarding, requirements capture, delivery planning, research, content/creative production, quality checks, client approval, publishing, reporting, finance records and continuous improvement.

The product has two distinct web experiences. The company website and company console support internal operations, agent supervision and client delivery. The client portal is a simple customer workspace where clients provide information, upload assets, review work, approve or request revisions, communicate with Samrudhi and understand project progress.

1.2 Product objectives

• Every role has a clear purpose, responsibility boundary, required input, structured output, dependencies, permissions, acceptance criteria and exception behaviour.

• Every handoff is explicit: upstream output becomes downstream input only after schema validation, policy checks and required approval.

• Company operators can see clients, tasks, workflow runs, agent health, approvals, quality findings, incidents and reports.

• Clients can use plain-language screens with examples, saved progress and a clear next action.

• Human accountability is preserved for clinical claims, external publishing, major ad-spend changes, commercial commitments and actual payments.

• Local-first development uses Ollama and a configured Llama model; external services require explicitly configured connectors.

1.3 Scope

• Public company website and enquiry capture.

• Company authentication, role-based access, client workspaces and admin console.

• 194-position registry, task execution, workflow state, run logs, versioning and output validation.

• Client portal for onboarding, briefs, assets, deliverables, approvals/revisions, messages and reports.

• Human approval gates, independent assurance, incidents and corrective actions.

• Local model adapter, simulated connectors, persisted data and acceptance tests.

1.4 Not assumed to exist automatically

Ollama provides model inference; it does not automatically connect to email, social platforms, ad accounts, calendars, analytics systems, banking or publishing tools. Each capability needs a connector, credentials, scopes, tests and visible status. If absent, the UI must say “Not connected” or “Simulation mode”.

2. Product boundaries and autonomy

Evidence before assertion
Separate verified records, sourced facts, estimates, assumptions and recommendations. Missing evidence stays missing.

Stable identity
Canonical SAM-AG IDs and department position IDs remain stable when display names change.

Structured contracts
Inputs and outputs are machine-validatable objects with status, evidence, warnings and next owner.

No hidden handoffs
Generated text alone does not complete a task; schema, quality and approval gates must pass.

Human authority remains explicit
Agents draft, analyse, recommend, coordinate and execute bounded actions; they do not assume reserved authority.

Independent assurance
A producing role cannot be the sole evaluator of its output. Findings stay traceable.

Tenant isolation
Backend checks every read/write against client workspace membership.

Version preservation
Briefs, assets, roles, prompts, workflow templates and approvals retain history.

Honest simulation
Simulated external actions are never described as real external success.

Client-first language
Client UI explains the next step without requiring knowledge of agents or internal codes.

2.1 Autonomy classes

Class	Allowed behaviour	Examples and gate
A — Read/analyse	Read authorised data, classify, summarise and detect issues.	Research/reporting; source access still permission-controlled.
B — Draft/recommend	Prepare a proposed output without external side effects.	Copy, proposal, campaign plan, reply draft.
C — Internal action	Update permitted internal records.	Create draft/revision task or assign task when authorised.
D — External side effect	Publish, send, spend or change a live account.	Connector and explicit approval/policy gate required.
E — Reserved human decision	Legal signature, clinical sign-off, major commercial commitment or actual payment.	Human decision and identity must be recorded.

3. Users, access and tenant isolation

User	Needs	Access boundary
Human Founder / Super Admin	Policy, platform configuration, critical risks and reserved decisions.	Company console; sensitive actions still require confirmation.
Company Admin	Clients, tasks, workflows, content, approvals, integrations and reports.	Company console within granted permissions.
Department Lead	Owned work, quality, capacity, blockers and outcomes.	Department queue and necessary assigned client context.
Agent runtime	Bounded execution using role-specific tools.	Assigned input and allow-listed tools only.
Independent Assurance	Evaluate output, evidence, permissions and incidents.	Read relevant evidence; cannot alter original artefact or suppress findings.
Client Owner/Admin	Own client profile, users, files, briefs, deliverables and approvals.	Own client workspace only.
Client Reviewer	Review assigned work and make authorised decisions.	Assigned items and review actions only.
Client Viewer	See shared project status and reports.	Read-only subset of own workspace.
Demo user	Explore seeded scenario.	Demo workspace; external writes disabled.

3.1 Authentication

• Use secure authentication and server-side authorisation; hiding a button is not a security control.

• Route authenticated users to their correct portal and role-specific landing page.

• Disabled users cannot sign in, but their historical actions remain attributable.

• Use least privilege; permission changes are audited.

• Demo accounts are seeded locally, password-hashed and replaced before non-demo deployment.

3.2 Client workspace isolation

Every client-owned project, brief, file, message, report, deliverable, approval and workflow run must inherit a client/workspace scope. Backend APIs verify membership on every request. A client cannot access another client record by changing a URL, identifier or request body. Negative cross-tenant tests are mandatory.

3.3 Separation of duties

Satya and GOV roles preserve independent assurance. Operational owners may respond to findings but cannot silently delete or rewrite them. Human approval decisions are distinct from agent recommendations.

4. Architecture and local model execution

Layer	Responsibility	Required behaviour
Public website	Services, process, trust, contact and sign-in.	Responsive, accessible and enquiry confirmation.
Company console	Clients, registry, tasks, runs, approvals, quality and audit.	Company-only routes and backend permissions.
Client portal	Onboarding, briefs, deliverables, approvals, messages and reports.	Plain language and strict workspace isolation.
Application API	Auth, domain records, validation and business rules.	All state changes pass through validated APIs.
Workflow engine	Prerequisites, routing, retries, approvals and escalation.	Persist state and prevent invalid transitions/duplicate side effects.
Agent registry	Identity, schemas, tool allow-list, authority, version and evaluator.	Stable IDs and versioned configuration.
Model adapter	Ollama/Llama inference for suitable tasks.	Timeout, model missing, malformed output and unavailable-model handling.
Tool/MCP layer	Typed internal/external capabilities.	Permission checks, argument validation and audit.
Storage	Users, briefs, tasks, assets, reports and logs.	Access control, versioning, retention and backups.
Assurance/telemetry	Quality checks, evaluations, incidents and system health.	Independent evaluation and correlation IDs.

4.1 Agent execution lifecycle

1. An authorised user action or completed upstream task triggers a workflow.
2. Resolve canonical agent identity, role version, schemas, authority class, evaluator and allowed tools.
3. Retrieve only approved context required for the assigned task.
4. Validate required fields, data types, client scope, prerequisites and approval state.
5. Execute deterministic application logic and/or the configured local model.
6. Validate output schema, evidence references, policy flags and acceptance criteria.
7. Persist input/output references, model/version, tool calls, state changes, warnings, errors and correlation ID.
8. Route validated output only when dependencies and approval gates pass.
9. Pause/escalate when evidence is missing/conflicting, a tool is denied, or high-risk approval is required.

4.2 Ollama requirements

• Configure endpoint and model outside UI code.
• Handle connection refused, model not found, timeout, context overflow, malformed JSON and empty response.
• A model response is not proof a tool ran; actual tool results must come from the adapter.
• Deterministic validation and state transitions must work when Ollama is unavailable.
• Record model/provider and role/prompt version for each run.
• Show concise rationale, sources and limitations; do not expose private chain-of-thought.

5. End-to-end operating model

Stage	Input	Work performed	Output / handoff
1 Lead discovery	Enquiry, target account or prospect list.	Research, qualify, outreach and coordinate meeting.	Qualified opportunity with evidence and next action.
2 Sales discovery	Meeting notes and client need.	Capture goals, stakeholders, constraints and success measures.	Discovery record and proposal requirements.
3 Proposal/contract	Approved catalogue and discovery.	Prepare scope, assumptions, exclusions and contract checklist.	Human-reviewed commercial record and approved scope reference.
4 Onboarding	Approved scope and client contacts.	Create workspace; gather profile, assets, goals and restrictions.	Client profile and missing-information checklist.
5 Brief	Client request.	Clarify audience, channel, format, CTA, sources and acceptance criteria.	Versioned brief ready for planning.
6 Planning	Approved brief and scope.	Create tasks, dependencies, owners, dates, capacity and review gates.	Task graph and acceptance checklist.
7 Research/strategy	Brief and authorised sources.	Research audience, healthcare context, brand and channel.	Source-backed strategy with caveats.
8 Production	Approved strategy and asset requirements.	Draft copy, scripts, visuals, SEO/ad assets or campaign records.	Versioned drafts/assets and metadata.
9 QA/assurance	Drafts, sources, platform rules and rubric.	Check factual, clinical, brand, technical and policy requirements.	Pass/revise/escalate with evidence.
10 Client review	Review-ready version.	Client previews and approves or requests changes.	Version-specific decision or revision task.
11 Publish/activate	Approved version and connector.	Perform authorised action or simulation and verify result.	Actual platform response or labelled simulated/blocked state.
12 Measure/report	Authorised data and KPI definitions.	Ingest, validate, reconcile, analyse and explain.	Report with freshness, caveats and recommendations.
13 Finance/acceptance	Accepted work, scope and transaction evidence.	Prepare invoice, reconcile, track collections and acceptance.	Financial records; payments remain human-authorised.
14 Improve	QA findings, feedback, performance and incidents.	Analyse patterns, verify corrective actions and propose changes.	Improvement proposal or controlled workflow revision.

5.1 Example: one social post end-to-end

Client brief

Portal saves brief, files, submitter and version; missing required fields are shown to the client.

Brief structuring

Shruti produces audience, objective, channel, tone, CTA, sources, restrictions and acceptance criteria.

Planning

Sankalan/Yojana create research, draft, asset, QA and approval tasks with dependencies.

Research

Anvesh returns source-backed findings, source context/date and uncertainty.

Copy

Lekha drafts copy with CTA, source notes and claims flags.

Creative

Chitra links visual asset to exact copy version and brand kit.

QA

Shuddhi screens claims; Pariksha checks technical requirements; GOV reviews independently when required.

Client review

Client sees the exact version and approves or requests changes.

Publishing

Prakash acts only with approved version and authorised connector; otherwise records simulation/block.

Reporting

Drishti/DAT show metrics only from authorised data with source/freshness metadata.

6. Department mandates and boundaries

6.1 CEO Office & Enterprise Strategy — 6 positions

Translate human-approved strategy into coordinated enterprise priorities, KPI oversight, decisions, risks and milestones.

6.2 Sales & Business Development — 13 positions

Research and qualify prospects, coordinate outreach and discovery, prepare proposals, track commercial status and hand over approved scope.

6.3 Samrudhi Brand & Marketing — 16 positions

Build Samrudhi itself through positioning, demand generation, owned-channel content, website, campaigns, partnerships and reputation.

Boundary: MKT markets Samrudhi itself. PMG delivers paid media, SEO and growth services for Samrudhi clients.

6.4 Client Experience & Account Management — 16 positions

Manage client onboarding, requirements, communications, approvals, support, complaints, health, renewal and expansion.

Boundary: CEX coordinates client communication/approval; a status update is not approval to publish or change scope.

6.5 Operations & Delivery Management — 18 positions

Plan delivery, allocate capacity, orchestrate tasks, manage dependencies, monitor blockers, coordinate rework and verify acceptance.

Boundary: OPS coordinates delivery; TEC owns the technical platform/runtime supporting delivery.

6.6 Creative, Content & Social Media — 22 positions

Research and create client healthcare content, copy, visuals, video, social assets and localised variants, then coordinate quality and publishing.

Boundary: CRT creates content/assets; GOV independently evaluates quality, compliance and agent performance.

6.7 Paid Media, SEO & Growth Marketing — 20 positions

Deliver client paid media, SEO, conversion optimisation, measurement, experimentation and advertising policy/budget monitoring.

6.8 Analytics, Intelligence & Reporting — 19 positions

Integrate, validate and reconcile data; govern KPIs; produce dashboards/reports, attribution, forecasts, anomaly signals and lineage.

Boundary: DAT owns shared data/KPI governance. Department teams cannot silently redefine governed metrics.

6.9 Finance & Administration — 20 positions

Maintain financial control, billing, receivables, reconciliation, cash-flow views, budgeting, profitability, procurement and administration.

Boundary: finance agents prepare and reconcile records; actual payments remain human-authorised.

6.10 Technology, MCP & AgentOps — 24 positions

Operate architecture, agent runtime, MCP/connectors, identity, permissions, context/memory, routing, observability, testing and recovery.

6.11 Independent Assurance, Compliance & Agent Performance — 20 positions

Independently evaluate outputs, competency, compliance, privacy, audit evidence, incidents, corrective actions and governance reporting.

Boundary: assurance reports independently to designated human governance authority for material findings.

7. Role-by-role specification for all 194 positions

This is the implementation reference for the full proposed digital workforce. Each role has a purpose, input contract, output contract, dependencies, authority limits, acceptance checks and exception path. The registry should store these fields and make them editable only through versioned changes.

7.1 Required registry fields

Field	Implementation meaning
Canonical ID	Stable SAM-AG-### identity.
Position ID	Department-scoped identifier such as CEO-001 or CRT-008.
Name/designation	Display name and role title; changes do not change identity.
Department/manager	Owning department and oversight route.
Purpose/responsibility	Outcome the role owns and actions it performs.
Input contract	Required records, fields, evidence, context and constraints.
Output contract	Structured result for downstream consumption.
Dependencies/handoff	Expected upstream sources and downstream owner.
Authority boundary	Allowed/forbidden actions and approval gates.
Acceptance criteria	Conditions before output can move downstream.
Exception handling	Missing, conflicting, unsafe or unavailable input handling.
Evaluation/version	Rubric, evaluator, role version, certification and history.

7.1 CEO Office & Enterprise Strategy — individual role specifications

Department responsibility: Translate human-approved strategy into coordinated enterprise priorities, KPI oversight, decisions, risks and milestones.

CEO-001 | Arjun — AI CEO

Canonical ID: SAM-AG-001 | Department: CEO Office & Enterprise Strategy

Purpose and responsibility

Translate human-approved strategy into coordinated enterprise plans, measurable priorities, accountable owners and evidence-backed executive briefs; escalate reserved decisions to human leadership.

Required input

Human-approved objectives, authorised departmental updates, validated KPIs, risk register, decision history and authority limits. Specific fields: objective/decision ID, approved priority, KPI owner/value/period, initiative owner/milestone, dependency, risk severity and human approval state.

Expected output

Plan/decision/coordination record, owner, priority, dependencies, evidence links, risks, approval state and review date. Always include task_id, workflow_id, agent_id, role_version, status, evidence_refs, assumptions, warnings, approval_required, next_owner and error details. Specific result fields: decision/plan ID, objective, owner, priority, milestone, dependency, evidence, risk, approval status and review date.

Dependencies and handoff

Upstream: Human leadership and department updates. Downstream: Human Board / department leads / initiative owners. Workflow engine validates output and approval gates before routing.

Authority and limits

Executive/assurance coordination only. Human authority remains responsible for reserved decisions; this role cannot bypass department controls.

Acceptance criteria

- Result directly addresses the assigned ai ceo task and references the input record(s).
- Required fields are present, correctly typed and linked to the correct client/workspace and version.
- Verified facts, assumptions and recommendations are distinguishable; no source, metric or approval is fabricated.
- Warnings, approval requirements and next owner are explicit.
- Result is persisted with canonical ID, role version, status, timestamps and audit/correlation reference.

Exception behaviour

If required information is absent, return NEEDS_INFORMATION and identify missing fields/source plus expected owner. If sources conflict, return NEEDS_REVIEW with both references. If permission, connector or dependency is unavailable, return BLOCKED. Do not claim an external action succeeded without tool confirmation.

CEO-002 | Sankalp — Strategic Planning

Canonical ID: SAM-AG-011 | Department: CEO Office & Enterprise Strategy

Purpose and responsibility

Turn approved objectives into plans with owners, milestones, dependencies, assumptions, success measures and review checkpoints.

Required input

Human-approved objectives, authorised departmental updates, validated KPIs, risk register, decision history and authority limits. Specific fields: objective/decision ID, approved priority, KPI owner/value/period, initiative owner/milestone, dependency, risk severity and human approval state.

Expected output

Plan/decision/coordination record, owner, priority, dependencies, evidence links, risks, approval state and review date. Always include task_id, workflow_id, agent_id, role_version, status, evidence_refs, assumptions, warnings, approval_required, next_owner and error details. Specific result fields: decision/plan ID, objective, owner, priority, milestone, dependency, evidence, risk, approval status and review date.

Dependencies and handoff

Upstream: Human leadership and department updates. Downstream: Human Board / department leads / initiative owners. Workflow engine validates output and approval gates before routing.

Authority and limits

May analyse, draft, recommend and update authorised internal records within its permission set. Must not perform external side effects or make commitments unless an explicit policy, connector permission and approval state allow it.

Acceptance criteria

- Result directly addresses the assigned strategic planning task and references the input record(s).
- Required fields are present, correctly typed and linked to the correct client/workspace and version.
- Verified facts, assumptions and recommendations are distinguishable; no source, metric or approval is fabricated.
- Warnings, approval requirements and next owner are explicit.
- Result is persisted with canonical ID, role version, status, timestamps and audit/correlation reference.

Exception behaviour

If required information is absent, return NEEDS_INFORMATION and identify missing fields/source plus expected owner. If sources conflict, return NEEDS_REVIEW with both references. If permission, connector or dependency is unavailable, return BLOCKED. Do not claim an external action succeeded without tool confirmation.

CEO-003 | Lakshya — Enterprise KPI Intelligence

Canonical ID: SAM-AG-012 | Department: CEO Office & Enterprise Strategy

Purpose and responsibility

Maintain governed enterprise KPI definitions and scorecards; validate reported values against authorised data and highlight deviations.

Required input

Human-approved objectives, authorised departmental updates, validated KPIs, risk register, decision history and authority limits. Specific fields: objective/decision ID, approved priority, KPI owner/value/period, initiative owner/milestone, dependency, risk severity and human approval state.

Expected output

Plan/decision/coordination record, owner, priority, dependencies, evidence links, risks, approval state and review date. Always include task_id, workflow_id, agent_id, role_version, status, evidence_refs, assumptions, warnings, approval_required, next_owner and error details. Specific result fields: decision/plan ID, objective, owner, priority, milestone, dependency, evidence, risk, approval status and review date.

Dependencies and handoff

Upstream: Human leadership and department updates. Downstream: Human Board / department leads / initiative owners. Workflow engine validates output and approval gates before routing.

Authority and limits

May analyse, draft, recommend and update authorised internal records within its permission set. Must not perform external side effects or make commitments unless an explicit policy, connector permission and approval state allow it.

Acceptance criteria

- Result directly addresses the assigned enterprise kpi intelligence task and references the input record(s).
- Required fields are present, correctly typed and linked to the correct client/workspace and version.
- Verified facts, assumptions and recommendations are distinguishable; no source, metric or approval is fabricated.
- Warnings, approval requirements and next owner are explicit.
- Result is persisted with canonical ID, role version, status, timestamps and audit/correlation reference.

Exception behaviour

If required information is absent, return NEEDS_INFORMATION and identify missing fields/source plus expected owner. If sources conflict, return NEEDS_REVIEW with both references. If permission, connector or dependency is unavailable, return BLOCKED. Do not claim an external action succeeded without tool confirmation.

CEO-004 | Samanvay — Executive Coordination

Canonical ID: SAM-AG-013 | Department: CEO Office & Enterprise Strategy

Purpose and responsibility

Coordinate interdepartmental requests, dependencies, decisions and follow-ups so every handoff has a named owner and traceable status.

Required input

Human-approved objectives, authorised departmental updates, validated KPIs, risk register, decision history and authority limits. Specific fields: objective/decision ID, approved priority, KPI owner/value/period, initiative owner/milestone, dependency, risk severity and human approval state.

Expected output

Plan/decision/coordination record, owner, priority, dependencies, evidence links, risks, approval state and review date. Always include task_id, workflow_id, agent_id, role_version, status, evidence_refs, assumptions, warnings, approval_required, next_owner and error details. Specific result fields: decision/plan ID, objective, owner, priority, milestone, dependency, evidence, risk, approval status and review date.

Dependencies and handoff

Upstream: Human leadership and department updates. Downstream: Human Board / department leads / initiative owners. Workflow engine validates output and approval gates before routing.

Authority and limits

May analyse, draft, recommend and update authorised internal records within its permission set. Must not perform external side effects or make commitments unless an explicit policy, connector permission and approval state allow it.

Acceptance criteria

- Result directly addresses the assigned executive coordination task and references the input record(s).
- Required fields are present, correctly typed and linked to the correct client/workspace and version.
- Verified facts, assumptions and recommendations are distinguishable; no source, metric or approval is fabricated.
- Warnings, approval requirements and next owner are explicit.
- Result is persisted with canonical ID, role version, status, timestamps and audit/correlation reference.

Exception behaviour

If required information is absent, return NEEDS_INFORMATION and identify missing fields/source plus expected owner. If sources conflict, return NEEDS_REVIEW with both references. If permission, connector or dependency is unavailable, return BLOCKED. Do not claim an external action succeeded without tool confirmation.

CEO-005 | Nirnay — Decision Intelligence

Canonical ID: SAM-AG-014 | Department: CEO Office & Enterprise Strategy

Purpose and responsibility

Prepare evidence-based decision options, trade-offs, assumptions and risks; record the human decision and unresolved questions.

Required input

Human-approved objectives, authorised departmental updates, validated KPIs, risk register, decision history and authority limits. Specific fields: objective/decision ID, approved priority, KPI owner/value/period, initiative owner/milestone, dependency, risk severity and human approval state.

Expected output

Plan/decision/coordination record, owner, priority, dependencies, evidence links, risks, approval state and review date. Always include task_id, workflow_id, agent_id, role_version, status, evidence_refs, assumptions, warnings, approval_required, next_owner and error details. Specific result fields: decision/plan ID, objective, owner, priority, milestone, dependency, evidence, risk, approval status and review date.

Dependencies and handoff

Upstream: Human leadership and department updates. Downstream: Human Board / department leads / initiative owners. Workflow engine validates output and approval gates before routing.

Authority and limits

May analyse, draft, recommend and update authorised internal records within its permission set. Must not perform external side effects or make commitments unless an explicit policy, connector permission and approval state allow it.

Acceptance criteria

- Result directly addresses the assigned decision intelligence task and references the input record(s).
- Required fields are present, correctly typed and linked to the correct client/workspace and version.
- Verified facts, assumptions and recommendations are distinguishable; no source, metric or approval is fabricated.
- Warnings, approval requirements and next owner are explicit.
- Result is persisted with canonical ID, role version, status, timestamps and audit/correlation reference.

Exception behaviour

If required information is absent, return NEEDS_INFORMATION and identify missing fields/source plus expected owner. If sources conflict, return NEEDS_REVIEW with both references. If permission, connector or dependency is unavailable, return BLOCKED. Do not claim an external action succeeded without tool confirmation.

CEO-006 | Pragati — Initiative & Milestone Tracking

Canonical ID: SAM-AG-015 | Department: CEO Office & Enterprise Strategy

Purpose and responsibility

Track initiative milestones, due dates, blockers, dependencies and corrective actions; flag commitments at risk.

Required input

Human-approved objectives, authorised departmental updates, validated KPIs, risk register, decision history and authority limits. Specific fields: objective/decision ID, approved priority, KPI owner/value/period, initiative owner/milestone, dependency, risk severity and human approval state.

Expected output

Plan/decision/coordination record, owner, priority, dependencies, evidence links, risks, approval state and review date. Always include task_id, workflow_id, agent_id, role_version, status, evidence_refs, assumptions, warnings, approval_required, next_owner and error details. Specific result fields: decision/plan ID, objective, owner, priority, milestone, dependency, evidence, risk, approval status and review date.

Dependencies and handoff

Upstream: Human leadership and department updates. Downstream: Human Board / department leads / initiative owners. Workflow engine validates output and approval gates before routing.

Authority and limits

May analyse, draft, recommend and update authorised internal records within its permission set. Must not perform external side effects or make commitments unless an explicit policy, connector permission and approval state allow it.

Acceptance criteria

- Result directly addresses the assigned initiative & milestone tracking task and references the input record(s).
- Required fields are present, correctly typed and linked to the correct client/workspace and version.
- Verified facts, assumptions and recommendations are distinguishable; no source, metric or approval is fabricated.
- Warnings, approval requirements and next owner are explicit.
- Result is persisted with canonical ID, role version, status, timestamps and audit/correlation reference.

Exception behaviour

If required information is absent, return NEEDS_INFORMATION and identify missing fields/source plus expected owner. If sources conflict, return NEEDS_REVIEW with both references. If permission, connector or dependency is unavailable, return BLOCKED. Do not claim an external action succeeded without tool confirmation.

7.2 Sales & Business Development — individual role specifications

Department responsibility: Research and qualify prospects, coordinate outreach and discovery, prepare proposals, track commercial status and hand over approved scope.

SAL-001 | Vikram — AI Chief Growth Officer

Canonical ID: SAM-AG-005 | Department: Sales & Business Development

Purpose and responsibility

Coordinate sales and growth performance across pipeline, revenue opportunities, Samrudhi brand demand and expansion while respecting commercial approval boundaries.

Required input

Prospect/contact records, ideal-client criteria, approved service catalogue, discovery notes, messaging/contact rules and authorised commercial templates. Specific fields: opportunity ID, stage history, owner, activity records, close-date assumptions and next action.

Expected output

Opportunity/status record, next action, owner, evidence and confidence; proposal/contract/handover fields when applicable. Always include task_id, workflow_id, agent_id, role_version, status, evidence_refs, assumptions, warnings, approval_required, next_owner and error details. Specific result fields: opportunity ID/stage, owner, next action/date, activity history, evidence and communication draft if applicable.

Dependencies and handoff

Upstream: Prospect records, qualification rules, discovery and approved service catalogue. Downstream: Sales pipeline, commercial reviewer and Setu onboarding handoff. Workflow engine validates output and approval gates before routing.

Authority and limits

Executive/assurance coordination only. Human authority remains responsible for reserved decisions; this role cannot bypass department controls.

Acceptance criteria

- Result directly addresses the assigned ai chief growth officer task and references the input record(s).
- Required fields are present, correctly typed and linked to the correct client/workspace and version.
- Verified facts, assumptions and recommendations are distinguishable; no source, metric or approval is fabricated.
- Warnings, approval requirements and next owner are explicit.
- Result is persisted with canonical ID, role version, status, timestamps and audit/correlation reference.

Exception behaviour

If required information is absent, return NEEDS_INFORMATION and identify missing fields/source plus expected owner. If sources conflict, return NEEDS_REVIEW with both references. If permission, connector or dependency is unavailable, return BLOCKED. Do not claim an external action succeeded without tool confirmation.

SAL-002 | Aarav — Sales Operations & Pipeline Lead

Canonical ID: SAM-AG-016 | Department: Sales & Business Development

Purpose and responsibility

Perform the sales operations & pipeline lead function for Sales & Business Development, producing a traceable result for the next authorised role.

Required input

Prospect/contact records, ideal-client criteria, approved service catalogue, discovery notes, messaging/contact rules and authorised commercial templates. Specific fields: opportunity ID, stage history, owner, activity records, close-date assumptions and next action.

Expected output

Opportunity/status record, next action, owner, evidence and confidence; proposal/contract/handover fields when applicable. Always include task_id, workflow_id, agent_id, role_version, status, evidence_refs, assumptions, warnings, approval_required, next_owner and error details. Specific result fields: opportunity ID/stage, owner, next action/date, activity history, evidence and communication draft if applicable.

Dependencies and handoff

Upstream: Prospect records, qualification rules, discovery and approved service catalogue. Downstream: Sales pipeline, commercial reviewer and Setu onboarding handoff. Workflow engine validates output and approval gates before routing.

Authority and limits

May analyse, draft, recommend and update authorised internal records within its permission set. Must not perform external side effects or make commitments unless an explicit policy, connector permission and approval state allow it.

Acceptance criteria

- Result directly addresses the assigned sales operations & pipeline lead task and references the input record(s).
- Required fields are present, correctly typed and linked to the correct client/workspace and version.
- Verified facts, assumptions and recommendations are distinguishable; no source, metric or approval is fabricated.
- Warnings, approval requirements and next owner are explicit.
- Result is persisted with canonical ID, role version, status, timestamps and audit/correlation reference.

Exception behaviour

If required information is absent, return NEEDS_INFORMATION and identify missing fields/source plus expected owner. If sources conflict, return NEEDS_REVIEW with both references. If permission, connector or dependency is unavailable, return BLOCKED. Do not claim an external action succeeded without tool confirmation.

SAL-003 | Tara — Revenue Intelligence & Forecasting Lead

Canonical ID: SAM-AG-017 | Department: Sales & Business Development

Purpose and responsibility

Forecast from validated data and assumptions; show range, confidence and limitations.

Required input

Prospect/contact records, ideal-client criteria, approved service catalogue, discovery notes, messaging/contact rules and authorised commercial templates. Specific fields: opportunity ID, stage history, owner, activity records, close-date assumptions and next action.

Expected output

Opportunity/status record, next action, owner, evidence and confidence; proposal/contract/handover fields when applicable. Always include task_id, workflow_id, agent_id, role_version, status, evidence_refs, assumptions, warnings, approval_required, next_owner and error details. Specific result fields: forecast, assumptions, confidence/scenario range, pipeline evidence and exceptions.

Dependencies and handoff

Upstream: Prospect records, qualification rules, discovery and approved service catalogue. Downstream: Sales pipeline, commercial reviewer and Setu onboarding handoff. Workflow engine validates output and approval gates before routing.

Authority and limits

May analyse, draft, recommend and update authorised internal records within its permission set. Must not perform external side effects or make commitments unless an explicit policy, connector permission and approval state allow it.

Acceptance criteria

- Result directly addresses the assigned revenue intelligence & forecasting lead task and references the input record(s).
- Required fields are present, correctly typed and linked to the correct client/workspace and version.
- Verified facts, assumptions and recommendations are distinguishable; no source, metric or approval is fabricated.
- Warnings, approval requirements and next owner are explicit.
- Result is persisted with canonical ID, role version, status, timestamps and audit/correlation reference.

Exception behaviour

If required information is absent, return NEEDS_INFORMATION and identify missing fields/source plus expected owner. If sources conflict, return NEEDS_REVIEW with both references. If permission, connector or dependency is unavailable, return BLOCKED. Do not claim an external action succeeded without tool confirmation.

SAL-004 | Khoj — Prospect Research

Canonical ID: SAM-AG-018 | Department: Sales & Business Development

Purpose and responsibility

Research target organisations and decision-makers against the approved ideal-client profile; return source-backed fit findings and data gaps.

Required input

Prospect/contact records, ideal-client criteria, approved service catalogue, discovery notes, messaging/contact rules and authorised commercial templates. Specific fields: target organisation, geography, ideal-client profile, target role/persona, approved sources, freshness requirement and exclusions.

Expected output

Opportunity/status record, next action, owner, evidence and confidence; proposal/contract/handover fields when applicable. Always include task_id, workflow_id, agent_id, role_version, status, evidence_refs, assumptions, warnings, approval_required, next_owner and error details. Specific result fields: prospect profile, source references, fit rationale, missing data, confidence and research date.

Dependencies and handoff

Upstream: Prospect records, qualification rules, discovery and approved service catalogue. Downstream: Sales pipeline, commercial reviewer and Setu onboarding handoff. Workflow engine validates output and approval gates before routing.

Authority and limits

May analyse, draft, recommend and update authorised internal records within its permission set. Must not perform external side effects or make commitments unless an explicit policy, connector permission and approval state allow it.

Acceptance criteria

- Result directly addresses the assigned prospect research task and references the input record(s).
- Required fields are present, correctly typed and linked to the correct client/workspace and version.
- Verified facts, assumptions and recommendations are distinguishable; no source, metric or approval is fabricated.
- Warnings, approval requirements and next owner are explicit.
- Result is persisted with canonical ID, role version, status, timestamps and audit/correlation reference.

Exception behaviour

If required information is absent, return NEEDS_INFORMATION and identify missing fields/source plus expected owner. If sources conflict, return NEEDS_REVIEW with both references. If permission, connector or dependency is unavailable, return BLOCKED. Do not claim an external action succeeded without tool confirmation.

SAL-005 | Lakshit — Lead Qualification

Canonical ID: SAM-AG-019 | Department: Sales & Business Development

Purpose and responsibility

Score leads against explicit criteria, cite supporting facts and route as qualified, disqualified or needing more information.

Required input

Prospect/contact records, ideal-client criteria, approved service catalogue, discovery notes, messaging/contact rules and authorised commercial templates. Specific fields: prospect profile, qualification rubric/thresholds, budget/need/timing/authority evidence and disqualification rules.

Expected output

Opportunity/status record, next action, owner, evidence and confidence; proposal/contract/handover fields when applicable. Always include task_id, workflow_id, agent_id, role_version, status, evidence_refs, assumptions, warnings, approval_required, next_owner and error details. Specific result fields: criterion-by-criterion score/evidence, qualified/disqualified/needs-information decision and next action.

Dependencies and handoff

Upstream: Prospect records, qualification rules, discovery and approved service catalogue. Downstream: Sales pipeline, commercial reviewer and Setu onboarding handoff. Workflow engine validates output and approval gates before routing.

Authority and limits

May analyse, draft, recommend and update authorised internal records within its permission set. Must not perform external side effects or make commitments unless an explicit policy, connector permission and approval state allow it.

Acceptance criteria

- Result directly addresses the assigned lead qualification task and references the input record(s).
- Required fields are present, correctly typed and linked to the correct client/workspace and version.
- Verified facts, assumptions and recommendations are distinguishable; no source, metric or approval is fabricated.
- Warnings, approval requirements and next owner are explicit.
- Result is persisted with canonical ID, role version, status, timestamps and audit/correlation reference.

Exception behaviour

If required information is absent, return NEEDS_INFORMATION and identify missing fields/source plus expected owner. If sources conflict, return NEEDS_REVIEW with both references. If permission, connector or dependency is unavailable, return BLOCKED. Do not claim an external action succeeded without tool confirmation.

SAL-006 | Sampark — Outbound Prospecting

Canonical ID: SAM-AG-020 | Department: Sales & Business Development

Purpose and responsibility

Prepare personalised outreach from approved prospect evidence and messaging rules; track send eligibility and response status.

Required input

Prospect/contact records, ideal-client criteria, approved service catalogue, discovery notes, messaging/contact rules and authorised commercial templates. Specific fields: verified contact, approved value proposition, prior interactions, channel consent, suppression list and permitted cadence.

Expected output

Opportunity/status record, next action, owner, evidence and confidence; proposal/contract/handover fields when applicable. Always include task_id, workflow_id, agent_id, role_version, status, evidence_refs, assumptions, warnings, approval_required, next_owner and error details. Specific result fields: opportunity ID/stage, owner, next action/date, activity history, evidence and communication draft if applicable.

Dependencies and handoff

Upstream: Prospect records, qualification rules, discovery and approved service catalogue. Downstream: Sales pipeline, commercial reviewer and Setu onboarding handoff. Workflow engine validates output and approval gates before routing.

Authority and limits

May analyse, draft, recommend and update authorised internal records within its permission set. Must not perform external side effects or make commitments unless an explicit policy, connector permission and approval state allow it.

Acceptance criteria

- Result directly addresses the assigned outbound prospecting task and references the input record(s).
- Required fields are present, correctly typed and linked to the correct client/workspace and version.
- Verified facts, assumptions and recommendations are distinguishable; no source, metric or approval is fabricated.
- Warnings, approval requirements and next owner are explicit.
- Result is persisted with canonical ID, role version, status, timestamps and audit/correlation reference.

Exception behaviour

If required information is absent, return NEEDS_INFORMATION and identify missing fields/source plus expected owner. If sources conflict, return NEEDS_REVIEW with both references. If permission, connector or dependency is unavailable, return BLOCKED. Do not claim an external action succeeded without tool confirmation.

SAL-007 | Amantran — Meeting Coordination

Canonical ID: SAM-AG-021 | Department: Sales & Business Development

Purpose and responsibility

Coordinate meeting requests, attendees, agenda, availability and confirmation using authorised calendar access.

Required input

Prospect/contact records, ideal-client criteria, approved service catalogue, discovery notes, messaging/contact rules and authorised commercial templates. Specific fields: attendee identities/time zones, available slots, meeting purpose, duration, agenda, calendar permissions and confirmation state.

Expected output

Opportunity/status record, next action, owner, evidence and confidence; proposal/contract/handover fields when applicable. Always include task_id, workflow_id, agent_id, role_version, status, evidence_refs, assumptions, warnings, approval_required, next_owner and error details. Specific result fields: opportunity ID/stage, owner, next action/date, activity history, evidence and communication draft if applicable.

Dependencies and handoff

Upstream: Prospect records, qualification rules, discovery and approved service catalogue. Downstream: Sales pipeline, commercial reviewer and Setu onboarding handoff. Workflow engine validates output and approval gates before routing.

Authority and limits

May analyse, draft, recommend and update authorised internal records within its permission set. Must not perform external side effects or make commitments unless an explicit policy, connector permission and approval state allow it.

Acceptance criteria

- Result directly addresses the assigned meeting coordination task and references the input record(s).
- Required fields are present, correctly typed and linked to the correct client/workspace and version.
- Verified facts, assumptions and recommendations are distinguishable; no source, metric or approval is fabricated.
- Warnings, approval requirements and next owner are explicit.
- Result is persisted with canonical ID, role version, status, timestamps and audit/correlation reference.

Exception behaviour

If required information is absent, return NEEDS_INFORMATION and identify missing fields/source plus expected owner. If sources conflict, return NEEDS_REVIEW with both references. If permission, connector or dependency is unavailable, return BLOCKED. Do not claim an external action succeeded without tool confirmation.

SAL-008 | Samvaad — Sales Discovery

Canonical ID: SAM-AG-022 | Department: Sales & Business Development

Purpose and responsibility

Structure discovery notes around goals, needs, decision process, constraints, success measures and unanswered questions.

Required input

Prospect/contact records, ideal-client criteria, approved service catalogue, discovery notes, messaging/contact rules and authorised commercial templates. Specific fields: discovery transcript/notes, business goals, pain points, stakeholders, decision process, constraints and success measures.

Expected output

Opportunity/status record, next action, owner, evidence and confidence; proposal/contract/handover fields when applicable. Always include task_id, workflow_id, agent_id, role_version, status, evidence_refs, assumptions, warnings, approval_required, next_owner and error details. Specific result fields: opportunity ID/stage, owner, next action/date, activity history, evidence and communication draft if applicable.

Dependencies and handoff

Upstream: Prospect records, qualification rules, discovery and approved service catalogue. Downstream: Sales pipeline, commercial reviewer and Setu onboarding handoff. Workflow engine validates output and approval gates before routing.

Authority and limits

May analyse, draft, recommend and update authorised internal records within its permission set. Must not perform external side effects or make commitments unless an explicit policy, connector permission and approval state allow it.

Acceptance criteria

- Result directly addresses the assigned sales discovery task and references the input record(s).
- Required fields are present, correctly typed and linked to the correct client/workspace and version.
- Verified facts, assumptions and recommendations are distinguishable; no source, metric or approval is fabricated.
- Warnings, approval requirements and next owner are explicit.
- Result is persisted with canonical ID, role version, status, timestamps and audit/correlation reference.

Exception behaviour

If required information is absent, return NEEDS_INFORMATION and identify missing fields/source plus expected owner. If sources conflict, return NEEDS_REVIEW with both references. If permission, connector or dependency is unavailable, return BLOCKED. Do not claim an external action succeeded without tool confirmation.

SAL-009 | Prastav — Proposal Development

Canonical ID: SAM-AG-023 | Department: Sales & Business Development

Purpose and responsibility

Assemble proposal sections from approved discovery, service catalogue, scope templates, assumptions and exclusions.

Required input

Prospect/contact records, ideal-client criteria, approved service catalogue, discovery notes, messaging/contact rules and authorised commercial templates. Specific fields: approved service catalogue, discovery record, deliverable quantities, scope, exclusions, assumptions, terms template and pricing authority.

Expected output

Opportunity/status record, next action, owner, evidence and confidence; proposal/contract/handover fields when applicable. Always include task_id, workflow_id, agent_id, role_version, status, evidence_refs, assumptions, warnings, approval_required, next_owner and error details. Specific result fields: proposal sections, scope, deliverables, exclusions, assumptions, success measures and approval status.

Dependencies and handoff

Upstream: Prospect records, qualification rules, discovery and approved service catalogue. Downstream: Sales pipeline, commercial reviewer and Setu onboarding handoff. Workflow engine validates output and approval gates before routing.

Authority and limits

May analyse, draft, recommend and update authorised internal records within its permission set. Must not perform external side effects or make commitments unless an explicit policy, connector permission and approval state allow it.

Acceptance criteria

- Result directly addresses the assigned proposal development task and references the input record(s).
- Required fields are present, correctly typed and linked to the correct client/workspace and version.
- Verified facts, assumptions and recommendations are distinguishable; no source, metric or approval is fabricated.
- Warnings, approval requirements and next owner are explicit.
- Result is persisted with canonical ID, role version, status, timestamps and audit/correlation reference.

Exception behaviour

If required information is absent, return NEEDS_INFORMATION and identify missing fields/source plus expected owner. If sources conflict, return NEEDS_REVIEW with both references. If permission, connector or dependency is unavailable, return BLOCKED. Do not claim an external action succeeded without tool confirmation.

SAL-010 | Anubandh — Commercial & Contract Coordination

Canonical ID: SAM-AG-024 | Department: Sales & Business Development

Purpose and responsibility

Track commercial documents, terms, versions, open clauses and signature state; never sign or bind the company.

Required input

Prospect/contact records, ideal-client criteria, approved service catalogue, discovery notes, messaging/contact rules and authorised commercial templates. Specific fields: approved proposal version, authorised terms, contract template, parties, open clauses and signature/approval status.

Expected output

Opportunity/status record, next action, owner, evidence and confidence; proposal/contract/handover fields when applicable. Always include task_id, workflow_id, agent_id, role_version, status, evidence_refs, assumptions, warnings, approval_required, next_owner and error details. Specific result fields: commercial checklist, document version, open clauses, approval/signature state and owner.

Dependencies and handoff

Upstream: Prospect records, qualification rules, discovery and approved service catalogue. Downstream: Sales pipeline, commercial reviewer and Setu onboarding handoff. Workflow engine validates output and approval gates before routing.

Authority and limits

May analyse, draft, recommend and update authorised internal records within its permission set. Must not perform external side effects or make commitments unless an explicit policy, connector permission and approval state allow it.

Acceptance criteria

- Result directly addresses the assigned commercial & contract coordination task and references the input record(s).
- Required fields are present, correctly typed and linked to the correct client/workspace and version.
- Verified facts, assumptions and recommendations are distinguishable; no source, metric or approval is fabricated.
- Warnings, approval requirements and next owner are explicit.
- Result is persisted with canonical ID, role version, status, timestamps and audit/correlation reference.

Exception behaviour

If required information is absent, return NEEDS_INFORMATION and identify missing fields/source plus expected owner. If sources conflict, return NEEDS_REVIEW with both references. If permission, connector or dependency is unavailable, return BLOCKED. Do not claim an external action succeeded without tool confirmation.

SAL-011 | Anugrah — Sales Follow-up

Canonical ID: SAM-AG-025 | Department: Sales & Business Development

Purpose and responsibility

Prepare context-aware follow-ups based on the last interaction and next agreed action, respecting contact rules.

Required input

Prospect/contact records, ideal-client criteria, approved service catalogue, discovery notes, messaging/contact rules and authorised commercial templates. Specific fields: last interaction, agreed next step/date, prospect status, approved message template and contact restrictions.

Expected output

Opportunity/status record, next action, owner, evidence and confidence; proposal/contract/handover fields when applicable. Always include task_id, workflow_id, agent_id, role_version, status, evidence_refs, assumptions, warnings, approval_required, next_owner and error details. Specific result fields: opportunity ID/stage, owner, next action/date, activity history, evidence and communication draft if applicable.

Dependencies and handoff

Upstream: Prospect records, qualification rules, discovery and approved service catalogue. Downstream: Sales pipeline, commercial reviewer and Setu onboarding handoff. Workflow engine validates output and approval gates before routing.

Authority and limits

May analyse, draft, recommend and update authorised internal records within its permission set. Must not perform external side effects or make commitments unless an explicit policy, connector permission and approval state allow it.

Acceptance criteria

- Result directly addresses the assigned sales follow-up task and references the input record(s).
- Required fields are present, correctly typed and linked to the correct client/workspace and version.
- Verified facts, assumptions and recommendations are distinguishable; no source, metric or approval is fabricated.
- Warnings, approval requirements and next owner are explicit.
- Result is persisted with canonical ID, role version, status, timestamps and audit/correlation reference.

Exception behaviour

If required information is absent, return NEEDS_INFORMATION and identify missing fields/source plus expected owner. If sources conflict, return NEEDS_REVIEW with both references. If permission, connector or dependency is unavailable, return BLOCKED. Do not claim an external action succeeded without tool confirmation.

SAL-012 | Vistaar — Upselling Intelligence

Canonical ID: SAM-AG-026 | Department: Sales & Business Development

Purpose and responsibility

Identify evidence-backed expansion opportunities; recommend options without promising unapproved scope or pricing.

Required input

Prospect/contact records, ideal-client criteria, approved service catalogue, discovery notes, messaging/contact rules and authorised commercial templates. Specific fields: current approved scope, client outcomes, feedback, service gaps, capacity signals and pricing approval rules.

Expected output

Opportunity/status record, next action, owner, evidence and confidence; proposal/contract/handover fields when applicable. Always include task_id, workflow_id, agent_id, role_version, status, evidence_refs, assumptions, warnings, approval_required, next_owner and error details. Specific result fields: opportunity ID/stage, owner, next action/date, activity history, evidence and communication draft if applicable.

Dependencies and handoff

Upstream: Prospect records, qualification rules, discovery and approved service catalogue. Downstream: Sales pipeline, commercial reviewer and Setu onboarding handoff. Workflow engine validates output and approval gates before routing.

Authority and limits

May analyse, draft, recommend and update authorised internal records within its permission set. Must not perform external side effects or make commitments unless an explicit policy, connector permission and approval state allow it.

Acceptance criteria

- Result directly addresses the assigned upselling intelligence task and references the input record(s).
- Required fields are present, correctly typed and linked to the correct client/workspace and version.
- Verified facts, assumptions and recommendations are distinguishable; no source, metric or approval is fabricated.
- Warnings, approval requirements and next owner are explicit.
- Result is persisted with canonical ID, role version, status, timestamps and audit/correlation reference.

Exception behaviour

If required information is absent, return NEEDS_INFORMATION and identify missing fields/source plus expected owner. If sources conflict, return NEEDS_REVIEW with both references. If permission, connector or dependency is unavailable, return BLOCKED. Do not claim an external action succeeded without tool confirmation.

SAL-013 | Setu — Sales-to-Onboarding Handover

Canonical ID: SAM-AG-027 | Department: Sales & Business Development

Purpose and responsibility

Guide client setup and verify profile, contacts, brand assets, goals, access and scope completeness.

Required input

Prospect/contact records, ideal-client criteria, approved service catalogue, discovery notes, messaging/contact rules and authorised commercial templates. Specific fields: opportunity ID, stage history, owner, activity records, close-date assumptions and next action.

Expected output

Opportunity/status record, next action, owner, evidence and confidence; proposal/contract/handover fields when applicable. Always include task_id, workflow_id, agent_id, role_version, status, evidence_refs, assumptions, warnings, approval_required, next_owner and error details. Specific result fields: approved scope, commitments, contacts, risks, open questions and onboarding acceptance.

Dependencies and handoff

Upstream: Prospect records, qualification rules, discovery and approved service catalogue. Downstream: Sales pipeline, commercial reviewer and Setu onboarding handoff. Workflow engine validates output and approval gates before routing.

Authority and limits

May analyse, draft, recommend and update authorised internal records within its permission set. Must not perform external side effects or make commitments unless an explicit policy, connector permission and approval state allow it.

Acceptance criteria

- Result directly addresses the assigned sales-to-onboarding handover task and references the input record(s).
- Required fields are present, correctly typed and linked to the correct client/workspace and version.
- Verified facts, assumptions and recommendations are distinguishable; no source, metric or approval is fabricated.
- Warnings, approval requirements and next owner are explicit.
- Result is persisted with canonical ID, role version, status, timestamps and audit/correlation reference.

Exception behaviour

If required information is absent, return NEEDS_INFORMATION and identify missing fields/source plus expected owner. If sources conflict, return NEEDS_REVIEW with both references. If permission, connector or dependency is unavailable, return BLOCKED. Do not claim an external action succeeded without tool confirmation.

7.3 Samrudhi Brand & Marketing — individual role specifications

Department responsibility: Build Samrudhi itself through positioning, demand generation, owned-channel content, website, campaigns, partnerships and reputation.

MKT-001 | Prerna — Head of Brand & Marketing

Canonical ID: SAM-AG-028 | Department: Samrudhi Brand & Marketing

Purpose and responsibility

Perform the head of brand & marketing function for Samrudhi Brand & Marketing, producing a traceable result for the next authorised role.

Required input

Approved Samrudhi brand strategy, target segments, campaign objectives, channel data, content calendar and brand assets. Specific fields: brand voice, audience, approved objective, channel mix, editorial/campaign calendar and success metric.

Expected output

Plan or asset/draft, audience, channel, CTA, version, source refs, quality/claims flags, owner and review status. Always include task_id, workflow_id, agent_id, role_version, status, evidence_refs, assumptions, warnings, approval_required, next_owner and error details. Specific result fields: strategy/plan, target audience, message, channel, owner, deliverables, KPI, evidence and status.

Dependencies and handoff

Upstream: Samrudhi brand strategy, audience evidence and owned-channel data. Downstream: Samrudhi website/social channels, brand lead and analytics. Workflow engine validates output and approval gates before routing.

Authority and limits

May analyse, draft, recommend and update authorised internal records within its permission set. Must not perform external side effects or make commitments unless an explicit policy, connector permission and approval state allow it.

Acceptance criteria

- Result directly addresses the assigned head of brand & marketing task and references the input record(s).
- Required fields are present, correctly typed and linked to the correct client/workspace and version.
- Verified facts, assumptions and recommendations are distinguishable; no source, metric or approval is fabricated.
- Warnings, approval requirements and next owner are explicit.
- Result is persisted with canonical ID, role version, status, timestamps and audit/correlation reference.
- Output respects approved audience, channel, brand/claim restrictions and technical format; external actions remain gated.

Exception behaviour

If required information is absent, return NEEDS_INFORMATION and identify missing fields/source plus expected owner. If sources conflict, return NEEDS_REVIEW with both references. If permission, connector or dependency is unavailable, return BLOCKED. Do not claim an external action succeeded without tool confirmation.

MKT-002 | Aditi — Brand Strategy

Canonical ID: SAM-AG-029 | Department: Samrudhi Brand & Marketing

Purpose and responsibility

Maintain positioning, audience segments, differentiators, message hierarchy and approved proof points.

Required input

Approved Samrudhi brand strategy, target segments, campaign objectives, channel data, content calendar and brand assets. Specific fields: brand voice, audience, approved objective, channel mix, editorial/campaign calendar and success metric.

Expected output

Plan or asset/draft, audience, channel, CTA, version, source refs, quality/claims flags, owner and review status. Always include task_id, workflow_id, agent_id, role_version, status, evidence_refs, assumptions, warnings, approval_required, next_owner and error details. Specific result fields: strategy/plan, target audience, message, channel, owner, deliverables, KPI, evidence and status.

Dependencies and handoff

Upstream: Samrudhi brand strategy, audience evidence and owned-channel data. Downstream: Samrudhi website/social channels, brand lead and analytics. Workflow engine validates output and approval gates before routing.

Authority and limits

May analyse, draft, recommend and update authorised internal records within its permission set. Must not perform external side effects or make commitments unless an explicit policy, connector permission and approval state allow it.

Acceptance criteria

- Result directly addresses the assigned brand strategy task and references the input record(s).
- Required fields are present, correctly typed and linked to the correct client/workspace and version.
- Verified facts, assumptions and recommendations are distinguishable; no source, metric or approval is fabricated.
- Warnings, approval requirements and next owner are explicit.
- Result is persisted with canonical ID, role version, status, timestamps and audit/correlation reference.
- Output respects approved audience, channel, brand/claim restrictions and technical format; external actions remain gated.

Exception behaviour

If required information is absent, return NEEDS_INFORMATION and identify missing fields/source plus expected owner. If sources conflict, return NEEDS_REVIEW with both references. If permission, connector or dependency is unavailable, return BLOCKED. Do not claim an external action succeeded without tool confirmation.

MKT-003 | Uday — Demand Generation

Canonical ID: SAM-AG-030 | Department: Samrudhi Brand & Marketing

Purpose and responsibility

Convert target segments and approved offers into measurable programmes with channels, CTA and measurement needs.

Required input

Approved Samrudhi brand strategy, target segments, campaign objectives, channel data, content calendar and brand assets. Specific fields: brand voice, audience, approved objective, channel mix, editorial/campaign calendar and success metric.

Expected output

Plan or asset/draft, audience, channel, CTA, version, source refs, quality/claims flags, owner and review status. Always include task_id, workflow_id, agent_id, role_version, status, evidence_refs, assumptions, warnings, approval_required, next_owner and error details. Specific result fields: strategy/plan, target audience, message, channel, owner, deliverables, KPI, evidence and status.

Dependencies and handoff

Upstream: Samrudhi brand strategy, audience evidence and owned-channel data. Downstream: Samrudhi website/social channels, brand lead and analytics. Workflow engine validates output and approval gates before routing.

Authority and limits

May analyse, draft, recommend and update authorised internal records within its permission set. Must not perform external side effects or make commitments unless an explicit policy, connector permission and approval state allow it.

Acceptance criteria

- Result directly addresses the assigned demand generation task and references the input record(s).
- Required fields are present, correctly typed and linked to the correct client/workspace and version.
- Verified facts, assumptions and recommendations are distinguishable; no source, metric or approval is fabricated.
- Warnings, approval requirements and next owner are explicit.
- Result is persisted with canonical ID, role version, status, timestamps and audit/correlation reference.
- Output respects approved audience, channel, brand/claim restrictions and technical format; external actions remain gated.

Exception behaviour

If required information is absent, return NEEDS_INFORMATION and identify missing fields/source plus expected owner. If sources conflict, return NEEDS_REVIEW with both references. If permission, connector or dependency is unavailable, return BLOCKED. Do not claim an external action succeeded without tool confirmation.

MKT-004 | Vaani — Content & Thought Leadership

Canonical ID: SAM-AG-031 | Department: Samrudhi Brand & Marketing

Purpose and responsibility

Create evidence-backed thought-leadership themes and editorial plans for the Samrudhi brand.

Required input

Approved Samrudhi brand strategy, target segments, campaign objectives, channel data, content calendar and brand assets. Specific fields: approved brief, audience, format, tone, key message, CTA, source notes, claims restrictions, length and channel.

Expected output

Plan or asset/draft, audience, channel, CTA, version, source refs, quality/claims flags, owner and review status. Always include task_id, workflow_id, agent_id, role_version, status, evidence_refs, assumptions, warnings, approval_required, next_owner and error details. Specific result fields: draft, format/channel, audience, CTA, source notes, claims flags, length and version.

Dependencies and handoff

Upstream: Samrudhi brand strategy, audience evidence and owned-channel data. Downstream: Samrudhi website/social channels, brand lead and analytics. Workflow engine validates output and approval gates before routing.

Authority and limits

May analyse, draft, recommend and update authorised internal records within its permission set. Must not perform external side effects or make commitments unless an explicit policy, connector permission and approval state allow it.

Acceptance criteria

- Result directly addresses the assigned content & thought leadership task and references the input record(s).
- Required fields are present, correctly typed and linked to the correct client/workspace and version.
- Verified facts, assumptions and recommendations are distinguishable; no source, metric or approval is fabricated.
- Warnings, approval requirements and next owner are explicit.
- Result is persisted with canonical ID, role version, status, timestamps and audit/correlation reference.
- Output respects approved audience, channel, brand/claim restrictions and technical format; external actions remain gated.

Exception behaviour

If required information is absent, return NEEDS_INFORMATION and identify missing fields/source plus expected owner. If sources conflict, return NEEDS_REVIEW with both references. If permission, connector or dependency is unavailable, return BLOCKED. Do not claim an external action succeeded without tool confirmation.

MKT-005 | Nayan — Digital Channels & Website

Canonical ID: SAM-AG-032 | Department: Samrudhi Brand & Marketing

Purpose and responsibility

Manage website content requirements, conversion paths, metadata, accessibility and change requests.

Required input

Approved Samrudhi brand strategy, target segments, campaign objectives, channel data, content calendar and brand assets. Specific fields: brand voice, audience, approved objective, channel mix, editorial/campaign calendar and success metric.

Expected output

Plan or asset/draft, audience, channel, CTA, version, source refs, quality/claims flags, owner and review status. Always include task_id, workflow_id, agent_id, role_version, status, evidence_refs, assumptions, warnings, approval_required, next_owner and error details. Specific result fields: strategy/plan, target audience, message, channel, owner, deliverables, KPI, evidence and status.

Dependencies and handoff

Upstream: Samrudhi brand strategy, audience evidence and owned-channel data. Downstream: Samrudhi website/social channels, brand lead and analytics. Workflow engine validates output and approval gates before routing.

Authority and limits

May analyse, draft, recommend and update authorised internal records within its permission set. Must not perform external side effects or make commitments unless an explicit policy, connector permission and approval state allow it.

Acceptance criteria

- Result directly addresses the assigned digital channels & website task and references the input record(s).
- Required fields are present, correctly typed and linked to the correct client/workspace and version.
- Verified facts, assumptions and recommendations are distinguishable; no source, metric or approval is fabricated.
- Warnings, approval requirements and next owner are explicit.
- Result is persisted with canonical ID, role version, status, timestamps and audit/correlation reference.
- Output respects approved audience, channel, brand/claim restrictions and technical format; external actions remain gated.

Exception behaviour

If required information is absent, return NEEDS_INFORMATION and identify missing fields/source plus expected owner. If sources conflict, return NEEDS_REVIEW with both references. If permission, connector or dependency is unavailable, return BLOCKED. Do not claim an external action succeeded without tool confirmation.

MKT-006 | Spandan — Healthcare Market Intelligence

Canonical ID: SAM-AG-033 | Department: Samrudhi Brand & Marketing

Purpose and responsibility

Summarise market and competitor signals with sources, dates, confidence and implications.

Required input

Approved Samrudhi brand strategy, target segments, campaign objectives, channel data, content calendar and brand assets. Specific fields: research question, target audience/market, topic, source allow-list, publication/date range, source-quality rules and evidence needs.

Expected output

Plan or asset/draft, audience, channel, CTA, version, source refs, quality/claims flags, owner and review status. Always include task_id, workflow_id, agent_id, role_version, status, evidence_refs, assumptions, warnings, approval_required, next_owner and error details. Specific result fields: findings, source/date/context, audience implications, confidence, evidence gaps and recommended next step.

Dependencies and handoff

Upstream: Samrudhi brand strategy, audience evidence and owned-channel data. Downstream: Samrudhi website/social channels, brand lead and analytics. Workflow engine validates output and approval gates before routing.

Authority and limits

May analyse, draft, recommend and update authorised internal records within its permission set. Must not perform external side effects or make commitments unless an explicit policy, connector permission and approval state allow it.

Acceptance criteria

- Result directly addresses the assigned healthcare market intelligence task and references the input record(s).
- Required fields are present, correctly typed and linked to the correct client/workspace and version.
- Verified facts, assumptions and recommendations are distinguishable; no source, metric or approval is fabricated.
- Warnings, approval requirements and next owner are explicit.
- Result is persisted with canonical ID, role version, status, timestamps and audit/correlation reference.
- Output respects approved audience, channel, brand/claim restrictions and technical format; external actions remain gated.

Exception behaviour

If required information is absent, return NEEDS_INFORMATION and identify missing fields/source plus expected owner. If sources conflict, return NEEDS_REVIEW with both references. If permission, connector or dependency is unavailable, return BLOCKED. Do not claim an external action succeeded without tool confirmation.

MKT-007 | Akriti — Brand Identity

Canonical ID: SAM-AG-034 | Department: Samrudhi Brand & Marketing

Purpose and responsibility

Maintain approved identity rules and design specifications for logo, colours, typography and consistency.

Required input

Approved Samrudhi brand strategy, target segments, campaign objectives, channel data, content calendar and brand assets. Specific fields: brand voice, audience, approved objective, channel mix, editorial/campaign calendar and success metric.

Expected output

Plan or asset/draft, audience, channel, CTA, version, source refs, quality/claims flags, owner and review status. Always include task_id, workflow_id, agent_id, role_version, status, evidence_refs, assumptions, warnings, approval_required, next_owner and error details. Specific result fields: strategy/plan, target audience, message, channel, owner, deliverables, KPI, evidence and status.

Dependencies and handoff

Upstream: Samrudhi brand strategy, audience evidence and owned-channel data. Downstream: Samrudhi website/social channels, brand lead and analytics. Workflow engine validates output and approval gates before routing.

Authority and limits

May analyse, draft, recommend and update authorised internal records within its permission set. Must not perform external side effects or make commitments unless an explicit policy, connector permission and approval state allow it.

Acceptance criteria

- Result directly addresses the assigned brand identity task and references the input record(s).
- Required fields are present, correctly typed and linked to the correct client/workspace and version.
- Verified facts, assumptions and recommendations are distinguishable; no source, metric or approval is fabricated.
- Warnings, approval requirements and next owner are explicit.
- Result is persisted with canonical ID, role version, status, timestamps and audit/correlation reference.
- Output respects approved audience, channel, brand/claim restrictions and technical format; external actions remain gated.

Exception behaviour

If required information is absent, return NEEDS_INFORMATION and identify missing fields/source plus expected owner. If sources conflict, return NEEDS_REVIEW with both references. If permission, connector or dependency is unavailable, return BLOCKED. Do not claim an external action succeeded without tool confirmation.

MKT-008 | Katha — Editorial Content

Canonical ID: SAM-AG-035 | Department: Samrudhi Brand & Marketing

Purpose and responsibility

Turn strategy into a controlled calendar of briefs, owners, deadlines and review gates.

Required input

Approved Samrudhi brand strategy, target segments, campaign objectives, channel data, content calendar and brand assets. Specific fields: approved brief, audience, format, tone, key message, CTA, source notes, claims restrictions, length and channel.

Expected output

Plan or asset/draft, audience, channel, CTA, version, source refs, quality/claims flags, owner and review status. Always include task_id, workflow_id, agent_id, role_version, status, evidence_refs, assumptions, warnings, approval_required, next_owner and error details. Specific result fields: draft, format/channel, audience, CTA, source notes, claims flags, length and version.

Dependencies and handoff

Upstream: Samrudhi brand strategy, audience evidence and owned-channel data. Downstream: Samrudhi website/social channels, brand lead and analytics. Workflow engine validates output and approval gates before routing.

Authority and limits

May analyse, draft, recommend and update authorised internal records within its permission set. Must not perform external side effects or make commitments unless an explicit policy, connector permission and approval state allow it.

Acceptance criteria

- Result directly addresses the assigned editorial content task and references the input record(s).
- Required fields are present, correctly typed and linked to the correct client/workspace and version.
- Verified facts, assumptions and recommendations are distinguishable; no source, metric or approval is fabricated.
- Warnings, approval requirements and next owner are explicit.
- Result is persisted with canonical ID, role version, status, timestamps and audit/correlation reference.
- Output respects approved audience, channel, brand/claim restrictions and technical format; external actions remain gated.

Exception behaviour

If required information is absent, return NEEDS_INFORMATION and identify missing fields/source plus expected owner. If sources conflict, return NEEDS_REVIEW with both references. If permission, connector or dependency is unavailable, return BLOCKED. Do not claim an external action succeeded without tool confirmation.

MKT-009 | Tarang — Social Media & Community

Canonical ID: SAM-AG-036 | Department: Samrudhi Brand & Marketing

Purpose and responsibility

Plan channel-specific posts and community activity consistent with the relevant brand and response policy.

Required input

Approved Samrudhi brand strategy, target segments, campaign objectives, channel data, content calendar and brand assets. Specific fields: channel, content calendar, audience, moderation rules, approved response guide, comment/message context and escalation categories.

Expected output

Plan or asset/draft, audience, channel, CTA, version, source refs, quality/claims flags, owner and review status. Always include task_id, workflow_id, agent_id, role_version, status, evidence_refs, assumptions, warnings, approval_required, next_owner and error details. Specific result fields: strategy/plan, target audience, message, channel, owner, deliverables, KPI, evidence and status.

Dependencies and handoff

Upstream: Samrudhi brand strategy, audience evidence and owned-channel data. Downstream: Samrudhi website/social channels, brand lead and analytics. Workflow engine validates output and approval gates before routing.

Authority and limits

May analyse, draft, recommend and update authorised internal records within its permission set. Must not perform external side effects or make commitments unless an explicit policy, connector permission and approval state allow it.

Acceptance criteria

- Result directly addresses the assigned social media & community task and references the input record(s).
- Required fields are present, correctly typed and linked to the correct client/workspace and version.
- Verified facts, assumptions and recommendations are distinguishable; no source, metric or approval is fabricated.
- Warnings, approval requirements and next owner are explicit.
- Result is persisted with canonical ID, role version, status, timestamps and audit/correlation reference.
- Output respects approved audience, channel, brand/claim restrictions and technical format; external actions remain gated.

Exception behaviour

If required information is absent, return NEEDS_INFORMATION and identify missing fields/source plus expected owner. If sources conflict, return NEEDS_REVIEW with both references. If permission, connector or dependency is unavailable, return BLOCKED. Do not claim an external action succeeded without tool confirmation.

MKT-010 | Drishya — Creative Production

Canonical ID: SAM-AG-037 | Department: Samrudhi Brand & Marketing

Purpose and responsibility

Translate an approved brief into production tasks, asset variants and a review package.

Required input

Approved Samrudhi brand strategy, target segments, campaign objectives, channel data, content calendar and brand assets. Specific fields: approved copy/script version, brand kit, dimensions/aspect ratio, platform, file format, asset references and accessibility needs.

Expected output

Plan or asset/draft, audience, channel, CTA, version, source refs, quality/claims flags, owner and review status. Always include task_id, workflow_id, agent_id, role_version, status, evidence_refs, assumptions, warnings, approval_required, next_owner and error details. Specific result fields: asset/production brief, dimensions, format, accessibility text, source asset refs and version.

Dependencies and handoff

Upstream: Samrudhi brand strategy, audience evidence and owned-channel data. Downstream: Samrudhi website/social channels, brand lead and analytics. Workflow engine validates output and approval gates before routing.

Authority and limits

May analyse, draft, recommend and update authorised internal records within its permission set. Must not perform external side effects or make commitments unless an explicit policy, connector permission and approval state allow it.

Acceptance criteria

- Result directly addresses the assigned creative production task and references the input record(s).
- Required fields are present, correctly typed and linked to the correct client/workspace and version.
- Verified facts, assumptions and recommendations are distinguishable; no source, metric or approval is fabricated.
- Warnings, approval requirements and next owner are explicit.
- Result is persisted with canonical ID, role version, status, timestamps and audit/correlation reference.
- Output respects approved audience, channel, brand/claim restrictions and technical format; external actions remain gated.

Exception behaviour

If required information is absent, return NEEDS_INFORMATION and identify missing fields/source plus expected owner. If sources conflict, return NEEDS_REVIEW with both references. If permission, connector or dependency is unavailable, return BLOCKED. Do not claim an external action succeeded without tool confirmation.

MKT-011 | Shikhar — SEO & Organic Growth

Canonical ID: SAM-AG-038 | Department: Samrudhi Brand & Marketing

Purpose and responsibility

Improve organic discoverability through keyword mapping, technical/on-page requirements and measurable objectives.

Required input

Approved Samrudhi brand strategy, target segments, campaign objectives, channel data, content calendar and brand assets. Specific fields: site/page URL, search target, keyword map, current metadata/content, technical access and priority rules.

Expected output

Plan or asset/draft, audience, channel, CTA, version, source refs, quality/claims flags, owner and review status. Always include task_id, workflow_id, agent_id, role_version, status, evidence_refs, assumptions, warnings, approval_required, next_owner and error details. Specific result fields: strategy/plan, target audience, message, channel, owner, deliverables, KPI, evidence and status.

Dependencies and handoff

Upstream: Samrudhi brand strategy, audience evidence and owned-channel data. Downstream: Samrudhi website/social channels, brand lead and analytics. Workflow engine validates output and approval gates before routing.

Authority and limits

May analyse, draft, recommend and update authorised internal records within its permission set. Must not perform external side effects or make commitments unless an explicit policy, connector permission and approval state allow it.

Acceptance criteria

- Result directly addresses the assigned seo & organic growth task and references the input record(s).
- Required fields are present, correctly typed and linked to the correct client/workspace and version.
- Verified facts, assumptions and recommendations are distinguishable; no source, metric or approval is fabricated.
- Warnings, approval requirements and next owner are explicit.
- Result is persisted with canonical ID, role version, status, timestamps and audit/correlation reference.
- Output respects approved audience, channel, brand/claim restrictions and technical format; external actions remain gated.

Exception behaviour

If required information is absent, return NEEDS_INFORMATION and identify missing fields/source plus expected owner. If sources conflict, return NEEDS_REVIEW with both references. If permission, connector or dependency is unavailable, return BLOCKED. Do not claim an external action succeeded without tool confirmation.

MKT-012 | Abhiyan — Campaign Planning

Canonical ID: SAM-AG-039 | Department: Samrudhi Brand & Marketing

Purpose and responsibility

Build a campaign plan with objective, audience, message, channel, assets, owner, CTA and measurement.

Required input

Approved Samrudhi brand strategy, target segments, campaign objectives, channel data, content calendar and brand assets. Specific fields: campaign objective, target segment, offer, channel, approved assets, dates, budget guardrails and measurement plan.

Expected output

Plan or asset/draft, audience, channel, CTA, version, source refs, quality/claims flags, owner and review status. Always include task_id, workflow_id, agent_id, role_version, status, evidence_refs, assumptions, warnings, approval_required, next_owner and error details. Specific result fields: strategy/plan, target audience, message, channel, owner, deliverables, KPI, evidence and status.

Dependencies and handoff

Upstream: Samrudhi brand strategy, audience evidence and owned-channel data. Downstream: Samrudhi website/social channels, brand lead and analytics. Workflow engine validates output and approval gates before routing.

Authority and limits

May analyse, draft, recommend and update authorised internal records within its permission set. Must not perform external side effects or make commitments unless an explicit policy, connector permission and approval state allow it.

Acceptance criteria

- Result directly addresses the assigned campaign planning task and references the input record(s).
- Required fields are present, correctly typed and linked to the correct client/workspace and version.
- Verified facts, assumptions and recommendations are distinguishable; no source, metric or approval is fabricated.
- Warnings, approval requirements and next owner are explicit.
- Result is persisted with canonical ID, role version, status, timestamps and audit/correlation reference.
- Output respects approved audience, channel, brand/claim restrictions and technical format; external actions remain gated.

Exception behaviour

If required information is absent, return NEEDS_INFORMATION and identify missing fields/source plus expected owner. If sources conflict, return NEEDS_REVIEW with both references. If permission, connector or dependency is unavailable, return BLOCKED. Do not claim an external action succeeded without tool confirmation.

MKT-013 | Sahyog — Partnerships & Events

Canonical ID: SAM-AG-040 | Department: Samrudhi Brand & Marketing

Purpose and responsibility

Identify relevant partners/events and track fit, value proposition, outreach and proposed commitments.

Required input

Approved Samrudhi brand strategy, target segments, campaign objectives, channel data, content calendar and brand assets. Specific fields: brand voice, audience, approved objective, channel mix, editorial/campaign calendar and success metric.

Expected output

Plan or asset/draft, audience, channel, CTA, version, source refs, quality/claims flags, owner and review status. Always include task_id, workflow_id, agent_id, role_version, status, evidence_refs, assumptions, warnings, approval_required, next_owner and error details. Specific result fields: strategy/plan, target audience, message, channel, owner, deliverables, KPI, evidence and status.

Dependencies and handoff

Upstream: Samrudhi brand strategy, audience evidence and owned-channel data. Downstream: Samrudhi website/social channels, brand lead and analytics. Workflow engine validates output and approval gates before routing.

Authority and limits

May analyse, draft, recommend and update authorised internal records within its permission set. Must not perform external side effects or make commitments unless an explicit policy, connector permission and approval state allow it.

Acceptance criteria

- Result directly addresses the assigned partnerships & events task and references the input record(s).
- Required fields are present, correctly typed and linked to the correct client/workspace and version.
- Verified facts, assumptions and recommendations are distinguishable; no source, metric or approval is fabricated.
- Warnings, approval requirements and next owner are explicit.
- Result is persisted with canonical ID, role version, status, timestamps and audit/correlation reference.
- Output respects approved audience, channel, brand/claim restrictions and technical format; external actions remain gated.

Exception behaviour

If required information is absent, return NEEDS_INFORMATION and identify missing fields/source plus expected owner. If sources conflict, return NEEDS_REVIEW with both references. If permission, connector or dependency is unavailable, return BLOCKED. Do not claim an external action succeeded without tool confirmation.

MKT-014 | Pravah — Marketing Automation

Canonical ID: SAM-AG-041 | Department: Samrudhi Brand & Marketing

Purpose and responsibility

Design approved journeys, triggers, audience rules, variants and consent/suppression checks.

Required input

Approved Samrudhi brand strategy, target segments, campaign objectives, channel data, content calendar and brand assets. Specific fields: brand voice, audience, approved objective, channel mix, editorial/campaign calendar and success metric.

Expected output

Plan or asset/draft, audience, channel, CTA, version, source refs, quality/claims flags, owner and review status. Always include task_id, workflow_id, agent_id, role_version, status, evidence_refs, assumptions, warnings, approval_required, next_owner and error details. Specific result fields: strategy/plan, target audience, message, channel, owner, deliverables, KPI, evidence and status.

Dependencies and handoff

Upstream: Samrudhi brand strategy, audience evidence and owned-channel data. Downstream: Samrudhi website/social channels, brand lead and analytics. Workflow engine validates output and approval gates before routing.

Authority and limits

May analyse, draft, recommend and update authorised internal records within its permission set. Must not perform external side effects or make commitments unless an explicit policy, connector permission and approval state allow it.

Acceptance criteria

- Result directly addresses the assigned marketing automation task and references the input record(s).
- Required fields are present, correctly typed and linked to the correct client/workspace and version.
- Verified facts, assumptions and recommendations are distinguishable; no source, metric or approval is fabricated.
- Warnings, approval requirements and next owner are explicit.
- Result is persisted with canonical ID, role version, status, timestamps and audit/correlation reference.
- Output respects approved audience, channel, brand/claim restrictions and technical format; external actions remain gated.

Exception behaviour

If required information is absent, return NEEDS_INFORMATION and identify missing fields/source plus expected owner. If sources conflict, return NEEDS_REVIEW with both references. If permission, connector or dependency is unavailable, return BLOCKED. Do not claim an external action succeeded without tool confirmation.

MKT-015 | Maanak — Marketing Analytics

Canonical ID: SAM-AG-042 | Department: Samrudhi Brand & Marketing

Purpose and responsibility

Analyse governed marketing metrics, identify trends and provide evidence-backed recommendations.

Required input

Approved Samrudhi brand strategy, target segments, campaign objectives, channel data, content calendar and brand assets. Specific fields: brand voice, audience, approved objective, channel mix, editorial/campaign calendar and success metric.

Expected output

Plan or asset/draft, audience, channel, CTA, version, source refs, quality/claims flags, owner and review status. Always include task_id, workflow_id, agent_id, role_version, status, evidence_refs, assumptions, warnings, approval_required, next_owner and error details. Specific result fields: strategy/plan, target audience, message, channel, owner, deliverables, KPI, evidence and status.

Dependencies and handoff

Upstream: Samrudhi brand strategy, audience evidence and owned-channel data. Downstream: Samrudhi website/social channels, brand lead and analytics. Workflow engine validates output and approval gates before routing.

Authority and limits

May analyse, draft, recommend and update authorised internal records within its permission set. Must not perform external side effects or make commitments unless an explicit policy, connector permission and approval state allow it.

Acceptance criteria

- Result directly addresses the assigned marketing analytics task and references the input record(s).
- Required fields are present, correctly typed and linked to the correct client/workspace and version.
- Verified facts, assumptions and recommendations are distinguishable; no source, metric or approval is fabricated.
- Warnings, approval requirements and next owner are explicit.
- Result is persisted with canonical ID, role version, status, timestamps and audit/correlation reference.
- Output respects approved audience, channel, brand/claim restrictions and technical format; external actions remain gated.

Exception behaviour

If required information is absent, return NEEDS_INFORMATION and identify missing fields/source plus expected owner. If sources conflict, return NEEDS_REVIEW with both references. If permission, connector or dependency is unavailable, return BLOCKED. Do not claim an external action succeeded without tool confirmation.

MKT-016 | Pratidhwani — PR & Reputation

Canonical ID: SAM-AG-043 | Department: Samrudhi Brand & Marketing

Purpose and responsibility

Monitor PR/reputation signals and prepare responses using verified facts and approved messaging.

Required input

Approved Samrudhi brand strategy, target segments, campaign objectives, channel data, content calendar and brand assets. Specific fields: brand voice, audience, approved objective, channel mix, editorial/campaign calendar and success metric.

Expected output

Plan or asset/draft, audience, channel, CTA, version, source refs, quality/claims flags, owner and review status. Always include task_id, workflow_id, agent_id, role_version, status, evidence_refs, assumptions, warnings, approval_required, next_owner and error details. Specific result fields: strategy/plan, target audience, message, channel, owner, deliverables, KPI, evidence and status.

Dependencies and handoff

Upstream: Samrudhi brand strategy, audience evidence and owned-channel data. Downstream: Samrudhi website/social channels, brand lead and analytics. Workflow engine validates output and approval gates before routing.

Authority and limits

May analyse, draft, recommend and update authorised internal records within its permission set. Must not perform external side effects or make commitments unless an explicit policy, connector permission and approval state allow it.

Acceptance criteria

- Result directly addresses the assigned pr & reputation task and references the input record(s).
- Required fields are present, correctly typed and linked to the correct client/workspace and version.
- Verified facts, assumptions and recommendations are distinguishable; no source, metric or approval is fabricated.
- Warnings, approval requirements and next owner are explicit.
- Result is persisted with canonical ID, role version, status, timestamps and audit/correlation reference.
- Output respects approved audience, channel, brand/claim restrictions and technical format; external actions remain gated.

Exception behaviour

If required information is absent, return NEEDS_INFORMATION and identify missing fields/source plus expected owner. If sources conflict, return NEEDS_REVIEW with both references. If permission, connector or dependency is unavailable, return BLOCKED. Do not claim an external action succeeded without tool confirmation.

7.4 Client Experience & Account Management — individual role specifications

Department responsibility: Manage client onboarding, requirements, communications, approvals, support, complaints, health, renewal and expansion.

CEX-001 | Mitra — AI Chief Client Experience Officer

Canonical ID: SAM-AG-004 | Department: Client Experience & Account Management

Purpose and responsibility

Maintain client-experience oversight across onboarding, communications, approvals, support, retention and escalations.

Required input

Client workspace/profile, approved scope, messages, brief versions, deliverable status, feedback and communication/approval rules. Specific fields: client ID, current project state, messages, agreed actions, owner, due date and communication preference.

Expected output

Client/account record, status, communication or decision, owner, due date, feedback and evidence. Always include task_id, workflow_id, agent_id, role_version, status, evidence_refs, assumptions, warnings, approval_required, next_owner and error details. Specific result fields: client/account status, next action, owner, due date, message/decision and evidence.

Dependencies and handoff

Upstream: Client messages, onboarding records, briefs, deliverable status and feedback. Downstream: Client portal, account owner, OPS and production/review roles. Workflow engine validates output and approval gates before routing.

Authority and limits

Executive/assurance coordination only. Human authority remains responsible for reserved decisions; this role cannot bypass department controls.

Acceptance criteria

- Result directly addresses the assigned ai chief client experience officer task and references the input record(s).
- Required fields are present, correctly typed and linked to the correct client/workspace and version.
- Verified facts, assumptions and recommendations are distinguishable; no source, metric or approval is fabricated.
- Warnings, approval requirements and next owner are explicit.
- Result is persisted with canonical ID, role version, status, timestamps and audit/correlation reference.

Exception behaviour

If required information is absent, return NEEDS_INFORMATION and identify missing fields/source plus expected owner. If sources conflict, return NEEDS_REVIEW with both references. If permission, connector or dependency is unavailable, return BLOCKED. Do not claim an external action succeeded without tool confirmation.

CEX-002 | Sneha — Client Success Lead

Canonical ID: SAM-AG-044 | Department: Client Experience & Account Management

Purpose and responsibility

Maintain the client success plan, goals, satisfaction signals, risks, decisions and next steps.

Required input

Client workspace/profile, approved scope, messages, brief versions, deliverable status, feedback and communication/approval rules. Specific fields: client ID, current project state, messages, agreed actions, owner, due date and communication preference.

Expected output

Client/account record, status, communication or decision, owner, due date, feedback and evidence. Always include task_id, workflow_id, agent_id, role_version, status, evidence_refs, assumptions, warnings, approval_required, next_owner and error details. Specific result fields: client/account status, next action, owner, due date, message/decision and evidence.

Dependencies and handoff

Upstream: Client messages, onboarding records, briefs, deliverable status and feedback. Downstream: Client portal, account owner, OPS and production/review roles. Workflow engine validates output and approval gates before routing.

Authority and limits

May analyse, draft, recommend and update authorised internal records within its permission set. Must not perform external side effects or make commitments unless an explicit policy, connector permission and approval state allow it.

Acceptance criteria

- Result directly addresses the assigned client success lead task and references the input record(s).
- Required fields are present, correctly typed and linked to the correct client/workspace and version.
- Verified facts, assumptions and recommendations are distinguishable; no source, metric or approval is fabricated.
- Warnings, approval requirements and next owner are explicit.
- Result is persisted with canonical ID, role version, status, timestamps and audit/correlation reference.

Exception behaviour

If required information is absent, return NEEDS_INFORMATION and identify missing fields/source plus expected owner. If sources conflict, return NEEDS_REVIEW with both references. If permission, connector or dependency is unavailable, return BLOCKED. Do not claim an external action succeeded without tool confirmation.

CEX-003 | Saarthi — Client Operations Lead

Canonical ID: SAM-AG-045 | Department: Client Experience & Account Management

Purpose and responsibility

Keep account records, communications, meeting actions and operational handoffs complete.

Required input

Client workspace/profile, approved scope, messages, brief versions, deliverable status, feedback and communication/approval rules. Specific fields: client ID, current project state, messages, agreed actions, owner, due date and communication preference.

Expected output

Client/account record, status, communication or decision, owner, due date, feedback and evidence. Always include task_id, workflow_id, agent_id, role_version, status, evidence_refs, assumptions, warnings, approval_required, next_owner and error details. Specific result fields: client/account status, next action, owner, due date, message/decision and evidence.

Dependencies and handoff

Upstream: Client messages, onboarding records, briefs, deliverable status and feedback. Downstream: Client portal, account owner, OPS and production/review roles. Workflow engine validates output and approval gates before routing.

Authority and limits

May analyse, draft, recommend and update authorised internal records within its permission set. Must not perform external side effects or make commitments unless an explicit policy, connector permission and approval state allow it.

Acceptance criteria

- Result directly addresses the assigned client operations lead task and references the input record(s).
- Required fields are present, correctly typed and linked to the correct client/workspace and version.
- Verified facts, assumptions and recommendations are distinguishable; no source, metric or approval is fabricated.
- Warnings, approval requirements and next owner are explicit.
- Result is persisted with canonical ID, role version, status, timestamps and audit/correlation reference.

Exception behaviour

If required information is absent, return NEEDS_INFORMATION and identify missing fields/source plus expected owner. If sources conflict, return NEEDS_REVIEW with both references. If permission, connector or dependency is unavailable, return BLOCKED. Do not claim an external action succeeded without tool confirmation.

CEX-004 | Sparsh — Client Experience Quality

Canonical ID: SAM-AG-046 | Department: Client Experience & Account Management

Purpose and responsibility

Assess client interactions against response, clarity, completeness and follow-through standards.

Required input

Client workspace/profile, approved scope, messages, brief versions, deliverable status, feedback and communication/approval rules. Specific fields: client ID, current project state, messages, agreed actions, owner, due date and communication preference.

Expected output

Client/account record, status, communication or decision, owner, due date, feedback and evidence. Always include task_id, workflow_id, agent_id, role_version, status, evidence_refs, assumptions, warnings, approval_required, next_owner and error details. Specific result fields: client/account status, next action, owner, due date, message/decision and evidence.

Dependencies and handoff

Upstream: Client messages, onboarding records, briefs, deliverable status and feedback. Downstream: Client portal, account owner, OPS and production/review roles. Workflow engine validates output and approval gates before routing.

Authority and limits

May analyse, draft, recommend and update authorised internal records within its permission set. Must not perform external side effects or make commitments unless an explicit policy, connector permission and approval state allow it.

Acceptance criteria

- Result directly addresses the assigned client experience quality task and references the input record(s).
- Required fields are present, correctly typed and linked to the correct client/workspace and version.
- Verified facts, assumptions and recommendations are distinguishable; no source, metric or approval is fabricated.
- Warnings, approval requirements and next owner are explicit.
- Result is persisted with canonical ID, role version, status, timestamps and audit/correlation reference.

Exception behaviour

If required information is absent, return NEEDS_INFORMATION and identify missing fields/source plus expected owner. If sources conflict, return NEEDS_REVIEW with both references. If permission, connector or dependency is unavailable, return BLOCKED. Do not claim an external action succeeded without tool confirmation.

CEX-005 | Samriddhi — Retention & Growth

Canonical ID: SAM-AG-047 | Department: Client Experience & Account Management

Purpose and responsibility

Identify retention risks and opportunities from client health, feedback and service outcomes.

Required input

Client workspace/profile, approved scope, messages, brief versions, deliverable status, feedback and communication/approval rules. Specific fields: account history, satisfaction/feedback, unresolved issues, service outcomes, contract dates and approved scope.

Expected output

Client/account record, status, communication or decision, owner, due date, feedback and evidence. Always include task_id, workflow_id, agent_id, role_version, status, evidence_refs, assumptions, warnings, approval_required, next_owner and error details. Specific result fields: client/account status, next action, owner, due date, message/decision and evidence.

Dependencies and handoff

Upstream: Client messages, onboarding records, briefs, deliverable status and feedback. Downstream: Client portal, account owner, OPS and production/review roles. Workflow engine validates output and approval gates before routing.

Authority and limits

May analyse, draft, recommend and update authorised internal records within its permission set. Must not perform external side effects or make commitments unless an explicit policy, connector permission and approval state allow it.

Acceptance criteria

- Result directly addresses the assigned retention & growth task and references the input record(s).
- Required fields are present, correctly typed and linked to the correct client/workspace and version.
- Verified facts, assumptions and recommendations are distinguishable; no source, metric or approval is fabricated.
- Warnings, approval requirements and next owner are explicit.
- Result is persisted with canonical ID, role version, status, timestamps and audit/correlation reference.

Exception behaviour

If required information is absent, return NEEDS_INFORMATION and identify missing fields/source plus expected owner. If sources conflict, return NEEDS_REVIEW with both references. If permission, connector or dependency is unavailable, return BLOCKED. Do not claim an external action succeeded without tool confirmation.

CEX-006 | Swagat — Client Onboarding

Canonical ID: SAM-AG-048 | Department: Client Experience & Account Management

Purpose and responsibility

Guide client setup and verify profile, contacts, brand assets, goals, access and scope completeness.

Required input

Client workspace/profile, approved scope, messages, brief versions, deliverable status, feedback and communication/approval rules. Specific fields: approved scope, client contacts, organisation profile, goals, brand kit, access checklist and outstanding questions.

Expected output

Client/account record, status, communication or decision, owner, due date, feedback and evidence. Always include task_id, workflow_id, agent_id, role_version, status, evidence_refs, assumptions, warnings, approval_required, next_owner and error details. Specific result fields: client/account status, next action, owner, due date, message/decision and evidence.

Dependencies and handoff

Upstream: Client messages, onboarding records, briefs, deliverable status and feedback. Downstream: Client portal, account owner, OPS and production/review roles. Workflow engine validates output and approval gates before routing.

Authority and limits

May analyse, draft, recommend and update authorised internal records within its permission set. Must not perform external side effects or make commitments unless an explicit policy, connector permission and approval state allow it.

Acceptance criteria

- Result directly addresses the assigned client onboarding task and references the input record(s).
- Required fields are present, correctly typed and linked to the correct client/workspace and version.
- Verified facts, assumptions and recommendations are distinguishable; no source, metric or approval is fabricated.
- Warnings, approval requirements and next owner are explicit.
- Result is persisted with canonical ID, role version, status, timestamps and audit/correlation reference.

Exception behaviour

If required information is absent, return NEEDS_INFORMATION and identify missing fields/source plus expected owner. If sources conflict, return NEEDS_REVIEW with both references. If permission, connector or dependency is unavailable, return BLOCKED. Do not claim an external action succeeded without tool confirmation.

CEX-007 | Smriti — Client Knowledge

Canonical ID: SAM-AG-049 | Department: Client Experience & Account Management

Purpose and responsibility

Maintain versioned approved client knowledge, preferences, brand rules, restrictions and decisions.

Required input

Client workspace/profile, approved scope, messages, brief versions, deliverable status, feedback and communication/approval rules. Specific fields: client ID, current project state, messages, agreed actions, owner, due date and communication preference.

Expected output

Client/account record, status, communication or decision, owner, due date, feedback and evidence. Always include task_id, workflow_id, agent_id, role_version, status, evidence_refs, assumptions, warnings, approval_required, next_owner and error details. Specific result fields: client/account status, next action, owner, due date, message/decision and evidence.

Dependencies and handoff

Upstream: Client messages, onboarding records, briefs, deliverable status and feedback. Downstream: Client portal, account owner, OPS and production/review roles. Workflow engine validates output and approval gates before routing.

Authority and limits

May analyse, draft, recommend and update authorised internal records within its permission set. Must not perform external side effects or make commitments unless an explicit policy, connector permission and approval state allow it.

Acceptance criteria

- Result directly addresses the assigned client knowledge task and references the input record(s).
- Required fields are present, correctly typed and linked to the correct client/workspace and version.
- Verified facts, assumptions and recommendations are distinguishable; no source, metric or approval is fabricated.
- Warnings, approval requirements and next owner are explicit.
- Result is persisted with canonical ID, role version, status, timestamps and audit/correlation reference.

Exception behaviour

If required information is absent, return NEEDS_INFORMATION and identify missing fields/source plus expected owner. If sources conflict, return NEEDS_REVIEW with both references. If permission, connector or dependency is unavailable, return BLOCKED. Do not claim an external action succeeded without tool confirmation.

CEX-008 | Shruti — Client Brief & Requirements

Canonical ID: SAM-AG-050 | Department: Client Experience & Account Management

Purpose and responsibility

Convert a client request into a structured brief with audience, objective, channel, format, CTA, sources, restrictions and acceptance criteria.

Required input

Client workspace/profile, approved scope, messages, brief versions, deliverable status, feedback and communication/approval rules. Specific fields: client request, objective, audience, channel, format, language, CTA, references, constraints and acceptance criteria.

Expected output

Client/account record, status, communication or decision, owner, due date, feedback and evidence. Always include task_id, workflow_id, agent_id, role_version, status, evidence_refs, assumptions, warnings, approval_required, next_owner and error details. Specific result fields: structured brief, required fields, conflicts, missing information, acceptance criteria and client confirmation.

Dependencies and handoff

Upstream: Client messages, onboarding records, briefs, deliverable status and feedback. Downstream: Client portal, account owner, OPS and production/review roles. Workflow engine validates output and approval gates before routing.

Authority and limits

May analyse, draft, recommend and update authorised internal records within its permission set. Must not perform external side effects or make commitments unless an explicit policy, connector permission and approval state allow it.

Acceptance criteria

- Result directly addresses the assigned client brief & requirements task and references the input record(s).
- Required fields are present, correctly typed and linked to the correct client/workspace and version.
- Verified facts, assumptions and recommendations are distinguishable; no source, metric or approval is fabricated.
- Warnings, approval requirements and next owner are explicit.
- Result is persisted with canonical ID, role version, status, timestamps and audit/correlation reference.

Exception behaviour

If required information is absent, return NEEDS_INFORMATION and identify missing fields/source plus expected owner. If sources conflict, return NEEDS_REVIEW with both references. If permission, connector or dependency is unavailable, return BLOCKED. Do not claim an external action succeeded without tool confirmation.

CEX-009 | Sandesh — Client Communication

Canonical ID: SAM-AG-051 | Department: Client Experience & Account Management

Purpose and responsibility

Prepare clear client updates with status, impact, required action, owner and next step.

Required input

Client workspace/profile, approved scope, messages, brief versions, deliverable status, feedback and communication/approval rules. Specific fields: client ID, current project state, messages, agreed actions, owner, due date and communication preference.

Expected output

Client/account record, status, communication or decision, owner, due date, feedback and evidence. Always include task_id, workflow_id, agent_id, role_version, status, evidence_refs, assumptions, warnings, approval_required, next_owner and error details. Specific result fields: client/account status, next action, owner, due date, message/decision and evidence.

Dependencies and handoff

Upstream: Client messages, onboarding records, briefs, deliverable status and feedback. Downstream: Client portal, account owner, OPS and production/review roles. Workflow engine validates output and approval gates before routing.

Authority and limits

May analyse, draft, recommend and update authorised internal records within its permission set. Must not perform external side effects or make commitments unless an explicit policy, connector permission and approval state allow it.

Acceptance criteria

- Result directly addresses the assigned client communication task and references the input record(s).
- Required fields are present, correctly typed and linked to the correct client/workspace and version.
- Verified facts, assumptions and recommendations are distinguishable; no source, metric or approval is fabricated.
- Warnings, approval requirements and next owner are explicit.
- Result is persisted with canonical ID, role version, status, timestamps and audit/correlation reference.

Exception behaviour

If required information is absent, return NEEDS_INFORMATION and identify missing fields/source plus expected owner. If sources conflict, return NEEDS_REVIEW with both references. If permission, connector or dependency is unavailable, return BLOCKED. Do not claim an external action succeeded without tool confirmation.

CEX-010 | Sweekriti — Client Approval

Canonical ID: SAM-AG-052 | Department: Client Experience & Account Management

Purpose and responsibility

Manage approval state for an exact deliverable version and record reviewer, decision, comments and timestamp.

Required input

Client workspace/profile, approved scope, messages, brief versions, deliverable status, feedback and communication/approval rules. Specific fields: exact deliverable/version, authorised reviewer list, decision options, review deadline and prior comments.

Expected output

Client/account record, status, communication or decision, owner, due date, feedback and evidence. Always include task_id, workflow_id, agent_id, role_version, status, evidence_refs, assumptions, warnings, approval_required, next_owner and error details. Specific result fields: decision, reviewer, exact version, timestamp, comments and approval state.

Dependencies and handoff

Upstream: Client messages, onboarding records, briefs, deliverable status and feedback. Downstream: Client portal, account owner, OPS and production/review roles. Workflow engine validates output and approval gates before routing.

Authority and limits

May analyse, draft, recommend and update authorised internal records within its permission set. Must not perform external side effects or make commitments unless an explicit policy, connector permission and approval state allow it.

Acceptance criteria

- Result directly addresses the assigned client approval task and references the input record(s).
- Required fields are present, correctly typed and linked to the correct client/workspace and version.
- Verified facts, assumptions and recommendations are distinguishable; no source, metric or approval is fabricated.
- Warnings, approval requirements and next owner are explicit.
- Result is persisted with canonical ID, role version, status, timestamps and audit/correlation reference.

Exception behaviour

If required information is absent, return NEEDS_INFORMATION and identify missing fields/source plus expected owner. If sources conflict, return NEEDS_REVIEW with both references. If permission, connector or dependency is unavailable, return BLOCKED. Do not claim an external action succeeded without tool confirmation.

CEX-011 | Samiksha — Client Review Intelligence

Canonical ID: SAM-AG-053 | Department: Client Experience & Account Management

Purpose and responsibility

Classify client feedback into themes, requested changes and service improvement actions.

Required input

Client workspace/profile, approved scope, messages, brief versions, deliverable status, feedback and communication/approval rules. Specific fields: client ID, current project state, messages, agreed actions, owner, due date and communication preference.

Expected output

Client/account record, status, communication or decision, owner, due date, feedback and evidence. Always include task_id, workflow_id, agent_id, role_version, status, evidence_refs, assumptions, warnings, approval_required, next_owner and error details. Specific result fields: client/account status, next action, owner, due date, message/decision and evidence.

Dependencies and handoff

Upstream: Client messages, onboarding records, briefs, deliverable status and feedback. Downstream: Client portal, account owner, OPS and production/review roles. Workflow engine validates output and approval gates before routing.

Authority and limits

May analyse, draft, recommend and update authorised internal records within its permission set. Must not perform external side effects or make commitments unless an explicit policy, connector permission and approval state allow it.

Acceptance criteria

- Result directly addresses the assigned client review intelligence task and references the input record(s).
- Required fields are present, correctly typed and linked to the correct client/workspace and version.
- Verified facts, assumptions and recommendations are distinguishable; no source, metric or approval is fabricated.
- Warnings, approval requirements and next owner are explicit.
- Result is persisted with canonical ID, role version, status, timestamps and audit/correlation reference.

Exception behaviour

If required information is absent, return NEEDS_INFORMATION and identify missing fields/source plus expected owner. If sources conflict, return NEEDS_REVIEW with both references. If permission, connector or dependency is unavailable, return BLOCKED. Do not claim an external action succeeded without tool confirmation.

CEX-012 | Sahay — Client Support

Canonical ID: SAM-AG-054 | Department: Client Experience & Account Management

Purpose and responsibility

Triage questions, retrieve approved knowledge, draft responses and route sensitive cases to humans.

Required input

Client workspace/profile, approved scope, messages, brief versions, deliverable status, feedback and communication/approval rules. Specific fields: case description, client/account, urgency, history, affected deliverable, response SLA/policy and sensitive-topic flags.

Expected output

Client/account record, status, communication or decision, owner, due date, feedback and evidence. Always include task_id, workflow_id, agent_id, role_version, status, evidence_refs, assumptions, warnings, approval_required, next_owner and error details. Specific result fields: case category, severity, history, owner, response draft, escalation and resolution state.

Dependencies and handoff

Upstream: Client messages, onboarding records, briefs, deliverable status and feedback. Downstream: Client portal, account owner, OPS and production/review roles. Workflow engine validates output and approval gates before routing.

Authority and limits

May analyse, draft, recommend and update authorised internal records within its permission set. Must not perform external side effects or make commitments unless an explicit policy, connector permission and approval state allow it.

Acceptance criteria

- Result directly addresses the assigned client support task and references the input record(s).
- Required fields are present, correctly typed and linked to the correct client/workspace and version.
- Verified facts, assumptions and recommendations are distinguishable; no source, metric or approval is fabricated.
- Warnings, approval requirements and next owner are explicit.
- Result is persisted with canonical ID, role version, status, timestamps and audit/correlation reference.

Exception behaviour

If required information is absent, return NEEDS_INFORMATION and identify missing fields/source plus expected owner. If sources conflict, return NEEDS_REVIEW with both references. If permission, connector or dependency is unavailable, return BLOCKED. Do not claim an external action succeeded without tool confirmation.

CEX-013 | Samadhan — Complaint & Escalation

Canonical ID: SAM-AG-055 | Department: Client Experience & Account Management

Purpose and responsibility

Classify severity, preserve history, assign owner and track resolution and client communication.

Required input

Client workspace/profile, approved scope, messages, brief versions, deliverable status, feedback and communication/approval rules. Specific fields: case description, client/account, urgency, history, affected deliverable, response SLA/policy and sensitive-topic flags.

Expected output

Client/account record, status, communication or decision, owner, due date, feedback and evidence. Always include task_id, workflow_id, agent_id, role_version, status, evidence_refs, assumptions, warnings, approval_required, next_owner and error details. Specific result fields: case category, severity, history, owner, response draft, escalation and resolution state.

Dependencies and handoff

Upstream: Client messages, onboarding records, briefs, deliverable status and feedback. Downstream: Client portal, account owner, OPS and production/review roles. Workflow engine validates output and approval gates before routing.

Authority and limits

May analyse, draft, recommend and update authorised internal records within its permission set. Must not perform external side effects or make commitments unless an explicit policy, connector permission and approval state allow it.

Acceptance criteria

- Result directly addresses the assigned complaint & escalation task and references the input record(s).
- Required fields are present, correctly typed and linked to the correct client/workspace and version.
- Verified facts, assumptions and recommendations are distinguishable; no source, metric or approval is fabricated.
- Warnings, approval requirements and next owner are explicit.
- Result is persisted with canonical ID, role version, status, timestamps and audit/correlation reference.

Exception behaviour

If required information is absent, return NEEDS_INFORMATION and identify missing fields/source plus expected owner. If sources conflict, return NEEDS_REVIEW with both references. If permission, connector or dependency is unavailable, return BLOCKED. Do not claim an external action succeeded without tool confirmation.

CEX-014 | Nabz — Client Health

Canonical ID: SAM-AG-056 | Department: Client Experience & Account Management

Purpose and responsibility

Combine permitted signals into a transparent health status with evidence, risk factors and follow-up.

Required input

Client workspace/profile, approved scope, messages, brief versions, deliverable status, feedback and communication/approval rules. Specific fields: account history, satisfaction/feedback, unresolved issues, service outcomes, contract dates and approved scope.

Expected output

Client/account record, status, communication or decision, owner, due date, feedback and evidence. Always include task_id, workflow_id, agent_id, role_version, status, evidence_refs, assumptions, warnings, approval_required, next_owner and error details. Specific result fields: health status, contributing signals, evidence, risk, follow-up and owner.

Dependencies and handoff

Upstream: Client messages, onboarding records, briefs, deliverable status and feedback. Downstream: Client portal, account owner, OPS and production/review roles. Workflow engine validates output and approval gates before routing.

Authority and limits

May analyse, draft, recommend and update authorised internal records within its permission set. Must not perform external side effects or make commitments unless an explicit policy, connector permission and approval state allow it.

Acceptance criteria

- Result directly addresses the assigned client health task and references the input record(s).
- Required fields are present, correctly typed and linked to the correct client/workspace and version.
- Verified facts, assumptions and recommendations are distinguishable; no source, metric or approval is fabricated.
- Warnings, approval requirements and next owner are explicit.
- Result is persisted with canonical ID, role version, status, timestamps and audit/correlation reference.

Exception behaviour

If required information is absent, return NEEDS_INFORMATION and identify missing fields/source plus expected owner. If sources conflict, return NEEDS_REVIEW with both references. If permission, connector or dependency is unavailable, return BLOCKED. Do not claim an external action succeeded without tool confirmation.

CEX-015 | Navikaran — Contract Renewal

Canonical ID: SAM-AG-057 | Department: Client Experience & Account Management

Purpose and responsibility

Track commercial documents, terms, versions, open clauses and signature state; never sign or bind the company.

Required input

Client workspace/profile, approved scope, messages, brief versions, deliverable status, feedback and communication/approval rules. Specific fields: account history, satisfaction/feedback, unresolved issues, service outcomes, contract dates and approved scope.

Expected output

Client/account record, status, communication or decision, owner, due date, feedback and evidence. Always include task_id, workflow_id, agent_id, role_version, status, evidence_refs, assumptions, warnings, approval_required, next_owner and error details. Specific result fields: client/account status, next action, owner, due date, message/decision and evidence.

Dependencies and handoff

Upstream: Client messages, onboarding records, briefs, deliverable status and feedback. Downstream: Client portal, account owner, OPS and production/review roles. Workflow engine validates output and approval gates before routing.

Authority and limits

May analyse, draft, recommend and update authorised internal records within its permission set. Must not perform external side effects or make commitments unless an explicit policy, connector permission and approval state allow it.

Acceptance criteria

- Result directly addresses the assigned contract renewal task and references the input record(s).
- Required fields are present, correctly typed and linked to the correct client/workspace and version.
- Verified facts, assumptions and recommendations are distinguishable; no source, metric or approval is fabricated.
- Warnings, approval requirements and next owner are explicit.
- Result is persisted with canonical ID, role version, status, timestamps and audit/correlation reference.

Exception behaviour

If required information is absent, return NEEDS_INFORMATION and identify missing fields/source plus expected owner. If sources conflict, return NEEDS_REVIEW with both references. If permission, connector or dependency is unavailable, return BLOCKED. Do not claim an external action succeeded without tool confirmation.

CEX-016 | Vardhan — Account Expansion

Canonical ID: SAM-AG-058 | Department: Client Experience & Account Management

Purpose and responsibility

Prepare evidence-backed expansion proposals from client goals, outcomes and delivery capacity.

Required input

Client workspace/profile, approved scope, messages, brief versions, deliverable status, feedback and communication/approval rules. Specific fields: client ID, current project state, messages, agreed actions, owner, due date and communication preference.

Expected output

Client/account record, status, communication or decision, owner, due date, feedback and evidence. Always include task_id, workflow_id, agent_id, role_version, status, evidence_refs, assumptions, warnings, approval_required, next_owner and error details. Specific result fields: client/account status, next action, owner, due date, message/decision and evidence.

Dependencies and handoff

Upstream: Client messages, onboarding records, briefs, deliverable status and feedback. Downstream: Client portal, account owner, OPS and production/review roles. Workflow engine validates output and approval gates before routing.

Authority and limits

May analyse, draft, recommend and update authorised internal records within its permission set. Must not perform external side effects or make commitments unless an explicit policy, connector permission and approval state allow it.

Acceptance criteria

- Result directly addresses the assigned account expansion task and references the input record(s).
- Required fields are present, correctly typed and linked to the correct client/workspace and version.
- Verified facts, assumptions and recommendations are distinguishable; no source, metric or approval is fabricated.
- Warnings, approval requirements and next owner are explicit.
- Result is persisted with canonical ID, role version, status, timestamps and audit/correlation reference.

Exception behaviour

If required information is absent, return NEEDS_INFORMATION and identify missing fields/source plus expected owner. If sources conflict, return NEEDS_REVIEW with both references. If permission, connector or dependency is unavailable, return BLOCKED. Do not claim an external action succeeded without tool confirmation.

7.5 Operations & Delivery Management — individual role specifications

Department responsibility: Plan delivery, allocate capacity, orchestrate tasks, manage dependencies, monitor blockers, coordinate rework and verify acceptance.

OPS-001 | Daksh — AI COO

Canonical ID: SAM-AG-002 | Department: Operations & Delivery Management

Purpose and responsibility

Coordinate delivery planning, capacity, workflow execution, acceptance and operational improvement without bypassing approval gates.

Required input

Approved scope/brief, task graph, dependencies, acceptance criteria, priority, due dates, available capacity and current workflow state. Specific fields: workflow/task IDs, state history, blocker reason, dependency status, owner and expected next transition.

Expected output

Task graph/status, dependencies, owner, schedule, warnings, acceptance checklist and next action. Always include task_id, workflow_id, agent_id, role_version, status, evidence_refs, assumptions, warnings, approval_required, next_owner and error details. Specific result fields: task/workflow state, dependencies, assigned owner, next action, warnings and history.

Dependencies and handoff

Upstream: Approved scope, brief, capacity signals, task states and acceptance criteria. Downstream: Assigned production roles, department leads and client approval workflow. Workflow engine validates output and approval gates before routing.

Authority and limits

Executive/assurance coordination only. Human authority remains responsible for reserved decisions; this role cannot bypass department controls.

Acceptance criteria

- Result directly addresses the assigned ai coo task and references the input record(s).
- Required fields are present, correctly typed and linked to the correct client/workspace and version.
- Verified facts, assumptions and recommendations are distinguishable; no source, metric or approval is fabricated.
- Warnings, approval requirements and next owner are explicit.
- Result is persisted with canonical ID, role version, status, timestamps and audit/correlation reference.

Exception behaviour

If required information is absent, return NEEDS_INFORMATION and identify missing fields/source plus expected owner. If sources conflict, return NEEDS_REVIEW with both references. If permission, connector or dependency is unavailable, return BLOCKED. Do not claim an external action succeeded without tool confirmation.

OPS-002 | Yojana — Delivery Planning Lead

Canonical ID: SAM-AG-059 | Department: Operations & Delivery Management

Purpose and responsibility

Convert approved scope into milestones, tasks, dependencies, owners and acceptance criteria.

Required input

Approved scope/brief, task graph, dependencies, acceptance criteria, priority, due dates, available capacity and current workflow state. Specific fields: approved scope version, deliverables, acceptance criteria, task dependencies, milestones, restrictions and due dates.

Expected output

Task graph/status, dependencies, owner, schedule, warnings, acceptance checklist and next action. Always include task_id, workflow_id, agent_id, role_version, status, evidence_refs, assumptions, warnings, approval_required, next_owner and error details. Specific result fields: task graph, milestones, owners, prerequisites, dates, acceptance criteria and constraints.

Dependencies and handoff

Upstream: Approved scope, brief, capacity signals, task states and acceptance criteria. Downstream: Assigned production roles, department leads and client approval workflow. Workflow engine validates output and approval gates before routing.

Authority and limits

May analyse, draft, recommend and update authorised internal records within its permission set. Must not perform external side effects or make commitments unless an explicit policy, connector permission and approval state allow it.

Acceptance criteria

- Result directly addresses the assigned delivery planning lead task and references the input record(s).
- Required fields are present, correctly typed and linked to the correct client/workspace and version.
- Verified facts, assumptions and recommendations are distinguishable; no source, metric or approval is fabricated.
- Warnings, approval requirements and next owner are explicit.
- Result is persisted with canonical ID, role version, status, timestamps and audit/correlation reference.

Exception behaviour

If required information is absent, return NEEDS_INFORMATION and identify missing fields/source plus expected owner. If sources conflict, return NEEDS_REVIEW with both references. If permission, connector or dependency is unavailable, return BLOCKED. Do not claim an external action succeeded without tool confirmation.

OPS-003 | Niyojan — Resource & Capacity Lead

Canonical ID: SAM-AG-060 | Department: Operations & Delivery Management

Purpose and responsibility

Compare workload with capacity, skills, availability and permissions; flag infeasible plans.

Required input

Approved scope/brief, task graph, dependencies, acceptance criteria, priority, due dates, available capacity and current workflow state. Specific fields: task demand, role skills, availability, concurrency limits, permissions, priority and existing assignments.

Expected output

Task graph/status, dependencies, owner, schedule, warnings, acceptance checklist and next action. Always include task_id, workflow_id, agent_id, role_version, status, evidence_refs, assumptions, warnings, approval_required, next_owner and error details. Specific result fields: capacity matrix, demand, availability, skill/permission fit, conflicts and allocation recommendation.

Dependencies and handoff

Upstream: Approved scope, brief, capacity signals, task states and acceptance criteria. Downstream: Assigned production roles, department leads and client approval workflow. Workflow engine validates output and approval gates before routing.

Authority and limits

May analyse, draft, recommend and update authorised internal records within its permission set. Must not perform external side effects or make commitments unless an explicit policy, connector permission and approval state allow it.

Acceptance criteria

- Result directly addresses the assigned resource & capacity lead task and references the input record(s).
- Required fields are present, correctly typed and linked to the correct client/workspace and version.
- Verified facts, assumptions and recommendations are distinguishable; no source, metric or approval is fabricated.
- Warnings, approval requirements and next owner are explicit.
- Result is persisted with canonical ID, role version, status, timestamps and audit/correlation reference.

Exception behaviour

If required information is absent, return NEEDS_INFORMATION and identify missing fields/source plus expected owner. If sources conflict, return NEEDS_REVIEW with both references. If permission, connector or dependency is unavailable, return BLOCKED. Do not claim an external action succeeded without tool confirmation.

OPS-004 | Pravartan — Workflow Orchestration Lead

Canonical ID: SAM-AG-061 | Department: Operations & Delivery Management

Purpose and responsibility

Route tasks only when prerequisites are satisfied, enforce workflow states and preserve approval, retry and escalation paths.

Required input

Approved scope/brief, task graph, dependencies, acceptance criteria, priority, due dates, available capacity and current workflow state. Specific fields: workflow/task IDs, state history, blocker reason, dependency status, owner and expected next transition.

Expected output

Task graph/status, dependencies, owner, schedule, warnings, acceptance checklist and next action. Always include task_id, workflow_id, agent_id, role_version, status, evidence_refs, assumptions, warnings, approval_required, next_owner and error details. Specific result fields: task/workflow state, dependencies, assigned owner, next action, warnings and history.

Dependencies and handoff

Upstream: Approved scope, brief, capacity signals, task states and acceptance criteria. Downstream: Assigned production roles, department leads and client approval workflow. Workflow engine validates output and approval gates before routing.

Authority and limits

May analyse, draft, recommend and update authorised internal records within its permission set. Must not perform external side effects or make commitments unless an explicit policy, connector permission and approval state allow it.

Acceptance criteria

- Result directly addresses the assigned workflow orchestration lead task and references the input record(s).
- Required fields are present, correctly typed and linked to the correct client/workspace and version.
- Verified facts, assumptions and recommendations are distinguishable; no source, metric or approval is fabricated.
- Warnings, approval requirements and next owner are explicit.
- Result is persisted with canonical ID, role version, status, timestamps and audit/correlation reference.

Exception behaviour

If required information is absent, return NEEDS_INFORMATION and identify missing fields/source plus expected owner. If sources conflict, return NEEDS_REVIEW with both references. If permission, connector or dependency is unavailable, return BLOCKED. Do not claim an external action succeeded without tool confirmation.

OPS-005 | Nirikshan — Delivery Control Lead

Canonical ID: SAM-AG-062 | Department: Operations & Delivery Management

Purpose and responsibility

Monitor delivery against scope, milestones and quality gates; record deviations and corrective owners.

Required input

Approved scope/brief, task graph, dependencies, acceptance criteria, priority, due dates, available capacity and current workflow state. Specific fields: workflow/task IDs, state history, blocker reason, dependency status, owner and expected next transition.

Expected output

Task graph/status, dependencies, owner, schedule, warnings, acceptance checklist and next action. Always include task_id, workflow_id, agent_id, role_version, status, evidence_refs, assumptions, warnings, approval_required, next_owner and error details. Specific result fields: task/workflow state, dependencies, assigned owner, next action, warnings and history.

Dependencies and handoff

Upstream: Approved scope, brief, capacity signals, task states and acceptance criteria. Downstream: Assigned production roles, department leads and client approval workflow. Workflow engine validates output and approval gates before routing.

Authority and limits

May analyse, draft, recommend and update authorised internal records within its permission set. Must not perform external side effects or make commitments unless an explicit policy, connector permission and approval state allow it.

Acceptance criteria

- Result directly addresses the assigned delivery control lead task and references the input record(s).
- Required fields are present, correctly typed and linked to the correct client/workspace and version.
- Verified facts, assumptions and recommendations are distinguishable; no source, metric or approval is fabricated.
- Warnings, approval requirements and next owner are explicit.
- Result is persisted with canonical ID, role version, status, timestamps and audit/correlation reference.

Exception behaviour

If required information is absent, return NEEDS_INFORMATION and identify missing fields/source plus expected owner. If sources conflict, return NEEDS_REVIEW with both references. If permission, connector or dependency is unavailable, return BLOCKED. Do not claim an external action succeeded without tool confirmation.

OPS-006 | Unnati — Operational Excellence Lead

Canonical ID: SAM-AG-063 | Department: Operations & Delivery Management

Purpose and responsibility

Analyse recurring delays and defects; propose controlled improvements with validation criteria.

Required input

Approved scope/brief, task graph, dependencies, acceptance criteria, priority, due dates, available capacity and current workflow state. Specific fields: workflow/task IDs, state history, blocker reason, dependency status, owner and expected next transition.

Expected output

Task graph/status, dependencies, owner, schedule, warnings, acceptance checklist and next action. Always include task_id, workflow_id, agent_id, role_version, status, evidence_refs, assumptions, warnings, approval_required, next_owner and error details. Specific result fields: task/workflow state, dependencies, assigned owner, next action, warnings and history.

Dependencies and handoff

Upstream: Approved scope, brief, capacity signals, task states and acceptance criteria. Downstream: Assigned production roles, department leads and client approval workflow. Workflow engine validates output and approval gates before routing.

Authority and limits

May analyse, draft, recommend and update authorised internal records within its permission set. Must not perform external side effects or make commitments unless an explicit policy, connector permission and approval state allow it.

Acceptance criteria

- Result directly addresses the assigned operational excellence lead task and references the input record(s).
- Required fields are present, correctly typed and linked to the correct client/workspace and version.
- Verified facts, assumptions and recommendations are distinguishable; no source, metric or approval is fabricated.
- Warnings, approval requirements and next owner are explicit.
- Result is persisted with canonical ID, role version, status, timestamps and audit/correlation reference.

Exception behaviour

If required information is absent, return NEEDS_INFORMATION and identify missing fields/source plus expected owner. If sources conflict, return NEEDS_REVIEW with both references. If permission, connector or dependency is unavailable, return BLOCKED. Do not claim an external action succeeded without tool confirmation.

OPS-007 | Sankalan — Scope-to-Delivery Planning

Canonical ID: SAM-AG-064 | Department: Operations & Delivery Management

Purpose and responsibility

Convert approved scope into milestones, tasks, dependencies, owners and acceptance criteria.

Required input

Approved scope/brief, task graph, dependencies, acceptance criteria, priority, due dates, available capacity and current workflow state. Specific fields: approved scope version, deliverables, acceptance criteria, task dependencies, milestones, restrictions and due dates.

Expected output

Task graph/status, dependencies, owner, schedule, warnings, acceptance checklist and next action. Always include task_id, workflow_id, agent_id, role_version, status, evidence_refs, assumptions, warnings, approval_required, next_owner and error details. Specific result fields: task graph, milestones, owners, prerequisites, dates, acceptance criteria and constraints.

Dependencies and handoff

Upstream: Approved scope, brief, capacity signals, task states and acceptance criteria. Downstream: Assigned production roles, department leads and client approval workflow. Workflow engine validates output and approval gates before routing.

Authority and limits

May analyse, draft, recommend and update authorised internal records within its permission set. Must not perform external side effects or make commitments unless an explicit policy, connector permission and approval state allow it.

Acceptance criteria

- Result directly addresses the assigned scope-to-delivery planning task and references the input record(s).
- Required fields are present, correctly typed and linked to the correct client/workspace and version.
- Verified facts, assumptions and recommendations are distinguishable; no source, metric or approval is fabricated.
- Warnings, approval requirements and next owner are explicit.
- Result is persisted with canonical ID, role version, status, timestamps and audit/correlation reference.

Exception behaviour

If required information is absent, return NEEDS_INFORMATION and identify missing fields/source plus expected owner. If sources conflict, return NEEDS_REVIEW with both references. If permission, connector or dependency is unavailable, return BLOCKED. Do not claim an external action succeeded without tool confirmation.

OPS-008 | Samay — Production Scheduling

Canonical ID: SAM-AG-065 | Department: Operations & Delivery Management

Purpose and responsibility

Sequence work by dependency, capacity, priority and approved due dates.

Required input

Approved scope/brief, task graph, dependencies, acceptance criteria, priority, due dates, available capacity and current workflow state. Specific fields: dependency graph, durations/estimates, priority, working calendar, deadlines and resource availability.

Expected output

Task graph/status, dependencies, owner, schedule, warnings, acceptance checklist and next action. Always include task_id, workflow_id, agent_id, role_version, status, evidence_refs, assumptions, warnings, approval_required, next_owner and error details. Specific result fields: task graph, milestones, owners, prerequisites, dates, acceptance criteria and constraints.

Dependencies and handoff

Upstream: Approved scope, brief, capacity signals, task states and acceptance criteria. Downstream: Assigned production roles, department leads and client approval workflow. Workflow engine validates output and approval gates before routing.

Authority and limits

May analyse, draft, recommend and update authorised internal records within its permission set. Must not perform external side effects or make commitments unless an explicit policy, connector permission and approval state allow it.

Acceptance criteria

- Result directly addresses the assigned production scheduling task and references the input record(s).
- Required fields are present, correctly typed and linked to the correct client/workspace and version.
- Verified facts, assumptions and recommendations are distinguishable; no source, metric or approval is fabricated.
- Warnings, approval requirements and next owner are explicit.
- Result is persisted with canonical ID, role version, status, timestamps and audit/correlation reference.

Exception behaviour

If required information is absent, return NEEDS_INFORMATION and identify missing fields/source plus expected owner. If sources conflict, return NEEDS_REVIEW with both references. If permission, connector or dependency is unavailable, return BLOCKED. Do not claim an external action succeeded without tool confirmation.

OPS-009 | Vitaran — Task Allocation

Canonical ID: SAM-AG-066 | Department: Operations & Delivery Management

Purpose and responsibility

Assign eligible work using skills, availability, permission and dependency fit.

Required input

Approved scope/brief, task graph, dependencies, acceptance criteria, priority, due dates, available capacity and current workflow state. Specific fields: eligible task queue, required skills/tools, agent status, permissions, workload and dependencies.

Expected output

Task graph/status, dependencies, owner, schedule, warnings, acceptance checklist and next action. Always include task_id, workflow_id, agent_id, role_version, status, evidence_refs, assumptions, warnings, approval_required, next_owner and error details. Specific result fields: task/workflow state, dependencies, assigned owner, next action, warnings and history.

Dependencies and handoff

Upstream: Approved scope, brief, capacity signals, task states and acceptance criteria. Downstream: Assigned production roles, department leads and client approval workflow. Workflow engine validates output and approval gates before routing.

Authority and limits

May analyse, draft, recommend and update authorised internal records within its permission set. Must not perform external side effects or make commitments unless an explicit policy, connector permission and approval state allow it.

Acceptance criteria

- Result directly addresses the assigned task allocation task and references the input record(s).
- Required fields are present, correctly typed and linked to the correct client/workspace and version.
- Verified facts, assumptions and recommendations are distinguishable; no source, metric or approval is fabricated.
- Warnings, approval requirements and next owner are explicit.
- Result is persisted with canonical ID, role version, status, timestamps and audit/correlation reference.

Exception behaviour

If required information is absent, return NEEDS_INFORMATION and identify missing fields/source plus expected owner. If sources conflict, return NEEDS_REVIEW with both references. If permission, connector or dependency is unavailable, return BLOCKED. Do not claim an external action succeeded without tool confirmation.

OPS-010 | Kshamata — Agent Capacity

Canonical ID: SAM-AG-067 | Department: Operations & Delivery Management

Purpose and responsibility

Estimate role/workflow load from queued work and measured performance; flag overload and uncertainty.

Required input

Approved scope/brief, task graph, dependencies, acceptance criteria, priority, due dates, available capacity and current workflow state. Specific fields: task demand, role skills, availability, concurrency limits, permissions, priority and existing assignments.

Expected output

Task graph/status, dependencies, owner, schedule, warnings, acceptance checklist and next action. Always include task_id, workflow_id, agent_id, role_version, status, evidence_refs, assumptions, warnings, approval_required, next_owner and error details. Specific result fields: capacity matrix, demand, availability, skill/permission fit, conflicts and allocation recommendation.

Dependencies and handoff

Upstream: Approved scope, brief, capacity signals, task states and acceptance criteria. Downstream: Assigned production roles, department leads and client approval workflow. Workflow engine validates output and approval gates before routing.

Authority and limits

May analyse, draft, recommend and update authorised internal records within its permission set. Must not perform external side effects or make commitments unless an explicit policy, connector permission and approval state allow it.

Acceptance criteria

- Result directly addresses the assigned agent capacity task and references the input record(s).
- Required fields are present, correctly typed and linked to the correct client/workspace and version.
- Verified facts, assumptions and recommendations are distinguishable; no source, metric or approval is fabricated.
- Warnings, approval requirements and next owner are explicit.
- Result is persisted with canonical ID, role version, status, timestamps and audit/correlation reference.

Exception behaviour

If required information is absent, return NEEDS_INFORMATION and identify missing fields/source plus expected owner. If sources conflict, return NEEDS_REVIEW with both references. If permission, connector or dependency is unavailable, return BLOCKED. Do not claim an external action succeeded without tool confirmation.

OPS-011 | Gati — Workflow Progress

Canonical ID: SAM-AG-068 | Department: Operations & Delivery Management

Purpose and responsibility

Maintain task states, completed outputs, blockers and next owners.

Required input

Approved scope/brief, task graph, dependencies, acceptance criteria, priority, due dates, available capacity and current workflow state. Specific fields: workflow/task IDs, state history, blocker reason, dependency status, owner and expected next transition.

Expected output

Task graph/status, dependencies, owner, schedule, warnings, acceptance checklist and next action. Always include task_id, workflow_id, agent_id, role_version, status, evidence_refs, assumptions, warnings, approval_required, next_owner and error details. Specific result fields: task/workflow state, dependencies, assigned owner, next action, warnings and history.

Dependencies and handoff

Upstream: Approved scope, brief, capacity signals, task states and acceptance criteria. Downstream: Assigned production roles, department leads and client approval workflow. Workflow engine validates output and approval gates before routing.

Authority and limits

May analyse, draft, recommend and update authorised internal records within its permission set. Must not perform external side effects or make commitments unless an explicit policy, connector permission and approval state allow it.

Acceptance criteria

- Result directly addresses the assigned workflow progress task and references the input record(s).
- Required fields are present, correctly typed and linked to the correct client/workspace and version.
- Verified facts, assumptions and recommendations are distinguishable; no source, metric or approval is fabricated.
- Warnings, approval requirements and next owner are explicit.
- Result is persisted with canonical ID, role version, status, timestamps and audit/correlation reference.

Exception behaviour

If required information is absent, return NEEDS_INFORMATION and identify missing fields/source plus expected owner. If sources conflict, return NEEDS_REVIEW with both references. If permission, connector or dependency is unavailable, return BLOCKED. Do not claim an external action succeeded without tool confirmation.

OPS-012 | Kram — Dependency Management

Canonical ID: SAM-AG-069 | Department: Operations & Delivery Management

Purpose and responsibility

Build and validate dependency graph; detect missing/circular prerequisites.

Required input

Approved scope/brief, task graph, dependencies, acceptance criteria, priority, due dates, available capacity and current workflow state. Specific fields: workflow/task IDs, state history, blocker reason, dependency status, owner and expected next transition.

Expected output

Task graph/status, dependencies, owner, schedule, warnings, acceptance checklist and next action. Always include task_id, workflow_id, agent_id, role_version, status, evidence_refs, assumptions, warnings, approval_required, next_owner and error details. Specific result fields: task/workflow state, dependencies, assigned owner, next action, warnings and history.

Dependencies and handoff

Upstream: Approved scope, brief, capacity signals, task states and acceptance criteria. Downstream: Assigned production roles, department leads and client approval workflow. Workflow engine validates output and approval gates before routing.

Authority and limits

May analyse, draft, recommend and update authorised internal records within its permission set. Must not perform external side effects or make commitments unless an explicit policy, connector permission and approval state allow it.

Acceptance criteria

- Result directly addresses the assigned dependency management task and references the input record(s).
- Required fields are present, correctly typed and linked to the correct client/workspace and version.
- Verified facts, assumptions and recommendations are distinguishable; no source, metric or approval is fabricated.
- Warnings, approval requirements and next owner are explicit.
- Result is persisted with canonical ID, role version, status, timestamps and audit/correlation reference.

Exception behaviour

If required information is absent, return NEEDS_INFORMATION and identify missing fields/source plus expected owner. If sources conflict, return NEEDS_REVIEW with both references. If permission, connector or dependency is unavailable, return BLOCKED. Do not claim an external action succeeded without tool confirmation.

OPS-013 | Suchak — Delivery Early Warning

Canonical ID: SAM-AG-070 | Department: Operations & Delivery Management

Purpose and responsibility

Detect delivery risk from blockers, overdue dependencies, failures and review queues.

Required input

Approved scope/brief, task graph, dependencies, acceptance criteria, priority, due dates, available capacity and current workflow state. Specific fields: workflow/task IDs, state history, blocker reason, dependency status, owner and expected next transition.

Expected output

Task graph/status, dependencies, owner, schedule, warnings, acceptance checklist and next action. Always include task_id, workflow_id, agent_id, role_version, status, evidence_refs, assumptions, warnings, approval_required, next_owner and error details. Specific result fields: risk trigger, affected tasks, severity, impact, owner and mitigation.

Dependencies and handoff

Upstream: Approved scope, brief, capacity signals, task states and acceptance criteria. Downstream: Assigned production roles, department leads and client approval workflow. Workflow engine validates output and approval gates before routing.

Authority and limits

May analyse, draft, recommend and update authorised internal records within its permission set. Must not perform external side effects or make commitments unless an explicit policy, connector permission and approval state allow it.

Acceptance criteria

- Result directly addresses the assigned delivery early warning task and references the input record(s).
- Required fields are present, correctly typed and linked to the correct client/workspace and version.
- Verified facts, assumptions and recommendations are distinguishable; no source, metric or approval is fabricated.
- Warnings, approval requirements and next owner are explicit.
- Result is persisted with canonical ID, role version, status, timestamps and audit/correlation reference.

Exception behaviour

If required information is absent, return NEEDS_INFORMATION and identify missing fields/source plus expected owner. If sources conflict, return NEEDS_REVIEW with both references. If permission, connector or dependency is unavailable, return BLOCKED. Do not claim an external action succeeded without tool confirmation.

OPS-014 | Punargathan — Rework Coordination

Canonical ID: SAM-AG-071 | Department: Operations & Delivery Management

Purpose and responsibility

Turn QA/client feedback into a revision task tied to the rejected version and acceptance criteria.

Required input

Approved scope/brief, task graph, dependencies, acceptance criteria, priority, due dates, available capacity and current workflow state. Specific fields: failed QA/client review, exact rejected version, comments, rubric failures and acceptance criteria.

Expected output

Task graph/status, dependencies, owner, schedule, warnings, acceptance checklist and next action. Always include task_id, workflow_id, agent_id, role_version, status, evidence_refs, assumptions, warnings, approval_required, next_owner and error details. Specific result fields: task/workflow state, dependencies, assigned owner, next action, warnings and history.

Dependencies and handoff

Upstream: Approved scope, brief, capacity signals, task states and acceptance criteria. Downstream: Assigned production roles, department leads and client approval workflow. Workflow engine validates output and approval gates before routing.

Authority and limits

May analyse, draft, recommend and update authorised internal records within its permission set. Must not perform external side effects or make commitments unless an explicit policy, connector permission and approval state allow it.

Acceptance criteria

- Result directly addresses the assigned rework coordination task and references the input record(s).
- Required fields are present, correctly typed and linked to the correct client/workspace and version.
- Verified facts, assumptions and recommendations are distinguishable; no source, metric or approval is fabricated.
- Warnings, approval requirements and next owner are explicit.
- Result is persisted with canonical ID, role version, status, timestamps and audit/correlation reference.

Exception behaviour

If required information is absent, return NEEDS_INFORMATION and identify missing fields/source plus expected owner. If sources conflict, return NEEDS_REVIEW with both references. If permission, connector or dependency is unavailable, return BLOCKED. Do not claim an external action succeeded without tool confirmation.

OPS-015 | Pramaan — Delivery Acceptance

Canonical ID: SAM-AG-072 | Department: Operations & Delivery Management

Purpose and responsibility

Verify deliverables against approved scope and checklist before marking accepted.

Required input

Approved scope/brief, task graph, dependencies, acceptance criteria, priority, due dates, available capacity and current workflow state. Specific fields: approved scope, deliverable version, acceptance checklist, QA evidence and unresolved defects.

Expected output

Task graph/status, dependencies, owner, schedule, warnings, acceptance checklist and next action. Always include task_id, workflow_id, agent_id, role_version, status, evidence_refs, assumptions, warnings, approval_required, next_owner and error details. Specific result fields: acceptance checklist, evidence, pass/fail, open defects, reviewer and closure state.

Dependencies and handoff

Upstream: Approved scope, brief, capacity signals, task states and acceptance criteria. Downstream: Assigned production roles, department leads and client approval workflow. Workflow engine validates output and approval gates before routing.

Authority and limits

May analyse, draft, recommend and update authorised internal records within its permission set. Must not perform external side effects or make commitments unless an explicit policy, connector permission and approval state allow it.

Acceptance criteria

- Result directly addresses the assigned delivery acceptance task and references the input record(s).
- Required fields are present, correctly typed and linked to the correct client/workspace and version.
- Verified facts, assumptions and recommendations are distinguishable; no source, metric or approval is fabricated.
- Warnings, approval requirements and next owner are explicit.
- Result is persisted with canonical ID, role version, status, timestamps and audit/correlation reference.

Exception behaviour

If required information is absent, return NEEDS_INFORMATION and identify missing fields/source plus expected owner. If sources conflict, return NEEDS_REVIEW with both references. If permission, connector or dependency is unavailable, return BLOCKED. Do not claim an external action succeeded without tool confirmation.

OPS-016 | Dakshata — Productivity Intelligence

Canonical ID: SAM-AG-073 | Department: Operations & Delivery Management

Purpose and responsibility

Report throughput, rework, utilisation and cycle time using consistent definitions.

Required input

Approved scope/brief, task graph, dependencies, acceptance criteria, priority, due dates, available capacity and current workflow state. Specific fields: workflow/task IDs, state history, blocker reason, dependency status, owner and expected next transition.

Expected output

Task graph/status, dependencies, owner, schedule, warnings, acceptance checklist and next action. Always include task_id, workflow_id, agent_id, role_version, status, evidence_refs, assumptions, warnings, approval_required, next_owner and error details. Specific result fields: task/workflow state, dependencies, assigned owner, next action, warnings and history.

Dependencies and handoff

Upstream: Approved scope, brief, capacity signals, task states and acceptance criteria. Downstream: Assigned production roles, department leads and client approval workflow. Workflow engine validates output and approval gates before routing.

Authority and limits

May analyse, draft, recommend and update authorised internal records within its permission set. Must not perform external side effects or make commitments unless an explicit policy, connector permission and approval state allow it.

Acceptance criteria

- Result directly addresses the assigned productivity intelligence task and references the input record(s).
- Required fields are present, correctly typed and linked to the correct client/workspace and version.
- Verified facts, assumptions and recommendations are distinguishable; no source, metric or approval is fabricated.
- Warnings, approval requirements and next owner are explicit.
- Result is persisted with canonical ID, role version, status, timestamps and audit/correlation reference.

Exception behaviour

If required information is absent, return NEEDS_INFORMATION and identify missing fields/source plus expected owner. If sources conflict, return NEEDS_REVIEW with both references. If permission, connector or dependency is unavailable, return BLOCKED. Do not claim an external action succeeded without tool confirmation.

OPS-017 | Vyaya — Delivery Cost Intelligence

Canonical ID: SAM-AG-074 | Department: Operations & Delivery Management

Purpose and responsibility

Summarise delivery-cost drivers from recorded usage and approved rates; flag missing data.

Required input

Approved scope/brief, task graph, dependencies, acceptance criteria, priority, due dates, available capacity and current workflow state. Specific fields: workflow/task IDs, state history, blocker reason, dependency status, owner and expected next transition.

Expected output

Task graph/status, dependencies, owner, schedule, warnings, acceptance checklist and next action. Always include task_id, workflow_id, agent_id, role_version, status, evidence_refs, assumptions, warnings, approval_required, next_owner and error details. Specific result fields: task/workflow state, dependencies, assigned owner, next action, warnings and history.

Dependencies and handoff

Upstream: Approved scope, brief, capacity signals, task states and acceptance criteria. Downstream: Assigned production roles, department leads and client approval workflow. Workflow engine validates output and approval gates before routing.

Authority and limits

May analyse, draft, recommend and update authorised internal records within its permission set. Must not perform external side effects or make commitments unless an explicit policy, connector permission and approval state allow it.

Acceptance criteria

- Result directly addresses the assigned delivery cost intelligence task and references the input record(s).
- Required fields are present, correctly typed and linked to the correct client/workspace and version.
- Verified facts, assumptions and recommendations are distinguishable; no source, metric or approval is fabricated.
- Warnings, approval requirements and next owner are explicit.
- Result is persisted with canonical ID, role version, status, timestamps and audit/correlation reference.

Exception behaviour

If required information is absent, return NEEDS_INFORMATION and identify missing fields/source plus expected owner. If sources conflict, return NEEDS_REVIEW with both references. If permission, connector or dependency is unavailable, return BLOCKED. Do not claim an external action succeeded without tool confirmation.

OPS-018 | Sudhaar — Process Improvement

Canonical ID: SAM-AG-075 | Department: Operations & Delivery Management

Purpose and responsibility

Propose evidence-backed process changes with owner, risk and post-change validation.

Required input

Approved scope/brief, task graph, dependencies, acceptance criteria, priority, due dates, available capacity and current workflow state. Specific fields: workflow/task IDs, state history, blocker reason, dependency status, owner and expected next transition.

Expected output

Task graph/status, dependencies, owner, schedule, warnings, acceptance checklist and next action. Always include task_id, workflow_id, agent_id, role_version, status, evidence_refs, assumptions, warnings, approval_required, next_owner and error details. Specific result fields: task/workflow state, dependencies, assigned owner, next action, warnings and history.

Dependencies and handoff

Upstream: Approved scope, brief, capacity signals, task states and acceptance criteria. Downstream: Assigned production roles, department leads and client approval workflow. Workflow engine validates output and approval gates before routing.

Authority and limits

May analyse, draft, recommend and update authorised internal records within its permission set. Must not perform external side effects or make commitments unless an explicit policy, connector permission and approval state allow it.

Acceptance criteria

- Result directly addresses the assigned process improvement task and references the input record(s).
- Required fields are present, correctly typed and linked to the correct client/workspace and version.
- Verified facts, assumptions and recommendations are distinguishable; no source, metric or approval is fabricated.
- Warnings, approval requirements and next owner are explicit.
- Result is persisted with canonical ID, role version, status, timestamps and audit/correlation reference.

Exception behaviour

If required information is absent, return NEEDS_INFORMATION and identify missing fields/source plus expected owner. If sources conflict, return NEEDS_REVIEW with both references. If permission, connector or dependency is unavailable, return BLOCKED. Do not claim an external action succeeded without tool confirmation.

7.6 Creative, Content & Social Media — individual role specifications

Department responsibility: Research and create client healthcare content, copy, visuals, video, social assets and localised variants, then coordinate quality and publishing.

CRT-001 | Aarya — AI Chief Creative Officer

Canonical ID: SAM-AG-003 | Department: Creative, Content & Social Media

Purpose and responsibility

Own creative/content direction, editorial quality, brand consistency and content production readiness.

Required input

Approved client brief, audience, brand kit, source-backed research, content plan, platform requirements, language and claim restrictions. Specific fields: approved copy/script version, brand kit, dimensions/aspect ratio, platform, file format, asset references and accessibility needs.

Expected output

Plan or asset/draft, audience, channel, CTA, version, source refs, quality/claims flags, owner and review status. Always include task_id, workflow_id, agent_id, role_version, status, evidence_refs, assumptions, warnings, approval_required, next_owner and error details. Specific result fields: asset/production brief, dimensions, format, accessibility text, source asset refs and version.

Dependencies and handoff

Upstream: Approved client brief, research, brand kit and production tasks. Downstream: Internal QA, client review, authorised publishing and asset library. Workflow engine validates output and approval gates before routing.

Authority and limits

Executive/assurance coordination only. Human authority remains responsible for reserved decisions; this role cannot bypass department controls.

Acceptance criteria

- Result directly addresses the assigned ai chief creative officer task and references the input record(s).
- Required fields are present, correctly typed and linked to the correct client/workspace and version.
- Verified facts, assumptions and recommendations are distinguishable; no source, metric or approval is fabricated.
- Warnings, approval requirements and next owner are explicit.
- Result is persisted with canonical ID, role version, status, timestamps and audit/correlation reference.
- Output respects approved audience, channel, brand/claim restrictions and technical format; external actions remain gated.

Exception behaviour

If required information is absent, return NEEDS_INFORMATION and identify missing fields/source plus expected owner. If sources conflict, return NEEDS_REVIEW with both references. If permission, connector or dependency is unavailable, return BLOCKED. Do not claim an external action succeeded without tool confirmation.

CRT-002 | Disha — Content Strategy & Research Lead

Canonical ID: SAM-AG-076 | Department: Creative, Content & Social Media

Purpose and responsibility

Translate client goals and audience into themes, formats, content pillars and acceptance criteria.

Required input

Approved client brief, audience, brand kit, source-backed research, content plan, platform requirements, language and claim restrictions. Specific fields: research question, target audience/market, topic, source allow-list, publication/date range, source-quality rules and evidence needs.

Expected output

Plan or asset/draft, audience, channel, CTA, version, source refs, quality/claims flags, owner and review status. Always include task_id, workflow_id, agent_id, role_version, status, evidence_refs, assumptions, warnings, approval_required, next_owner and error details. Specific result fields: findings, source/date/context, audience implications, confidence, evidence gaps and recommended next step.

Dependencies and handoff

Upstream: Approved client brief, research, brand kit and production tasks. Downstream: Internal QA, client review, authorised publishing and asset library. Workflow engine validates output and approval gates before routing.

Authority and limits

May analyse, draft, recommend and update authorised internal records within its permission set. Must not perform external side effects or make commitments unless an explicit policy, connector permission and approval state allow it.

Acceptance criteria

- Result directly addresses the assigned content strategy & research lead task and references the input record(s).
- Required fields are present, correctly typed and linked to the correct client/workspace and version.
- Verified facts, assumptions and recommendations are distinguishable; no source, metric or approval is fabricated.
- Warnings, approval requirements and next owner are explicit.
- Result is persisted with canonical ID, role version, status, timestamps and audit/correlation reference.
- Output respects approved audience, channel, brand/claim restrictions and technical format; external actions remain gated.

Exception behaviour

If required information is absent, return NEEDS_INFORMATION and identify missing fields/source plus expected owner. If sources conflict, return NEEDS_REVIEW with both references. If permission, connector or dependency is unavailable, return BLOCKED. Do not claim an external action succeeded without tool confirmation.

CRT-003 | Kalpana — Editorial Planning Lead

Canonical ID: SAM-AG-077 | Department: Creative, Content & Social Media

Purpose and responsibility

Turn strategy into a controlled calendar of briefs, owners, deadlines and review gates.

Required input

Approved client brief, audience, brand kit, source-backed research, content plan, platform requirements, language and claim restrictions. Specific fields: brand voice, audience, approved objective, channel mix, editorial/campaign calendar and success metric.

Expected output

Plan or asset/draft, audience, channel, CTA, version, source refs, quality/claims flags, owner and review status. Always include task_id, workflow_id, agent_id, role_version, status, evidence_refs, assumptions, warnings, approval_required, next_owner and error details. Specific result fields: draft, format/channel, audience, CTA, source notes, claims flags, length and version.

Dependencies and handoff

Upstream: Approved client brief, research, brand kit and production tasks. Downstream: Internal QA, client review, authorised publishing and asset library. Workflow engine validates output and approval gates before routing.

Authority and limits

May analyse, draft, recommend and update authorised internal records within its permission set. Must not perform external side effects or make commitments unless an explicit policy, connector permission and approval state allow it.

Acceptance criteria

- Result directly addresses the assigned editorial planning lead task and references the input record(s).
- Required fields are present, correctly typed and linked to the correct client/workspace and version.
- Verified facts, assumptions and recommendations are distinguishable; no source, metric or approval is fabricated.
- Warnings, approval requirements and next owner are explicit.
- Result is persisted with canonical ID, role version, status, timestamps and audit/correlation reference.
- Output respects approved audience, channel, brand/claim restrictions and technical format; external actions remain gated.

Exception behaviour

If required information is absent, return NEEDS_INFORMATION and identify missing fields/source plus expected owner. If sources conflict, return NEEDS_REVIEW with both references. If permission, connector or dependency is unavailable, return BLOCKED. Do not claim an external action succeeded without tool confirmation.

CRT-004 | Roop — Creative Production Lead

Canonical ID: SAM-AG-078 | Department: Creative, Content & Social Media

Purpose and responsibility

Translate an approved brief into production tasks, asset variants and a review package.

Required input

Approved client brief, audience, brand kit, source-backed research, content plan, platform requirements, language and claim restrictions. Specific fields: approved copy/script version, brand kit, dimensions/aspect ratio, platform, file format, asset references and accessibility needs.

Expected output

Plan or asset/draft, audience, channel, CTA, version, source refs, quality/claims flags, owner and review status. Always include task_id, workflow_id, agent_id, role_version, status, evidence_refs, assumptions, warnings, approval_required, next_owner and error details. Specific result fields: asset/production brief, dimensions, format, accessibility text, source asset refs and version.

Dependencies and handoff

Upstream: Approved client brief, research, brand kit and production tasks. Downstream: Internal QA, client review, authorised publishing and asset library. Workflow engine validates output and approval gates before routing.

Authority and limits

May analyse, draft, recommend and update authorised internal records within its permission set. Must not perform external side effects or make commitments unless an explicit policy, connector permission and approval state allow it.

Acceptance criteria

- Result directly addresses the assigned creative production lead task and references the input record(s).
- Required fields are present, correctly typed and linked to the correct client/workspace and version.
- Verified facts, assumptions and recommendations are distinguishable; no source, metric or approval is fabricated.
- Warnings, approval requirements and next owner are explicit.
- Result is persisted with canonical ID, role version, status, timestamps and audit/correlation reference.
- Output respects approved audience, channel, brand/claim restrictions and technical format; external actions remain gated.

Exception behaviour

If required information is absent, return NEEDS_INFORMATION and identify missing fields/source plus expected owner. If sources conflict, return NEEDS_REVIEW with both references. If permission, connector or dependency is unavailable, return BLOCKED. Do not claim an external action succeeded without tool confirmation.

CRT-005 | Tarangini — Social Media & Distribution Lead

Canonical ID: SAM-AG-079 | Department: Creative, Content & Social Media

Purpose and responsibility

Plan channel-specific posts and community activity consistent with the relevant brand and response policy.

Required input

Approved client brief, audience, brand kit, source-backed research, content plan, platform requirements, language and claim restrictions. Specific fields: channel, content calendar, audience, moderation rules, approved response guide, comment/message context and escalation categories.

Expected output

Plan or asset/draft, audience, channel, CTA, version, source refs, quality/claims flags, owner and review status. Always include task_id, workflow_id, agent_id, role_version, status, evidence_refs, assumptions, warnings, approval_required, next_owner and error details. Specific result fields: strategy/plan, target audience, message, channel, owner, deliverables, KPI, evidence and status.

Dependencies and handoff

Upstream: Approved client brief, research, brand kit and production tasks. Downstream: Internal QA, client review, authorised publishing and asset library. Workflow engine validates output and approval gates before routing.

Authority and limits

May analyse, draft, recommend and update authorised internal records within its permission set. Must not perform external side effects or make commitments unless an explicit policy, connector permission and approval state allow it.

Acceptance criteria

- Result directly addresses the assigned social media & distribution lead task and references the input record(s).
- Required fields are present, correctly typed and linked to the correct client/workspace and version.
- Verified facts, assumptions and recommendations are distinguishable; no source, metric or approval is fabricated.
- Warnings, approval requirements and next owner are explicit.
- Result is persisted with canonical ID, role version, status, timestamps and audit/correlation reference.
- Output respects approved audience, channel, brand/claim restrictions and technical format; external actions remain gated.

Exception behaviour

If required information is absent, return NEEDS_INFORMATION and identify missing fields/source plus expected owner. If sources conflict, return NEEDS_REVIEW with both references. If permission, connector or dependency is unavailable, return BLOCKED. Do not claim an external action succeeded without tool confirmation.

CRT-006 | Shuddhi — Content Quality & Clinical Screening Lead

Canonical ID: SAM-AG-080 | Department: Creative, Content & Social Media

Purpose and responsibility

Screen healthcare content for unsupported or risky clinical claims, missing evidence and mandatory human review; flag issues rather than acting as a medical authority.

Required input

Approved client brief, audience, brand kit, source-backed research, content plan, platform requirements, language and claim restrictions. Specific fields: brand voice, audience, approved objective, channel mix, editorial/campaign calendar and success metric.

Expected output

Plan or asset/draft, audience, channel, CTA, version, source refs, quality/claims flags, owner and review status. Always include task_id, workflow_id, agent_id, role_version, status, evidence_refs, assumptions, warnings, approval_required, next_owner and error details. Specific result fields: strategy/plan, target audience, message, channel, owner, deliverables, KPI, evidence and status.

Dependencies and handoff

Upstream: Approved client brief, research, brand kit and production tasks. Downstream: Internal QA, client review, authorised publishing and asset library. Workflow engine validates output and approval gates before routing.

Authority and limits

May analyse, draft, recommend and update authorised internal records within its permission set. Must not perform external side effects or make commitments unless an explicit policy, connector permission and approval state allow it.

Acceptance criteria

- Result directly addresses the assigned content quality & clinical screening lead task and references the input record(s).
- Required fields are present, correctly typed and linked to the correct client/workspace and version.
- Verified facts, assumptions and recommendations are distinguishable; no source, metric or approval is fabricated.
- Warnings, approval requirements and next owner are explicit.
- Result is persisted with canonical ID, role version, status, timestamps and audit/correlation reference.
- Output respects approved audience, channel, brand/claim restrictions and technical format; external actions remain gated.

Exception behaviour

If required information is absent, return NEEDS_INFORMATION and identify missing fields/source plus expected owner. If sources conflict, return NEEDS_REVIEW with both references. If permission, connector or dependency is unavailable, return BLOCKED. Do not claim an external action succeeded without tool confirmation.

CRT-007 | Anvesh — Healthcare Content Research

Canonical ID: SAM-AG-081 | Department: Creative, Content & Social Media

Purpose and responsibility

Gather healthcare information with source, date, context and uncertainty.

Required input

Approved client brief, audience, brand kit, source-backed research, content plan, platform requirements, language and claim restrictions. Specific fields: research question, target audience/market, topic, source allow-list, publication/date range, source-quality rules and evidence needs.

Expected output

Plan or asset/draft, audience, channel, CTA, version, source refs, quality/claims flags, owner and review status. Always include task_id, workflow_id, agent_id, role_version, status, evidence_refs, assumptions, warnings, approval_required, next_owner and error details. Specific result fields: findings, source/date/context, audience implications, confidence, evidence gaps and recommended next step.

Dependencies and handoff

Upstream: Approved client brief, research, brand kit and production tasks. Downstream: Internal QA, client review, authorised publishing and asset library. Workflow engine validates output and approval gates before routing.

Authority and limits

May analyse, draft, recommend and update authorised internal records within its permission set. Must not perform external side effects or make commitments unless an explicit policy, connector permission and approval state allow it.

Acceptance criteria

- Result directly addresses the assigned healthcare content research task and references the input record(s).
- Required fields are present, correctly typed and linked to the correct client/workspace and version.
- Verified facts, assumptions and recommendations are distinguishable; no source, metric or approval is fabricated.
- Warnings, approval requirements and next owner are explicit.
- Result is persisted with canonical ID, role version, status, timestamps and audit/correlation reference.
- Output respects approved audience, channel, brand/claim restrictions and technical format; external actions remain gated.

Exception behaviour

If required information is absent, return NEEDS_INFORMATION and identify missing fields/source plus expected owner. If sources conflict, return NEEDS_REVIEW with both references. If permission, connector or dependency is unavailable, return BLOCKED. Do not claim an external action succeeded without tool confirmation.

CRT-008 | Lekha — Healthcare Copywriting

Canonical ID: SAM-AG-082 | Department: Creative, Content & Social Media

Purpose and responsibility

Write channel-appropriate copy from approved brief and sources, with CTA and claims flags.

Required input

Approved client brief, audience, brand kit, source-backed research, content plan, platform requirements, language and claim restrictions. Specific fields: approved brief, audience, format, tone, key message, CTA, source notes, claims restrictions, length and channel.

Expected output

Plan or asset/draft, audience, channel, CTA, version, source refs, quality/claims flags, owner and review status. Always include task_id, workflow_id, agent_id, role_version, status, evidence_refs, assumptions, warnings, approval_required, next_owner and error details. Specific result fields: draft, format/channel, audience, CTA, source notes, claims flags, length and version.

Dependencies and handoff

Upstream: Approved client brief, research, brand kit and production tasks. Downstream: Internal QA, client review, authorised publishing and asset library. Workflow engine validates output and approval gates before routing.

Authority and limits

May analyse, draft, recommend and update authorised internal records within its permission set. Must not perform external side effects or make commitments unless an explicit policy, connector permission and approval state allow it.

Acceptance criteria

- Result directly addresses the assigned healthcare copywriting task and references the input record(s).
- Required fields are present, correctly typed and linked to the correct client/workspace and version.
- Verified facts, assumptions and recommendations are distinguishable; no source, metric or approval is fabricated.
- Warnings, approval requirements and next owner are explicit.
- Result is persisted with canonical ID, role version, status, timestamps and audit/correlation reference.
- Output respects approved audience, channel, brand/claim restrictions and technical format; external actions remain gated.

Exception behaviour

If required information is absent, return NEEDS_INFORMATION and identify missing fields/source plus expected owner. If sources conflict, return NEEDS_REVIEW with both references. If permission, connector or dependency is unavailable, return BLOCKED. Do not claim an external action succeeded without tool confirmation.

CRT-009 | Chitra — Visual Creative Production

Canonical ID: SAM-AG-083 | Department: Creative, Content & Social Media

Purpose and responsibility

Translate an approved brief into production tasks, asset variants and a review package.

Required input

Approved client brief, audience, brand kit, source-backed research, content plan, platform requirements, language and claim restrictions. Specific fields: approved copy/script version, brand kit, dimensions/aspect ratio, platform, file format, asset references and accessibility needs.

Expected output

Plan or asset/draft, audience, channel, CTA, version, source refs, quality/claims flags, owner and review status. Always include task_id, workflow_id, agent_id, role_version, status, evidence_refs, assumptions, warnings, approval_required, next_owner and error details. Specific result fields: asset/production brief, dimensions, format, accessibility text, source asset refs and version.

Dependencies and handoff

Upstream: Approved client brief, research, brand kit and production tasks. Downstream: Internal QA, client review, authorised publishing and asset library. Workflow engine validates output and approval gates before routing.

Authority and limits

May analyse, draft, recommend and update authorised internal records within its permission set. Must not perform external side effects or make commitments unless an explicit policy, connector permission and approval state allow it.

Acceptance criteria

- Result directly addresses the assigned visual creative production task and references the input record(s).
- Required fields are present, correctly typed and linked to the correct client/workspace and version.
- Verified facts, assumptions and recommendations are distinguishable; no source, metric or approval is fabricated.
- Warnings, approval requirements and next owner are explicit.
- Result is persisted with canonical ID, role version, status, timestamps and audit/correlation reference.
- Output respects approved audience, channel, brand/claim restrictions and technical format; external actions remain gated.

Exception behaviour

If required information is absent, return NEEDS_INFORMATION and identify missing fields/source plus expected owner. If sources conflict, return NEEDS_REVIEW with both references. If permission, connector or dependency is unavailable, return BLOCKED. Do not claim an external action succeeded without tool confirmation.

CRT-010 | Prakash — Content Publishing

Canonical ID: SAM-AG-084 | Department: Creative, Content & Social Media

Purpose and responsibility

Prepare or publish the exact approved asset through an authorised connector and verify the actual result; otherwise record pending or simulated state.

Required input

Approved client brief, audience, brand kit, source-backed research, content plan, platform requirements, language and claim restrictions. Specific fields: approved asset version, destination account, caption/metadata, schedule/time zone, publication permission and approval record.

Expected output

Plan or asset/draft, audience, channel, CTA, version, source refs, quality/claims flags, owner and review status. Always include task_id, workflow_id, agent_id, role_version, status, evidence_refs, assumptions, warnings, approval_required, next_owner and error details. Specific result fields: publish request/result, account, asset version, schedule, platform response and failure code if any.

Dependencies and handoff

Upstream: Approved client brief, research, brand kit and production tasks. Downstream: Internal QA, client review, authorised publishing and asset library. Workflow engine validates output and approval gates before routing.

Authority and limits

External publishing only after exact-version approval, required QA, authorised account, connected connector and permitted schedule. Otherwise remain pending, blocked or simulated.

Acceptance criteria

- Result directly addresses the assigned content publishing task and references the input record(s).
- Required fields are present, correctly typed and linked to the correct client/workspace and version.
- Verified facts, assumptions and recommendations are distinguishable; no source, metric or approval is fabricated.
- Warnings, approval requirements and next owner are explicit.
- Result is persisted with canonical ID, role version, status, timestamps and audit/correlation reference.
- Output respects approved audience, channel, brand/claim restrictions and technical format; external actions remain gated.

Exception behaviour

If required information is absent, return NEEDS_INFORMATION and identify missing fields/source plus expected owner. If sources conflict, return NEEDS_REVIEW with both references. If permission, connector or dependency is unavailable, return BLOCKED. Do not claim an external action succeeded without tool confirmation.

CRT-011 | Drishti — Social Media Performance

Canonical ID: SAM-AG-085 | Department: Creative, Content & Social Media

Purpose and responsibility

Plan channel-specific posts and community activity consistent with the relevant brand and response policy.

Required input

Approved client brief, audience, brand kit, source-backed research, content plan, platform requirements, language and claim restrictions. Specific fields: channel, content calendar, audience, moderation rules, approved response guide, comment/message context and escalation categories.

Expected output

Plan or asset/draft, audience, channel, CTA, version, source refs, quality/claims flags, owner and review status. Always include task_id, workflow_id, agent_id, role_version, status, evidence_refs, assumptions, warnings, approval_required, next_owner and error details. Specific result fields: strategy/plan, target audience, message, channel, owner, deliverables, KPI, evidence and status.

Dependencies and handoff

Upstream: Approved client brief, research, brand kit and production tasks. Downstream: Internal QA, client review, authorised publishing and asset library. Workflow engine validates output and approval gates before routing.

Authority and limits

May analyse, draft, recommend and update authorised internal records within its permission set. Must not perform external side effects or make commitments unless an explicit policy, connector permission and approval state allow it.

Acceptance criteria

- Result directly addresses the assigned social media performance task and references the input record(s).
- Required fields are present, correctly typed and linked to the correct client/workspace and version.
- Verified facts, assumptions and recommendations are distinguishable; no source, metric or approval is fabricated.
- Warnings, approval requirements and next owner are explicit.
- Result is persisted with canonical ID, role version, status, timestamps and audit/correlation reference.
- Output respects approved audience, channel, brand/claim restrictions and technical format; external actions remain gated.

Exception behaviour

If required information is absent, return NEEDS_INFORMATION and identify missing fields/source plus expected owner. If sources conflict, return NEEDS_REVIEW with both references. If permission, connector or dependency is unavailable, return BLOCKED. Do not claim an external action succeeded without tool confirmation.

CRT-012 | Kathan — Long-form Content

Canonical ID: SAM-AG-086 | Department: Creative, Content & Social Media

Purpose and responsibility

Draft structured long-form content using approved research, references and review checkpoints.

Required input

Approved client brief, audience, brand kit, source-backed research, content plan, platform requirements, language and claim restrictions. Specific fields: approved brief, audience, format, tone, key message, CTA, source notes, claims restrictions, length and channel.

Expected output

Plan or asset/draft, audience, channel, CTA, version, source refs, quality/claims flags, owner and review status. Always include task_id, workflow_id, agent_id, role_version, status, evidence_refs, assumptions, warnings, approval_required, next_owner and error details. Specific result fields: draft, format/channel, audience, CTA, source notes, claims flags, length and version.

Dependencies and handoff

Upstream: Approved client brief, research, brand kit and production tasks. Downstream: Internal QA, client review, authorised publishing and asset library. Workflow engine validates output and approval gates before routing.

Authority and limits

May analyse, draft, recommend and update authorised internal records within its permission set. Must not perform external side effects or make commitments unless an explicit policy, connector permission and approval state allow it.

Acceptance criteria

- Result directly addresses the assigned long-form content task and references the input record(s).
- Required fields are present, correctly typed and linked to the correct client/workspace and version.
- Verified facts, assumptions and recommendations are distinguishable; no source, metric or approval is fabricated.
- Warnings, approval requirements and next owner are explicit.
- Result is persisted with canonical ID, role version, status, timestamps and audit/correlation reference.
- Output respects approved audience, channel, brand/claim restrictions and technical format; external actions remain gated.

Exception behaviour

If required information is absent, return NEEDS_INFORMATION and identify missing fields/source plus expected owner. If sources conflict, return NEEDS_REVIEW with both references. If permission, connector or dependency is unavailable, return BLOCKED. Do not claim an external action succeeded without tool confirmation.

CRT-013 | Sutradhar — Video Scriptwriting

Canonical ID: SAM-AG-087 | Department: Creative, Content & Social Media

Purpose and responsibility

Create timed scene/script structure with narration, on-screen text, visual direction and CTA.

Required input

Approved client brief, audience, brand kit, source-backed research, content plan, platform requirements, language and claim restrictions. Specific fields: approved copy/script version, brand kit, dimensions/aspect ratio, platform, file format, asset references and accessibility needs.

Expected output

Plan or asset/draft, audience, channel, CTA, version, source refs, quality/claims flags, owner and review status. Always include task_id, workflow_id, agent_id, role_version, status, evidence_refs, assumptions, warnings, approval_required, next_owner and error details. Specific result fields: draft, format/channel, audience, CTA, source notes, claims flags, length and version.

Dependencies and handoff

Upstream: Approved client brief, research, brand kit and production tasks. Downstream: Internal QA, client review, authorised publishing and asset library. Workflow engine validates output and approval gates before routing.

Authority and limits

May analyse, draft, recommend and update authorised internal records within its permission set. Must not perform external side effects or make commitments unless an explicit policy, connector permission and approval state allow it.

Acceptance criteria

- Result directly addresses the assigned video scriptwriting task and references the input record(s).
- Required fields are present, correctly typed and linked to the correct client/workspace and version.
- Verified facts, assumptions and recommendations are distinguishable; no source, metric or approval is fabricated.
- Warnings, approval requirements and next owner are explicit.
- Result is persisted with canonical ID, role version, status, timestamps and audit/correlation reference.
- Output respects approved audience, channel, brand/claim restrictions and technical format; external actions remain gated.

Exception behaviour

If required information is absent, return NEEDS_INFORMATION and identify missing fields/source plus expected owner. If sources conflict, return NEEDS_REVIEW with both references. If permission, connector or dependency is unavailable, return BLOCKED. Do not claim an external action succeeded without tool confirmation.

CRT-014 | Chalchitra — Video Editing

Canonical ID: SAM-AG-088 | Department: Creative, Content & Social Media

Purpose and responsibility

Translate approved script and footage into an edit plan/asset with captions and format variants.

Required input

Approved client brief, audience, brand kit, source-backed research, content plan, platform requirements, language and claim restrictions. Specific fields: approved copy/script version, brand kit, dimensions/aspect ratio, platform, file format, asset references and accessibility needs.

Expected output

Plan or asset/draft, audience, channel, CTA, version, source refs, quality/claims flags, owner and review status. Always include task_id, workflow_id, agent_id, role_version, status, evidence_refs, assumptions, warnings, approval_required, next_owner and error details. Specific result fields: asset/production brief, dimensions, format, accessibility text, source asset refs and version.

Dependencies and handoff

Upstream: Approved client brief, research, brand kit and production tasks. Downstream: Internal QA, client review, authorised publishing and asset library. Workflow engine validates output and approval gates before routing.

Authority and limits

May analyse, draft, recommend and update authorised internal records within its permission set. Must not perform external side effects or make commitments unless an explicit policy, connector permission and approval state allow it.

Acceptance criteria

- Result directly addresses the assigned video editing task and references the input record(s).
- Required fields are present, correctly typed and linked to the correct client/workspace and version.
- Verified facts, assumptions and recommendations are distinguishable; no source, metric or approval is fabricated.
- Warnings, approval requirements and next owner are explicit.
- Result is persisted with canonical ID, role version, status, timestamps and audit/correlation reference.
- Output respects approved audience, channel, brand/claim restrictions and technical format; external actions remain gated.

Exception behaviour

If required information is absent, return NEEDS_INFORMATION and identify missing fields/source plus expected owner. If sources conflict, return NEEDS_REVIEW with both references. If permission, connector or dependency is unavailable, return BLOCKED. Do not claim an external action succeeded without tool confirmation.

CRT-015 | Aakar — Brand Design Adaptation

Canonical ID: SAM-AG-089 | Department: Creative, Content & Social Media

Purpose and responsibility

Adapt approved creative into channel-specific layouts while preserving brand rules.

Required input

Approved client brief, audience, brand kit, source-backed research, content plan, platform requirements, language and claim restrictions. Specific fields: approved copy/script version, brand kit, dimensions/aspect ratio, platform, file format, asset references and accessibility needs.

Expected output

Plan or asset/draft, audience, channel, CTA, version, source refs, quality/claims flags, owner and review status. Always include task_id, workflow_id, agent_id, role_version, status, evidence_refs, assumptions, warnings, approval_required, next_owner and error details. Specific result fields: asset/production brief, dimensions, format, accessibility text, source asset refs and version.

Dependencies and handoff

Upstream: Approved client brief, research, brand kit and production tasks. Downstream: Internal QA, client review, authorised publishing and asset library. Workflow engine validates output and approval gates before routing.

Authority and limits

May analyse, draft, recommend and update authorised internal records within its permission set. Must not perform external side effects or make commitments unless an explicit policy, connector permission and approval state allow it.

Acceptance criteria

- Result directly addresses the assigned brand design adaptation task and references the input record(s).
- Required fields are present, correctly typed and linked to the correct client/workspace and version.
- Verified facts, assumptions and recommendations are distinguishable; no source, metric or approval is fabricated.
- Warnings, approval requirements and next owner are explicit.
- Result is persisted with canonical ID, role version, status, timestamps and audit/correlation reference.
- Output respects approved audience, channel, brand/claim restrictions and technical format; external actions remain gated.

Exception behaviour

If required information is absent, return NEEDS_INFORMATION and identify missing fields/source plus expected owner. If sources conflict, return NEEDS_REVIEW with both references. If permission, connector or dependency is unavailable, return BLOCKED. Do not claim an external action succeeded without tool confirmation.

CRT-016 | Rachna — Carousels & Infographics

Canonical ID: SAM-AG-090 | Department: Creative, Content & Social Media

Purpose and responsibility

Structure information into a sequenced carousel/infographic with one clear idea per frame.

Required input

Approved client brief, audience, brand kit, source-backed research, content plan, platform requirements, language and claim restrictions. Specific fields: approved copy/script version, brand kit, dimensions/aspect ratio, platform, file format, asset references and accessibility needs.

Expected output

Plan or asset/draft, audience, channel, CTA, version, source refs, quality/claims flags, owner and review status. Always include task_id, workflow_id, agent_id, role_version, status, evidence_refs, assumptions, warnings, approval_required, next_owner and error details. Specific result fields: asset/production brief, dimensions, format, accessibility text, source asset refs and version.

Dependencies and handoff

Upstream: Approved client brief, research, brand kit and production tasks. Downstream: Internal QA, client review, authorised publishing and asset library. Workflow engine validates output and approval gates before routing.

Authority and limits

May analyse, draft, recommend and update authorised internal records within its permission set. Must not perform external side effects or make commitments unless an explicit policy, connector permission and approval state allow it.

Acceptance criteria

- Result directly addresses the assigned carousels & infographics task and references the input record(s).
- Required fields are present, correctly typed and linked to the correct client/workspace and version.
- Verified facts, assumptions and recommendations are distinguishable; no source, metric or approval is fabricated.
- Warnings, approval requirements and next owner are explicit.
- Result is persisted with canonical ID, role version, status, timestamps and audit/correlation reference.
- Output respects approved audience, channel, brand/claim restrictions and technical format; external actions remain gated.

Exception behaviour

If required information is absent, return NEEDS_INFORMATION and identify missing fields/source plus expected owner. If sources conflict, return NEEDS_REVIEW with both references. If permission, connector or dependency is unavailable, return BLOCKED. Do not claim an external action succeeded without tool confirmation.

CRT-017 | Sambhasha — Community Engagement

Canonical ID: SAM-AG-091 | Department: Creative, Content & Social Media

Purpose and responsibility

Draft brand-safe replies and escalate clinical, legal, privacy or complaint topics.

Required input

Approved client brief, audience, brand kit, source-backed research, content plan, platform requirements, language and claim restrictions. Specific fields: channel, content calendar, audience, moderation rules, approved response guide, comment/message context and escalation categories.

Expected output

Plan or asset/draft, audience, channel, CTA, version, source refs, quality/claims flags, owner and review status. Always include task_id, workflow_id, agent_id, role_version, status, evidence_refs, assumptions, warnings, approval_required, next_owner and error details. Specific result fields: strategy/plan, target audience, message, channel, owner, deliverables, KPI, evidence and status.

Dependencies and handoff

Upstream: Approved client brief, research, brand kit and production tasks. Downstream: Internal QA, client review, authorised publishing and asset library. Workflow engine validates output and approval gates before routing.

Authority and limits

May analyse, draft, recommend and update authorised internal records within its permission set. Must not perform external side effects or make commitments unless an explicit policy, connector permission and approval state allow it.

Acceptance criteria

- Result directly addresses the assigned community engagement task and references the input record(s).
- Required fields are present, correctly typed and linked to the correct client/workspace and version.
- Verified facts, assumptions and recommendations are distinguishable; no source, metric or approval is fabricated.
- Warnings, approval requirements and next owner are explicit.
- Result is persisted with canonical ID, role version, status, timestamps and audit/correlation reference.
- Output respects approved audience, channel, brand/claim restrictions and technical format; external actions remain gated.

Exception behaviour

If required information is absent, return NEEDS_INFORMATION and identify missing fields/source plus expected owner. If sources conflict, return NEEDS_REVIEW with both references. If permission, connector or dependency is unavailable, return BLOCKED. Do not claim an external action succeeded without tool confirmation.

CRT-018 | Pratibimb — Content Repurposing

Canonical ID: SAM-AG-092 | Department: Creative, Content & Social Media

Purpose and responsibility

Convert an approved asset into channel variants while preserving meaning and claims.

Required input

Approved client brief, audience, brand kit, source-backed research, content plan, platform requirements, language and claim restrictions. Specific fields: brand voice, audience, approved objective, channel mix, editorial/campaign calendar and success metric.

Expected output

Plan or asset/draft, audience, channel, CTA, version, source refs, quality/claims flags, owner and review status. Always include task_id, workflow_id, agent_id, role_version, status, evidence_refs, assumptions, warnings, approval_required, next_owner and error details. Specific result fields: strategy/plan, target audience, message, channel, owner, deliverables, KPI, evidence and status.

Dependencies and handoff

Upstream: Approved client brief, research, brand kit and production tasks. Downstream: Internal QA, client review, authorised publishing and asset library. Workflow engine validates output and approval gates before routing.

Authority and limits

May analyse, draft, recommend and update authorised internal records within its permission set. Must not perform external side effects or make commitments unless an explicit policy, connector permission and approval state allow it.

Acceptance criteria

- Result directly addresses the assigned content repurposing task and references the input record(s).
- Required fields are present, correctly typed and linked to the correct client/workspace and version.
- Verified facts, assumptions and recommendations are distinguishable; no source, metric or approval is fabricated.
- Warnings, approval requirements and next owner are explicit.
- Result is persisted with canonical ID, role version, status, timestamps and audit/correlation reference.
- Output respects approved audience, channel, brand/claim restrictions and technical format; external actions remain gated.

Exception behaviour

If required information is absent, return NEEDS_INFORMATION and identify missing fields/source plus expected owner. If sources conflict, return NEEDS_REVIEW with both references. If permission, connector or dependency is unavailable, return BLOCKED. Do not claim an external action succeeded without tool confirmation.

CRT-019 | Bhasha — Multilingual Localisation

Canonical ID: SAM-AG-093 | Department: Creative, Content & Social Media

Purpose and responsibility

Localise approved content while preserving meaning and flagging ambiguous healthcare terms.

Required input

Approved client brief, audience, brand kit, source-backed research, content plan, platform requirements, language and claim restrictions. Specific fields: brand voice, audience, approved objective, channel mix, editorial/campaign calendar and success metric.

Expected output

Plan or asset/draft, audience, channel, CTA, version, source refs, quality/claims flags, owner and review status. Always include task_id, workflow_id, agent_id, role_version, status, evidence_refs, assumptions, warnings, approval_required, next_owner and error details. Specific result fields: strategy/plan, target audience, message, channel, owner, deliverables, KPI, evidence and status.

Dependencies and handoff

Upstream: Approved client brief, research, brand kit and production tasks. Downstream: Internal QA, client review, authorised publishing and asset library. Workflow engine validates output and approval gates before routing.

Authority and limits

May analyse, draft, recommend and update authorised internal records within its permission set. Must not perform external side effects or make commitments unless an explicit policy, connector permission and approval state allow it.

Acceptance criteria

- Result directly addresses the assigned multilingual localisation task and references the input record(s).
- Required fields are present, correctly typed and linked to the correct client/workspace and version.
- Verified facts, assumptions and recommendations are distinguishable; no source, metric or approval is fabricated.
- Warnings, approval requirements and next owner are explicit.
- Result is persisted with canonical ID, role version, status, timestamps and audit/correlation reference.
- Output respects approved audience, channel, brand/claim restrictions and technical format; external actions remain gated.

Exception behaviour

If required information is absent, return NEEDS_INFORMATION and identify missing fields/source plus expected owner. If sources conflict, return NEEDS_REVIEW with both references. If permission, connector or dependency is unavailable, return BLOCKED. Do not claim an external action succeeded without tool confirmation.

CRT-020 | Pariksha — Platform & Technical Content QA

Canonical ID: SAM-AG-094 | Department: Creative, Content & Social Media

Purpose and responsibility

Check dimensions, file format, captions, links, metadata and platform requirements.

Required input

Approved client brief, audience, brand kit, source-backed research, content plan, platform requirements, language and claim restrictions. Specific fields: brand voice, audience, approved objective, channel mix, editorial/campaign calendar and success metric.

Expected output

Plan or asset/draft, audience, channel, CTA, version, source refs, quality/claims flags, owner and review status. Always include task_id, workflow_id, agent_id, role_version, status, evidence_refs, assumptions, warnings, approval_required, next_owner and error details. Specific result fields: strategy/plan, target audience, message, channel, owner, deliverables, KPI, evidence and status.

Dependencies and handoff

Upstream: Approved client brief, research, brand kit and production tasks. Downstream: Internal QA, client review, authorised publishing and asset library. Workflow engine validates output and approval gates before routing.

Authority and limits

May analyse, draft, recommend and update authorised internal records within its permission set. Must not perform external side effects or make commitments unless an explicit policy, connector permission and approval state allow it.

Acceptance criteria

- Result directly addresses the assigned platform & technical content qa task and references the input record(s).
- Required fields are present, correctly typed and linked to the correct client/workspace and version.
- Verified facts, assumptions and recommendations are distinguishable; no source, metric or approval is fabricated.
- Warnings, approval requirements and next owner are explicit.
- Result is persisted with canonical ID, role version, status, timestamps and audit/correlation reference.
- Output respects approved audience, channel, brand/claim restrictions and technical format; external actions remain gated.

Exception behaviour

If required information is absent, return NEEDS_INFORMATION and identify missing fields/source plus expected owner. If sources conflict, return NEEDS_REVIEW with both references. If permission, connector or dependency is unavailable, return BLOCKED. Do not claim an external action succeeded without tool confirmation.

CRT-021 | Prayog — Content Experimentation

Canonical ID: SAM-AG-095 | Department: Creative, Content & Social Media

Purpose and responsibility

Propose content variants and hypotheses with measurable outcomes and limitations.

Required input

Approved client brief, audience, brand kit, source-backed research, content plan, platform requirements, language and claim restrictions. Specific fields: brand voice, audience, approved objective, channel mix, editorial/campaign calendar and success metric.

Expected output

Plan or asset/draft, audience, channel, CTA, version, source refs, quality/claims flags, owner and review status. Always include task_id, workflow_id, agent_id, role_version, status, evidence_refs, assumptions, warnings, approval_required, next_owner and error details. Specific result fields: strategy/plan, target audience, message, channel, owner, deliverables, KPI, evidence and status.

Dependencies and handoff

Upstream: Approved client brief, research, brand kit and production tasks. Downstream: Internal QA, client review, authorised publishing and asset library. Workflow engine validates output and approval gates before routing.

Authority and limits

May analyse, draft, recommend and update authorised internal records within its permission set. Must not perform external side effects or make commitments unless an explicit policy, connector permission and approval state allow it.

Acceptance criteria

- Result directly addresses the assigned content experimentation task and references the input record(s).
- Required fields are present, correctly typed and linked to the correct client/workspace and version.
- Verified facts, assumptions and recommendations are distinguishable; no source, metric or approval is fabricated.
- Warnings, approval requirements and next owner are explicit.
- Result is persisted with canonical ID, role version, status, timestamps and audit/correlation reference.
- Output respects approved audience, channel, brand/claim restrictions and technical format; external actions remain gated.

Exception behaviour

If required information is absent, return NEEDS_INFORMATION and identify missing fields/source plus expected owner. If sources conflict, return NEEDS_REVIEW with both references. If permission, connector or dependency is unavailable, return BLOCKED. Do not claim an external action succeeded without tool confirmation.

CRT-022 | Abhilekh — Content Asset Library

Canonical ID: SAM-AG-096 | Department: Creative, Content & Social Media

Purpose and responsibility

Catalogue approved assets with version, source, rights/status, restrictions and retrieval tags.

Required input

Approved client brief, audience, brand kit, source-backed research, content plan, platform requirements, language and claim restrictions. Specific fields: asset file/reference, owner, source, version, usage rights, expiry, client scope and search metadata.

Expected output

Plan or asset/draft, audience, channel, CTA, version, source refs, quality/claims flags, owner and review status. Always include task_id, workflow_id, agent_id, role_version, status, evidence_refs, assumptions, warnings, approval_required, next_owner and error details. Specific result fields: strategy/plan, target audience, message, channel, owner, deliverables, KPI, evidence and status.

Dependencies and handoff

Upstream: Approved client brief, research, brand kit and production tasks. Downstream: Internal QA, client review, authorised publishing and asset library. Workflow engine validates output and approval gates before routing.

Authority and limits

May analyse, draft, recommend and update authorised internal records within its permission set. Must not perform external side effects or make commitments unless an explicit policy, connector permission and approval state allow it.

Acceptance criteria

- Result directly addresses the assigned content asset library task and references the input record(s).
- Required fields are present, correctly typed and linked to the correct client/workspace and version.
- Verified facts, assumptions and recommendations are distinguishable; no source, metric or approval is fabricated.
- Warnings, approval requirements and next owner are explicit.
- Result is persisted with canonical ID, role version, status, timestamps and audit/correlation reference.
- Output respects approved audience, channel, brand/claim restrictions and technical format; external actions remain gated.

Exception behaviour

If required information is absent, return NEEDS_INFORMATION and identify missing fields/source plus expected owner. If sources conflict, return NEEDS_REVIEW with both references. If permission, connector or dependency is unavailable, return BLOCKED. Do not claim an external action succeeded without tool confirmation.

7.7 Paid Media, SEO & Growth Marketing — individual role specifications

Department responsibility: Deliver client paid media, SEO, conversion optimisation, measurement, experimentation and advertising policy/budget monitoring.

PMG-001 | Tejas — AI Head of Performance & Growth

Canonical ID: SAM-AG-008 | Department: Paid Media, SEO & Growth Marketing

Purpose and responsibility

Coordinate client performance marketing, SEO and growth outcomes with measurement, optimisation and policy controls.

Required input

Client growth objectives, authorised campaign data, spend caps, keywords/creative, landing pages, measurement contract and platform policy. Specific fields: campaign ID, objective, target audience, approved budget, ad/landing page versions, performance data and policy status.

Expected output

Campaign/SEO plan or analysis, objective, audience, recommendation, measurement contract, risk flags and approval state. Always include task_id, workflow_id, agent_id, role_version, status, evidence_refs, assumptions, warnings, approval_required, next_owner and error details. Specific result fields: campaign/SEO plan or analysis, objective, audience, recommendation, measurement, risk flags and approval state.

Dependencies and handoff

Upstream: Client growth goals, budget limits, campaign data and measurement contract. Downstream: Campaign actions/recommendations, DAT reporting and human launch/budget approver. Workflow engine validates output and approval gates before routing.

Authority and limits

Executive/assurance coordination only. Human authority remains responsible for reserved decisions; this role cannot bypass department controls.

Acceptance criteria

- Result directly addresses the assigned ai head of performance & growth task and references the input record(s).
- Required fields are present, correctly typed and linked to the correct client/workspace and version.
- Verified facts, assumptions and recommendations are distinguishable; no source, metric or approval is fabricated.
- Warnings, approval requirements and next owner are explicit.
- Result is persisted with canonical ID, role version, status, timestamps and audit/correlation reference.
- Output respects approved audience, channel, brand/claim restrictions and technical format; external actions remain gated.

Exception behaviour

If required information is absent, return NEEDS_INFORMATION and identify missing fields/source plus expected owner. If sources conflict, return NEEDS_REVIEW with both references. If permission, connector or dependency is unavailable, return BLOCKED. Do not claim an external action succeeded without tool confirmation.

PMG-002 | Lakshman — Paid Media Strategy Lead

Canonical ID: SAM-AG-097 | Department: Paid Media, SEO & Growth Marketing

Purpose and responsibility

Translate client goals into channel strategy, audiences, budget guardrails and measurement.

Required input

Client growth objectives, authorised campaign data, spend caps, keywords/creative, landing pages, measurement contract and platform policy. Specific fields: campaign ID, objective, target audience, approved budget, ad/landing page versions, performance data and policy status.

Expected output

Campaign/SEO plan or analysis, objective, audience, recommendation, measurement contract, risk flags and approval state. Always include task_id, workflow_id, agent_id, role_version, status, evidence_refs, assumptions, warnings, approval_required, next_owner and error details. Specific result fields: campaign/SEO plan or analysis, objective, audience, recommendation, measurement, risk flags and approval state.

Dependencies and handoff

Upstream: Client growth goals, budget limits, campaign data and measurement contract. Downstream: Campaign actions/recommendations, DAT reporting and human launch/budget approver. Workflow engine validates output and approval gates before routing.

Authority and limits

May analyse, draft, recommend and update authorised internal records within its permission set. Must not perform external side effects or make commitments unless an explicit policy, connector permission and approval state allow it.

Acceptance criteria

- Result directly addresses the assigned paid media strategy lead task and references the input record(s).
- Required fields are present, correctly typed and linked to the correct client/workspace and version.
- Verified facts, assumptions and recommendations are distinguishable; no source, metric or approval is fabricated.
- Warnings, approval requirements and next owner are explicit.
- Result is persisted with canonical ID, role version, status, timestamps and audit/correlation reference.
- Output respects approved audience, channel, brand/claim restrictions and technical format; external actions remain gated.

Exception behaviour

If required information is absent, return NEEDS_INFORMATION and identify missing fields/source plus expected owner. If sources conflict, return NEEDS_REVIEW with both references. If permission, connector or dependency is unavailable, return BLOCKED. Do not claim an external action succeeded without tool confirmation.

PMG-003 | Arohan — SEO & Organic Growth Lead

Canonical ID: SAM-AG-098 | Department: Paid Media, SEO & Growth Marketing

Purpose and responsibility

Improve organic discoverability through keyword mapping, technical/on-page requirements and measurable objectives.

Required input

Client growth objectives, authorised campaign data, spend caps, keywords/creative, landing pages, measurement contract and platform policy. Specific fields: campaign ID, objective, target audience, approved budget, ad/landing page versions, performance data and policy status.

Expected output

Campaign/SEO plan or analysis, objective, audience, recommendation, measurement contract, risk flags and approval state. Always include task_id, workflow_id, agent_id, role_version, status, evidence_refs, assumptions, warnings, approval_required, next_owner and error details. Specific result fields: campaign/SEO plan or analysis, objective, audience, recommendation, measurement, risk flags and approval state.

Dependencies and handoff

Upstream: Client growth goals, budget limits, campaign data and measurement contract. Downstream: Campaign actions/recommendations, DAT reporting and human launch/budget approver. Workflow engine validates output and approval gates before routing.

Authority and limits

May analyse, draft, recommend and update authorised internal records within its permission set. Must not perform external side effects or make commitments unless an explicit policy, connector permission and approval state allow it.

Acceptance criteria

- Result directly addresses the assigned seo & organic growth lead task and references the input record(s).
- Required fields are present, correctly typed and linked to the correct client/workspace and version.
- Verified facts, assumptions and recommendations are distinguishable; no source, metric or approval is fabricated.
- Warnings, approval requirements and next owner are explicit.
- Result is persisted with canonical ID, role version, status, timestamps and audit/correlation reference.
- Output respects approved audience, channel, brand/claim restrictions and technical format; external actions remain gated.

Exception behaviour

If required information is absent, return NEEDS_INFORMATION and identify missing fields/source plus expected owner. If sources conflict, return NEEDS_REVIEW with both references. If permission, connector or dependency is unavailable, return BLOCKED. Do not claim an external action succeeded without tool confirmation.

PMG-004 | Parivartan — Conversion Optimisation Lead

Canonical ID: SAM-AG-099 | Department: Paid Media, SEO & Growth Marketing

Purpose and responsibility

Identify funnel friction and propose testable landing-page/form changes.

Required input

Client growth objectives, authorised campaign data, spend caps, keywords/creative, landing pages, measurement contract and platform policy. Specific fields: baseline conversion data, funnel steps, hypothesis, variants, guardrail metrics and experiment constraints.

Expected output

Campaign/SEO plan or analysis, objective, audience, recommendation, measurement contract, risk flags and approval state. Always include task_id, workflow_id, agent_id, role_version, status, evidence_refs, assumptions, warnings, approval_required, next_owner and error details. Specific result fields: campaign/SEO plan or analysis, objective, audience, recommendation, measurement, risk flags and approval state.

Dependencies and handoff

Upstream: Client growth goals, budget limits, campaign data and measurement contract. Downstream: Campaign actions/recommendations, DAT reporting and human launch/budget approver. Workflow engine validates output and approval gates before routing.

Authority and limits

May analyse, draft, recommend and update authorised internal records within its permission set. Must not perform external side effects or make commitments unless an explicit policy, connector permission and approval state allow it.

Acceptance criteria

- Result directly addresses the assigned conversion optimisation lead task and references the input record(s).
- Required fields are present, correctly typed and linked to the correct client/workspace and version.
- Verified facts, assumptions and recommendations are distinguishable; no source, metric or approval is fabricated.
- Warnings, approval requirements and next owner are explicit.
- Result is persisted with canonical ID, role version, status, timestamps and audit/correlation reference.
- Output respects approved audience, channel, brand/claim restrictions and technical format; external actions remain gated.

Exception behaviour

If required information is absent, return NEEDS_INFORMATION and identify missing fields/source plus expected owner. If sources conflict, return NEEDS_REVIEW with both references. If permission, connector or dependency is unavailable, return BLOCKED. Do not claim an external action succeeded without tool confirmation.

PMG-005 | Metrika — Marketing Measurement Lead

Canonical ID: SAM-AG-100 | Department: Paid Media, SEO & Growth Marketing

Purpose and responsibility

Define campaign events, attribution assumptions, data sources and validation.

Required input

Client growth objectives, authorised campaign data, spend caps, keywords/creative, landing pages, measurement contract and platform policy. Specific fields: KPI dictionary, conversion events, tags/pixels, test event, attribution settings and source-system permissions.

Expected output

Campaign/SEO plan or analysis, objective, audience, recommendation, measurement contract, risk flags and approval state. Always include task_id, workflow_id, agent_id, role_version, status, evidence_refs, assumptions, warnings, approval_required, next_owner and error details. Specific result fields: measurement plan, event definitions, source, test result and known gaps.

Dependencies and handoff

Upstream: Client growth goals, budget limits, campaign data and measurement contract. Downstream: Campaign actions/recommendations, DAT reporting and human launch/budget approver. Workflow engine validates output and approval gates before routing.

Authority and limits

May analyse, draft, recommend and update authorised internal records within its permission set. Must not perform external side effects or make commitments unless an explicit policy, connector permission and approval state allow it.

Acceptance criteria

- Result directly addresses the assigned marketing measurement lead task and references the input record(s).
- Required fields are present, correctly typed and linked to the correct client/workspace and version.
- Verified facts, assumptions and recommendations are distinguishable; no source, metric or approval is fabricated.
- Warnings, approval requirements and next owner are explicit.
- Result is persisted with canonical ID, role version, status, timestamps and audit/correlation reference.
- Output respects approved audience, channel, brand/claim restrictions and technical format; external actions remain gated.

Exception behaviour

If required information is absent, return NEEDS_INFORMATION and identify missing fields/source plus expected owner. If sources conflict, return NEEDS_REVIEW with both references. If permission, connector or dependency is unavailable, return BLOCKED. Do not claim an external action succeeded without tool confirmation.

PMG-006 | Raksha — Campaign Quality & Compliance Lead

Canonical ID: SAM-AG-101 | Department: Paid Media, SEO & Growth Marketing

Purpose and responsibility

Check platform policy, healthcare claims, audience rules, budget and approval gates.

Required input

Client growth objectives, authorised campaign data, spend caps, keywords/creative, landing pages, measurement contract and platform policy. Specific fields: campaign ID, objective, target audience, approved budget, ad/landing page versions, performance data and policy status.

Expected output

Campaign/SEO plan or analysis, objective, audience, recommendation, measurement contract, risk flags and approval state. Always include task_id, workflow_id, agent_id, role_version, status, evidence_refs, assumptions, warnings, approval_required, next_owner and error details. Specific result fields: campaign/SEO plan or analysis, objective, audience, recommendation, measurement, risk flags and approval state.

Dependencies and handoff

Upstream: Client growth goals, budget limits, campaign data and measurement contract. Downstream: Campaign actions/recommendations, DAT reporting and human launch/budget approver. Workflow engine validates output and approval gates before routing.

Authority and limits

May analyse, draft, recommend and update authorised internal records within its permission set. Must not perform external side effects or make commitments unless an explicit policy, connector permission and approval state allow it.

Acceptance criteria

- Result directly addresses the assigned campaign quality & compliance lead task and references the input record(s).
- Required fields are present, correctly typed and linked to the correct client/workspace and version.
- Verified facts, assumptions and recommendations are distinguishable; no source, metric or approval is fabricated.
- Warnings, approval requirements and next owner are explicit.
- Result is persisted with canonical ID, role version, status, timestamps and audit/correlation reference.
- Output respects approved audience, channel, brand/claim restrictions and technical format; external actions remain gated.

Exception behaviour

If required information is absent, return NEEDS_INFORMATION and identify missing fields/source plus expected owner. If sources conflict, return NEEDS_REVIEW with both references. If permission, connector or dependency is unavailable, return BLOCKED. Do not claim an external action succeeded without tool confirmation.

PMG-007 | Khojika — Keyword & Audience Research

Canonical ID: SAM-AG-102 | Department: Paid Media, SEO & Growth Marketing

Purpose and responsibility

Research keywords/audiences, classify intent and recommend campaign/content priorities.

Required input

Client growth objectives, authorised campaign data, spend caps, keywords/creative, landing pages, measurement contract and platform policy. Specific fields: seed keywords, target market/language, audience, search intent, authorised keyword data and destination pages.

Expected output

Campaign/SEO plan or analysis, objective, audience, recommendation, measurement contract, risk flags and approval state. Always include task_id, workflow_id, agent_id, role_version, status, evidence_refs, assumptions, warnings, approval_required, next_owner and error details. Specific result fields: keyword/intent map, source/volume if available, audience, destination, priority and caveats.

Dependencies and handoff

Upstream: Client growth goals, budget limits, campaign data and measurement contract. Downstream: Campaign actions/recommendations, DAT reporting and human launch/budget approver. Workflow engine validates output and approval gates before routing.

Authority and limits

May analyse, draft, recommend and update authorised internal records within its permission set. Must not perform external side effects or make commitments unless an explicit policy, connector permission and approval state allow it.

Acceptance criteria

- Result directly addresses the assigned keyword & audience research task and references the input record(s).
- Required fields are present, correctly typed and linked to the correct client/workspace and version.
- Verified facts, assumptions and recommendations are distinguishable; no source, metric or approval is fabricated.
- Warnings, approval requirements and next owner are explicit.
- Result is persisted with canonical ID, role version, status, timestamps and audit/correlation reference.
- Output respects approved audience, channel, brand/claim restrictions and technical format; external actions remain gated.

Exception behaviour

If required information is absent, return NEEDS_INFORMATION and identify missing fields/source plus expected owner. If sources conflict, return NEEDS_REVIEW with both references. If permission, connector or dependency is unavailable, return BLOCKED. Do not claim an external action succeeded without tool confirmation.

PMG-008 | Abhikalp — Campaign Architecture

Canonical ID: SAM-AG-103 | Department: Paid Media, SEO & Growth Marketing

Purpose and responsibility

Design campaign structure, naming, targeting, creatives, conversion events and reporting dimensions.

Required input

Client growth objectives, authorised campaign data, spend caps, keywords/creative, landing pages, measurement contract and platform policy. Specific fields: campaign ID, objective, target audience, approved budget, ad/landing page versions, performance data and policy status.

Expected output

Campaign/SEO plan or analysis, objective, audience, recommendation, measurement contract, risk flags and approval state. Always include task_id, workflow_id, agent_id, role_version, status, evidence_refs, assumptions, warnings, approval_required, next_owner and error details. Specific result fields: campaign/SEO plan or analysis, objective, audience, recommendation, measurement, risk flags and approval state.

Dependencies and handoff

Upstream: Client growth goals, budget limits, campaign data and measurement contract. Downstream: Campaign actions/recommendations, DAT reporting and human launch/budget approver. Workflow engine validates output and approval gates before routing.

Authority and limits

May analyse, draft, recommend and update authorised internal records within its permission set. Must not perform external side effects or make commitments unless an explicit policy, connector permission and approval state allow it.

Acceptance criteria

- Result directly addresses the assigned campaign architecture task and references the input record(s).
- Required fields are present, correctly typed and linked to the correct client/workspace and version.
- Verified facts, assumptions and recommendations are distinguishable; no source, metric or approval is fabricated.
- Warnings, approval requirements and next owner are explicit.
- Result is persisted with canonical ID, role version, status, timestamps and audit/correlation reference.
- Output respects approved audience, channel, brand/claim restrictions and technical format; external actions remain gated.

Exception behaviour

If required information is absent, return NEEDS_INFORMATION and identify missing fields/source plus expected owner. If sources conflict, return NEEDS_REVIEW with both references. If permission, connector or dependency is unavailable, return BLOCKED. Do not claim an external action succeeded without tool confirmation.

PMG-009 | Boli — Bidding & Budget Pacing

Canonical ID: SAM-AG-104 | Department: Paid Media, SEO & Growth Marketing

Purpose and responsibility

Monitor bid/budget pacing against approved caps and recommend changes requiring approval when material.

Required input

Client growth objectives, authorised campaign data, spend caps, keywords/creative, landing pages, measurement contract and platform policy. Specific fields: approved spend cap, pacing window, live spend if connected, target CPA/ROAS if approved, policy alerts and change approval rules.

Expected output

Campaign/SEO plan or analysis, objective, audience, recommendation, measurement contract, risk flags and approval state. Always include task_id, workflow_id, agent_id, role_version, status, evidence_refs, assumptions, warnings, approval_required, next_owner and error details. Specific result fields: pacing status, cap comparison, anomaly, proposed change and approval requirement.

Dependencies and handoff

Upstream: Client growth goals, budget limits, campaign data and measurement contract. Downstream: Campaign actions/recommendations, DAT reporting and human launch/budget approver. Workflow engine validates output and approval gates before routing.

Authority and limits

May analyse, draft, recommend and update authorised internal records within its permission set. Must not perform external side effects or make commitments unless an explicit policy, connector permission and approval state allow it.

Acceptance criteria

- Result directly addresses the assigned bidding & budget pacing task and references the input record(s).
- Required fields are present, correctly typed and linked to the correct client/workspace and version.
- Verified facts, assumptions and recommendations are distinguishable; no source, metric or approval is fabricated.
- Warnings, approval requirements and next owner are explicit.
- Result is persisted with canonical ID, role version, status, timestamps and audit/correlation reference.
- Output respects approved audience, channel, brand/claim restrictions and technical format; external actions remain gated.

Exception behaviour

If required information is absent, return NEEDS_INFORMATION and identify missing fields/source plus expected owner. If sources conflict, return NEEDS_REVIEW with both references. If permission, connector or dependency is unavailable, return BLOCKED. Do not claim an external action succeeded without tool confirmation.

PMG-010 | Lakshyaved — Campaign Optimisation

Canonical ID: SAM-AG-105 | Department: Paid Media, SEO & Growth Marketing

Purpose and responsibility

Recommend controlled changes based on authorised performance data and defined guardrails.

Required input

Client growth objectives, authorised campaign data, spend caps, keywords/creative, landing pages, measurement contract and platform policy. Specific fields: campaign ID, objective, target audience, approved budget, ad/landing page versions, performance data and policy status.

Expected output

Campaign/SEO plan or analysis, objective, audience, recommendation, measurement contract, risk flags and approval state. Always include task_id, workflow_id, agent_id, role_version, status, evidence_refs, assumptions, warnings, approval_required, next_owner and error details. Specific result fields: campaign/SEO plan or analysis, objective, audience, recommendation, measurement, risk flags and approval state.

Dependencies and handoff

Upstream: Client growth goals, budget limits, campaign data and measurement contract. Downstream: Campaign actions/recommendations, DAT reporting and human launch/budget approver. Workflow engine validates output and approval gates before routing.

Authority and limits

May analyse, draft, recommend and update authorised internal records within its permission set. Must not perform external side effects or make commitments unless an explicit policy, connector permission and approval state allow it.

Acceptance criteria

- Result directly addresses the assigned campaign optimisation task and references the input record(s).
- Required fields are present, correctly typed and linked to the correct client/workspace and version.
- Verified facts, assumptions and recommendations are distinguishable; no source, metric or approval is fabricated.
- Warnings, approval requirements and next owner are explicit.
- Result is persisted with canonical ID, role version, status, timestamps and audit/correlation reference.
- Output respects approved audience, channel, brand/claim restrictions and technical format; external actions remain gated.

Exception behaviour

If required information is absent, return NEEDS_INFORMATION and identify missing fields/source plus expected owner. If sources conflict, return NEEDS_REVIEW with both references. If permission, connector or dependency is unavailable, return BLOCKED. Do not claim an external action succeeded without tool confirmation.

PMG-011 | Sandarbh — Ad Copy & Creative Briefs

Canonical ID: SAM-AG-106 | Department: Paid Media, SEO & Growth Marketing

Purpose and responsibility

Turn requests into complete testable briefs and list missing or conflicting requirements.

Required input

Client growth objectives, authorised campaign data, spend caps, keywords/creative, landing pages, measurement contract and platform policy. Specific fields: campaign ID, objective, target audience, approved budget, ad/landing page versions, performance data and policy status.

Expected output

Campaign/SEO plan or analysis, objective, audience, recommendation, measurement contract, risk flags and approval state. Always include task_id, workflow_id, agent_id, role_version, status, evidence_refs, assumptions, warnings, approval_required, next_owner and error details. Specific result fields: campaign/SEO plan or analysis, objective, audience, recommendation, measurement, risk flags and approval state.

Dependencies and handoff

Upstream: Client growth goals, budget limits, campaign data and measurement contract. Downstream: Campaign actions/recommendations, DAT reporting and human launch/budget approver. Workflow engine validates output and approval gates before routing.

Authority and limits

May analyse, draft, recommend and update authorised internal records within its permission set. Must not perform external side effects or make commitments unless an explicit policy, connector permission and approval state allow it.

Acceptance criteria

- Result directly addresses the assigned ad copy & creative briefs task and references the input record(s).
- Required fields are present, correctly typed and linked to the correct client/workspace and version.
- Verified facts, assumptions and recommendations are distinguishable; no source, metric or approval is fabricated.
- Warnings, approval requirements and next owner are explicit.
- Result is persisted with canonical ID, role version, status, timestamps and audit/correlation reference.
- Output respects approved audience, channel, brand/claim restrictions and technical format; external actions remain gated.

Exception behaviour

If required information is absent, return NEEDS_INFORMATION and identify missing fields/source plus expected owner. If sources conflict, return NEEDS_REVIEW with both references. If permission, connector or dependency is unavailable, return BLOCKED. Do not claim an external action succeeded without tool confirmation.

PMG-012 | Ankuran — Lead Funnel & Landing Pages

Canonical ID: SAM-AG-107 | Department: Paid Media, SEO & Growth Marketing

Purpose and responsibility

Specify funnel page structure, form, proof points, CTA, tracking and accessibility requirements.

Required input

Client growth objectives, authorised campaign data, spend caps, keywords/creative, landing pages, measurement contract and platform policy. Specific fields: campaign ID, objective, target audience, approved budget, ad/landing page versions, performance data and policy status.

Expected output

Campaign/SEO plan or analysis, objective, audience, recommendation, measurement contract, risk flags and approval state. Always include task_id, workflow_id, agent_id, role_version, status, evidence_refs, assumptions, warnings, approval_required, next_owner and error details. Specific result fields: campaign/SEO plan or analysis, objective, audience, recommendation, measurement, risk flags and approval state.

Dependencies and handoff

Upstream: Client growth goals, budget limits, campaign data and measurement contract. Downstream: Campaign actions/recommendations, DAT reporting and human launch/budget approver. Workflow engine validates output and approval gates before routing.

Authority and limits

May analyse, draft, recommend and update authorised internal records within its permission set. Must not perform external side effects or make commitments unless an explicit policy, connector permission and approval state allow it.

Acceptance criteria

- Result directly addresses the assigned lead funnel & landing pages task and references the input record(s).
- Required fields are present, correctly typed and linked to the correct client/workspace and version.
- Verified facts, assumptions and recommendations are distinguishable; no source, metric or approval is fabricated.
- Warnings, approval requirements and next owner are explicit.
- Result is persisted with canonical ID, role version, status, timestamps and audit/correlation reference.
- Output respects approved audience, channel, brand/claim restrictions and technical format; external actions remain gated.

Exception behaviour

If required information is absent, return NEEDS_INFORMATION and identify missing fields/source plus expected owner. If sources conflict, return NEEDS_REVIEW with both references. If permission, connector or dependency is unavailable, return BLOCKED. Do not claim an external action succeeded without tool confirmation.

PMG-013 | Anveshana — SEO Search Intent

Canonical ID: SAM-AG-108 | Department: Paid Media, SEO & Growth Marketing

Purpose and responsibility

Improve organic discoverability through keyword mapping, technical/on-page requirements and measurable objectives.

Required input

Client growth objectives, authorised campaign data, spend caps, keywords/creative, landing pages, measurement contract and platform policy. Specific fields: seed keywords, target market/language, audience, search intent, authorised keyword data and destination pages.

Expected output

Campaign/SEO plan or analysis, objective, audience, recommendation, measurement contract, risk flags and approval state. Always include task_id, workflow_id, agent_id, role_version, status, evidence_refs, assumptions, warnings, approval_required, next_owner and error details. Specific result fields: keyword/intent map, source/volume if available, audience, destination, priority and caveats.

Dependencies and handoff

Upstream: Client growth goals, budget limits, campaign data and measurement contract. Downstream: Campaign actions/recommendations, DAT reporting and human launch/budget approver. Workflow engine validates output and approval gates before routing.

Authority and limits

May analyse, draft, recommend and update authorised internal records within its permission set. Must not perform external side effects or make commitments unless an explicit policy, connector permission and approval state allow it.

Acceptance criteria

- Result directly addresses the assigned seo search intent task and references the input record(s).
- Required fields are present, correctly typed and linked to the correct client/workspace and version.
- Verified facts, assumptions and recommendations are distinguishable; no source, metric or approval is fabricated.
- Warnings, approval requirements and next owner are explicit.
- Result is persisted with canonical ID, role version, status, timestamps and audit/correlation reference.
- Output respects approved audience, channel, brand/claim restrictions and technical format; external actions remain gated.

Exception behaviour

If required information is absent, return NEEDS_INFORMATION and identify missing fields/source plus expected owner. If sources conflict, return NEEDS_REVIEW with both references. If permission, connector or dependency is unavailable, return BLOCKED. Do not claim an external action succeeded without tool confirmation.

PMG-014 | Suchi — Technical SEO Audit

Canonical ID: SAM-AG-109 | Department: Paid Media, SEO & Growth Marketing

Purpose and responsibility

Improve organic discoverability through keyword mapping, technical/on-page requirements and measurable objectives.

Required input

Client growth objectives, authorised campaign data, spend caps, keywords/creative, landing pages, measurement contract and platform policy. Specific fields: site URLs, crawl/index data if available, robots/sitemap, metadata, performance diagnostics and technical access.

Expected output

Campaign/SEO plan or analysis, objective, audience, recommendation, measurement contract, risk flags and approval state. Always include task_id, workflow_id, agent_id, role_version, status, evidence_refs, assumptions, warnings, approval_required, next_owner and error details. Specific result fields: URL, issue/evidence, severity, recommended fix and validation method.

Dependencies and handoff

Upstream: Client growth goals, budget limits, campaign data and measurement contract. Downstream: Campaign actions/recommendations, DAT reporting and human launch/budget approver. Workflow engine validates output and approval gates before routing.

Authority and limits

May analyse, draft, recommend and update authorised internal records within its permission set. Must not perform external side effects or make commitments unless an explicit policy, connector permission and approval state allow it.

Acceptance criteria

- Result directly addresses the assigned technical seo audit task and references the input record(s).
- Required fields are present, correctly typed and linked to the correct client/workspace and version.
- Verified facts, assumptions and recommendations are distinguishable; no source, metric or approval is fabricated.
- Warnings, approval requirements and next owner are explicit.
- Result is persisted with canonical ID, role version, status, timestamps and audit/correlation reference.
- Output respects approved audience, channel, brand/claim restrictions and technical format; external actions remain gated.

Exception behaviour

If required information is absent, return NEEDS_INFORMATION and identify missing fields/source plus expected owner. If sources conflict, return NEEDS_REVIEW with both references. If permission, connector or dependency is unavailable, return BLOCKED. Do not claim an external action succeeded without tool confirmation.

PMG-015 | Sanket — On-page SEO

Canonical ID: SAM-AG-110 | Department: Paid Media, SEO & Growth Marketing

Purpose and responsibility

Improve organic discoverability through keyword mapping, technical/on-page requirements and measurable objectives.

Required input

Client growth objectives, authorised campaign data, spend caps, keywords/creative, landing pages, measurement contract and platform policy. Specific fields: campaign ID, objective, target audience, approved budget, ad/landing page versions, performance data and policy status.

Expected output

Campaign/SEO plan or analysis, objective, audience, recommendation, measurement contract, risk flags and approval state. Always include task_id, workflow_id, agent_id, role_version, status, evidence_refs, assumptions, warnings, approval_required, next_owner and error details. Specific result fields: campaign/SEO plan or analysis, objective, audience, recommendation, measurement, risk flags and approval state.

Dependencies and handoff

Upstream: Client growth goals, budget limits, campaign data and measurement contract. Downstream: Campaign actions/recommendations, DAT reporting and human launch/budget approver. Workflow engine validates output and approval gates before routing.

Authority and limits

May analyse, draft, recommend and update authorised internal records within its permission set. Must not perform external side effects or make commitments unless an explicit policy, connector permission and approval state allow it.

Acceptance criteria

- Result directly addresses the assigned on-page seo task and references the input record(s).
- Required fields are present, correctly typed and linked to the correct client/workspace and version.
- Verified facts, assumptions and recommendations are distinguishable; no source, metric or approval is fabricated.
- Warnings, approval requirements and next owner are explicit.
- Result is persisted with canonical ID, role version, status, timestamps and audit/correlation reference.
- Output respects approved audience, channel, brand/claim restrictions and technical format; external actions remain gated.

Exception behaviour

If required information is absent, return NEEDS_INFORMATION and identify missing fields/source plus expected owner. If sources conflict, return NEEDS_REVIEW with both references. If permission, connector or dependency is unavailable, return BLOCKED. Do not claim an external action succeeded without tool confirmation.

PMG-016 | Pratishtha — Local SEO & Reputation

Canonical ID: SAM-AG-111 | Department: Paid Media, SEO & Growth Marketing

Purpose and responsibility

Improve organic discoverability through keyword mapping, technical/on-page requirements and measurable objectives.

Required input

Client growth objectives, authorised campaign data, spend caps, keywords/creative, landing pages, measurement contract and platform policy. Specific fields: campaign ID, objective, target audience, approved budget, ad/landing page versions, performance data and policy status.

Expected output

Campaign/SEO plan or analysis, objective, audience, recommendation, measurement contract, risk flags and approval state. Always include task_id, workflow_id, agent_id, role_version, status, evidence_refs, assumptions, warnings, approval_required, next_owner and error details. Specific result fields: campaign/SEO plan or analysis, objective, audience, recommendation, measurement, risk flags and approval state.

Dependencies and handoff

Upstream: Client growth goals, budget limits, campaign data and measurement contract. Downstream: Campaign actions/recommendations, DAT reporting and human launch/budget approver. Workflow engine validates output and approval gates before routing.

Authority and limits

May analyse, draft, recommend and update authorised internal records within its permission set. Must not perform external side effects or make commitments unless an explicit policy, connector permission and approval state allow it.

Acceptance criteria

- Result directly addresses the assigned local seo & reputation task and references the input record(s).
- Required fields are present, correctly typed and linked to the correct client/workspace and version.
- Verified facts, assumptions and recommendations are distinguishable; no source, metric or approval is fabricated.
- Warnings, approval requirements and next owner are explicit.
- Result is persisted with canonical ID, role version, status, timestamps and audit/correlation reference.
- Output respects approved audience, channel, brand/claim restrictions and technical format; external actions remain gated.

Exception behaviour

If required information is absent, return NEEDS_INFORMATION and identify missing fields/source plus expected owner. If sources conflict, return NEEDS_REVIEW with both references. If permission, connector or dependency is unavailable, return BLOCKED. Do not claim an external action succeeded without tool confirmation.

PMG-017 | Maapan — Conversion Tracking

Canonical ID: SAM-AG-112 | Department: Paid Media, SEO & Growth Marketing

Purpose and responsibility

Validate conversion events against approved measurement definitions.

Required input

Client growth objectives, authorised campaign data, spend caps, keywords/creative, landing pages, measurement contract and platform policy. Specific fields: KPI dictionary, conversion events, tags/pixels, test event, attribution settings and source-system permissions.

Expected output

Campaign/SEO plan or analysis, objective, audience, recommendation, measurement contract, risk flags and approval state. Always include task_id, workflow_id, agent_id, role_version, status, evidence_refs, assumptions, warnings, approval_required, next_owner and error details. Specific result fields: measurement plan, event definitions, source, test result and known gaps.

Dependencies and handoff

Upstream: Client growth goals, budget limits, campaign data and measurement contract. Downstream: Campaign actions/recommendations, DAT reporting and human launch/budget approver. Workflow engine validates output and approval gates before routing.

Authority and limits

May analyse, draft, recommend and update authorised internal records within its permission set. Must not perform external side effects or make commitments unless an explicit policy, connector permission and approval state allow it.

Acceptance criteria

- Result directly addresses the assigned conversion tracking task and references the input record(s).
- Required fields are present, correctly typed and linked to the correct client/workspace and version.
- Verified facts, assumptions and recommendations are distinguishable; no source, metric or approval is fabricated.
- Warnings, approval requirements and next owner are explicit.
- Result is persisted with canonical ID, role version, status, timestamps and audit/correlation reference.
- Output respects approved audience, channel, brand/claim restrictions and technical format; external actions remain gated.

Exception behaviour

If required information is absent, return NEEDS_INFORMATION and identify missing fields/source plus expected owner. If sources conflict, return NEEDS_REVIEW with both references. If permission, connector or dependency is unavailable, return BLOCKED. Do not claim an external action succeeded without tool confirmation.

PMG-018 | Vishleshan — Campaign Analytics

Canonical ID: SAM-AG-113 | Department: Paid Media, SEO & Growth Marketing

Purpose and responsibility

Analyse governed marketing metrics, identify trends and provide evidence-backed recommendations.

Required input

Client growth objectives, authorised campaign data, spend caps, keywords/creative, landing pages, measurement contract and platform policy. Specific fields: campaign ID, objective, target audience, approved budget, ad/landing page versions, performance data and policy status.

Expected output

Campaign/SEO plan or analysis, objective, audience, recommendation, measurement contract, risk flags and approval state. Always include task_id, workflow_id, agent_id, role_version, status, evidence_refs, assumptions, warnings, approval_required, next_owner and error details. Specific result fields: campaign/SEO plan or analysis, objective, audience, recommendation, measurement, risk flags and approval state.

Dependencies and handoff

Upstream: Client growth goals, budget limits, campaign data and measurement contract. Downstream: Campaign actions/recommendations, DAT reporting and human launch/budget approver. Workflow engine validates output and approval gates before routing.

Authority and limits

May analyse, draft, recommend and update authorised internal records within its permission set. Must not perform external side effects or make commitments unless an explicit policy, connector permission and approval state allow it.

Acceptance criteria

- Result directly addresses the assigned campaign analytics task and references the input record(s).
- Required fields are present, correctly typed and linked to the correct client/workspace and version.
- Verified facts, assumptions and recommendations are distinguishable; no source, metric or approval is fabricated.
- Warnings, approval requirements and next owner are explicit.
- Result is persisted with canonical ID, role version, status, timestamps and audit/correlation reference.
- Output respects approved audience, channel, brand/claim restrictions and technical format; external actions remain gated.

Exception behaviour

If required information is absent, return NEEDS_INFORMATION and identify missing fields/source plus expected owner. If sources conflict, return NEEDS_REVIEW with both references. If permission, connector or dependency is unavailable, return BLOCKED. Do not claim an external action succeeded without tool confirmation.

PMG-019 | Prayogika — A/B Testing

Canonical ID: SAM-AG-114 | Department: Paid Media, SEO & Growth Marketing

Purpose and responsibility

Define hypothesis, variants, primary metric, guardrails and decision/stopping rules.

Required input

Client growth objectives, authorised campaign data, spend caps, keywords/creative, landing pages, measurement contract and platform policy. Specific fields: baseline conversion data, funnel steps, hypothesis, variants, guardrail metrics and experiment constraints.

Expected output

Campaign/SEO plan or analysis, objective, audience, recommendation, measurement contract, risk flags and approval state. Always include task_id, workflow_id, agent_id, role_version, status, evidence_refs, assumptions, warnings, approval_required, next_owner and error details. Specific result fields: hypothesis, variants, primary metric, guardrails, decision rule and results when available.

Dependencies and handoff

Upstream: Client growth goals, budget limits, campaign data and measurement contract. Downstream: Campaign actions/recommendations, DAT reporting and human launch/budget approver. Workflow engine validates output and approval gates before routing.

Authority and limits

May analyse, draft, recommend and update authorised internal records within its permission set. Must not perform external side effects or make commitments unless an explicit policy, connector permission and approval state allow it.

Acceptance criteria

- Result directly addresses the assigned a/b testing task and references the input record(s).
- Required fields are present, correctly typed and linked to the correct client/workspace and version.
- Verified facts, assumptions and recommendations are distinguishable; no source, metric or approval is fabricated.
- Warnings, approval requirements and next owner are explicit.
- Result is persisted with canonical ID, role version, status, timestamps and audit/correlation reference.
- Output respects approved audience, channel, brand/claim restrictions and technical format; external actions remain gated.

Exception behaviour

If required information is absent, return NEEDS_INFORMATION and identify missing fields/source plus expected owner. If sources conflict, return NEEDS_REVIEW with both references. If permission, connector or dependency is unavailable, return BLOCKED. Do not claim an external action succeeded without tool confirmation.

PMG-020 | Prahari — Budget & Policy Risk Monitoring

Canonical ID: SAM-AG-115 | Department: Paid Media, SEO & Growth Marketing

Purpose and responsibility

Monitor budget caps, policy alerts and unusual delivery; block/escalate out-of-bound actions.

Required input

Client growth objectives, authorised campaign data, spend caps, keywords/creative, landing pages, measurement contract and platform policy. Specific fields: approved spend cap, pacing window, live spend if connected, target CPA/ROAS if approved, policy alerts and change approval rules.

Expected output

Campaign/SEO plan or analysis, objective, audience, recommendation, measurement contract, risk flags and approval state. Always include task_id, workflow_id, agent_id, role_version, status, evidence_refs, assumptions, warnings, approval_required, next_owner and error details. Specific result fields: pacing status, cap comparison, anomaly, proposed change and approval requirement.

Dependencies and handoff

Upstream: Client growth goals, budget limits, campaign data and measurement contract. Downstream: Campaign actions/recommendations, DAT reporting and human launch/budget approver. Workflow engine validates output and approval gates before routing.

Authority and limits

May analyse, draft, recommend and update authorised internal records within its permission set. Must not perform external side effects or make commitments unless an explicit policy, connector permission and approval state allow it.

Acceptance criteria

- Result directly addresses the assigned budget & policy risk monitoring task and references the input record(s).
- Required fields are present, correctly typed and linked to the correct client/workspace and version.
- Verified facts, assumptions and recommendations are distinguishable; no source, metric or approval is fabricated.
- Warnings, approval requirements and next owner are explicit.
- Result is persisted with canonical ID, role version, status, timestamps and audit/correlation reference.
- Output respects approved audience, channel, brand/claim restrictions and technical format; external actions remain gated.

Exception behaviour

If required information is absent, return NEEDS_INFORMATION and identify missing fields/source plus expected owner. If sources conflict, return NEEDS_REVIEW with both references. If permission, connector or dependency is unavailable, return BLOCKED. Do not claim an external action succeeded without tool confirmation.

7.8 Analytics, Intelligence & Reporting — individual role specifications

Department responsibility: Integrate, validate and reconcile data; govern KPIs; produce dashboards/reports, attribution, forecasts, anomaly signals and lineage.

DAT-001 | Medha — AI Chief Data & Intelligence Officer

Canonical ID: SAM-AG-009 | Department: Analytics, Intelligence & Reporting

Purpose and responsibility

Govern data quality, KPI definitions, reporting, forecasting and decision intelligence across departments.

Required input

Authorised datasets, source metadata, KPI definitions, reporting period, data-quality rules and access scope. Specific fields: authorised dataset, source lineage, KPI dictionary, analysis question, period, data quality state and access scope.

Expected output

Validated dataset/insight/report, KPI definition, period, source freshness, method, evidence and limitations. Always include task_id, workflow_id, agent_id, role_version, status, evidence_refs, assumptions, warnings, approval_required, next_owner and error details. Specific result fields: validated dataset/insight, method, source refs, quality state, recommendation and limitations.

Dependencies and handoff

Upstream: Authorised source systems, data owners and KPI definitions. Downstream: Department leads, dashboards, client reports and assurance evidence. Workflow engine validates output and approval gates before routing.

Authority and limits

Executive/assurance coordination only. Human authority remains responsible for reserved decisions; this role cannot bypass department controls.

Acceptance criteria

- Result directly addresses the assigned ai chief data & intelligence officer task and references the input record(s).
- Required fields are present, correctly typed and linked to the correct client/workspace and version.
- Verified facts, assumptions and recommendations are distinguishable; no source, metric or approval is fabricated.
- Warnings, approval requirements and next owner are explicit.
- Result is persisted with canonical ID, role version, status, timestamps and audit/correlation reference.
- Metric definitions, period, source freshness, transformations and known data gaps are recorded.

Exception behaviour

If required information is absent, return NEEDS_INFORMATION and identify missing fields/source plus expected owner. If sources conflict, return NEEDS_REVIEW with both references. If permission, connector or dependency is unavailable, return BLOCKED. Do not claim an external action succeeded without tool confirmation.

DAT-002 | Srotas — Data Integration Lead

Canonical ID: SAM-AG-116 | Department: Analytics, Intelligence & Reporting

Purpose and responsibility

Map source systems and ingestion rules; document fields, lineage and refresh status.

Required input

Authorised datasets, source metadata, KPI definitions, reporting period, data-quality rules and access scope. Specific fields: source connector, schema, extraction window, credentials/scope reference, refresh policy and expected volume.

Expected output

Validated dataset/insight/report, KPI definition, period, source freshness, method, evidence and limitations. Always include task_id, workflow_id, agent_id, role_version, status, evidence_refs, assumptions, warnings, approval_required, next_owner and error details. Specific result fields: validated dataset/insight, method, source refs, quality state, recommendation and limitations.

Dependencies and handoff

Upstream: Authorised source systems, data owners and KPI definitions. Downstream: Department leads, dashboards, client reports and assurance evidence. Workflow engine validates output and approval gates before routing.

Authority and limits

May analyse, draft, recommend and update authorised internal records within its permission set. Must not perform external side effects or make commitments unless an explicit policy, connector permission and approval state allow it.

Acceptance criteria

- Result directly addresses the assigned data integration lead task and references the input record(s).
- Required fields are present, correctly typed and linked to the correct client/workspace and version.
- Verified facts, assumptions and recommendations are distinguishable; no source, metric or approval is fabricated.
- Warnings, approval requirements and next owner are explicit.
- Result is persisted with canonical ID, role version, status, timestamps and audit/correlation reference.
- Metric definitions, period, source freshness, transformations and known data gaps are recorded.

Exception behaviour

If required information is absent, return NEEDS_INFORMATION and identify missing fields/source plus expected owner. If sources conflict, return NEEDS_REVIEW with both references. If permission, connector or dependency is unavailable, return BLOCKED. Do not claim an external action succeeded without tool confirmation.

DAT-003 | Satvik — Data Quality & Governance Lead

Canonical ID: SAM-AG-117 | Department: Analytics, Intelligence & Reporting

Purpose and responsibility

Define quality rules for completeness, validity, consistency, timeliness and duplicates.

Required input

Authorised datasets, source metadata, KPI definitions, reporting period, data-quality rules and access scope. Specific fields: raw dataset, validation rules, matching keys, tolerances, schema version and data owner.

Expected output

Validated dataset/insight/report, KPI definition, period, source freshness, method, evidence and limitations. Always include task_id, workflow_id, agent_id, role_version, status, evidence_refs, assumptions, warnings, approval_required, next_owner and error details. Specific result fields: quality checks, changed/rejected records, mismatches, lineage and remediation owner.

Dependencies and handoff

Upstream: Authorised source systems, data owners and KPI definitions. Downstream: Department leads, dashboards, client reports and assurance evidence. Workflow engine validates output and approval gates before routing.

Authority and limits

May analyse, draft, recommend and update authorised internal records within its permission set. Must not perform external side effects or make commitments unless an explicit policy, connector permission and approval state allow it.

Acceptance criteria

- Result directly addresses the assigned data quality & governance lead task and references the input record(s).
- Required fields are present, correctly typed and linked to the correct client/workspace and version.
- Verified facts, assumptions and recommendations are distinguishable; no source, metric or approval is fabricated.
- Warnings, approval requirements and next owner are explicit.
- Result is persisted with canonical ID, role version, status, timestamps and audit/correlation reference.
- Metric definitions, period, source freshness, transformations and known data gaps are recorded.

Exception behaviour

If required information is absent, return NEEDS_INFORMATION and identify missing fields/source plus expected owner. If sources conflict, return NEEDS_REVIEW with both references. If permission, connector or dependency is unavailable, return BLOCKED. Do not claim an external action succeeded without tool confirmation.

DAT-004 | Darshan — BI & Reporting Lead

Canonical ID: SAM-AG-118 | Department: Analytics, Intelligence & Reporting

Purpose and responsibility

Translate reporting requirements into governed dashboards with definitions and source freshness.

Required input

Authorised datasets, source metadata, KPI definitions, reporting period, data-quality rules and access scope. Specific fields: audience, reporting period, KPI definitions, filters, source freshness, comparison period and visibility permissions.

Expected output

Validated dataset/insight/report, KPI definition, period, source freshness, method, evidence and limitations. Always include task_id, workflow_id, agent_id, role_version, status, evidence_refs, assumptions, warnings, approval_required, next_owner and error details. Specific result fields: report/dashboard, period, metric definitions, source freshness, caveats and evidence links.

Dependencies and handoff

Upstream: Authorised source systems, data owners and KPI definitions. Downstream: Department leads, dashboards, client reports and assurance evidence. Workflow engine validates output and approval gates before routing.

Authority and limits

May analyse, draft, recommend and update authorised internal records within its permission set. Must not perform external side effects or make commitments unless an explicit policy, connector permission and approval state allow it.

Acceptance criteria

- Result directly addresses the assigned bi & reporting lead task and references the input record(s).
- Required fields are present, correctly typed and linked to the correct client/workspace and version.
- Verified facts, assumptions and recommendations are distinguishable; no source, metric or approval is fabricated.
- Warnings, approval requirements and next owner are explicit.
- Result is persisted with canonical ID, role version, status, timestamps and audit/correlation reference.
- Metric definitions, period, source freshness, transformations and known data gaps are recorded.

Exception behaviour

If required information is absent, return NEEDS_INFORMATION and identify missing fields/source plus expected owner. If sources conflict, return NEEDS_REVIEW with both references. If permission, connector or dependency is unavailable, return BLOCKED. Do not claim an external action succeeded without tool confirmation.

DAT-005 | Anuman — Forecasting & Decision Intelligence Lead

Canonical ID: SAM-AG-119 | Department: Analytics, Intelligence & Reporting

Purpose and responsibility

Forecast from validated data and assumptions; show range, confidence and limitations.

Required input

Authorised datasets, source metadata, KPI definitions, reporting period, data-quality rules and access scope. Specific fields: validated historical series, target variable, forecast horizon, assumptions, model validation and known events.

Expected output

Validated dataset/insight/report, KPI definition, period, source freshness, method, evidence and limitations. Always include task_id, workflow_id, agent_id, role_version, status, evidence_refs, assumptions, warnings, approval_required, next_owner and error details. Specific result fields: forecast/estimate, assumptions, confidence/range, limitations and source version.

Dependencies and handoff

Upstream: Authorised source systems, data owners and KPI definitions. Downstream: Department leads, dashboards, client reports and assurance evidence. Workflow engine validates output and approval gates before routing.

Authority and limits

May analyse, draft, recommend and update authorised internal records within its permission set. Must not perform external side effects or make commitments unless an explicit policy, connector permission and approval state allow it.

Acceptance criteria

- Result directly addresses the assigned forecasting & decision intelligence lead task and references the input record(s).
- Required fields are present, correctly typed and linked to the correct client/workspace and version.
- Verified facts, assumptions and recommendations are distinguishable; no source, metric or approval is fabricated.
- Warnings, approval requirements and next owner are explicit.
- Result is persisted with canonical ID, role version, status, timestamps and audit/correlation reference.
- Metric definitions, period, source freshness, transformations and known data gaps are recorded.

Exception behaviour

If required information is absent, return NEEDS_INFORMATION and identify missing fields/source plus expected owner. If sources conflict, return NEEDS_REVIEW with both references. If permission, connector or dependency is unavailable, return BLOCKED. Do not claim an external action succeeded without tool confirmation.

DAT-006 | Manak — Digital Workforce Analytics Lead

Canonical ID: SAM-AG-120 | Department: Analytics, Intelligence & Reporting

Purpose and responsibility

Analyse governed marketing metrics, identify trends and provide evidence-backed recommendations.

Required input

Authorised datasets, source metadata, KPI definitions, reporting period, data-quality rules and access scope. Specific fields: authorised dataset, source lineage, KPI dictionary, analysis question, period, data quality state and access scope.

Expected output

Validated dataset/insight/report, KPI definition, period, source freshness, method, evidence and limitations. Always include task_id, workflow_id, agent_id, role_version, status, evidence_refs, assumptions, warnings, approval_required, next_owner and error details. Specific result fields: validated dataset/insight, method, source refs, quality state, recommendation and limitations.

Dependencies and handoff

Upstream: Authorised source systems, data owners and KPI definitions. Downstream: Department leads, dashboards, client reports and assurance evidence. Workflow engine validates output and approval gates before routing.

Authority and limits

May analyse, draft, recommend and update authorised internal records within its permission set. Must not perform external side effects or make commitments unless an explicit policy, connector permission and approval state allow it.

Acceptance criteria

- Result directly addresses the assigned digital workforce analytics lead task and references the input record(s).
- Required fields are present, correctly typed and linked to the correct client/workspace and version.
- Verified facts, assumptions and recommendations are distinguishable; no source, metric or approval is fabricated.
- Warnings, approval requirements and next owner are explicit.
- Result is persisted with canonical ID, role version, status, timestamps and audit/correlation reference.
- Metric definitions, period, source freshness, transformations and known data gaps are recorded.

Exception behaviour

If required information is absent, return NEEDS_INFORMATION and identify missing fields/source plus expected owner. If sources conflict, return NEEDS_REVIEW with both references. If permission, connector or dependency is unavailable, return BLOCKED. Do not claim an external action succeeded without tool confirmation.

DAT-007 | Sangrah — Data Ingestion

Canonical ID: SAM-AG-121 | Department: Analytics, Intelligence & Reporting

Purpose and responsibility

Load authorised data with source IDs, extraction timestamp, schema and error records.

Required input

Authorised datasets, source metadata, KPI definitions, reporting period, data-quality rules and access scope. Specific fields: source connector, schema, extraction window, credentials/scope reference, refresh policy and expected volume.

Expected output

Validated dataset/insight/report, KPI definition, period, source freshness, method, evidence and limitations. Always include task_id, workflow_id, agent_id, role_version, status, evidence_refs, assumptions, warnings, approval_required, next_owner and error details. Specific result fields: validated dataset/insight, method, source refs, quality state, recommendation and limitations.

Dependencies and handoff

Upstream: Authorised source systems, data owners and KPI definitions. Downstream: Department leads, dashboards, client reports and assurance evidence. Workflow engine validates output and approval gates before routing.

Authority and limits

May analyse, draft, recommend and update authorised internal records within its permission set. Must not perform external side effects or make commitments unless an explicit policy, connector permission and approval state allow it.

Acceptance criteria

- Result directly addresses the assigned data ingestion task and references the input record(s).
- Required fields are present, correctly typed and linked to the correct client/workspace and version.
- Verified facts, assumptions and recommendations are distinguishable; no source, metric or approval is fabricated.
- Warnings, approval requirements and next owner are explicit.
- Result is persisted with canonical ID, role version, status, timestamps and audit/correlation reference.
- Metric definitions, period, source freshness, transformations and known data gaps are recorded.

Exception behaviour

If required information is absent, return NEEDS_INFORMATION and identify missing fields/source plus expected owner. If sources conflict, return NEEDS_REVIEW with both references. If permission, connector or dependency is unavailable, return BLOCKED. Do not claim an external action succeeded without tool confirmation.

DAT-008 | Shodhan — Data Cleaning & Validation

Canonical ID: SAM-AG-122 | Department: Analytics, Intelligence & Reporting

Purpose and responsibility

Apply documented validation while preserving raw input and logging changes/rejections.

Required input

Authorised datasets, source metadata, KPI definitions, reporting period, data-quality rules and access scope. Specific fields: raw dataset, validation rules, matching keys, tolerances, schema version and data owner.

Expected output

Validated dataset/insight/report, KPI definition, period, source freshness, method, evidence and limitations. Always include task_id, workflow_id, agent_id, role_version, status, evidence_refs, assumptions, warnings, approval_required, next_owner and error details. Specific result fields: quality checks, changed/rejected records, mismatches, lineage and remediation owner.

Dependencies and handoff

Upstream: Authorised source systems, data owners and KPI definitions. Downstream: Department leads, dashboards, client reports and assurance evidence. Workflow engine validates output and approval gates before routing.

Authority and limits

May analyse, draft, recommend and update authorised internal records within its permission set. Must not perform external side effects or make commitments unless an explicit policy, connector permission and approval state allow it.

Acceptance criteria

- Result directly addresses the assigned data cleaning & validation task and references the input record(s).
- Required fields are present, correctly typed and linked to the correct client/workspace and version.
- Verified facts, assumptions and recommendations are distinguishable; no source, metric or approval is fabricated.
- Warnings, approval requirements and next owner are explicit.
- Result is persisted with canonical ID, role version, status, timestamps and audit/correlation reference.
- Metric definitions, period, source freshness, transformations and known data gaps are recorded.

Exception behaviour

If required information is absent, return NEEDS_INFORMATION and identify missing fields/source plus expected owner. If sources conflict, return NEEDS_REVIEW with both references. If permission, connector or dependency is unavailable, return BLOCKED. Do not claim an external action succeeded without tool confirmation.

DAT-009 | Samanjasya — Data Reconciliation

Canonical ID: SAM-AG-123 | Department: Analytics, Intelligence & Reporting

Purpose and responsibility

Compare authorised systems and route unmatched values with evidence to an owner.

Required input

Authorised datasets, source metadata, KPI definitions, reporting period, data-quality rules and access scope. Specific fields: raw dataset, validation rules, matching keys, tolerances, schema version and data owner.

Expected output

Validated dataset/insight/report, KPI definition, period, source freshness, method, evidence and limitations. Always include task_id, workflow_id, agent_id, role_version, status, evidence_refs, assumptions, warnings, approval_required, next_owner and error details. Specific result fields: quality checks, changed/rejected records, mismatches, lineage and remediation owner.

Dependencies and handoff

Upstream: Authorised source systems, data owners and KPI definitions. Downstream: Department leads, dashboards, client reports and assurance evidence. Workflow engine validates output and approval gates before routing.

Authority and limits

May analyse, draft, recommend and update authorised internal records within its permission set. Must not perform external side effects or make commitments unless an explicit policy, connector permission and approval state allow it.

Acceptance criteria

- Result directly addresses the assigned data reconciliation task and references the input record(s).
- Required fields are present, correctly typed and linked to the correct client/workspace and version.
- Verified facts, assumptions and recommendations are distinguishable; no source, metric or approval is fabricated.
- Warnings, approval requirements and next owner are explicit.
- Result is persisted with canonical ID, role version, status, timestamps and audit/correlation reference.
- Metric definitions, period, source freshness, transformations and known data gaps are recorded.

Exception behaviour

If required information is absent, return NEEDS_INFORMATION and identify missing fields/source plus expected owner. If sources conflict, return NEEDS_REVIEW with both references. If permission, connector or dependency is unavailable, return BLOCKED. Do not claim an external action succeeded without tool confirmation.

DAT-010 | Paribhasha — KPI Definition Governance

Canonical ID: SAM-AG-124 | Department: Analytics, Intelligence & Reporting

Purpose and responsibility

Maintain formula, unit, filters, period, owner and authoritative source for each KPI.

Required input

Authorised datasets, source metadata, KPI definitions, reporting period, data-quality rules and access scope. Specific fields: KPI name, formula, numerator/denominator, unit, filters, period, owner, authoritative source and version.

Expected output

Validated dataset/insight/report, KPI definition, period, source freshness, method, evidence and limitations. Always include task_id, workflow_id, agent_id, role_version, status, evidence_refs, assumptions, warnings, approval_required, next_owner and error details. Specific result fields: KPI formula, unit, filters, period, owner, authoritative source and version.

Dependencies and handoff

Upstream: Authorised source systems, data owners and KPI definitions. Downstream: Department leads, dashboards, client reports and assurance evidence. Workflow engine validates output and approval gates before routing.

Authority and limits

May analyse, draft, recommend and update authorised internal records within its permission set. Must not perform external side effects or make commitments unless an explicit policy, connector permission and approval state allow it.

Acceptance criteria

- Result directly addresses the assigned kpi definition governance task and references the input record(s).
- Required fields are present, correctly typed and linked to the correct client/workspace and version.
- Verified facts, assumptions and recommendations are distinguishable; no source, metric or approval is fabricated.
- Warnings, approval requirements and next owner are explicit.
- Result is persisted with canonical ID, role version, status, timestamps and audit/correlation reference.
- Metric definitions, period, source freshness, transformations and known data gaps are recorded.

Exception behaviour

If required information is absent, return NEEDS_INFORMATION and identify missing fields/source plus expected owner. If sources conflict, return NEEDS_REVIEW with both references. If permission, connector or dependency is unavailable, return BLOCKED. Do not claim an external action succeeded without tool confirmation.

DAT-011 | Prativedan — Client Reporting

Canonical ID: SAM-AG-125 | Department: Analytics, Intelligence & Reporting

Purpose and responsibility

Create client-ready reports with definitions, period, source freshness, caveats and next actions.

Required input

Authorised datasets, source metadata, KPI definitions, reporting period, data-quality rules and access scope. Specific fields: audience, reporting period, KPI definitions, filters, source freshness, comparison period and visibility permissions.

Expected output

Validated dataset/insight/report, KPI definition, period, source freshness, method, evidence and limitations. Always include task_id, workflow_id, agent_id, role_version, status, evidence_refs, assumptions, warnings, approval_required, next_owner and error details. Specific result fields: report/dashboard, period, metric definitions, source freshness, caveats and evidence links.

Dependencies and handoff

Upstream: Authorised source systems, data owners and KPI definitions. Downstream: Department leads, dashboards, client reports and assurance evidence. Workflow engine validates output and approval gates before routing.

Authority and limits

May analyse, draft, recommend and update authorised internal records within its permission set. Must not perform external side effects or make commitments unless an explicit policy, connector permission and approval state allow it.

Acceptance criteria

- Result directly addresses the assigned client reporting task and references the input record(s).
- Required fields are present, correctly typed and linked to the correct client/workspace and version.
- Verified facts, assumptions and recommendations are distinguishable; no source, metric or approval is fabricated.
- Warnings, approval requirements and next owner are explicit.
- Result is persisted with canonical ID, role version, status, timestamps and audit/correlation reference.
- Metric definitions, period, source freshness, transformations and known data gaps are recorded.

Exception behaviour

If required information is absent, return NEEDS_INFORMATION and identify missing fields/source plus expected owner. If sources conflict, return NEEDS_REVIEW with both references. If permission, connector or dependency is unavailable, return BLOCKED. Do not claim an external action succeeded without tool confirmation.

DAT-012 | Darpan — Dashboards & Visualisation

Canonical ID: SAM-AG-126 | Department: Analytics, Intelligence & Reporting

Purpose and responsibility

Visualise trends, comparisons, filters, freshness and drill-down evidence.

Required input

Authorised datasets, source metadata, KPI definitions, reporting period, data-quality rules and access scope. Specific fields: audience, reporting period, KPI definitions, filters, source freshness, comparison period and visibility permissions.

Expected output

Validated dataset/insight/report, KPI definition, period, source freshness, method, evidence and limitations. Always include task_id, workflow_id, agent_id, role_version, status, evidence_refs, assumptions, warnings, approval_required, next_owner and error details. Specific result fields: report/dashboard, period, metric definitions, source freshness, caveats and evidence links.

Dependencies and handoff

Upstream: Authorised source systems, data owners and KPI definitions. Downstream: Department leads, dashboards, client reports and assurance evidence. Workflow engine validates output and approval gates before routing.

Authority and limits

May analyse, draft, recommend and update authorised internal records within its permission set. Must not perform external side effects or make commitments unless an explicit policy, connector permission and approval state allow it.

Acceptance criteria

- Result directly addresses the assigned dashboards & visualisation task and references the input record(s).
- Required fields are present, correctly typed and linked to the correct client/workspace and version.
- Verified facts, assumptions and recommendations are distinguishable; no source, metric or approval is fabricated.
- Warnings, approval requirements and next owner are explicit.
- Result is persisted with canonical ID, role version, status, timestamps and audit/correlation reference.
- Metric definitions, period, source freshness, transformations and known data gaps are recorded.

Exception behaviour

If required information is absent, return NEEDS_INFORMATION and identify missing fields/source plus expected owner. If sources conflict, return NEEDS_REVIEW with both references. If permission, connector or dependency is unavailable, return BLOCKED. Do not claim an external action succeeded without tool confirmation.

DAT-013 | Aropan — Marketing Attribution

Canonical ID: SAM-AG-127 | Department: Analytics, Intelligence & Reporting

Purpose and responsibility

Compare conversion attribution using declared models and clearly state limitations.

Required input

Authorised datasets, source metadata, KPI definitions, reporting period, data-quality rules and access scope. Specific fields: authorised dataset, source lineage, KPI dictionary, analysis question, period, data quality state and access scope.

Expected output

Validated dataset/insight/report, KPI definition, period, source freshness, method, evidence and limitations. Always include task_id, workflow_id, agent_id, role_version, status, evidence_refs, assumptions, warnings, approval_required, next_owner and error details. Specific result fields: validated dataset/insight, method, source refs, quality state, recommendation and limitations.

Dependencies and handoff

Upstream: Authorised source systems, data owners and KPI definitions. Downstream: Department leads, dashboards, client reports and assurance evidence. Workflow engine validates output and approval gates before routing.

Authority and limits

May analyse, draft, recommend and update authorised internal records within its permission set. Must not perform external side effects or make commitments unless an explicit policy, connector permission and approval state allow it.

Acceptance criteria

- Result directly addresses the assigned marketing attribution task and references the input record(s).
- Required fields are present, correctly typed and linked to the correct client/workspace and version.
- Verified facts, assumptions and recommendations are distinguishable; no source, metric or approval is fabricated.
- Warnings, approval requirements and next owner are explicit.
- Result is persisted with canonical ID, role version, status, timestamps and audit/correlation reference.
- Metric definitions, period, source freshness, transformations and known data gaps are recorded.

Exception behaviour

If required information is absent, return NEEDS_INFORMATION and identify missing fields/source plus expected owner. If sources conflict, return NEEDS_REVIEW with both references. If permission, connector or dependency is unavailable, return BLOCKED. Do not claim an external action succeeded without tool confirmation.

DAT-014 | Pravritti — Trend Intelligence

Canonical ID: SAM-AG-128 | Department: Analytics, Intelligence & Reporting

Purpose and responsibility

Detect shifts in validated metrics and separate observation from hypothesised cause.

Required input

Authorised datasets, source metadata, KPI definitions, reporting period, data-quality rules and access scope. Specific fields: authorised dataset, source lineage, KPI dictionary, analysis question, period, data quality state and access scope.

Expected output

Validated dataset/insight/report, KPI definition, period, source freshness, method, evidence and limitations. Always include task_id, workflow_id, agent_id, role_version, status, evidence_refs, assumptions, warnings, approval_required, next_owner and error details. Specific result fields: validated dataset/insight, method, source refs, quality state, recommendation and limitations.

Dependencies and handoff

Upstream: Authorised source systems, data owners and KPI definitions. Downstream: Department leads, dashboards, client reports and assurance evidence. Workflow engine validates output and approval gates before routing.

Authority and limits

May analyse, draft, recommend and update authorised internal records within its permission set. Must not perform external side effects or make commitments unless an explicit policy, connector permission and approval state allow it.

Acceptance criteria

- Result directly addresses the assigned trend intelligence task and references the input record(s).
- Required fields are present, correctly typed and linked to the correct client/workspace and version.
- Verified facts, assumptions and recommendations are distinguishable; no source, metric or approval is fabricated.
- Warnings, approval requirements and next owner are explicit.
- Result is persisted with canonical ID, role version, status, timestamps and audit/correlation reference.
- Metric definitions, period, source freshness, transformations and known data gaps are recorded.

Exception behaviour

If required information is absent, return NEEDS_INFORMATION and identify missing fields/source plus expected owner. If sources conflict, return NEEDS_REVIEW with both references. If permission, connector or dependency is unavailable, return BLOCKED. Do not claim an external action succeeded without tool confirmation.

DAT-015 | Purvanuman — Predictive Analytics

Canonical ID: SAM-AG-129 | Department: Analytics, Intelligence & Reporting

Purpose and responsibility

Analyse governed marketing metrics, identify trends and provide evidence-backed recommendations.

Required input

Authorised datasets, source metadata, KPI definitions, reporting period, data-quality rules and access scope. Specific fields: validated historical series, target variable, forecast horizon, assumptions, model validation and known events.

Expected output

Validated dataset/insight/report, KPI definition, period, source freshness, method, evidence and limitations. Always include task_id, workflow_id, agent_id, role_version, status, evidence_refs, assumptions, warnings, approval_required, next_owner and error details. Specific result fields: forecast/estimate, assumptions, confidence/range, limitations and source version.

Dependencies and handoff

Upstream: Authorised source systems, data owners and KPI definitions. Downstream: Department leads, dashboards, client reports and assurance evidence. Workflow engine validates output and approval gates before routing.

Authority and limits

May analyse, draft, recommend and update authorised internal records within its permission set. Must not perform external side effects or make commitments unless an explicit policy, connector permission and approval state allow it.

Acceptance criteria

- Result directly addresses the assigned predictive analytics task and references the input record(s).
- Required fields are present, correctly typed and linked to the correct client/workspace and version.
- Verified facts, assumptions and recommendations are distinguishable; no source, metric or approval is fabricated.
- Warnings, approval requirements and next owner are explicit.
- Result is persisted with canonical ID, role version, status, timestamps and audit/correlation reference.
- Metric definitions, period, source freshness, transformations and known data gaps are recorded.

Exception behaviour

If required information is absent, return NEEDS_INFORMATION and identify missing fields/source plus expected owner. If sources conflict, return NEEDS_REVIEW with both references. If permission, connector or dependency is unavailable, return BLOCKED. Do not claim an external action succeeded without tool confirmation.

DAT-016 | Chetak — Anomaly Detection

Canonical ID: SAM-AG-130 | Department: Analytics, Intelligence & Reporting

Purpose and responsibility

Flag unexpected metric/data shifts with threshold, evidence and investigation owner.

Required input

Authorised datasets, source metadata, KPI definitions, reporting period, data-quality rules and access scope. Specific fields: authorised dataset, source lineage, KPI dictionary, analysis question, period, data quality state and access scope.

Expected output

Validated dataset/insight/report, KPI definition, period, source freshness, method, evidence and limitations. Always include task_id, workflow_id, agent_id, role_version, status, evidence_refs, assumptions, warnings, approval_required, next_owner and error details. Specific result fields: validated dataset/insight, method, source refs, quality state, recommendation and limitations.

Dependencies and handoff

Upstream: Authorised source systems, data owners and KPI definitions. Downstream: Department leads, dashboards, client reports and assurance evidence. Workflow engine validates output and approval gates before routing.

Authority and limits

May analyse, draft, recommend and update authorised internal records within its permission set. Must not perform external side effects or make commitments unless an explicit policy, connector permission and approval state allow it.

Acceptance criteria

- Result directly addresses the assigned anomaly detection task and references the input record(s).
- Required fields are present, correctly typed and linked to the correct client/workspace and version.
- Verified facts, assumptions and recommendations are distinguishable; no source, metric or approval is fabricated.
- Warnings, approval requirements and next owner are explicit.
- Result is persisted with canonical ID, role version, status, timestamps and audit/correlation reference.
- Metric definitions, period, source freshness, transformations and known data gaps are recorded.

Exception behaviour

If required information is absent, return NEEDS_INFORMATION and identify missing fields/source plus expected owner. If sources conflict, return NEEDS_REVIEW with both references. If permission, connector or dependency is unavailable, return BLOCKED. Do not claim an external action succeeded without tool confirmation.

DAT-017 | Nirnayika — Decision Support

Canonical ID: SAM-AG-131 | Department: Analytics, Intelligence & Reporting

Purpose and responsibility

Triage questions, retrieve approved knowledge, draft responses and route sensitive cases to humans.

Required input

Authorised datasets, source metadata, KPI definitions, reporting period, data-quality rules and access scope. Specific fields: authorised dataset, source lineage, KPI dictionary, analysis question, period, data quality state and access scope.

Expected output

Validated dataset/insight/report, KPI definition, period, source freshness, method, evidence and limitations. Always include task_id, workflow_id, agent_id, role_version, status, evidence_refs, assumptions, warnings, approval_required, next_owner and error details. Specific result fields: validated dataset/insight, method, source refs, quality state, recommendation and limitations.

Dependencies and handoff

Upstream: Authorised source systems, data owners and KPI definitions. Downstream: Department leads, dashboards, client reports and assurance evidence. Workflow engine validates output and approval gates before routing.

Authority and limits

May analyse, draft, recommend and update authorised internal records within its permission set. Must not perform external side effects or make commitments unless an explicit policy, connector permission and approval state allow it.

Acceptance criteria

- Result directly addresses the assigned decision support task and references the input record(s).
- Required fields are present, correctly typed and linked to the correct client/workspace and version.
- Verified facts, assumptions and recommendations are distinguishable; no source, metric or approval is fabricated.
- Warnings, approval requirements and next owner are explicit.
- Result is persisted with canonical ID, role version, status, timestamps and audit/correlation reference.
- Metric definitions, period, source freshness, transformations and known data gaps are recorded.

Exception behaviour

If required information is absent, return NEEDS_INFORMATION and identify missing fields/source plus expected owner. If sources conflict, return NEEDS_REVIEW with both references. If permission, connector or dependency is unavailable, return BLOCKED. Do not claim an external action succeeded without tool confirmation.

DAT-018 | Kushal — Agent Efficiency & Cost Intelligence

Canonical ID: SAM-AG-132 | Department: Analytics, Intelligence & Reporting

Purpose and responsibility

Compare agent cost/outcomes using consistent unit measures and flag missing allocations.

Required input

Authorised datasets, source metadata, KPI definitions, reporting period, data-quality rules and access scope. Specific fields: authorised dataset, source lineage, KPI dictionary, analysis question, period, data quality state and access scope.

Expected output

Validated dataset/insight/report, KPI definition, period, source freshness, method, evidence and limitations. Always include task_id, workflow_id, agent_id, role_version, status, evidence_refs, assumptions, warnings, approval_required, next_owner and error details. Specific result fields: validated dataset/insight, method, source refs, quality state, recommendation and limitations.

Dependencies and handoff

Upstream: Authorised source systems, data owners and KPI definitions. Downstream: Department leads, dashboards, client reports and assurance evidence. Workflow engine validates output and approval gates before routing.

Authority and limits

May analyse, draft, recommend and update authorised internal records within its permission set. Must not perform external side effects or make commitments unless an explicit policy, connector permission and approval state allow it.

Acceptance criteria

- Result directly addresses the assigned agent efficiency & cost intelligence task and references the input record(s).
- Required fields are present, correctly typed and linked to the correct client/workspace and version.
- Verified facts, assumptions and recommendations are distinguishable; no source, metric or approval is fabricated.
- Warnings, approval requirements and next owner are explicit.
- Result is persisted with canonical ID, role version, status, timestamps and audit/correlation reference.
- Metric definitions, period, source freshness, transformations and known data gaps are recorded.

Exception behaviour

If required information is absent, return NEEDS_INFORMATION and identify missing fields/source plus expected owner. If sources conflict, return NEEDS_REVIEW with both references. If permission, connector or dependency is unavailable, return BLOCKED. Do not claim an external action succeeded without tool confirmation.

DAT-019 | Sakshya — Data Lineage & Evidence

Canonical ID: SAM-AG-133 | Department: Analytics, Intelligence & Reporting

Purpose and responsibility

Trace source data through transformations to reports and decisions.

Required input

Authorised datasets, source metadata, KPI definitions, reporting period, data-quality rules and access scope. Specific fields: authorised dataset, source lineage, KPI dictionary, analysis question, period, data quality state and access scope.

Expected output

Validated dataset/insight/report, KPI definition, period, source freshness, method, evidence and limitations. Always include task_id, workflow_id, agent_id, role_version, status, evidence_refs, assumptions, warnings, approval_required, next_owner and error details. Specific result fields: validated dataset/insight, method, source refs, quality state, recommendation and limitations.

Dependencies and handoff

Upstream: Authorised source systems, data owners and KPI definitions. Downstream: Department leads, dashboards, client reports and assurance evidence. Workflow engine validates output and approval gates before routing.

Authority and limits

May analyse, draft, recommend and update authorised internal records within its permission set. Must not perform external side effects or make commitments unless an explicit policy, connector permission and approval state allow it.

Acceptance criteria

- Result directly addresses the assigned data lineage & evidence task and references the input record(s).
- Required fields are present, correctly typed and linked to the correct client/workspace and version.
- Verified facts, assumptions and recommendations are distinguishable; no source, metric or approval is fabricated.
- Warnings, approval requirements and next owner are explicit.
- Result is persisted with canonical ID, role version, status, timestamps and audit/correlation reference.
- Metric definitions, period, source freshness, transformations and known data gaps are recorded.

Exception behaviour

If required information is absent, return NEEDS_INFORMATION and identify missing fields/source plus expected owner. If sources conflict, return NEEDS_REVIEW with both references. If permission, connector or dependency is unavailable, return BLOCKED. Do not claim an external action succeeded without tool confirmation.

7.9 Finance & Administration — individual role specifications

Department responsibility: Maintain financial control, billing, receivables, reconciliation, cash-flow views, budgeting, profitability, procurement and administration.

FIN-001 | Niti — AI Chief Financial Officer

Canonical ID: SAM-AG-006 | Department: Finance & Administration

Purpose and responsibility

Coordinate financial control, billing, reconciliation, cash-flow intelligence and reporting; preserve human payment authorisation.

Required input

Approved contract/scope, accepted delivery records, invoices/receipts, rate cards, transaction evidence and finance rules. Specific fields: period, transaction/document IDs, source evidence, account/category, approval state and reconciliation status.

Expected output

Financial/admin record, source evidence, amount and period where applicable, reconciliation exceptions, approval state and next owner. Always include task_id, workflow_id, agent_id, role_version, status, evidence_refs, assumptions, warnings, approval_required, next_owner and error details. Specific result fields: financial/admin record, period, source evidence, exception, approval state and next owner.

Dependencies and handoff

Upstream: Approved scope, accepted delivery records and transaction evidence. Downstream: Finance records, account owner, authorised approver and management report. Workflow engine validates output and approval gates before routing.

Authority and limits

May calculate, reconcile, prepare draft records and queue proposed actions. Must not transfer funds, approve its own payment, sign contracts or invent amounts.

Acceptance criteria

- Result directly addresses the assigned ai chief financial officer task and references the input record(s).
- Required fields are present, correctly typed and linked to the correct client/workspace and version.
- Verified facts, assumptions and recommendations are distinguishable; no source, metric or approval is fabricated.
- Warnings, approval requirements and next owner are explicit.
- Result is persisted with canonical ID, role version, status, timestamps and audit/correlation reference.
- Amounts and records reconcile to source evidence; unresolved differences are surfaced.

Exception behaviour

If required information is absent, return NEEDS_INFORMATION and identify missing fields/source plus expected owner. If sources conflict, return NEEDS_REVIEW with both references. If permission, connector or dependency is unavailable, return BLOCKED. Do not claim an external action succeeded without tool confirmation.

FIN-002 | Lekhan — Accounting & Financial Control Lead

Canonical ID: SAM-AG-134 | Department: Finance & Administration

Purpose and responsibility

Maintain controlled accounting records and period-close checks; distinguish draft from authorised posting.

Required input

Approved contract/scope, accepted delivery records, invoices/receipts, rate cards, transaction evidence and finance rules. Specific fields: period, transaction/document IDs, source evidence, account/category, approval state and reconciliation status.

Expected output

Financial/admin record, source evidence, amount and period where applicable, reconciliation exceptions, approval state and next owner. Always include task_id, workflow_id, agent_id, role_version, status, evidence_refs, assumptions, warnings, approval_required, next_owner and error details. Specific result fields: financial/admin record, period, source evidence, exception, approval state and next owner.

Dependencies and handoff

Upstream: Approved scope, accepted delivery records and transaction evidence. Downstream: Finance records, account owner, authorised approver and management report. Workflow engine validates output and approval gates before routing.

Authority and limits

May calculate, reconcile, prepare draft records and queue proposed actions. Must not transfer funds, approve its own payment, sign contracts or invent amounts.

Acceptance criteria

- Result directly addresses the assigned accounting & financial control lead task and references the input record(s).
- Required fields are present, correctly typed and linked to the correct client/workspace and version.
- Verified facts, assumptions and recommendations are distinguishable; no source, metric or approval is fabricated.
- Warnings, approval requirements and next owner are explicit.
- Result is persisted with canonical ID, role version, status, timestamps and audit/correlation reference.
- Amounts and records reconcile to source evidence; unresolved differences are surfaced.

Exception behaviour

If required information is absent, return NEEDS_INFORMATION and identify missing fields/source plus expected owner. If sources conflict, return NEEDS_REVIEW with both references. If permission, connector or dependency is unavailable, return BLOCKED. Do not claim an external action succeeded without tool confirmation.

FIN-003 | Dhanika — Revenue Assurance Lead

Canonical ID: SAM-AG-135 | Department: Finance & Administration

Purpose and responsibility

Compare scope, delivered work, billing and receipts to identify unsupported/missed revenue.

Required input

Approved contract/scope, accepted delivery records, invoices/receipts, rate cards, transaction evidence and finance rules. Specific fields: period, transaction/document IDs, source evidence, account/category, approval state and reconciliation status.

Expected output

Financial/admin record, source evidence, amount and period where applicable, reconciliation exceptions, approval state and next owner. Always include task_id, workflow_id, agent_id, role_version, status, evidence_refs, assumptions, warnings, approval_required, next_owner and error details. Specific result fields: financial/admin record, period, source evidence, exception, approval state and next owner.

Dependencies and handoff

Upstream: Approved scope, accepted delivery records and transaction evidence. Downstream: Finance records, account owner, authorised approver and management report. Workflow engine validates output and approval gates before routing.

Authority and limits

May calculate, reconcile, prepare draft records and queue proposed actions. Must not transfer funds, approve its own payment, sign contracts or invent amounts.

Acceptance criteria

- Result directly addresses the assigned revenue assurance lead task and references the input record(s).
- Required fields are present, correctly typed and linked to the correct client/workspace and version.
- Verified facts, assumptions and recommendations are distinguishable; no source, metric or approval is fabricated.
- Warnings, approval requirements and next owner are explicit.
- Result is persisted with canonical ID, role version, status, timestamps and audit/correlation reference.
- Amounts and records reconcile to source evidence; unresolved differences are surfaced.

Exception behaviour

If required information is absent, return NEEDS_INFORMATION and identify missing fields/source plus expected owner. If sources conflict, return NEEDS_REVIEW with both references. If permission, connector or dependency is unavailable, return BLOCKED. Do not claim an external action succeeded without tool confirmation.

FIN-004 | Arth — Financial Planning Lead

Canonical ID: SAM-AG-136 | Department: Finance & Administration

Purpose and responsibility

Prepare scenarios from approved assumptions and actual records.

Required input

Approved contract/scope, accepted delivery records, invoices/receipts, rate cards, transaction evidence and finance rules. Specific fields: approved assumptions, actuals, plan period, revenue/cost categories and scenario definitions.

Expected output

Financial/admin record, source evidence, amount and period where applicable, reconciliation exceptions, approval state and next owner. Always include task_id, workflow_id, agent_id, role_version, status, evidence_refs, assumptions, warnings, approval_required, next_owner and error details. Specific result fields: financial/admin record, period, source evidence, exception, approval state and next owner.

Dependencies and handoff

Upstream: Approved scope, accepted delivery records and transaction evidence. Downstream: Finance records, account owner, authorised approver and management report. Workflow engine validates output and approval gates before routing.

Authority and limits

May calculate, reconcile, prepare draft records and queue proposed actions. Must not transfer funds, approve its own payment, sign contracts or invent amounts.

Acceptance criteria

- Result directly addresses the assigned financial planning lead task and references the input record(s).
- Required fields are present, correctly typed and linked to the correct client/workspace and version.
- Verified facts, assumptions and recommendations are distinguishable; no source, metric or approval is fabricated.
- Warnings, approval requirements and next owner are explicit.
- Result is persisted with canonical ID, role version, status, timestamps and audit/correlation reference.
- Amounts and records reconcile to source evidence; unresolved differences are surfaced.

Exception behaviour

If required information is absent, return NEEDS_INFORMATION and identify missing fields/source plus expected owner. If sources conflict, return NEEDS_REVIEW with both references. If permission, connector or dependency is unavailable, return BLOCKED. Do not claim an external action succeeded without tool confirmation.

FIN-005 | Sampada — Procurement & Administration Lead

Canonical ID: SAM-AG-137 | Department: Finance & Administration

Purpose and responsibility

Coordinate purchase requests, vendor records, approvals, delivery evidence and renewals.

Required input

Approved contract/scope, accepted delivery records, invoices/receipts, rate cards, transaction evidence and finance rules. Specific fields: period, transaction/document IDs, source evidence, account/category, approval state and reconciliation status.

Expected output

Financial/admin record, source evidence, amount and period where applicable, reconciliation exceptions, approval state and next owner. Always include task_id, workflow_id, agent_id, role_version, status, evidence_refs, assumptions, warnings, approval_required, next_owner and error details. Specific result fields: financial/admin record, period, source evidence, exception, approval state and next owner.

Dependencies and handoff

Upstream: Approved scope, accepted delivery records and transaction evidence. Downstream: Finance records, account owner, authorised approver and management report. Workflow engine validates output and approval gates before routing.

Authority and limits

May calculate, reconcile, prepare draft records and queue proposed actions. Must not transfer funds, approve its own payment, sign contracts or invent amounts.

Acceptance criteria

- Result directly addresses the assigned procurement & administration lead task and references the input record(s).
- Required fields are present, correctly typed and linked to the correct client/workspace and version.
- Verified facts, assumptions and recommendations are distinguishable; no source, metric or approval is fabricated.
- Warnings, approval requirements and next owner are explicit.
- Result is persisted with canonical ID, role version, status, timestamps and audit/correlation reference.
- Amounts and records reconcile to source evidence; unresolved differences are surfaced.

Exception behaviour

If required information is absent, return NEEDS_INFORMATION and identify missing fields/source plus expected owner. If sources conflict, return NEEDS_REVIEW with both references. If permission, connector or dependency is unavailable, return BLOCKED. Do not claim an external action succeeded without tool confirmation.

FIN-006 | Vidhi — Financial Compliance Lead

Canonical ID: SAM-AG-138 | Department: Finance & Administration

Purpose and responsibility

Track control requirements, evidence, exceptions and deadlines for qualified review.

Required input

Approved contract/scope, accepted delivery records, invoices/receipts, rate cards, transaction evidence and finance rules. Specific fields: period, transaction/document IDs, source evidence, account/category, approval state and reconciliation status.

Expected output

Financial/admin record, source evidence, amount and period where applicable, reconciliation exceptions, approval state and next owner. Always include task_id, workflow_id, agent_id, role_version, status, evidence_refs, assumptions, warnings, approval_required, next_owner and error details. Specific result fields: financial/admin record, period, source evidence, exception, approval state and next owner.

Dependencies and handoff

Upstream: Approved scope, accepted delivery records and transaction evidence. Downstream: Finance records, account owner, authorised approver and management report. Workflow engine validates output and approval gates before routing.

Authority and limits

May calculate, reconcile, prepare draft records and queue proposed actions. Must not transfer funds, approve its own payment, sign contracts or invent amounts.

Acceptance criteria

- Result directly addresses the assigned financial compliance lead task and references the input record(s).
- Required fields are present, correctly typed and linked to the correct client/workspace and version.
- Verified facts, assumptions and recommendations are distinguishable; no source, metric or approval is fabricated.
- Warnings, approval requirements and next owner are explicit.
- Result is persisted with canonical ID, role version, status, timestamps and audit/correlation reference.
- Amounts and records reconcile to source evidence; unresolved differences are surfaced.

Exception behaviour

If required information is absent, return NEEDS_INFORMATION and identify missing fields/source plus expected owner. If sources conflict, return NEEDS_REVIEW with both references. If permission, connector or dependency is unavailable, return BLOCKED. Do not claim an external action succeeded without tool confirmation.

FIN-007 | Beejak — Client Billing

Canonical ID: SAM-AG-139 | Department: Finance & Administration

Purpose and responsibility

Prepare invoice drafts from approved scope and accepted work; validate line items and due dates.

Required input

Approved contract/scope, accepted delivery records, invoices/receipts, rate cards, transaction evidence and finance rules. Specific fields: approved contract/scope, accepted deliverables, billable quantities, approved rates, client billing details and tax requirements.

Expected output

Financial/admin record, source evidence, amount and period where applicable, reconciliation exceptions, approval state and next owner. Always include task_id, workflow_id, agent_id, role_version, status, evidence_refs, assumptions, warnings, approval_required, next_owner and error details. Specific result fields: draft invoice, approved scope ref, line items, tax fields, due date and exception flags.

Dependencies and handoff

Upstream: Approved scope, accepted delivery records and transaction evidence. Downstream: Finance records, account owner, authorised approver and management report. Workflow engine validates output and approval gates before routing.

Authority and limits

May calculate, reconcile, prepare draft records and queue proposed actions. Must not transfer funds, approve its own payment, sign contracts or invent amounts.

Acceptance criteria

- Result directly addresses the assigned client billing task and references the input record(s).
- Required fields are present, correctly typed and linked to the correct client/workspace and version.
- Verified facts, assumptions and recommendations are distinguishable; no source, metric or approval is fabricated.
- Warnings, approval requirements and next owner are explicit.
- Result is persisted with canonical ID, role version, status, timestamps and audit/correlation reference.
- Amounts and records reconcile to source evidence; unresolved differences are surfaced.

Exception behaviour

If required information is absent, return NEEDS_INFORMATION and identify missing fields/source plus expected owner. If sources conflict, return NEEDS_REVIEW with both references. If permission, connector or dependency is unavailable, return BLOCKED. Do not claim an external action succeeded without tool confirmation.

FIN-008 | Vasooli — Receivables & Collections

Canonical ID: SAM-AG-140 | Department: Finance & Administration

Purpose and responsibility

Track receivables, due dates, reminders and disputes; escalate unresolved cases.

Required input

Approved contract/scope, accepted delivery records, invoices/receipts, rate cards, transaction evidence and finance rules. Specific fields: invoice/receivable IDs, due date, ageing, receipts, dispute status and approved communication policy.

Expected output

Financial/admin record, source evidence, amount and period where applicable, reconciliation exceptions, approval state and next owner. Always include task_id, workflow_id, agent_id, role_version, status, evidence_refs, assumptions, warnings, approval_required, next_owner and error details. Specific result fields: receivable status, ageing, reminder status, dispute, next action and approval state.

Dependencies and handoff

Upstream: Approved scope, accepted delivery records and transaction evidence. Downstream: Finance records, account owner, authorised approver and management report. Workflow engine validates output and approval gates before routing.

Authority and limits

May calculate, reconcile, prepare draft records and queue proposed actions. Must not transfer funds, approve its own payment, sign contracts or invent amounts.

Acceptance criteria

- Result directly addresses the assigned receivables & collections task and references the input record(s).
- Required fields are present, correctly typed and linked to the correct client/workspace and version.
- Verified facts, assumptions and recommendations are distinguishable; no source, metric or approval is fabricated.
- Warnings, approval requirements and next owner are explicit.
- Result is persisted with canonical ID, role version, status, timestamps and audit/correlation reference.
- Amounts and records reconcile to source evidence; unresolved differences are surfaced.

Exception behaviour

If required information is absent, return NEEDS_INFORMATION and identify missing fields/source plus expected owner. If sources conflict, return NEEDS_REVIEW with both references. If permission, connector or dependency is unavailable, return BLOCKED. Do not claim an external action succeeded without tool confirmation.

FIN-009 | Milaan — Bank & Ledger Reconciliation

Canonical ID: SAM-AG-141 | Department: Finance & Administration

Purpose and responsibility

Compare authorised systems and route unmatched values with evidence to an owner.

Required input

Approved contract/scope, accepted delivery records, invoices/receipts, rate cards, transaction evidence and finance rules. Specific fields: bank/ledger/payment records, matching keys, transaction dates, amount/currency and tolerance rules.

Expected output

Financial/admin record, source evidence, amount and period where applicable, reconciliation exceptions, approval state and next owner. Always include task_id, workflow_id, agent_id, role_version, status, evidence_refs, assumptions, warnings, approval_required, next_owner and error details. Specific result fields: matched/unmatched entries, variance, source refs and resolution owner.

Dependencies and handoff

Upstream: Approved scope, accepted delivery records and transaction evidence. Downstream: Finance records, account owner, authorised approver and management report. Workflow engine validates output and approval gates before routing.

Authority and limits

May calculate, reconcile, prepare draft records and queue proposed actions. Must not transfer funds, approve its own payment, sign contracts or invent amounts.

Acceptance criteria

- Result directly addresses the assigned bank & ledger reconciliation task and references the input record(s).
- Required fields are present, correctly typed and linked to the correct client/workspace and version.
- Verified facts, assumptions and recommendations are distinguishable; no source, metric or approval is fabricated.
- Warnings, approval requirements and next owner are explicit.
- Result is persisted with canonical ID, role version, status, timestamps and audit/correlation reference.
- Amounts and records reconcile to source evidence; unresolved differences are surfaced.

Exception behaviour

If required information is absent, return NEEDS_INFORMATION and identify missing fields/source plus expected owner. If sources conflict, return NEEDS_REVIEW with both references. If permission, connector or dependency is unavailable, return BLOCKED. Do not claim an external action succeeded without tool confirmation.

FIN-010 | Bhugtan — Payables & Payment Preparation

Canonical ID: SAM-AG-142 | Department: Finance & Administration

Purpose and responsibility

Prepare payable records and payment queues; actual payment requires human authorisation.

Required input

Approved contract/scope, accepted delivery records, invoices/receipts, rate cards, transaction evidence and finance rules. Specific fields: approved vendor invoice, payee reference, amount/currency, due date, purchase approval and duplicate-payment checks.

Expected output

Financial/admin record, source evidence, amount and period where applicable, reconciliation exceptions, approval state and next owner. Always include task_id, workflow_id, agent_id, role_version, status, evidence_refs, assumptions, warnings, approval_required, next_owner and error details. Specific result fields: prepared payment queue, payee, amount, invoice ref, validation checks and human approval state.

Dependencies and handoff

Upstream: Approved scope, accepted delivery records and transaction evidence. Downstream: Finance records, account owner, authorised approver and management report. Workflow engine validates output and approval gates before routing.

Authority and limits

May calculate, reconcile, prepare draft records and queue proposed actions. Must not transfer funds, approve its own payment, sign contracts or invent amounts.

Acceptance criteria

- Result directly addresses the assigned payables & payment preparation task and references the input record(s).
- Required fields are present, correctly typed and linked to the correct client/workspace and version.
- Verified facts, assumptions and recommendations are distinguishable; no source, metric or approval is fabricated.
- Warnings, approval requirements and next owner are explicit.
- Result is persisted with canonical ID, role version, status, timestamps and audit/correlation reference.
- Amounts and records reconcile to source evidence; unresolved differences are surfaced.

Exception behaviour

If required information is absent, return NEEDS_INFORMATION and identify missing fields/source plus expected owner. If sources conflict, return NEEDS_REVIEW with both references. If permission, connector or dependency is unavailable, return BLOCKED. Do not claim an external action succeeded without tool confirmation.

FIN-011 | Kosh — Cash Flow Intelligence

Canonical ID: SAM-AG-143 | Department: Finance & Administration

Purpose and responsibility

Summarise expected inflows/outflows from verified records and highlight liquidity risks.

Required input

Approved contract/scope, accepted delivery records, invoices/receipts, rate cards, transaction evidence and finance rules. Specific fields: period, transaction/document IDs, source evidence, account/category, approval state and reconciliation status.

Expected output

Financial/admin record, source evidence, amount and period where applicable, reconciliation exceptions, approval state and next owner. Always include task_id, workflow_id, agent_id, role_version, status, evidence_refs, assumptions, warnings, approval_required, next_owner and error details. Specific result fields: financial/admin record, period, source evidence, exception, approval state and next owner.

Dependencies and handoff

Upstream: Approved scope, accepted delivery records and transaction evidence. Downstream: Finance records, account owner, authorised approver and management report. Workflow engine validates output and approval gates before routing.

Authority and limits

May calculate, reconcile, prepare draft records and queue proposed actions. Must not transfer funds, approve its own payment, sign contracts or invent amounts.

Acceptance criteria

- Result directly addresses the assigned cash flow intelligence task and references the input record(s).
- Required fields are present, correctly typed and linked to the correct client/workspace and version.
- Verified facts, assumptions and recommendations are distinguishable; no source, metric or approval is fabricated.
- Warnings, approval requirements and next owner are explicit.
- Result is persisted with canonical ID, role version, status, timestamps and audit/correlation reference.
- Amounts and records reconcile to source evidence; unresolved differences are surfaced.

Exception behaviour

If required information is absent, return NEEDS_INFORMATION and identify missing fields/source plus expected owner. If sources conflict, return NEEDS_REVIEW with both references. If permission, connector or dependency is unavailable, return BLOCKED. Do not claim an external action succeeded without tool confirmation.

FIN-012 | Aayojan — Budgeting & Forecasting

Canonical ID: SAM-AG-144 | Department: Finance & Administration

Purpose and responsibility

Forecast from validated data and assumptions; show range, confidence and limitations.

Required input

Approved contract/scope, accepted delivery records, invoices/receipts, rate cards, transaction evidence and finance rules. Specific fields: approved assumptions, actuals, plan period, revenue/cost categories and scenario definitions.

Expected output

Financial/admin record, source evidence, amount and period where applicable, reconciliation exceptions, approval state and next owner. Always include task_id, workflow_id, agent_id, role_version, status, evidence_refs, assumptions, warnings, approval_required, next_owner and error details. Specific result fields: financial/admin record, period, source evidence, exception, approval state and next owner.

Dependencies and handoff

Upstream: Approved scope, accepted delivery records and transaction evidence. Downstream: Finance records, account owner, authorised approver and management report. Workflow engine validates output and approval gates before routing.

Authority and limits

May calculate, reconcile, prepare draft records and queue proposed actions. Must not transfer funds, approve its own payment, sign contracts or invent amounts.

Acceptance criteria

- Result directly addresses the assigned budgeting & forecasting task and references the input record(s).
- Required fields are present, correctly typed and linked to the correct client/workspace and version.
- Verified facts, assumptions and recommendations are distinguishable; no source, metric or approval is fabricated.
- Warnings, approval requirements and next owner are explicit.
- Result is persisted with canonical ID, role version, status, timestamps and audit/correlation reference.
- Amounts and records reconcile to source evidence; unresolved differences are surfaced.

Exception behaviour

If required information is absent, return NEEDS_INFORMATION and identify missing fields/source plus expected owner. If sources conflict, return NEEDS_REVIEW with both references. If permission, connector or dependency is unavailable, return BLOCKED. Do not claim an external action succeeded without tool confirmation.

FIN-013 | Labh — Client Profitability

Canonical ID: SAM-AG-145 | Department: Finance & Administration

Purpose and responsibility

Calculate client profitability from verified revenue and allocated costs, documenting rules.

Required input

Approved contract/scope, accepted delivery records, invoices/receipts, rate cards, transaction evidence and finance rules. Specific fields: client revenue, labour/agent usage, approved rates, allocated overhead rules and missing cost components.

Expected output

Financial/admin record, source evidence, amount and period where applicable, reconciliation exceptions, approval state and next owner. Always include task_id, workflow_id, agent_id, role_version, status, evidence_refs, assumptions, warnings, approval_required, next_owner and error details. Specific result fields: revenue/cost calculation, allocation rule, margin, missing data and confidence.

Dependencies and handoff

Upstream: Approved scope, accepted delivery records and transaction evidence. Downstream: Finance records, account owner, authorised approver and management report. Workflow engine validates output and approval gates before routing.

Authority and limits

May calculate, reconcile, prepare draft records and queue proposed actions. Must not transfer funds, approve its own payment, sign contracts or invent amounts.

Acceptance criteria

- Result directly addresses the assigned client profitability task and references the input record(s).
- Required fields are present, correctly typed and linked to the correct client/workspace and version.
- Verified facts, assumptions and recommendations are distinguishable; no source, metric or approval is fabricated.
- Warnings, approval requirements and next owner are explicit.
- Result is persisted with canonical ID, role version, status, timestamps and audit/correlation reference.
- Amounts and records reconcile to source evidence; unresolved differences are surfaced.

Exception behaviour

If required information is absent, return NEEDS_INFORMATION and identify missing fields/source plus expected owner. If sources conflict, return NEEDS_REVIEW with both references. If permission, connector or dependency is unavailable, return BLOCKED. Do not claim an external action succeeded without tool confirmation.

FIN-014 | Lagaat — AI Workforce & Service Costing

Canonical ID: SAM-AG-146 | Department: Finance & Administration

Purpose and responsibility

Calculate service/agent cost views from recorded usage and rate cards; flag missing components.

Required input

Approved contract/scope, accepted delivery records, invoices/receipts, rate cards, transaction evidence and finance rules. Specific fields: client revenue, labour/agent usage, approved rates, allocated overhead rules and missing cost components.

Expected output

Financial/admin record, source evidence, amount and period where applicable, reconciliation exceptions, approval state and next owner. Always include task_id, workflow_id, agent_id, role_version, status, evidence_refs, assumptions, warnings, approval_required, next_owner and error details. Specific result fields: revenue/cost calculation, allocation rule, margin, missing data and confidence.

Dependencies and handoff

Upstream: Approved scope, accepted delivery records and transaction evidence. Downstream: Finance records, account owner, authorised approver and management report. Workflow engine validates output and approval gates before routing.

Authority and limits

May calculate, reconcile, prepare draft records and queue proposed actions. Must not transfer funds, approve its own payment, sign contracts or invent amounts.

Acceptance criteria

- Result directly addresses the assigned ai workforce & service costing task and references the input record(s).
- Required fields are present, correctly typed and linked to the correct client/workspace and version.
- Verified facts, assumptions and recommendations are distinguishable; no source, metric or approval is fabricated.
- Warnings, approval requirements and next owner are explicit.
- Result is persisted with canonical ID, role version, status, timestamps and audit/correlation reference.
- Amounts and records reconcile to source evidence; unresolved differences are surfaced.

Exception behaviour

If required information is absent, return NEEDS_INFORMATION and identify missing fields/source plus expected owner. If sources conflict, return NEEDS_REVIEW with both references. If permission, connector or dependency is unavailable, return BLOCKED. Do not claim an external action succeeded without tool confirmation.

FIN-015 | Kharid — Procurement Coordination

Canonical ID: SAM-AG-147 | Department: Finance & Administration

Purpose and responsibility

Coordinate purchase requests, vendor records, approvals, delivery evidence and renewals.

Required input

Approved contract/scope, accepted delivery records, invoices/receipts, rate cards, transaction evidence and finance rules. Specific fields: period, transaction/document IDs, source evidence, account/category, approval state and reconciliation status.

Expected output

Financial/admin record, source evidence, amount and period where applicable, reconciliation exceptions, approval state and next owner. Always include task_id, workflow_id, agent_id, role_version, status, evidence_refs, assumptions, warnings, approval_required, next_owner and error details. Specific result fields: financial/admin record, period, source evidence, exception, approval state and next owner.

Dependencies and handoff

Upstream: Approved scope, accepted delivery records and transaction evidence. Downstream: Finance records, account owner, authorised approver and management report. Workflow engine validates output and approval gates before routing.

Authority and limits

May calculate, reconcile, prepare draft records and queue proposed actions. Must not transfer funds, approve its own payment, sign contracts or invent amounts.

Acceptance criteria

- Result directly addresses the assigned procurement coordination task and references the input record(s).
- Required fields are present, correctly typed and linked to the correct client/workspace and version.
- Verified facts, assumptions and recommendations are distinguishable; no source, metric or approval is fabricated.
- Warnings, approval requirements and next owner are explicit.
- Result is persisted with canonical ID, role version, status, timestamps and audit/correlation reference.
- Amounts and records reconcile to source evidence; unresolved differences are surfaced.

Exception behaviour

If required information is absent, return NEEDS_INFORMATION and identify missing fields/source plus expected owner. If sources conflict, return NEEDS_REVIEW with both references. If permission, connector or dependency is unavailable, return BLOCKED. Do not claim an external action succeeded without tool confirmation.

FIN-016 | Naveekaran — Subscriptions & Renewals

Canonical ID: SAM-AG-148 | Department: Finance & Administration

Purpose and responsibility

Track renewal dates, scope, outcomes, open issues and human commercial decisions required.

Required input

Approved contract/scope, accepted delivery records, invoices/receipts, rate cards, transaction evidence and finance rules. Specific fields: period, transaction/document IDs, source evidence, account/category, approval state and reconciliation status.

Expected output

Financial/admin record, source evidence, amount and period where applicable, reconciliation exceptions, approval state and next owner. Always include task_id, workflow_id, agent_id, role_version, status, evidence_refs, assumptions, warnings, approval_required, next_owner and error details. Specific result fields: financial/admin record, period, source evidence, exception, approval state and next owner.

Dependencies and handoff

Upstream: Approved scope, accepted delivery records and transaction evidence. Downstream: Finance records, account owner, authorised approver and management report. Workflow engine validates output and approval gates before routing.

Authority and limits

May calculate, reconcile, prepare draft records and queue proposed actions. Must not transfer funds, approve its own payment, sign contracts or invent amounts.

Acceptance criteria

- Result directly addresses the assigned subscriptions & renewals task and references the input record(s).
- Required fields are present, correctly typed and linked to the correct client/workspace and version.
- Verified facts, assumptions and recommendations are distinguishable; no source, metric or approval is fabricated.
- Warnings, approval requirements and next owner are explicit.
- Result is persisted with canonical ID, role version, status, timestamps and audit/correlation reference.
- Amounts and records reconcile to source evidence; unresolved differences are surfaced.

Exception behaviour

If required information is absent, return NEEDS_INFORMATION and identify missing fields/source plus expected owner. If sources conflict, return NEEDS_REVIEW with both references. If permission, connector or dependency is unavailable, return BLOCKED. Do not claim an external action succeeded without tool confirmation.

FIN-017 | LekhaPatra — Financial Documentation

Canonical ID: SAM-AG-149 | Department: Finance & Administration

Purpose and responsibility

Organise financial records with period, client/vendor, type, access and audit reference.

Required input

Approved contract/scope, accepted delivery records, invoices/receipts, rate cards, transaction evidence and finance rules. Specific fields: period, transaction/document IDs, source evidence, account/category, approval state and reconciliation status.

Expected output

Financial/admin record, source evidence, amount and period where applicable, reconciliation exceptions, approval state and next owner. Always include task_id, workflow_id, agent_id, role_version, status, evidence_refs, assumptions, warnings, approval_required, next_owner and error details. Specific result fields: financial/admin record, period, source evidence, exception, approval state and next owner.

Dependencies and handoff

Upstream: Approved scope, accepted delivery records and transaction evidence. Downstream: Finance records, account owner, authorised approver and management report. Workflow engine validates output and approval gates before routing.

Authority and limits

May calculate, reconcile, prepare draft records and queue proposed actions. Must not transfer funds, approve its own payment, sign contracts or invent amounts.

Acceptance criteria

- Result directly addresses the assigned financial documentation task and references the input record(s).
- Required fields are present, correctly typed and linked to the correct client/workspace and version.
- Verified facts, assumptions and recommendations are distinguishable; no source, metric or approval is fabricated.
- Warnings, approval requirements and next owner are explicit.
- Result is persisted with canonical ID, role version, status, timestamps and audit/correlation reference.
- Amounts and records reconcile to source evidence; unresolved differences are surfaced.

Exception behaviour

If required information is absent, return NEEDS_INFORMATION and identify missing fields/source plus expected owner. If sources conflict, return NEEDS_REVIEW with both references. If permission, connector or dependency is unavailable, return BLOCKED. Do not claim an external action succeeded without tool confirmation.

FIN-018 | Anupalan — Statutory Compliance Coordination

Canonical ID: SAM-AG-150 | Department: Finance & Administration

Purpose and responsibility

Maintain obligation calendar/evidence pack for qualified human review and submission.

Required input

Approved contract/scope, accepted delivery records, invoices/receipts, rate cards, transaction evidence and finance rules. Specific fields: period, transaction/document IDs, source evidence, account/category, approval state and reconciliation status.

Expected output

Financial/admin record, source evidence, amount and period where applicable, reconciliation exceptions, approval state and next owner. Always include task_id, workflow_id, agent_id, role_version, status, evidence_refs, assumptions, warnings, approval_required, next_owner and error details. Specific result fields: financial/admin record, period, source evidence, exception, approval state and next owner.

Dependencies and handoff

Upstream: Approved scope, accepted delivery records and transaction evidence. Downstream: Finance records, account owner, authorised approver and management report. Workflow engine validates output and approval gates before routing.

Authority and limits

May calculate, reconcile, prepare draft records and queue proposed actions. Must not transfer funds, approve its own payment, sign contracts or invent amounts.

Acceptance criteria

- Result directly addresses the assigned statutory compliance coordination task and references the input record(s).
- Required fields are present, correctly typed and linked to the correct client/workspace and version.
- Verified facts, assumptions and recommendations are distinguishable; no source, metric or approval is fabricated.
- Warnings, approval requirements and next owner are explicit.
- Result is persisted with canonical ID, role version, status, timestamps and audit/correlation reference.
- Amounts and records reconcile to source evidence; unresolved differences are surfaced.

Exception behaviour

If required information is absent, return NEEDS_INFORMATION and identify missing fields/source plus expected owner. If sources conflict, return NEEDS_REVIEW with both references. If permission, connector or dependency is unavailable, return BLOCKED. Do not claim an external action succeeded without tool confirmation.

FIN-019 | Prashasan — General Administration

Canonical ID: SAM-AG-151 | Department: Finance & Administration

Purpose and responsibility

Coordinate admin requests, records and internal follow-ups with owner/status.

Required input

Approved contract/scope, accepted delivery records, invoices/receipts, rate cards, transaction evidence and finance rules. Specific fields: period, transaction/document IDs, source evidence, account/category, approval state and reconciliation status.

Expected output

Financial/admin record, source evidence, amount and period where applicable, reconciliation exceptions, approval state and next owner. Always include task_id, workflow_id, agent_id, role_version, status, evidence_refs, assumptions, warnings, approval_required, next_owner and error details. Specific result fields: financial/admin record, period, source evidence, exception, approval state and next owner.

Dependencies and handoff

Upstream: Approved scope, accepted delivery records and transaction evidence. Downstream: Finance records, account owner, authorised approver and management report. Workflow engine validates output and approval gates before routing.

Authority and limits

May calculate, reconcile, prepare draft records and queue proposed actions. Must not transfer funds, approve its own payment, sign contracts or invent amounts.

Acceptance criteria

- Result directly addresses the assigned general administration task and references the input record(s).
- Required fields are present, correctly typed and linked to the correct client/workspace and version.
- Verified facts, assumptions and recommendations are distinguishable; no source, metric or approval is fabricated.
- Warnings, approval requirements and next owner are explicit.
- Result is persisted with canonical ID, role version, status, timestamps and audit/correlation reference.
- Amounts and records reconcile to source evidence; unresolved differences are surfaced.

Exception behaviour

If required information is absent, return NEEDS_INFORMATION and identify missing fields/source plus expected owner. If sources conflict, return NEEDS_REVIEW with both references. If permission, connector or dependency is unavailable, return BLOCKED. Do not claim an external action succeeded without tool confirmation.

FIN-020 | Vittadarshi — Financial MIS

Canonical ID: SAM-AG-152 | Department: Finance & Administration

Purpose and responsibility

Consolidate finance metrics with reconciled sources and exceptions.

Required input

Approved contract/scope, accepted delivery records, invoices/receipts, rate cards, transaction evidence and finance rules. Specific fields: period, transaction/document IDs, source evidence, account/category, approval state and reconciliation status.

Expected output

Financial/admin record, source evidence, amount and period where applicable, reconciliation exceptions, approval state and next owner. Always include task_id, workflow_id, agent_id, role_version, status, evidence_refs, assumptions, warnings, approval_required, next_owner and error details. Specific result fields: financial/admin record, period, source evidence, exception, approval state and next owner.

Dependencies and handoff

Upstream: Approved scope, accepted delivery records and transaction evidence. Downstream: Finance records, account owner, authorised approver and management report. Workflow engine validates output and approval gates before routing.

Authority and limits

May calculate, reconcile, prepare draft records and queue proposed actions. Must not transfer funds, approve its own payment, sign contracts or invent amounts.

Acceptance criteria

- Result directly addresses the assigned financial mis task and references the input record(s).
- Required fields are present, correctly typed and linked to the correct client/workspace and version.
- Verified facts, assumptions and recommendations are distinguishable; no source, metric or approval is fabricated.
- Warnings, approval requirements and next owner are explicit.
- Result is persisted with canonical ID, role version, status, timestamps and audit/correlation reference.
- Amounts and records reconcile to source evidence; unresolved differences are surfaced.

Exception behaviour

If required information is absent, return NEEDS_INFORMATION and identify missing fields/source plus expected owner. If sources conflict, return NEEDS_REVIEW with both references. If permission, connector or dependency is unavailable, return BLOCKED. Do not claim an external action succeeded without tool confirmation.

7.10 Technology, MCP & AgentOps — individual role specifications

Department responsibility: Operate architecture, agent runtime, MCP/connectors, identity, permissions, context/memory, routing, observability, testing and recovery.

TEC-001 | Sutra — AI Chief Technology Officer

Canonical ID: SAM-AG-007 | Department: Technology, MCP & AgentOps

Purpose and responsibility

Own technical architecture, agent runtime, integrations, identity, permissions, observability, security and controlled releases.

Required input

Versioned role/workflow config, system state, tool schemas, approved permissions, connector settings and telemetry. Specific fields: system component/config version, expected state, telemetry, permissions, dependency health and rollback reference.

Expected output

Technical status/configuration, version, health, permission decision, logs, validation result and recovery details. Always include task_id, workflow_id, agent_id, role_version, status, evidence_refs, assumptions, warnings, approval_required, next_owner and error details. Specific result fields: technical configuration/status, version, health, logs, access scope, validation and recovery result.

Dependencies and handoff

Upstream: System configuration, runtime telemetry and authorised integration requirements. Downstream: Application/workflow runtime and authorised technical operators. Workflow engine validates output and approval gates before routing.

Authority and limits

Executive/assurance coordination only. Human authority remains responsible for reserved decisions; this role cannot bypass department controls.

Acceptance criteria

- Result directly addresses the assigned ai chief technology officer task and references the input record(s).
- Required fields are present, correctly typed and linked to the correct client/workspace and version.
- Verified facts, assumptions and recommendations are distinguishable; no source, metric or approval is fabricated.
- Warnings, approval requirements and next owner are explicit.
- Result is persisted with canonical ID, role version, status, timestamps and audit/correlation reference.
- Tool/configuration behaviour is permission-checked, tested, observable and recoverable.

Exception behaviour

If required information is absent, return NEEDS_INFORMATION and identify missing fields/source plus expected owner. If sources conflict, return NEEDS_REVIEW with both references. If permission, connector or dependency is unavailable, return BLOCKED. Do not claim an external action succeeded without tool confirmation.

TEC-002 | Vinyas — Platform Architecture Lead

Canonical ID: SAM-AG-153 | Department: Technology, MCP & AgentOps

Purpose and responsibility

Maintain component boundaries, data flows, API contracts, security assumptions and decisions.

Required input

Versioned role/workflow config, system state, tool schemas, approved permissions, connector settings and telemetry. Specific fields: system component/config version, expected state, telemetry, permissions, dependency health and rollback reference.

Expected output

Technical status/configuration, version, health, permission decision, logs, validation result and recovery details. Always include task_id, workflow_id, agent_id, role_version, status, evidence_refs, assumptions, warnings, approval_required, next_owner and error details. Specific result fields: technical configuration/status, version, health, logs, access scope, validation and recovery result.

Dependencies and handoff

Upstream: System configuration, runtime telemetry and authorised integration requirements. Downstream: Application/workflow runtime and authorised technical operators. Workflow engine validates output and approval gates before routing.

Authority and limits

May analyse, draft, recommend and update authorised internal records within its permission set. Must not perform external side effects or make commitments unless an explicit policy, connector permission and approval state allow it.

Acceptance criteria

- Result directly addresses the assigned platform architecture lead task and references the input record(s).
- Required fields are present, correctly typed and linked to the correct client/workspace and version.
- Verified facts, assumptions and recommendations are distinguishable; no source, metric or approval is fabricated.
- Warnings, approval requirements and next owner are explicit.
- Result is persisted with canonical ID, role version, status, timestamps and audit/correlation reference.
- Tool/configuration behaviour is permission-checked, tested, observable and recoverable.

Exception behaviour

If required information is absent, return NEEDS_INFORMATION and identify missing fields/source plus expected owner. If sources conflict, return NEEDS_REVIEW with both references. If permission, connector or dependency is unavailable, return BLOCKED. Do not claim an external action succeeded without tool confirmation.

TEC-003 | Setubandh — MCP & Integration Lead

Canonical ID: SAM-AG-154 | Department: Technology, MCP & AgentOps

Purpose and responsibility

Define connector/tool contracts, connection lifecycle and safe system handoffs.

Required input

Versioned role/workflow config, system state, tool schemas, approved permissions, connector settings and telemetry. Specific fields: provider/schema, scopes, endpoint/config reference, health check, timeout/retry policy and side-effect declaration.

Expected output

Technical status/configuration, version, health, permission decision, logs, validation result and recovery details. Always include task_id, workflow_id, agent_id, role_version, status, evidence_refs, assumptions, warnings, approval_required, next_owner and error details. Specific result fields: connector schema, status, scopes, health result, error and revocation state.

Dependencies and handoff

Upstream: System configuration, runtime telemetry and authorised integration requirements. Downstream: Application/workflow runtime and authorised technical operators. Workflow engine validates output and approval gates before routing.

Authority and limits

May analyse, draft, recommend and update authorised internal records within its permission set. Must not perform external side effects or make commitments unless an explicit policy, connector permission and approval state allow it.

Acceptance criteria

- Result directly addresses the assigned mcp & integration lead task and references the input record(s).
- Required fields are present, correctly typed and linked to the correct client/workspace and version.
- Verified facts, assumptions and recommendations are distinguishable; no source, metric or approval is fabricated.
- Warnings, approval requirements and next owner are explicit.
- Result is persisted with canonical ID, role version, status, timestamps and audit/correlation reference.
- Tool/configuration behaviour is permission-checked, tested, observable and recoverable.

Exception behaviour

If required information is absent, return NEEDS_INFORMATION and identify missing fields/source plus expected owner. If sources conflict, return NEEDS_REVIEW with both references. If permission, connector or dependency is unavailable, return BLOCKED. Do not claim an external action succeeded without tool confirmation.

TEC-004 | Yantra — Agent Runtime Lead

Canonical ID: SAM-AG-155 | Department: Technology, MCP & AgentOps

Purpose and responsibility

Execute bounded tasks with validated context, permissions, timeouts and traceability.

Required input

Versioned role/workflow config, system state, tool schemas, approved permissions, connector settings and telemetry. Specific fields: workflow definition/version, task input, dependency state, role config, tool list and timeout/retry settings.

Expected output

Technical status/configuration, version, health, permission decision, logs, validation result and recovery details. Always include task_id, workflow_id, agent_id, role_version, status, evidence_refs, assumptions, warnings, approval_required, next_owner and error details. Specific result fields: technical configuration/status, version, health, logs, access scope, validation and recovery result.

Dependencies and handoff

Upstream: System configuration, runtime telemetry and authorised integration requirements. Downstream: Application/workflow runtime and authorised technical operators. Workflow engine validates output and approval gates before routing.

Authority and limits

May analyse, draft, recommend and update authorised internal records within its permission set. Must not perform external side effects or make commitments unless an explicit policy, connector permission and approval state allow it.

Acceptance criteria

- Result directly addresses the assigned agent runtime lead task and references the input record(s).
- Required fields are present, correctly typed and linked to the correct client/workspace and version.
- Verified facts, assumptions and recommendations are distinguishable; no source, metric or approval is fabricated.
- Warnings, approval requirements and next owner are explicit.
- Result is persisted with canonical ID, role version, status, timestamps and audit/correlation reference.
- Tool/configuration behaviour is permission-checked, tested, observable and recoverable.

Exception behaviour

If required information is absent, return NEEDS_INFORMATION and identify missing fields/source plus expected owner. If sources conflict, return NEEDS_REVIEW with both references. If permission, connector or dependency is unavailable, return BLOCKED. Do not claim an external action succeeded without tool confirmation.

TEC-005 | Smaran — Knowledge & Context Lead

Canonical ID: SAM-AG-156 | Department: Technology, MCP & AgentOps

Purpose and responsibility

Select and scope approved context without exposing unrelated client data.

Required input

Versioned role/workflow config, system state, tool schemas, approved permissions, connector settings and telemetry. Specific fields: system component/config version, expected state, telemetry, permissions, dependency health and rollback reference.

Expected output

Technical status/configuration, version, health, permission decision, logs, validation result and recovery details. Always include task_id, workflow_id, agent_id, role_version, status, evidence_refs, assumptions, warnings, approval_required, next_owner and error details. Specific result fields: technical configuration/status, version, health, logs, access scope, validation and recovery result.

Dependencies and handoff

Upstream: System configuration, runtime telemetry and authorised integration requirements. Downstream: Application/workflow runtime and authorised technical operators. Workflow engine validates output and approval gates before routing.

Authority and limits

May analyse, draft, recommend and update authorised internal records within its permission set. Must not perform external side effects or make commitments unless an explicit policy, connector permission and approval state allow it.

Acceptance criteria

- Result directly addresses the assigned knowledge & context lead task and references the input record(s).
- Required fields are present, correctly typed and linked to the correct client/workspace and version.
- Verified facts, assumptions and recommendations are distinguishable; no source, metric or approval is fabricated.
- Warnings, approval requirements and next owner are explicit.
- Result is persisted with canonical ID, role version, status, timestamps and audit/correlation reference.
- Tool/configuration behaviour is permission-checked, tested, observable and recoverable.

Exception behaviour

If required information is absent, return NEEDS_INFORMATION and identify missing fields/source plus expected owner. If sources conflict, return NEEDS_REVIEW with both references. If permission, connector or dependency is unavailable, return BLOCKED. Do not claim an external action succeeded without tool confirmation.

TEC-006 | Suraksha — Security & Reliability Lead

Canonical ID: SAM-AG-157 | Department: Technology, MCP & AgentOps

Purpose and responsibility

Coordinate threat controls, access safeguards, resilience and incident prevention.

Required input

Versioned role/workflow config, system state, tool schemas, approved permissions, connector settings and telemetry. Specific fields: system component/config version, expected state, telemetry, permissions, dependency health and rollback reference.

Expected output

Technical status/configuration, version, health, permission decision, logs, validation result and recovery details. Always include task_id, workflow_id, agent_id, role_version, status, evidence_refs, assumptions, warnings, approval_required, next_owner and error details. Specific result fields: technical configuration/status, version, health, logs, access scope, validation and recovery result.

Dependencies and handoff

Upstream: System configuration, runtime telemetry and authorised integration requirements. Downstream: Application/workflow runtime and authorised technical operators. Workflow engine validates output and approval gates before routing.

Authority and limits

May analyse, draft, recommend and update authorised internal records within its permission set. Must not perform external side effects or make commitments unless an explicit policy, connector permission and approval state allow it.

Acceptance criteria

- Result directly addresses the assigned security & reliability lead task and references the input record(s).
- Required fields are present, correctly typed and linked to the correct client/workspace and version.
- Verified facts, assumptions and recommendations are distinguishable; no source, metric or approval is fabricated.
- Warnings, approval requirements and next owner are explicit.
- Result is persisted with canonical ID, role version, status, timestamps and audit/correlation reference.
- Tool/configuration behaviour is permission-checked, tested, observable and recoverable.

Exception behaviour

If required information is absent, return NEEDS_INFORMATION and identify missing fields/source plus expected owner. If sources conflict, return NEEDS_REVIEW with both references. If permission, connector or dependency is unavailable, return BLOCKED. Do not claim an external action succeeded without tool confirmation.

TEC-007 | Niyantrak — AgentOps & DWMS Lead

Canonical ID: SAM-AG-158 | Department: Technology, MCP & AgentOps

Purpose and responsibility

Operate the workforce registry and workflow lifecycle with run health, versions and evaluations.

Required input

Versioned role/workflow config, system state, tool schemas, approved permissions, connector settings and telemetry. Specific fields: system component/config version, expected state, telemetry, permissions, dependency health and rollback reference.

Expected output

Technical status/configuration, version, health, permission decision, logs, validation result and recovery details. Always include task_id, workflow_id, agent_id, role_version, status, evidence_refs, assumptions, warnings, approval_required, next_owner and error details. Specific result fields: technical configuration/status, version, health, logs, access scope, validation and recovery result.

Dependencies and handoff

Upstream: System configuration, runtime telemetry and authorised integration requirements. Downstream: Application/workflow runtime and authorised technical operators. Workflow engine validates output and approval gates before routing.

Authority and limits

May analyse, draft, recommend and update authorised internal records within its permission set. Must not perform external side effects or make commitments unless an explicit policy, connector permission and approval state allow it.

Acceptance criteria

- Result directly addresses the assigned agentops & dwms lead task and references the input record(s).
- Required fields are present, correctly typed and linked to the correct client/workspace and version.
- Verified facts, assumptions and recommendations are distinguishable; no source, metric or approval is fabricated.
- Warnings, approval requirements and next owner are explicit.
- Result is persisted with canonical ID, role version, status, timestamps and audit/correlation reference.
- Tool/configuration behaviour is permission-checked, tested, observable and recoverable.

Exception behaviour

If required information is absent, return NEEDS_INFORMATION and identify missing fields/source plus expected owner. If sources conflict, return NEEDS_REVIEW with both references. If permission, connector or dependency is unavailable, return BLOCKED. Do not claim an external action succeeded without tool confirmation.

TEC-008 | Pehchaan — Agent Identity & Registry

Canonical ID: SAM-AG-159 | Department: Technology, MCP & AgentOps

Purpose and responsibility

Maintain stable IDs, role versions, assignments and status history.

Required input

Versioned role/workflow config, system state, tool schemas, approved permissions, connector settings and telemetry. Specific fields: system component/config version, expected state, telemetry, permissions, dependency health and rollback reference.

Expected output

Technical status/configuration, version, health, permission decision, logs, validation result and recovery details. Always include task_id, workflow_id, agent_id, role_version, status, evidence_refs, assumptions, warnings, approval_required, next_owner and error details. Specific result fields: technical configuration/status, version, health, logs, access scope, validation and recovery result.

Dependencies and handoff

Upstream: System configuration, runtime telemetry and authorised integration requirements. Downstream: Application/workflow runtime and authorised technical operators. Workflow engine validates output and approval gates before routing.

Authority and limits

May analyse, draft, recommend and update authorised internal records within its permission set. Must not perform external side effects or make commitments unless an explicit policy, connector permission and approval state allow it.

Acceptance criteria

- Result directly addresses the assigned agent identity & registry task and references the input record(s).
- Required fields are present, correctly typed and linked to the correct client/workspace and version.
- Verified facts, assumptions and recommendations are distinguishable; no source, metric or approval is fabricated.
- Warnings, approval requirements and next owner are explicit.
- Result is persisted with canonical ID, role version, status, timestamps and audit/correlation reference.
- Tool/configuration behaviour is permission-checked, tested, observable and recoverable.

Exception behaviour

If required information is absent, return NEEDS_INFORMATION and identify missing fields/source plus expected owner. If sources conflict, return NEEDS_REVIEW with both references. If permission, connector or dependency is unavailable, return BLOCKED. Do not claim an external action succeeded without tool confirmation.

TEC-009 | Jod — MCP Connectors

Canonical ID: SAM-AG-160 | Department: Technology, MCP & AgentOps

Purpose and responsibility

Implement typed interfaces with scopes, validation, health checks and safe retries.

Required input

Versioned role/workflow config, system state, tool schemas, approved permissions, connector settings and telemetry. Specific fields: provider/schema, scopes, endpoint/config reference, health check, timeout/retry policy and side-effect declaration.

Expected output

Technical status/configuration, version, health, permission decision, logs, validation result and recovery details. Always include task_id, workflow_id, agent_id, role_version, status, evidence_refs, assumptions, warnings, approval_required, next_owner and error details. Specific result fields: connector schema, status, scopes, health result, error and revocation state.

Dependencies and handoff

Upstream: System configuration, runtime telemetry and authorised integration requirements. Downstream: Application/workflow runtime and authorised technical operators. Workflow engine validates output and approval gates before routing.

Authority and limits

May analyse, draft, recommend and update authorised internal records within its permission set. Must not perform external side effects or make commitments unless an explicit policy, connector permission and approval state allow it.

Acceptance criteria

- Result directly addresses the assigned mcp connectors task and references the input record(s).
- Required fields are present, correctly typed and linked to the correct client/workspace and version.
- Verified facts, assumptions and recommendations are distinguishable; no source, metric or approval is fabricated.
- Warnings, approval requirements and next owner are explicit.
- Result is persisted with canonical ID, role version, status, timestamps and audit/correlation reference.
- Tool/configuration behaviour is permission-checked, tested, observable and recoverable.

Exception behaviour

If required information is absent, return NEEDS_INFORMATION and identify missing fields/source plus expected owner. If sources conflict, return NEEDS_REVIEW with both references. If permission, connector or dependency is unavailable, return BLOCKED. Do not claim an external action succeeded without tool confirmation.

TEC-010 | Adhikar — Tool Permissions

Canonical ID: SAM-AG-161 | Department: Technology, MCP & AgentOps

Purpose and responsibility

Evaluate every tool call against role, client scope, environment, requested action and approval state; default to deny.

Required input

Versioned role/workflow config, system state, tool schemas, approved permissions, connector settings and telemetry. Specific fields: requesting identity, role, client scope, tool/action, arguments, environment, approval token/state and policy version.

Expected output

Technical status/configuration, version, health, permission decision, logs, validation result and recovery details. Always include task_id, workflow_id, agent_id, role_version, status, evidence_refs, assumptions, warnings, approval_required, next_owner and error details. Specific result fields: allow/deny, identity, requested tool/action, scope, policy reference and audit event.

Dependencies and handoff

Upstream: System configuration, runtime telemetry and authorised integration requirements. Downstream: Application/workflow runtime and authorised technical operators. Workflow engine validates output and approval gates before routing.

Authority and limits

Default to deny if identity, client scope, action, environment or approval is unclear. Log allowed and denied decisions.

Acceptance criteria

- Result directly addresses the assigned tool permissions task and references the input record(s).
- Required fields are present, correctly typed and linked to the correct client/workspace and version.
- Verified facts, assumptions and recommendations are distinguishable; no source, metric or approval is fabricated.
- Warnings, approval requirements and next owner are explicit.
- Result is persisted with canonical ID, role version, status, timestamps and audit/correlation reference.
- Tool/configuration behaviour is permission-checked, tested, observable and recoverable.

Exception behaviour

If required information is absent, return NEEDS_INFORMATION and identify missing fields/source plus expected owner. If sources conflict, return NEEDS_REVIEW with both references. If permission, connector or dependency is unavailable, return BLOCKED. Do not claim an external action succeeded without tool confirmation.

TEC-011 | Pravahika — Workflow Runtime

Canonical ID: SAM-AG-162 | Department: Technology, MCP & AgentOps

Purpose and responsibility

Run persisted state transitions, dependency checks, retries and approval pauses.

Required input

Versioned role/workflow config, system state, tool schemas, approved permissions, connector settings and telemetry. Specific fields: workflow definition/version, task input, dependency state, role config, tool list and timeout/retry settings.

Expected output

Technical status/configuration, version, health, permission decision, logs, validation result and recovery details. Always include task_id, workflow_id, agent_id, role_version, status, evidence_refs, assumptions, warnings, approval_required, next_owner and error details. Specific result fields: technical configuration/status, version, health, logs, access scope, validation and recovery result.

Dependencies and handoff

Upstream: System configuration, runtime telemetry and authorised integration requirements. Downstream: Application/workflow runtime and authorised technical operators. Workflow engine validates output and approval gates before routing.

Authority and limits

May analyse, draft, recommend and update authorised internal records within its permission set. Must not perform external side effects or make commitments unless an explicit policy, connector permission and approval state allow it.

Acceptance criteria

- Result directly addresses the assigned workflow runtime task and references the input record(s).
- Required fields are present, correctly typed and linked to the correct client/workspace and version.
- Verified facts, assumptions and recommendations are distinguishable; no source, metric or approval is fabricated.
- Warnings, approval requirements and next owner are explicit.
- Result is persisted with canonical ID, role version, status, timestamps and audit/correlation reference.
- Tool/configuration behaviour is permission-checked, tested, observable and recoverable.

Exception behaviour

If required information is absent, return NEEDS_INFORMATION and identify missing fields/source plus expected owner. If sources conflict, return NEEDS_REVIEW with both references. If permission, connector or dependency is unavailable, return BLOCKED. Do not claim an external action succeeded without tool confirmation.

TEC-012 | Sandarbhika — Context Retrieval

Canonical ID: SAM-AG-163 | Department: Technology, MCP & AgentOps

Purpose and responsibility

Select and scope approved context without exposing unrelated client data.

Required input

Versioned role/workflow config, system state, tool schemas, approved permissions, connector settings and telemetry. Specific fields: system component/config version, expected state, telemetry, permissions, dependency health and rollback reference.

Expected output

Technical status/configuration, version, health, permission decision, logs, validation result and recovery details. Always include task_id, workflow_id, agent_id, role_version, status, evidence_refs, assumptions, warnings, approval_required, next_owner and error details. Specific result fields: technical configuration/status, version, health, logs, access scope, validation and recovery result.

Dependencies and handoff

Upstream: System configuration, runtime telemetry and authorised integration requirements. Downstream: Application/workflow runtime and authorised technical operators. Workflow engine validates output and approval gates before routing.

Authority and limits

May analyse, draft, recommend and update authorised internal records within its permission set. Must not perform external side effects or make commitments unless an explicit policy, connector permission and approval state allow it.

Acceptance criteria

- Result directly addresses the assigned context retrieval task and references the input record(s).
- Required fields are present, correctly typed and linked to the correct client/workspace and version.
- Verified facts, assumptions and recommendations are distinguishable; no source, metric or approval is fabricated.
- Warnings, approval requirements and next owner are explicit.
- Result is persisted with canonical ID, role version, status, timestamps and audit/correlation reference.
- Tool/configuration behaviour is permission-checked, tested, observable and recoverable.

Exception behaviour

If required information is absent, return NEEDS_INFORMATION and identify missing fields/source plus expected owner. If sources conflict, return NEEDS_REVIEW with both references. If permission, connector or dependency is unavailable, return BLOCKED. Do not claim an external action succeeded without tool confirmation.

TEC-013 | Smritikosh — Knowledge & Memory

Canonical ID: SAM-AG-164 | Department: Technology, MCP & AgentOps

Purpose and responsibility

Store approved reusable knowledge with provenance, freshness, client scope and deletion rules.

Required input

Versioned role/workflow config, system state, tool schemas, approved permissions, connector settings and telemetry. Specific fields: system component/config version, expected state, telemetry, permissions, dependency health and rollback reference.

Expected output

Technical status/configuration, version, health, permission decision, logs, validation result and recovery details. Always include task_id, workflow_id, agent_id, role_version, status, evidence_refs, assumptions, warnings, approval_required, next_owner and error details. Specific result fields: technical configuration/status, version, health, logs, access scope, validation and recovery result.

Dependencies and handoff

Upstream: System configuration, runtime telemetry and authorised integration requirements. Downstream: Application/workflow runtime and authorised technical operators. Workflow engine validates output and approval gates before routing.

Authority and limits

May analyse, draft, recommend and update authorised internal records within its permission set. Must not perform external side effects or make commitments unless an explicit policy, connector permission and approval state allow it.

Acceptance criteria

- Result directly addresses the assigned knowledge & memory task and references the input record(s).
- Required fields are present, correctly typed and linked to the correct client/workspace and version.
- Verified facts, assumptions and recommendations are distinguishable; no source, metric or approval is fabricated.
- Warnings, approval requirements and next owner are explicit.
- Result is persisted with canonical ID, role version, status, timestamps and audit/correlation reference.
- Tool/configuration behaviour is permission-checked, tested, observable and recoverable.

Exception behaviour

If required information is absent, return NEEDS_INFORMATION and identify missing fields/source plus expected owner. If sources conflict, return NEEDS_REVIEW with both references. If permission, connector or dependency is unavailable, return BLOCKED. Do not claim an external action succeeded without tool confirmation.

TEC-014 | Margdarshak — Model Routing

Canonical ID: SAM-AG-165 | Department: Technology, MCP & AgentOps

Purpose and responsibility

Select approved model/provider based on task, availability and policy; log the choice.

Required input

Versioned role/workflow config, system state, tool schemas, approved permissions, connector settings and telemetry. Specific fields: system component/config version, expected state, telemetry, permissions, dependency health and rollback reference.

Expected output

Technical status/configuration, version, health, permission decision, logs, validation result and recovery details. Always include task_id, workflow_id, agent_id, role_version, status, evidence_refs, assumptions, warnings, approval_required, next_owner and error details. Specific result fields: technical configuration/status, version, health, logs, access scope, validation and recovery result.

Dependencies and handoff

Upstream: System configuration, runtime telemetry and authorised integration requirements. Downstream: Application/workflow runtime and authorised technical operators. Workflow engine validates output and approval gates before routing.

Authority and limits

May analyse, draft, recommend and update authorised internal records within its permission set. Must not perform external side effects or make commitments unless an explicit policy, connector permission and approval state allow it.

Acceptance criteria

- Result directly addresses the assigned model routing task and references the input record(s).
- Required fields are present, correctly typed and linked to the correct client/workspace and version.
- Verified facts, assumptions and recommendations are distinguishable; no source, metric or approval is fabricated.
- Warnings, approval requirements and next owner are explicit.
- Result is persisted with canonical ID, role version, status, timestamps and audit/correlation reference.
- Tool/configuration behaviour is permission-checked, tested, observable and recoverable.

Exception behaviour

If required information is absent, return NEEDS_INFORMATION and identify missing fields/source plus expected owner. If sources conflict, return NEEDS_REVIEW with both references. If permission, connector or dependency is unavailable, return BLOCKED. Do not claim an external action succeeded without tool confirmation.

TEC-015 | Nirikshak — Observability & Telemetry

Canonical ID: SAM-AG-166 | Department: Technology, MCP & AgentOps

Purpose and responsibility

Collect logs, traces, latency, errors, model metadata and workflow events.

Required input

Versioned role/workflow config, system state, tool schemas, approved permissions, connector settings and telemetry. Specific fields: system component/config version, expected state, telemetry, permissions, dependency health and rollback reference.

Expected output

Technical status/configuration, version, health, permission decision, logs, validation result and recovery details. Always include task_id, workflow_id, agent_id, role_version, status, evidence_refs, assumptions, warnings, approval_required, next_owner and error details. Specific result fields: technical configuration/status, version, health, logs, access scope, validation and recovery result.

Dependencies and handoff

Upstream: System configuration, runtime telemetry and authorised integration requirements. Downstream: Application/workflow runtime and authorised technical operators. Workflow engine validates output and approval gates before routing.

Authority and limits

May analyse, draft, recommend and update authorised internal records within its permission set. Must not perform external side effects or make commitments unless an explicit policy, connector permission and approval state allow it.

Acceptance criteria

- Result directly addresses the assigned observability & telemetry task and references the input record(s).
- Required fields are present, correctly typed and linked to the correct client/workspace and version.
- Verified facts, assumptions and recommendations are distinguishable; no source, metric or approval is fabricated.
- Warnings, approval requirements and next owner are explicit.
- Result is persisted with canonical ID, role version, status, timestamps and audit/correlation reference.
- Tool/configuration behaviour is permission-checked, tested, observable and recoverable.

Exception behaviour

If required information is absent, return NEEDS_INFORMATION and identify missing fields/source plus expected owner. If sources conflict, return NEEDS_REVIEW with both references. If permission, connector or dependency is unavailable, return BLOCKED. Do not claim an external action succeeded without tool confirmation.

TEC-016 | Parikshak — Testing & Evaluation Engineering

Canonical ID: SAM-AG-167 | Department: Technology, MCP & AgentOps

Purpose and responsibility

Define regression, contract, security and evaluation tests for agents/connectors/workflows.

Required input

Versioned role/workflow config, system state, tool schemas, approved permissions, connector settings and telemetry. Specific fields: version under test, test cases, expected outputs, role permissions, regression suite and known failure conditions.

Expected output

Technical status/configuration, version, health, permission decision, logs, validation result and recovery details. Always include task_id, workflow_id, agent_id, role_version, status, evidence_refs, assumptions, warnings, approval_required, next_owner and error details. Specific result fields: test case, expected/actual result, severity, reproduction steps and regression status.

Dependencies and handoff

Upstream: System configuration, runtime telemetry and authorised integration requirements. Downstream: Application/workflow runtime and authorised technical operators. Workflow engine validates output and approval gates before routing.

Authority and limits

May analyse, draft, recommend and update authorised internal records within its permission set. Must not perform external side effects or make commitments unless an explicit policy, connector permission and approval state allow it.

Acceptance criteria

- Result directly addresses the assigned testing & evaluation engineering task and references the input record(s).
- Required fields are present, correctly typed and linked to the correct client/workspace and version.
- Verified facts, assumptions and recommendations are distinguishable; no source, metric or approval is fabricated.
- Warnings, approval requirements and next owner are explicit.
- Result is persisted with canonical ID, role version, status, timestamps and audit/correlation reference.
- Tool/configuration behaviour is permission-checked, tested, observable and recoverable.

Exception behaviour

If required information is absent, return NEEDS_INFORMATION and identify missing fields/source plus expected owner. If sources conflict, return NEEDS_REVIEW with both references. If permission, connector or dependency is unavailable, return BLOCKED. Do not claim an external action succeeded without tool confirmation.

TEC-017 | Sanskaran — Versioning & Release

Canonical ID: SAM-AG-168 | Department: Technology, MCP & AgentOps

Purpose and responsibility

Manage versions and promotion rules for prompts, role definitions, schemas and workflows.

Required input

Versioned role/workflow config, system state, tool schemas, approved permissions, connector settings and telemetry. Specific fields: system component/config version, expected state, telemetry, permissions, dependency health and rollback reference.

Expected output

Technical status/configuration, version, health, permission decision, logs, validation result and recovery details. Always include task_id, workflow_id, agent_id, role_version, status, evidence_refs, assumptions, warnings, approval_required, next_owner and error details. Specific result fields: technical configuration/status, version, health, logs, access scope, validation and recovery result.

Dependencies and handoff

Upstream: System configuration, runtime telemetry and authorised integration requirements. Downstream: Application/workflow runtime and authorised technical operators. Workflow engine validates output and approval gates before routing.

Authority and limits

May analyse, draft, recommend and update authorised internal records within its permission set. Must not perform external side effects or make commitments unless an explicit policy, connector permission and approval state allow it.

Acceptance criteria

- Result directly addresses the assigned versioning & release task and references the input record(s).
- Required fields are present, correctly typed and linked to the correct client/workspace and version.
- Verified facts, assumptions and recommendations are distinguishable; no source, metric or approval is fabricated.
- Warnings, approval requirements and next owner are explicit.
- Result is persisted with canonical ID, role version, status, timestamps and audit/correlation reference.
- Tool/configuration behaviour is permission-checked, tested, observable and recoverable.

Exception behaviour

If required information is absent, return NEEDS_INFORMATION and identify missing fields/source plus expected owner. If sources conflict, return NEEDS_REVIEW with both references. If permission, connector or dependency is unavailable, return BLOCKED. Do not claim an external action succeeded without tool confirmation.

TEC-018 | Punarsthapana — Rollback & Recovery

Canonical ID: SAM-AG-169 | Department: Technology, MCP & AgentOps

Purpose and responsibility

Restore known-good configuration while preserving incident evidence and state consistency.

Required input

Versioned role/workflow config, system state, tool schemas, approved permissions, connector settings and telemetry. Specific fields: system component/config version, expected state, telemetry, permissions, dependency health and rollback reference.

Expected output

Technical status/configuration, version, health, permission decision, logs, validation result and recovery details. Always include task_id, workflow_id, agent_id, role_version, status, evidence_refs, assumptions, warnings, approval_required, next_owner and error details. Specific result fields: technical configuration/status, version, health, logs, access scope, validation and recovery result.

Dependencies and handoff

Upstream: System configuration, runtime telemetry and authorised integration requirements. Downstream: Application/workflow runtime and authorised technical operators. Workflow engine validates output and approval gates before routing.

Authority and limits

May analyse, draft, recommend and update authorised internal records within its permission set. Must not perform external side effects or make commitments unless an explicit policy, connector permission and approval state allow it.

Acceptance criteria

- Result directly addresses the assigned rollback & recovery task and references the input record(s).
- Required fields are present, correctly typed and linked to the correct client/workspace and version.
- Verified facts, assumptions and recommendations are distinguishable; no source, metric or approval is fabricated.
- Warnings, approval requirements and next owner are explicit.
- Result is persisted with canonical ID, role version, status, timestamps and audit/correlation reference.
- Tool/configuration behaviour is permission-checked, tested, observable and recoverable.

Exception behaviour

If required information is absent, return NEEDS_INFORMATION and identify missing fields/source plus expected owner. If sources conflict, return NEEDS_REVIEW with both references. If permission, connector or dependency is unavailable, return BLOCKED. Do not claim an external action succeeded without tool confirmation.

TEC-019 | Chaukidar — Security Monitoring

Canonical ID: SAM-AG-170 | Department: Technology, MCP & AgentOps

Purpose and responsibility

Coordinate threat controls, access safeguards, resilience and incident prevention.

Required input

Versioned role/workflow config, system state, tool schemas, approved permissions, connector settings and telemetry. Specific fields: system component/config version, expected state, telemetry, permissions, dependency health and rollback reference.

Expected output

Technical status/configuration, version, health, permission decision, logs, validation result and recovery details. Always include task_id, workflow_id, agent_id, role_version, status, evidence_refs, assumptions, warnings, approval_required, next_owner and error details. Specific result fields: technical configuration/status, version, health, logs, access scope, validation and recovery result.

Dependencies and handoff

Upstream: System configuration, runtime telemetry and authorised integration requirements. Downstream: Application/workflow runtime and authorised technical operators. Workflow engine validates output and approval gates before routing.

Authority and limits

May analyse, draft, recommend and update authorised internal records within its permission set. Must not perform external side effects or make commitments unless an explicit policy, connector permission and approval state allow it.

Acceptance criteria

- Result directly addresses the assigned security monitoring task and references the input record(s).
- Required fields are present, correctly typed and linked to the correct client/workspace and version.
- Verified facts, assumptions and recommendations are distinguishable; no source, metric or approval is fabricated.
- Warnings, approval requirements and next owner are explicit.
- Result is persisted with canonical ID, role version, status, timestamps and audit/correlation reference.
- Tool/configuration behaviour is permission-checked, tested, observable and recoverable.

Exception behaviour

If required information is absent, return NEEDS_INFORMATION and identify missing fields/source plus expected owner. If sources conflict, return NEEDS_REVIEW with both references. If permission, connector or dependency is unavailable, return BLOCKED. Do not claim an external action succeeded without tool confirmation.

TEC-020 | Upalabdh — Infrastructure Reliability

Canonical ID: SAM-AG-171 | Department: Technology, MCP & AgentOps

Purpose and responsibility

Monitor availability and coordinate safe recovery from infrastructure failures.

Required input

Versioned role/workflow config, system state, tool schemas, approved permissions, connector settings and telemetry. Specific fields: system component/config version, expected state, telemetry, permissions, dependency health and rollback reference.

Expected output

Technical status/configuration, version, health, permission decision, logs, validation result and recovery details. Always include task_id, workflow_id, agent_id, role_version, status, evidence_refs, assumptions, warnings, approval_required, next_owner and error details. Specific result fields: technical configuration/status, version, health, logs, access scope, validation and recovery result.

Dependencies and handoff

Upstream: System configuration, runtime telemetry and authorised integration requirements. Downstream: Application/workflow runtime and authorised technical operators. Workflow engine validates output and approval gates before routing.

Authority and limits

May analyse, draft, recommend and update authorised internal records within its permission set. Must not perform external side effects or make commitments unless an explicit policy, connector permission and approval state allow it.

Acceptance criteria

- Result directly addresses the assigned infrastructure reliability task and references the input record(s).
- Required fields are present, correctly typed and linked to the correct client/workspace and version.
- Verified facts, assumptions and recommendations are distinguishable; no source, metric or approval is fabricated.
- Warnings, approval requirements and next owner are explicit.
- Result is persisted with canonical ID, role version, status, timestamps and audit/correlation reference.
- Tool/configuration behaviour is permission-checked, tested, observable and recoverable.

Exception behaviour

If required information is absent, return NEEDS_INFORMATION and identify missing fields/source plus expected owner. If sources conflict, return NEEDS_REVIEW with both references. If permission, connector or dependency is unavailable, return BLOCKED. Do not claim an external action succeeded without tool confirmation.

TEC-021 | Sanchay — Storage & Retention

Canonical ID: SAM-AG-172 | Department: Technology, MCP & AgentOps

Purpose and responsibility

Identify retention risks and opportunities from client health, feedback and service outcomes.

Required input

Versioned role/workflow config, system state, tool schemas, approved permissions, connector settings and telemetry. Specific fields: system component/config version, expected state, telemetry, permissions, dependency health and rollback reference.

Expected output

Technical status/configuration, version, health, permission decision, logs, validation result and recovery details. Always include task_id, workflow_id, agent_id, role_version, status, evidence_refs, assumptions, warnings, approval_required, next_owner and error details. Specific result fields: technical configuration/status, version, health, logs, access scope, validation and recovery result.

Dependencies and handoff

Upstream: System configuration, runtime telemetry and authorised integration requirements. Downstream: Application/workflow runtime and authorised technical operators. Workflow engine validates output and approval gates before routing.

Authority and limits

May analyse, draft, recommend and update authorised internal records within its permission set. Must not perform external side effects or make commitments unless an explicit policy, connector permission and approval state allow it.

Acceptance criteria

- Result directly addresses the assigned storage & retention task and references the input record(s).
- Required fields are present, correctly typed and linked to the correct client/workspace and version.
- Verified facts, assumptions and recommendations are distinguishable; no source, metric or approval is fabricated.
- Warnings, approval requirements and next owner are explicit.
- Result is persisted with canonical ID, role version, status, timestamps and audit/correlation reference.
- Tool/configuration behaviour is permission-checked, tested, observable and recoverable.

Exception behaviour

If required information is absent, return NEEDS_INFORMATION and identify missing fields/source plus expected owner. If sources conflict, return NEEDS_REVIEW with both references. If permission, connector or dependency is unavailable, return BLOCKED. Do not claim an external action succeeded without tool confirmation.

TEC-022 | Kshamatra — Workforce Capacity Infrastructure

Canonical ID: SAM-AG-173 | Department: Technology, MCP & AgentOps

Purpose and responsibility

Estimate role/workflow load from queued work and measured performance; flag overload and uncertainty.

Required input

Versioned role/workflow config, system state, tool schemas, approved permissions, connector settings and telemetry. Specific fields: system component/config version, expected state, telemetry, permissions, dependency health and rollback reference.

Expected output

Technical status/configuration, version, health, permission decision, logs, validation result and recovery details. Always include task_id, workflow_id, agent_id, role_version, status, evidence_refs, assumptions, warnings, approval_required, next_owner and error details. Specific result fields: technical configuration/status, version, health, logs, access scope, validation and recovery result.

Dependencies and handoff

Upstream: System configuration, runtime telemetry and authorised integration requirements. Downstream: Application/workflow runtime and authorised technical operators. Workflow engine validates output and approval gates before routing.

Authority and limits

May analyse, draft, recommend and update authorised internal records within its permission set. Must not perform external side effects or make commitments unless an explicit policy, connector permission and approval state allow it.

Acceptance criteria

- Result directly addresses the assigned workforce capacity infrastructure task and references the input record(s).
- Required fields are present, correctly typed and linked to the correct client/workspace and version.
- Verified facts, assumptions and recommendations are distinguishable; no source, metric or approval is fabricated.
- Warnings, approval requirements and next owner are explicit.
- Result is persisted with canonical ID, role version, status, timestamps and audit/correlation reference.
- Tool/configuration behaviour is permission-checked, tested, observable and recoverable.

Exception behaviour

If required information is absent, return NEEDS_INFORMATION and identify missing fields/source plus expected owner. If sources conflict, return NEEDS_REVIEW with both references. If permission, connector or dependency is unavailable, return BLOCKED. Do not claim an external action succeeded without tool confirmation.

TEC-023 | Pratikriya — Incident Management

Canonical ID: SAM-AG-174 | Department: Technology, MCP & AgentOps

Purpose and responsibility

Record and coordinate incident severity, containment, updates and closure evidence.

Required input

Versioned role/workflow config, system state, tool schemas, approved permissions, connector settings and telemetry. Specific fields: system component/config version, expected state, telemetry, permissions, dependency health and rollback reference.

Expected output

Technical status/configuration, version, health, permission decision, logs, validation result and recovery details. Always include task_id, workflow_id, agent_id, role_version, status, evidence_refs, assumptions, warnings, approval_required, next_owner and error details. Specific result fields: technical configuration/status, version, health, logs, access scope, validation and recovery result.

Dependencies and handoff

Upstream: System configuration, runtime telemetry and authorised integration requirements. Downstream: Application/workflow runtime and authorised technical operators. Workflow engine validates output and approval gates before routing.

Authority and limits

May analyse, draft, recommend and update authorised internal records within its permission set. Must not perform external side effects or make commitments unless an explicit policy, connector permission and approval state allow it.

Acceptance criteria

- Result directly addresses the assigned incident management task and references the input record(s).
- Required fields are present, correctly typed and linked to the correct client/workspace and version.
- Verified facts, assumptions and recommendations are distinguishable; no source, metric or approval is fabricated.
- Warnings, approval requirements and next owner are explicit.
- Result is persisted with canonical ID, role version, status, timestamps and audit/correlation reference.
- Tool/configuration behaviour is permission-checked, tested, observable and recoverable.

Exception behaviour

If required information is absent, return NEEDS_INFORMATION and identify missing fields/source plus expected owner. If sources conflict, return NEEDS_REVIEW with both references. If permission, connector or dependency is unavailable, return BLOCKED. Do not claim an external action succeeded without tool confirmation.

TEC-024 | Nirman — Developer Enablement

Canonical ID: SAM-AG-175 | Department: Technology, MCP & AgentOps

Purpose and responsibility

Provide local setup, reusable templates, schemas, test harnesses and troubleshooting.

Required input

Versioned role/workflow config, system state, tool schemas, approved permissions, connector settings and telemetry. Specific fields: system component/config version, expected state, telemetry, permissions, dependency health and rollback reference.

Expected output

Technical status/configuration, version, health, permission decision, logs, validation result and recovery details. Always include task_id, workflow_id, agent_id, role_version, status, evidence_refs, assumptions, warnings, approval_required, next_owner and error details. Specific result fields: technical configuration/status, version, health, logs, access scope, validation and recovery result.

Dependencies and handoff

Upstream: System configuration, runtime telemetry and authorised integration requirements. Downstream: Application/workflow runtime and authorised technical operators. Workflow engine validates output and approval gates before routing.

Authority and limits

May analyse, draft, recommend and update authorised internal records within its permission set. Must not perform external side effects or make commitments unless an explicit policy, connector permission and approval state allow it.

Acceptance criteria

- Result directly addresses the assigned developer enablement task and references the input record(s).
- Required fields are present, correctly typed and linked to the correct client/workspace and version.
- Verified facts, assumptions and recommendations are distinguishable; no source, metric or approval is fabricated.
- Warnings, approval requirements and next owner are explicit.
- Result is persisted with canonical ID, role version, status, timestamps and audit/correlation reference.
- Tool/configuration behaviour is permission-checked, tested, observable and recoverable.

Exception behaviour

If required information is absent, return NEEDS_INFORMATION and identify missing fields/source plus expected owner. If sources conflict, return NEEDS_REVIEW with both references. If permission, connector or dependency is unavailable, return BLOCKED. Do not claim an external action succeeded without tool confirmation.

7.11 Independent Assurance, Compliance & Agent Performance — individual role specifications

Department responsibility: Independently evaluate outputs, competency, compliance, privacy, audit evidence, incidents, corrective actions and governance reporting.

GOV-001 | Satya — AI Chief Assurance Agent

Canonical ID: SAM-AG-010 | Department: Independent Assurance, Compliance & Agent Performance

Purpose and responsibility

Independently assess agent quality, compliance, permissions, incidents and corrective actions; preserve independent reporting.

Required input

Original artefact/run record, policy/rubric version, evidence, permission history, evaluation records and incident context. Specific fields: artefact/run ID, applicable policy/rubric version, evidence bundle, permissions, prior findings and reviewer independence requirement.

Expected output

Finding/assessment, criterion version, evidence, severity, pass/revise/escalate decision, remediation owner and closure evidence. Always include task_id, workflow_id, agent_id, role_version, status, evidence_refs, assumptions, warnings, approval_required, next_owner and error details. Specific result fields: finding/assessment, criterion version, evidence, severity, pass/revise/escalate, remediation owner and closure evidence.

Dependencies and handoff

Upstream: Workflow artefacts, policy versions, run records and evidence from relevant owners. Downstream: Independent finding to accountable owner and designated human governance authority. Workflow engine validates output and approval gates before routing.

Authority and limits

Independent read/evaluate/escalate authority within assigned scope. Must not alter original artefacts, suppress findings or let production owners certify their own remediation.

Acceptance criteria

- Result directly addresses the assigned ai chief assurance agent task and references the input record(s).
- Required fields are present, correctly typed and linked to the correct client/workspace and version.
- Verified facts, assumptions and recommendations are distinguishable; no source, metric or approval is fabricated.
- Warnings, approval requirements and next owner are explicit.
- Result is persisted with canonical ID, role version, status, timestamps and audit/correlation reference.
- Finding cites criteria and evidence, has severity/decision, and preserves independent closure history.

Exception behaviour

If required information is absent, return NEEDS_INFORMATION and identify missing fields/source plus expected owner. If sources conflict, return NEEDS_REVIEW with both references. If permission, connector or dependency is unavailable, return BLOCKED. Do not claim an external action succeeded without tool confirmation.

GOV-002 | Pramana — Competency & Certification Lead

Canonical ID: SAM-AG-176 | Department: Independent Assurance, Compliance & Agent Performance

Purpose and responsibility

Assess role capability, limitations and required controls before activation.

Required input

Original artefact/run record, policy/rubric version, evidence, permission history, evaluation records and incident context. Specific fields: role profile, capability rubric, test tasks, policy requirements, evidence, certification scope and expiry/retest triggers.

Expected output

Finding/assessment, criterion version, evidence, severity, pass/revise/escalate decision, remediation owner and closure evidence. Always include task_id, workflow_id, agent_id, role_version, status, evidence_refs, assumptions, warnings, approval_required, next_owner and error details. Specific result fields: finding/assessment, criterion version, evidence, severity, pass/revise/escalate, remediation owner and closure evidence.

Dependencies and handoff

Upstream: Workflow artefacts, policy versions, run records and evidence from relevant owners. Downstream: Independent finding to accountable owner and designated human governance authority. Workflow engine validates output and approval gates before routing.

Authority and limits

Independent read/evaluate/escalate authority within assigned scope. Must not alter original artefacts, suppress findings or let production owners certify their own remediation.

Acceptance criteria

- Result directly addresses the assigned competency & certification lead task and references the input record(s).
- Required fields are present, correctly typed and linked to the correct client/workspace and version.
- Verified facts, assumptions and recommendations are distinguishable; no source, metric or approval is fabricated.
- Warnings, approval requirements and next owner are explicit.
- Result is persisted with canonical ID, role version, status, timestamps and audit/correlation reference.
- Finding cites criteria and evidence, has severity/decision, and preserves independent closure history.

Exception behaviour

If required information is absent, return NEEDS_INFORMATION and identify missing fields/source plus expected owner. If sources conflict, return NEEDS_REVIEW with both references. If permission, connector or dependency is unavailable, return BLOCKED. Do not claim an external action succeeded without tool confirmation.

GOV-003 | Nishtha — Performance & Quality Assurance Lead

Canonical ID: SAM-AG-177 | Department: Independent Assurance, Compliance & Agent Performance

Purpose and responsibility

Monitor quality outcomes, repeat defects and independent verification of improvements.

Required input

Original artefact/run record, policy/rubric version, evidence, permission history, evaluation records and incident context. Specific fields: artefact/run ID, applicable policy/rubric version, evidence bundle, permissions, prior findings and reviewer independence requirement.

Expected output

Finding/assessment, criterion version, evidence, severity, pass/revise/escalate decision, remediation owner and closure evidence. Always include task_id, workflow_id, agent_id, role_version, status, evidence_refs, assumptions, warnings, approval_required, next_owner and error details. Specific result fields: finding/assessment, criterion version, evidence, severity, pass/revise/escalate, remediation owner and closure evidence.

Dependencies and handoff

Upstream: Workflow artefacts, policy versions, run records and evidence from relevant owners. Downstream: Independent finding to accountable owner and designated human governance authority. Workflow engine validates output and approval gates before routing.

Authority and limits

Independent read/evaluate/escalate authority within assigned scope. Must not alter original artefacts, suppress findings or let production owners certify their own remediation.

Acceptance criteria

- Result directly addresses the assigned performance & quality assurance lead task and references the input record(s).
- Required fields are present, correctly typed and linked to the correct client/workspace and version.
- Verified facts, assumptions and recommendations are distinguishable; no source, metric or approval is fabricated.
- Warnings, approval requirements and next owner are explicit.
- Result is persisted with canonical ID, role version, status, timestamps and audit/correlation reference.
- Finding cites criteria and evidence, has severity/decision, and preserves independent closure history.

Exception behaviour

If required information is absent, return NEEDS_INFORMATION and identify missing fields/source plus expected owner. If sources conflict, return NEEDS_REVIEW with both references. If permission, connector or dependency is unavailable, return BLOCKED. Do not claim an external action succeeded without tool confirmation.

GOV-004 | Maryada — Compliance & Risk Assurance Lead

Canonical ID: SAM-AG-178 | Department: Independent Assurance, Compliance & Agent Performance

Purpose and responsibility

Map internal policies and controls to evidence, exceptions, owners and review outcomes.

Required input

Original artefact/run record, policy/rubric version, evidence, permission history, evaluation records and incident context. Specific fields: incident ID, severity, timeline, affected tasks/clients, original evidence, containment and corrective-action plan.

Expected output

Finding/assessment, criterion version, evidence, severity, pass/revise/escalate decision, remediation owner and closure evidence. Always include task_id, workflow_id, agent_id, role_version, status, evidence_refs, assumptions, warnings, approval_required, next_owner and error details. Specific result fields: finding/assessment, criterion version, evidence, severity, pass/revise/escalate, remediation owner and closure evidence.

Dependencies and handoff

Upstream: Workflow artefacts, policy versions, run records and evidence from relevant owners. Downstream: Independent finding to accountable owner and designated human governance authority. Workflow engine validates output and approval gates before routing.

Authority and limits

Independent read/evaluate/escalate authority within assigned scope. Must not alter original artefacts, suppress findings or let production owners certify their own remediation.

Acceptance criteria

- Result directly addresses the assigned compliance & risk assurance lead task and references the input record(s).
- Required fields are present, correctly typed and linked to the correct client/workspace and version.
- Verified facts, assumptions and recommendations are distinguishable; no source, metric or approval is fabricated.
- Warnings, approval requirements and next owner are explicit.
- Result is persisted with canonical ID, role version, status, timestamps and audit/correlation reference.
- Finding cites criteria and evidence, has severity/decision, and preserves independent closure history.

Exception behaviour

If required information is absent, return NEEDS_INFORMATION and identify missing fields/source plus expected owner. If sources conflict, return NEEDS_REVIEW with both references. If permission, connector or dependency is unavailable, return BLOCKED. Do not claim an external action succeeded without tool confirmation.

GOV-005 | Vivek — Internal Audit Lead

Canonical ID: SAM-AG-179 | Department: Independent Assurance, Compliance & Agent Performance

Purpose and responsibility

Audit selected records/permissions/processes without editing original evidence.

Required input

Original artefact/run record, policy/rubric version, evidence, permission history, evaluation records and incident context. Specific fields: artefact/run ID, applicable policy/rubric version, evidence bundle, permissions, prior findings and reviewer independence requirement.

Expected output

Finding/assessment, criterion version, evidence, severity, pass/revise/escalate decision, remediation owner and closure evidence. Always include task_id, workflow_id, agent_id, role_version, status, evidence_refs, assumptions, warnings, approval_required, next_owner and error details. Specific result fields: finding/assessment, criterion version, evidence, severity, pass/revise/escalate, remediation owner and closure evidence.

Dependencies and handoff

Upstream: Workflow artefacts, policy versions, run records and evidence from relevant owners. Downstream: Independent finding to accountable owner and designated human governance authority. Workflow engine validates output and approval gates before routing.

Authority and limits

Independent read/evaluate/escalate authority within assigned scope. Must not alter original artefacts, suppress findings or let production owners certify their own remediation.

Acceptance criteria

- Result directly addresses the assigned internal audit lead task and references the input record(s).
- Required fields are present, correctly typed and linked to the correct client/workspace and version.
- Verified facts, assumptions and recommendations are distinguishable; no source, metric or approval is fabricated.
- Warnings, approval requirements and next owner are explicit.
- Result is persisted with canonical ID, role version, status, timestamps and audit/correlation reference.
- Finding cites criteria and evidence, has severity/decision, and preserves independent closure history.

Exception behaviour

If required information is absent, return NEEDS_INFORMATION and identify missing fields/source plus expected owner. If sources conflict, return NEEDS_REVIEW with both references. If permission, connector or dependency is unavailable, return BLOCKED. Do not claim an external action succeeded without tool confirmation.

GOV-006 | Samyak — Incident & CAPA Assurance Lead

Canonical ID: SAM-AG-180 | Department: Independent Assurance, Compliance & Agent Performance

Purpose and responsibility

Verify corrective/preventive action, root cause, owner, evidence and closure criteria.

Required input

Original artefact/run record, policy/rubric version, evidence, permission history, evaluation records and incident context. Specific fields: incident ID, severity, timeline, affected tasks/clients, original evidence, containment and corrective-action plan.

Expected output

Finding/assessment, criterion version, evidence, severity, pass/revise/escalate decision, remediation owner and closure evidence. Always include task_id, workflow_id, agent_id, role_version, status, evidence_refs, assumptions, warnings, approval_required, next_owner and error details. Specific result fields: finding/assessment, criterion version, evidence, severity, pass/revise/escalate, remediation owner and closure evidence.

Dependencies and handoff

Upstream: Workflow artefacts, policy versions, run records and evidence from relevant owners. Downstream: Independent finding to accountable owner and designated human governance authority. Workflow engine validates output and approval gates before routing.

Authority and limits

Independent read/evaluate/escalate authority within assigned scope. Must not alter original artefacts, suppress findings or let production owners certify their own remediation.

Acceptance criteria

- Result directly addresses the assigned incident & capa assurance lead task and references the input record(s).
- Required fields are present, correctly typed and linked to the correct client/workspace and version.
- Verified facts, assumptions and recommendations are distinguishable; no source, metric or approval is fabricated.
- Warnings, approval requirements and next owner are explicit.
- Result is persisted with canonical ID, role version, status, timestamps and audit/correlation reference.
- Finding cites criteria and evidence, has severity/decision, and preserves independent closure history.

Exception behaviour

If required information is absent, return NEEDS_INFORMATION and identify missing fields/source plus expected owner. If sources conflict, return NEEDS_REVIEW with both references. If permission, connector or dependency is unavailable, return BLOCKED. Do not claim an external action succeeded without tool confirmation.

GOV-007 | Yogyata — Competency Assessment

Canonical ID: SAM-AG-181 | Department: Independent Assurance, Compliance & Agent Performance

Purpose and responsibility

Assess role capability, limitations and required controls before activation.

Required input

Original artefact/run record, policy/rubric version, evidence, permission history, evaluation records and incident context. Specific fields: role profile, capability rubric, test tasks, policy requirements, evidence, certification scope and expiry/retest triggers.

Expected output

Finding/assessment, criterion version, evidence, severity, pass/revise/escalate decision, remediation owner and closure evidence. Always include task_id, workflow_id, agent_id, role_version, status, evidence_refs, assumptions, warnings, approval_required, next_owner and error details. Specific result fields: finding/assessment, criterion version, evidence, severity, pass/revise/escalate, remediation owner and closure evidence.

Dependencies and handoff

Upstream: Workflow artefacts, policy versions, run records and evidence from relevant owners. Downstream: Independent finding to accountable owner and designated human governance authority. Workflow engine validates output and approval gates before routing.

Authority and limits

Independent read/evaluate/escalate authority within assigned scope. Must not alter original artefacts, suppress findings or let production owners certify their own remediation.

Acceptance criteria

- Result directly addresses the assigned competency assessment task and references the input record(s).
- Required fields are present, correctly typed and linked to the correct client/workspace and version.
- Verified facts, assumptions and recommendations are distinguishable; no source, metric or approval is fabricated.
- Warnings, approval requirements and next owner are explicit.
- Result is persisted with canonical ID, role version, status, timestamps and audit/correlation reference.
- Finding cites criteria and evidence, has severity/decision, and preserves independent closure history.

Exception behaviour

If required information is absent, return NEEDS_INFORMATION and identify missing fields/source plus expected owner. If sources conflict, return NEEDS_REVIEW with both references. If permission, connector or dependency is unavailable, return BLOCKED. Do not claim an external action succeeded without tool confirmation.

GOV-008 | Pramanik — Certification & Recertification

Canonical ID: SAM-AG-182 | Department: Independent Assurance, Compliance & Agent Performance

Purpose and responsibility

Track certification status, evidence, scope, expiry and recertification triggers.

Required input

Original artefact/run record, policy/rubric version, evidence, permission history, evaluation records and incident context. Specific fields: role profile, capability rubric, test tasks, policy requirements, evidence, certification scope and expiry/retest triggers.

Expected output

Finding/assessment, criterion version, evidence, severity, pass/revise/escalate decision, remediation owner and closure evidence. Always include task_id, workflow_id, agent_id, role_version, status, evidence_refs, assumptions, warnings, approval_required, next_owner and error details. Specific result fields: finding/assessment, criterion version, evidence, severity, pass/revise/escalate, remediation owner and closure evidence.

Dependencies and handoff

Upstream: Workflow artefacts, policy versions, run records and evidence from relevant owners. Downstream: Independent finding to accountable owner and designated human governance authority. Workflow engine validates output and approval gates before routing.

Authority and limits

Independent read/evaluate/escalate authority within assigned scope. Must not alter original artefacts, suppress findings or let production owners certify their own remediation.

Acceptance criteria

- Result directly addresses the assigned certification & recertification task and references the input record(s).
- Required fields are present, correctly typed and linked to the correct client/workspace and version.
- Verified facts, assumptions and recommendations are distinguishable; no source, metric or approval is fabricated.
- Warnings, approval requirements and next owner are explicit.
- Result is persisted with canonical ID, role version, status, timestamps and audit/correlation reference.
- Finding cites criteria and evidence, has severity/decision, and preserves independent closure history.

Exception behaviour

If required information is absent, return NEEDS_INFORMATION and identify missing fields/source plus expected owner. If sources conflict, return NEEDS_REVIEW with both references. If permission, connector or dependency is unavailable, return BLOCKED. Do not claim an external action succeeded without tool confirmation.

GOV-009 | Gunvatta — Output Quality Evaluation

Canonical ID: SAM-AG-183 | Department: Independent Assurance, Compliance & Agent Performance

Purpose and responsibility

Evaluate the actual artefact against a versioned rubric and record evidence-backed pass, revision or escalation findings.

Required input

Original artefact/run record, policy/rubric version, evidence, permission history, evaluation records and incident context. Specific fields: artefact/run ID, applicable policy/rubric version, evidence bundle, permissions, prior findings and reviewer independence requirement.

Expected output

Finding/assessment, criterion version, evidence, severity, pass/revise/escalate decision, remediation owner and closure evidence. Always include task_id, workflow_id, agent_id, role_version, status, evidence_refs, assumptions, warnings, approval_required, next_owner and error details. Specific result fields: finding/assessment, criterion version, evidence, severity, pass/revise/escalate, remediation owner and closure evidence.

Dependencies and handoff

Upstream: Workflow artefacts, policy versions, run records and evidence from relevant owners. Downstream: Independent finding to accountable owner and designated human governance authority. Workflow engine validates output and approval gates before routing.

Authority and limits

Independent read/evaluate/escalate authority within assigned scope. Must not alter original artefacts, suppress findings or let production owners certify their own remediation.

Acceptance criteria

- Result directly addresses the assigned output quality evaluation task and references the input record(s).
- Required fields are present, correctly typed and linked to the correct client/workspace and version.
- Verified facts, assumptions and recommendations are distinguishable; no source, metric or approval is fabricated.
- Warnings, approval requirements and next owner are explicit.
- Result is persisted with canonical ID, role version, status, timestamps and audit/correlation reference.
- Finding cites criteria and evidence, has severity/decision, and preserves independent closure history.

Exception behaviour

If required information is absent, return NEEDS_INFORMATION and identify missing fields/source plus expected owner. If sources conflict, return NEEDS_REVIEW with both references. If permission, connector or dependency is unavailable, return BLOCKED. Do not claim an external action succeeded without tool confirmation.

GOV-010 | Nishpaksh — Independent Performance Scoring

Canonical ID: SAM-AG-184 | Department: Independent Assurance, Compliance & Agent Performance

Purpose and responsibility

Assess performance from outcome and execution records, not self-reported claims alone.

Required input

Original artefact/run record, policy/rubric version, evidence, permission history, evaluation records and incident context. Specific fields: artefact/run ID, applicable policy/rubric version, evidence bundle, permissions, prior findings and reviewer independence requirement.

Expected output

Finding/assessment, criterion version, evidence, severity, pass/revise/escalate decision, remediation owner and closure evidence. Always include task_id, workflow_id, agent_id, role_version, status, evidence_refs, assumptions, warnings, approval_required, next_owner and error details. Specific result fields: finding/assessment, criterion version, evidence, severity, pass/revise/escalate, remediation owner and closure evidence.

Dependencies and handoff

Upstream: Workflow artefacts, policy versions, run records and evidence from relevant owners. Downstream: Independent finding to accountable owner and designated human governance authority. Workflow engine validates output and approval gates before routing.

Authority and limits

Independent read/evaluate/escalate authority within assigned scope. Must not alter original artefacts, suppress findings or let production owners certify their own remediation.

Acceptance criteria

- Result directly addresses the assigned independent performance scoring task and references the input record(s).
- Required fields are present, correctly typed and linked to the correct client/workspace and version.
- Verified facts, assumptions and recommendations are distinguishable; no source, metric or approval is fabricated.
- Warnings, approval requirements and next owner are explicit.
- Result is persisted with canonical ID, role version, status, timestamps and audit/correlation reference.
- Finding cites criteria and evidence, has severity/decision, and preserves independent closure history.

Exception behaviour

If required information is absent, return NEEDS_INFORMATION and identify missing fields/source plus expected owner. If sources conflict, return NEEDS_REVIEW with both references. If permission, connector or dependency is unavailable, return BLOCKED. Do not claim an external action succeeded without tool confirmation.

GOV-011 | Seema — Authority & Permission Audit

Canonical ID: SAM-AG-185 | Department: Independent Assurance, Compliance & Agent Performance

Purpose and responsibility

Enforce role/client/environment/action/approval checks; default to deny.

Required input

Original artefact/run record, policy/rubric version, evidence, permission history, evaluation records and incident context. Specific fields: artefact/run ID, applicable policy/rubric version, evidence bundle, permissions, prior findings and reviewer independence requirement.

Expected output

Finding/assessment, criterion version, evidence, severity, pass/revise/escalate decision, remediation owner and closure evidence. Always include task_id, workflow_id, agent_id, role_version, status, evidence_refs, assumptions, warnings, approval_required, next_owner and error details. Specific result fields: finding/assessment, criterion version, evidence, severity, pass/revise/escalate, remediation owner and closure evidence.

Dependencies and handoff

Upstream: Workflow artefacts, policy versions, run records and evidence from relevant owners. Downstream: Independent finding to accountable owner and designated human governance authority. Workflow engine validates output and approval gates before routing.

Authority and limits

Independent read/evaluate/escalate authority within assigned scope. Must not alter original artefacts, suppress findings or let production owners certify their own remediation.

Acceptance criteria

- Result directly addresses the assigned authority & permission audit task and references the input record(s).
- Required fields are present, correctly typed and linked to the correct client/workspace and version.
- Verified facts, assumptions and recommendations are distinguishable; no source, metric or approval is fabricated.
- Warnings, approval requirements and next owner are explicit.
- Result is persisted with canonical ID, role version, status, timestamps and audit/correlation reference.
- Finding cites criteria and evidence, has severity/decision, and preserves independent closure history.

Exception behaviour

If required information is absent, return NEEDS_INFORMATION and identify missing fields/source plus expected owner. If sources conflict, return NEEDS_REVIEW with both references. If permission, connector or dependency is unavailable, return BLOCKED. Do not claim an external action succeeded without tool confirmation.

GOV-012 | Swasthya — Healthcare Content Compliance

Canonical ID: SAM-AG-186 | Department: Independent Assurance, Compliance & Agent Performance

Purpose and responsibility

Map internal policies and controls to evidence, exceptions, owners and review outcomes.

Required input

Original artefact/run record, policy/rubric version, evidence, permission history, evaluation records and incident context. Specific fields: artefact/run ID, applicable policy/rubric version, evidence bundle, permissions, prior findings and reviewer independence requirement.

Expected output

Finding/assessment, criterion version, evidence, severity, pass/revise/escalate decision, remediation owner and closure evidence. Always include task_id, workflow_id, agent_id, role_version, status, evidence_refs, assumptions, warnings, approval_required, next_owner and error details. Specific result fields: finding/assessment, criterion version, evidence, severity, pass/revise/escalate, remediation owner and closure evidence.

Dependencies and handoff

Upstream: Workflow artefacts, policy versions, run records and evidence from relevant owners. Downstream: Independent finding to accountable owner and designated human governance authority. Workflow engine validates output and approval gates before routing.

Authority and limits

Independent read/evaluate/escalate authority within assigned scope. Must not alter original artefacts, suppress findings or let production owners certify their own remediation.

Acceptance criteria

- Result directly addresses the assigned healthcare content compliance task and references the input record(s).
- Required fields are present, correctly typed and linked to the correct client/workspace and version.
- Verified facts, assumptions and recommendations are distinguishable; no source, metric or approval is fabricated.
- Warnings, approval requirements and next owner are explicit.
- Result is persisted with canonical ID, role version, status, timestamps and audit/correlation reference.
- Finding cites criteria and evidence, has severity/decision, and preserves independent closure history.

Exception behaviour

If required information is absent, return NEEDS_INFORMATION and identify missing fields/source plus expected owner. If sources conflict, return NEEDS_REVIEW with both references. If permission, connector or dependency is unavailable, return BLOCKED. Do not claim an external action succeeded without tool confirmation.

GOV-013 | Gopniya — Privacy & Confidentiality

Canonical ID: SAM-AG-187 | Department: Independent Assurance, Compliance & Agent Performance

Purpose and responsibility

Review privacy, confidentiality, data minimisation, access and disclosure risk.

Required input

Original artefact/run record, policy/rubric version, evidence, permission history, evaluation records and incident context. Specific fields: data flow, purpose, access records, retention rule, disclosure request and privacy policy.

Expected output

Finding/assessment, criterion version, evidence, severity, pass/revise/escalate decision, remediation owner and closure evidence. Always include task_id, workflow_id, agent_id, role_version, status, evidence_refs, assumptions, warnings, approval_required, next_owner and error details. Specific result fields: finding/assessment, criterion version, evidence, severity, pass/revise/escalate, remediation owner and closure evidence.

Dependencies and handoff

Upstream: Workflow artefacts, policy versions, run records and evidence from relevant owners. Downstream: Independent finding to accountable owner and designated human governance authority. Workflow engine validates output and approval gates before routing.

Authority and limits

Independent read/evaluate/escalate authority within assigned scope. Must not alter original artefacts, suppress findings or let production owners certify their own remediation.

Acceptance criteria

- Result directly addresses the assigned privacy & confidentiality task and references the input record(s).
- Required fields are present, correctly typed and linked to the correct client/workspace and version.
- Verified facts, assumptions and recommendations are distinguishable; no source, metric or approval is fabricated.
- Warnings, approval requirements and next owner are explicit.
- Result is persisted with canonical ID, role version, status, timestamps and audit/correlation reference.
- Finding cites criteria and evidence, has severity/decision, and preserves independent closure history.

Exception behaviour

If required information is absent, return NEEDS_INFORMATION and identify missing fields/source plus expected owner. If sources conflict, return NEEDS_REVIEW with both references. If permission, connector or dependency is unavailable, return BLOCKED. Do not claim an external action succeeded without tool confirmation.

GOV-014 | Lekhapari — Financial & Operational Audit

Canonical ID: SAM-AG-188 | Department: Independent Assurance, Compliance & Agent Performance

Purpose and responsibility

Audit records for completeness, traceability, reconciliation and approval evidence.

Required input

Original artefact/run record, policy/rubric version, evidence, permission history, evaluation records and incident context. Specific fields: artefact/run ID, applicable policy/rubric version, evidence bundle, permissions, prior findings and reviewer independence requirement.

Expected output

Finding/assessment, criterion version, evidence, severity, pass/revise/escalate decision, remediation owner and closure evidence. Always include task_id, workflow_id, agent_id, role_version, status, evidence_refs, assumptions, warnings, approval_required, next_owner and error details. Specific result fields: finding/assessment, criterion version, evidence, severity, pass/revise/escalate, remediation owner and closure evidence.

Dependencies and handoff

Upstream: Workflow artefacts, policy versions, run records and evidence from relevant owners. Downstream: Independent finding to accountable owner and designated human governance authority. Workflow engine validates output and approval gates before routing.

Authority and limits

Independent read/evaluate/escalate authority within assigned scope. Must not alter original artefacts, suppress findings or let production owners certify their own remediation.

Acceptance criteria

- Result directly addresses the assigned financial & operational audit task and references the input record(s).
- Required fields are present, correctly typed and linked to the correct client/workspace and version.
- Verified facts, assumptions and recommendations are distinguishable; no source, metric or approval is fabricated.
- Warnings, approval requirements and next owner are explicit.
- Result is persisted with canonical ID, role version, status, timestamps and audit/correlation reference.
- Finding cites criteria and evidence, has severity/decision, and preserves independent closure history.

Exception behaviour

If required information is absent, return NEEDS_INFORMATION and identify missing fields/source plus expected owner. If sources conflict, return NEEDS_REVIEW with both references. If permission, connector or dependency is unavailable, return BLOCKED. Do not claim an external action succeeded without tool confirmation.

GOV-015 | Sakshi — Audit Evidence Review

Canonical ID: SAM-AG-189 | Department: Independent Assurance, Compliance & Agent Performance

Purpose and responsibility

Check evidence is relevant, traceable and supports the associated finding/decision.

Required input

Original artefact/run record, policy/rubric version, evidence, permission history, evaluation records and incident context. Specific fields: artefact/run ID, applicable policy/rubric version, evidence bundle, permissions, prior findings and reviewer independence requirement.

Expected output

Finding/assessment, criterion version, evidence, severity, pass/revise/escalate decision, remediation owner and closure evidence. Always include task_id, workflow_id, agent_id, role_version, status, evidence_refs, assumptions, warnings, approval_required, next_owner and error details. Specific result fields: finding/assessment, criterion version, evidence, severity, pass/revise/escalate, remediation owner and closure evidence.

Dependencies and handoff

Upstream: Workflow artefacts, policy versions, run records and evidence from relevant owners. Downstream: Independent finding to accountable owner and designated human governance authority. Workflow engine validates output and approval gates before routing.

Authority and limits

Independent read/evaluate/escalate authority within assigned scope. Must not alter original artefacts, suppress findings or let production owners certify their own remediation.

Acceptance criteria

- Result directly addresses the assigned audit evidence review task and references the input record(s).
- Required fields are present, correctly typed and linked to the correct client/workspace and version.
- Verified facts, assumptions and recommendations are distinguishable; no source, metric or approval is fabricated.
- Warnings, approval requirements and next owner are explicit.
- Result is persisted with canonical ID, role version, status, timestamps and audit/correlation reference.
- Finding cites criteria and evidence, has severity/decision, and preserves independent closure history.

Exception behaviour

If required information is absent, return NEEDS_INFORMATION and identify missing fields/source plus expected owner. If sources conflict, return NEEDS_REVIEW with both references. If permission, connector or dependency is unavailable, return BLOCKED. Do not claim an external action succeeded without tool confirmation.

GOV-016 | Vicharana — Incident Investigation

Canonical ID: SAM-AG-190 | Department: Independent Assurance, Compliance & Agent Performance

Purpose and responsibility

Assemble timeline, evidence, affected records, likely causes and open questions.

Required input

Original artefact/run record, policy/rubric version, evidence, permission history, evaluation records and incident context. Specific fields: incident ID, severity, timeline, affected tasks/clients, original evidence, containment and corrective-action plan.

Expected output

Finding/assessment, criterion version, evidence, severity, pass/revise/escalate decision, remediation owner and closure evidence. Always include task_id, workflow_id, agent_id, role_version, status, evidence_refs, assumptions, warnings, approval_required, next_owner and error details. Specific result fields: finding/assessment, criterion version, evidence, severity, pass/revise/escalate, remediation owner and closure evidence.

Dependencies and handoff

Upstream: Workflow artefacts, policy versions, run records and evidence from relevant owners. Downstream: Independent finding to accountable owner and designated human governance authority. Workflow engine validates output and approval gates before routing.

Authority and limits

Independent read/evaluate/escalate authority within assigned scope. Must not alter original artefacts, suppress findings or let production owners certify their own remediation.

Acceptance criteria

- Result directly addresses the assigned incident investigation task and references the input record(s).
- Required fields are present, correctly typed and linked to the correct client/workspace and version.
- Verified facts, assumptions and recommendations are distinguishable; no source, metric or approval is fabricated.
- Warnings, approval requirements and next owner are explicit.
- Result is persisted with canonical ID, role version, status, timestamps and audit/correlation reference.
- Finding cites criteria and evidence, has severity/decision, and preserves independent closure history.

Exception behaviour

If required information is absent, return NEEDS_INFORMATION and identify missing fields/source plus expected owner. If sources conflict, return NEEDS_REVIEW with both references. If permission, connector or dependency is unavailable, return BLOCKED. Do not claim an external action succeeded without tool confirmation.

GOV-017 | Nivaran — CAPA Verification

Canonical ID: SAM-AG-191 | Department: Independent Assurance, Compliance & Agent Performance

Purpose and responsibility

Verify corrective/preventive action, root cause, owner, evidence and closure criteria.

Required input

Original artefact/run record, policy/rubric version, evidence, permission history, evaluation records and incident context. Specific fields: incident ID, severity, timeline, affected tasks/clients, original evidence, containment and corrective-action plan.

Expected output

Finding/assessment, criterion version, evidence, severity, pass/revise/escalate decision, remediation owner and closure evidence. Always include task_id, workflow_id, agent_id, role_version, status, evidence_refs, assumptions, warnings, approval_required, next_owner and error details. Specific result fields: finding/assessment, criterion version, evidence, severity, pass/revise/escalate, remediation owner and closure evidence.

Dependencies and handoff

Upstream: Workflow artefacts, policy versions, run records and evidence from relevant owners. Downstream: Independent finding to accountable owner and designated human governance authority. Workflow engine validates output and approval gates before routing.

Authority and limits

Independent read/evaluate/escalate authority within assigned scope. Must not alter original artefacts, suppress findings or let production owners certify their own remediation.

Acceptance criteria

- Result directly addresses the assigned capa verification task and references the input record(s).
- Required fields are present, correctly typed and linked to the correct client/workspace and version.
- Verified facts, assumptions and recommendations are distinguishable; no source, metric or approval is fabricated.
- Warnings, approval requirements and next owner are explicit.
- Result is persisted with canonical ID, role version, status, timestamps and audit/correlation reference.
- Finding cites criteria and evidence, has severity/decision, and preserves independent closure history.

Exception behaviour

If required information is absent, return NEEDS_INFORMATION and identify missing fields/source plus expected owner. If sources conflict, return NEEDS_REVIEW with both references. If permission, connector or dependency is unavailable, return BLOCKED. Do not claim an external action succeeded without tool confirmation.

GOV-018 | Sankat — Critical Risk Escalation

Canonical ID: SAM-AG-192 | Department: Independent Assurance, Compliance & Agent Performance

Purpose and responsibility

Escalate severe risks with impact, affected clients and containment needs.

Required input

Original artefact/run record, policy/rubric version, evidence, permission history, evaluation records and incident context. Specific fields: incident ID, severity, timeline, affected tasks/clients, original evidence, containment and corrective-action plan.

Expected output

Finding/assessment, criterion version, evidence, severity, pass/revise/escalate decision, remediation owner and closure evidence. Always include task_id, workflow_id, agent_id, role_version, status, evidence_refs, assumptions, warnings, approval_required, next_owner and error details. Specific result fields: finding/assessment, criterion version, evidence, severity, pass/revise/escalate, remediation owner and closure evidence.

Dependencies and handoff

Upstream: Workflow artefacts, policy versions, run records and evidence from relevant owners. Downstream: Independent finding to accountable owner and designated human governance authority. Workflow engine validates output and approval gates before routing.

Authority and limits

Independent read/evaluate/escalate authority within assigned scope. Must not alter original artefacts, suppress findings or let production owners certify their own remediation.

Acceptance criteria

- Result directly addresses the assigned critical risk escalation task and references the input record(s).
- Required fields are present, correctly typed and linked to the correct client/workspace and version.
- Verified facts, assumptions and recommendations are distinguishable; no source, metric or approval is fabricated.
- Warnings, approval requirements and next owner are explicit.
- Result is persisted with canonical ID, role version, status, timestamps and audit/correlation reference.
- Finding cites criteria and evidence, has severity/decision, and preserves independent closure history.

Exception behaviour

If required information is absent, return NEEDS_INFORMATION and identify missing fields/source plus expected owner. If sources conflict, return NEEDS_REVIEW with both references. If permission, connector or dependency is unavailable, return BLOCKED. Do not claim an external action succeeded without tool confirmation.

GOV-019 | Punariksha — Performance Appeals

Canonical ID: SAM-AG-193 | Department: Independent Assurance, Compliance & Agent Performance

Purpose and responsibility

Route evaluation appeals independently, preserving original score and decision history.

Required input

Original artefact/run record, policy/rubric version, evidence, permission history, evaluation records and incident context. Specific fields: artefact/run ID, applicable policy/rubric version, evidence bundle, permissions, prior findings and reviewer independence requirement.

Expected output

Finding/assessment, criterion version, evidence, severity, pass/revise/escalate decision, remediation owner and closure evidence. Always include task_id, workflow_id, agent_id, role_version, status, evidence_refs, assumptions, warnings, approval_required, next_owner and error details. Specific result fields: finding/assessment, criterion version, evidence, severity, pass/revise/escalate, remediation owner and closure evidence.

Dependencies and handoff

Upstream: Workflow artefacts, policy versions, run records and evidence from relevant owners. Downstream: Independent finding to accountable owner and designated human governance authority. Workflow engine validates output and approval gates before routing.

Authority and limits

Independent read/evaluate/escalate authority within assigned scope. Must not alter original artefacts, suppress findings or let production owners certify their own remediation.

Acceptance criteria

- Result directly addresses the assigned performance appeals task and references the input record(s).
- Required fields are present, correctly typed and linked to the correct client/workspace and version.
- Verified facts, assumptions and recommendations are distinguishable; no source, metric or approval is fabricated.
- Warnings, approval requirements and next owner are explicit.
- Result is persisted with canonical ID, role version, status, timestamps and audit/correlation reference.
- Finding cites criteria and evidence, has severity/decision, and preserves independent closure history.

Exception behaviour

If required information is absent, return NEEDS_INFORMATION and identify missing fields/source plus expected owner. If sources conflict, return NEEDS_REVIEW with both references. If permission, connector or dependency is unavailable, return BLOCKED. Do not claim an external action succeeded without tool confirmation.

GOV-020 | Suchita — Governance Reporting

Canonical ID: SAM-AG-194 | Department: Independent Assurance, Compliance & Agent Performance

Purpose and responsibility

Consolidate assurance status, risks, overdue actions and governance decisions.

Required input

Original artefact/run record, policy/rubric version, evidence, permission history, evaluation records and incident context. Specific fields: artefact/run ID, applicable policy/rubric version, evidence bundle, permissions, prior findings and reviewer independence requirement.

Expected output

Finding/assessment, criterion version, evidence, severity, pass/revise/escalate decision, remediation owner and closure evidence. Always include task_id, workflow_id, agent_id, role_version, status, evidence_refs, assumptions, warnings, approval_required, next_owner and error details. Specific result fields: finding/assessment, criterion version, evidence, severity, pass/revise/escalate, remediation owner and closure evidence.

Dependencies and handoff

Upstream: Workflow artefacts, policy versions, run records and evidence from relevant owners. Downstream: Independent finding to accountable owner and designated human governance authority. Workflow engine validates output and approval gates before routing.

Authority and limits

Independent read/evaluate/escalate authority within assigned scope. Must not alter original artefacts, suppress findings or let production owners certify their own remediation.

Acceptance criteria

- Result directly addresses the assigned governance reporting task and references the input record(s).
- Required fields are present, correctly typed and linked to the correct client/workspace and version.
- Verified facts, assumptions and recommendations are distinguishable; no source, metric or approval is fabricated.
- Warnings, approval requirements and next owner are explicit.
- Result is persisted with canonical ID, role version, status, timestamps and audit/correlation reference.
- Finding cites criteria and evidence, has severity/decision, and preserves independent closure history.

Exception behaviour

If required information is absent, return NEEDS_INFORMATION and identify missing fields/source plus expected owner. If sources conflict, return NEEDS_REVIEW with both references. If permission, connector or dependency is unavailable, return BLOCKED. Do not claim an external action succeeded without tool confirmation.

8. Canonical input/output contract and handoff rules

8.1 Common input envelope

Field	Required behaviour
task_id / workflow_id	Unique IDs for task and larger workflow.
client_id / project_id	Required for client work; backend verifies scope before retrieval.
agent_id / position_id	Canonical identity and assigned position.
role_version / schema_version	Role and schema versions used by this run.
task_goal	One clear requested action and expected result.
input_refs	References to briefs, records, assets, source material or accepted upstream output.
constraints	Brand, clinical, privacy, legal, budget, format and policy limits.
dependencies	Required prior tasks and accepted output versions.
approval_state	Current approval state relevant to the task.
tool_allow_list	Only tools authorised for this role/client/environment.
requested_by / correlation_id	Triggering actor and trace identifier.

8.2 Common output envelope

Field	Required behaviour
status	Controlled workflow state; generated prose does not imply success.
result_type	Machine-readable type such as research_findings, content_draft, qa_finding or report.
result_payload / output_refs	Structured result or secure reference to stored artefact.
evidence_refs	Source records/evidence used.
assumptions / limitations	Unknowns, estimates and scope limitations.
warnings / policy_flags	Clinical, privacy, quality, platform, finance or other concerns.
approval_required	Boolean plus approval type/reason.
next_owner	Agent ID, human role or queue expected to act next.
validation	Schema, quality and policy check outcomes.
model/tool trace	Provider/model, tool calls, connector responses and correlation ID.
error	Code, message, retryability and safe recovery guidance.

8.3 Controlled workflow statuses

Status	Meaning
DRAFT	Exists but not validated as ready.
READY	Required fields, permissions and prerequisites satisfied.
RUNNING	Agent/service is executing.
VALIDATING	Schema, evidence and policy checks in progress.
NEEDS_INFORMATION	Required field/source/decision missing; route request to owner.
NEEDS_REVIEW	Human/independent review required.
WAITING_FOR_APPROVAL	Authorised client/human must decide before proceeding.
BLOCKED	Permission, connector, dependency or policy prevents execution.
FAILED	Execution failed; error and safe retry guidance preserved.
COMPLETED	Output passed checks and required approval gates for this stage.

8.4 Handoff rules

• Only validated outputs are eligible as the next agent input.

- The receiver sees the exact upstream output version and evidence references.
- A correction creates a new version and marks dependent outputs stale if they rely on the old version.
- Approval is version-specific; a material edit invalidates approval.
- Retry side-effecting actions only when idempotency or action-status verification prevents duplicates.
- Sensitive data is passed only to authorised receiving roles.
- Persist every route decision, blocked transition and human override.

9. Detailed workflow specifications

9.1 Lead-to-client handover

Primary roles: Vikram / sales roles → Setu → Swagat / Shruti / Smriti → OPS

Trigger after qualification and approved commercial path. Capture prospect evidence, discovery notes, service selection, scope, exclusions, assumptions, contacts, restrictions and open questions. Anubandh tracks document/approval/signature status but never signs. Setu validates the handoff packet before onboarding.

Output and gate

Output: client workspace, approved scope reference, onboarding status, brief version, missing-info list, risks and account owner. Delivery planning cannot start from an unapproved proposal or materially ambiguous scope.

9.2 Brief-to-delivery planning

Primary roles: Shruti → Sankalan → Yojana → Samay / Vitaran → Pravartan

Validate objective, audience, deliverable, channel, format, CTA, source assets, language, restrictions and acceptance criteria. Map requirements to tasks, dependencies, owners, dates, review gates and capacity.

Output and gate

Output: task graph with prerequisites, role IDs, acceptance checklist, blocked/missing items and schedule state. Missing information routes to CEX/client; production must not guess.

9.3 Research and content production

Primary roles: Disha / Anvesh → Lekha / Kathan / Sutradhar → Chitra / Rachna / Chalchitra → Shuddhi / Pariksha

Research records source/date/context/uncertainty. Writing references approved research and tone. Creative roles link each asset to the exact copy/script version. Shuddhi screens claims; Pariksha checks platform/file requirements.

Output and gate

Output: linked copy/assets, sources, claims flags, QA findings and review status. Unsupported healthcare claims are removed, sourced or escalated; client-ready status requires required checks.

9.4 Client review and revision

Primary roles: Sweekriti / Sandesh / Client Reviewer → Punargathan → production role

Present the exact version. Client may approve, request changes or reject with comment. Store reviewer, time, version and decision. Revision becomes a task linked to prior version and feedback categories.

Output and gate

Output: version-specific approval or revision task. Old versions remain available; material edits return through internal QA and client review.

9.5 Publishing/campaign activation

Primary roles: Prakash / authorised PMG connector → QA + client approval + human approver

Verify connector, target account, exact version, permissions, schedule, budget cap and approval. Show final confirmation for external actions. Simulation creates only simulated result.

Output and gate

Output: actual platform response/external ID when connected, otherwise labelled simulated/blocked status. Local database write is not proof of publication.

9.6 Reporting and decision support

Primary roles: Sangrah → Shodhan → Samanjasya → Paribhasha → Darpan / Prativedan → Anuman / Nirnayika

Ingest authorised records; validate schema, period and freshness; reconcile mismatches; apply governed KPI definitions; report trends/forecasts with caveats.

Output and gate

Output: report with period, source, definitions, freshness, gaps, caveats, findings and recommendations. Demo/unvalidated values are never presented as verified.

9.7 Finance closeout

Primary roles: Pramaan → Beejak / Lekhan / Dhanika → Milaan / Vasooli → Vittadarshi

Confirm accepted delivery and approved scope. Prepare invoice drafts from approved terms; reconcile billing/ledger/receipt; track receivables and exceptions. Payments remain human-authorised.

Output and gate

Output: acceptance record, draft invoice, reconciliation state, collection follow-up and finance report. Discrepancies remain open until resolved with evidence.

9.8 Assurance and corrective action

Primary roles: Nishtha / Gunvatta / Nishpaksh / Maryada → Samyak / Vicharana → Nivaran → Satya

Evaluate artefact/run against versioned rubric and policy. Preserve original output. Incidents/failures get severity, evidence, owner, containment, root-cause investigation and corrective action.

Output and gate

Output: independent finding, remediation task and closure evidence. Production team cannot self-certify independent verification.

9.9 Technical change and release

Primary roles: Nirman / Parikshak / Sanskaran / Punarsthapana / Suraksha

Version changes to roles, prompts, schemas, workflows and connectors; run tests, review, approve and record rollback target. If a release fails, roll back safely and preserve evidence.

Output and gate

Output: change record, test results, release state, telemetry and rollback/incident links. No production overwrite without recoverable prior version.

10. Public company website requirements

The public site introduces Samrudhi and converts suitable visitors into qualified enquiries. It must not expose internal client records, agent run logs or admin-only data.

Home / landing page

Clear healthcare-marketing headline, service overview, how-it-works, trust/governance summary and primary CTA.

Acceptance
Visitor can choose Request Consultation or Client Login and understands the service quickly.

Services

Plain-language descriptions of healthcare content/social, creative production, SEO, paid media, analytics/reporting and account support.

Acceptance
Each service links to an enquiry form with the service preselected.

How it works

Goal → brief → plan → research/create → quality review → client approval → publish/execute → report/improve.

Acceptance
Explain what client supplies and where approval is required.

Trust and governance

Human oversight, source-backed content checks, independent assurance, privacy boundaries and connector limitations.

Acceptance
No unsupported certifications or compliance guarantees.

Contact/enquiry

Organisation, contact name, work email, service interest, goal, optional message and contact preference/consent.

Acceptance
Validate fields, create lead and show reference ID.

Login entry

Separate Company Login and Client Login.

Acceptance
Route authenticated users to correct portal without account enumeration.

10.1 Global navigation and footer

- Navigation labels are short, consistent and mobile-usable.
- Footer includes company contact, privacy, terms and login links.
- Forms show field labels, validation and success/failure states.
- Do not claim an agent, connector or certification is active unless verified.
- Public pages have appropriate page title, metadata, heading hierarchy and accessibility.

11. Company admin dashboard: page-by-page specification

The company console is an operational workbench. Each page shows status, owner, last update, available actions, history and why an item is blocked. Internal names/IDs may be shown to authorised company users.

11.1 Admin sign-in

Email/password and configured second factor; password recovery; generic errors.

Acceptance criteria

Successful login routes by role; disabled/unapproved users are blocked; sign-in is logged.

11.2 Executive overview

Active clients/projects, task states, approvals, blocked/overdue work, client health, critical risks, incidents, connector/model health and recent decisions.

Acceptance criteria

Filters by period/client/department/status; every metric links to source records; no fabricated totals.

11.3 Client directory

Client, owner, status, service scope, onboarding completeness, active projects, next client action and last activity.

Acceptance criteria

Search/filter; create/edit/deactivate; deactivation preserves audit history.

11.4 Client workspace

Tabs for overview, profile, scope, briefs, files, projects, deliverables, approvals, messages, reports, finance and audit timeline.

Acceptance criteria

Access limited by permission; scope changes are versioned and may require commercial review.

11.5 Leads and pipeline

Prospect, source, qualification, stage, owner, next action, meeting/discovery, proposal status and risk.

Acceptance criteria

Create prospect, attach evidence, qualify/disqualify with reason, draft proposal, hand off only when complete.

11.6 Onboarding manager

Checklist for contacts, profile, brand assets, goals, audience, channels, access, restrictions, scope and missing info.

Acceptance criteria

Show who owes next action; do not mark ready while mandatory gates remain incomplete.

11.7 Project and delivery plan

Scope version, deliverables, milestones, tasks, dependencies, owners, due dates, blockers and acceptance criteria.

Acceptance criteria

Create from approved scope; edits require permission/reason and preserve prior version.

11.8 Task queue

Task ID, client, department, owner/agent, type, priority, status, dependencies, attempts and last error.

Acceptance criteria

Search/filter/sort; pause, request info, assign, retry safely or escalate; show side-effect risk before retry.

11.9 Agent registry

All 194 roles, canonical/position IDs, department, purpose, manager, schemas, tools, authority, evaluator and status.

Acceptance criteria

Search by ID/name/department; version changes with reason; deactivation warns about dependencies.

11.10 Agent detail/editor

Identity, purpose, responsibilities, input/output schema, tools, authority, dependencies, acceptance, evaluator and history.

Acceptance criteria
Edits create version, validate schema, require permission and support simulation before activation.

11.11 Agent run inspector

Trigger, input/context refs, role/prompt/model versions, tool calls, output, checks, errors, retries, timestamps and next owner.

Acceptance criteria
Inspect/replay in simulation/compare/retry safely/escalate; hide secrets and unrelated client context.

11.12 Workflow template designer

Stages, prerequisites, routes, branches, approval gates, timeouts, retry rules and error routes.

Acceptance criteria
Detect cycles/missing routes; simulate; version and approve before activation.

11.13 Content studio

Brief, research references, copy, preview, channel, version, claims, QA checklist, reviewer notes and client state.

Acceptance criteria
Edit draft, request revision, compare versions, submit QA/send client; publishing stays gated.

11.14 QA and assurance

Separate production QA and independent GOV findings; criterion, evidence, severity, affected item, evaluator, owner and remediation.

Acceptance criteria
Record pass/revise/escalate; findings cannot be silently overwritten; appeals preserve original score.

11.15 Client approval queue

Items awaiting decision, exact version, requested date, comments, reminder and account owner.

Acceptance criteria
Reminder through configured channel; approval only from authenticated decision or authorised recorded decision.

11.16 Publish/campaign action queue

Asset/campaign version, account, platform, schedule, connector health, approvals and budget guardrail.

Acceptance criteria
Block if QA/approval/connector/permission fails or spend exceeds cap; label simulation.

11.17 Integrations/MCP

Provider, environment, status, scopes, read/write capability, last test, last error and owner.

Acceptance criteria
Connect/test/revoke and inspect logs; secrets never displayed.

11.18 Analytics/reports

Source, period, freshness, KPI definitions, filters, anomalies, report versions and client visibility.

Acceptance criteria
Export authorised data only; label demo values; prevent unsupported calculations.

11.19 Finance/admin

Draft invoices, accepted deliverables, receipts, receivables, reconciliation exceptions, vendor renewals and approvals.

Acceptance criteria
Prepare/queue actions; actual payment and binding commitments require authorised humans.

11.20 Incidents/CAPA

Severity, affected workflow/client, timeline, containment, owner, root cause, corrective action, verifier and closure evidence.

Acceptance criteria
Critical escalation; preserve evidence; closure requires criteria and verifier.

11.21 Users/permissions

User, role, workspace membership, status, last login and permission matrix.

Acceptance criteria

Invite/disable, least privilege, audit changes and review excess access.

11.22 Audit log

Actor, action, resource, client, timestamp, result, correlation ID and safe before/after summary.

Acceptance criteria

Append-only for normal users; export permission-controlled; secrets excluded.

11.23 Model settings

Ollama endpoint/model, health test, timeout/context config, environment and workflow defaults.

Acceptance criteria

Validate/test, show errors, protect secrets and version setting changes.

11.24 Notifications/templates

Templates for onboarding, missing info, review, revision, approval, report and incident.

Acceptance criteria

Preview, respect consent/preferences and record actual send state.

11.25 Demo reset

Demo mode status, demo workspace, sample records and reset action.

Acceptance criteria

Reset only demo-owned records; external writes disabled; preserve real records.

12. Client portal: page-by-page specification

The portal is designed for a person who has never used the platform and may not know what an agent is. It must explain current status, why information is needed, what the client should do next and what happens after that action. Do not show internal department names or agent IDs.

12.1 Welcome/login

Explain that the portal is for sharing project information, reviewing work and seeing progress; provide sign-in, recovery and support.

Acceptance criteria

Company/client login separation; understandable errors without account enumeration.

12.2 First-time guide

Step list: business details, brand materials, goals, channels and service scope.

Acceptance criteria

Each step explains why needed, shows examples and progress; save/resume works.

12.3 Client home

Project status in plain language, next action, items awaiting client, updates, review dates and support.

Acceptance criteria

Primary CTA adapts to next required action.

12.4 Business profile

Organisation, markets, audience, contacts, language, tone, brand preferences, channels and restricted claims.

Acceptance criteria

Explain fields, validate, version and mark fields needing company approval.

12.5 Brand kit/files

Logo, guide, colours/fonts, sample content, approved claims, prohibited wording, assets and references.

Acceptance criteria

Show file status, preview, version, access scope and replace/remove; validate files.

12.6 Service scope

Plain-language purchased services, included/excluded deliverables, client responsibilities and approval expectations.

Acceptance criteria

Client acknowledges or asks question; scope changes route for company review.

12.7 Guided brief form

Goal, audience, topic, message, platform, format, language, CTA, sources/files, restrictions, timing and success measure.

Acceptance criteria

Examples, required/optional markers, validation, save draft and summary before submission.

12.8 Brief confirmation

Brief reference/version, current status, next step and missing information.

Acceptance criteria

View submitted version and provide additions without overwriting history.

12.9 Project timeline

Plain-language stages, complete/current/upcoming, client/company owner, blockers and latest update.

Acceptance criteria

Explain blocker and required action; hide technical traces.

12.10 Deliverables list

Cards with title, channel, purpose, version, preview, status, review date and update.

Acceptance criteria
Filters for review/in progress/approved/completed; helpful empty state.

12.11 Deliverable preview

Copy/visual/video preview, platform, caption/CTA, version and relevant review notes.

Acceptance criteria
Approve/request changes/ask question; decision tied to exact version.

12.12 Request changes

Comment plus categories such as wording, factual concern, brand fit, image, audience, language or other.

Acceptance criteria
Create revision task linked to old version; preserve history.

12.13 Approval history

Decisions by version, reviewer, timestamp, comments and state.

Acceptance criteria
Material edits require reapproval; no silent approval transfer.

12.14 Messages/support

Conversation with company, status, attachments and history.

Acceptance criteria
Show actual send/fail state; if only portal-stored, do not claim email sent.

12.15 Notifications

Missing information, new deliverable, approval, revision, schedule change and report ready.

Acceptance criteria
Persistent read/unread state; every item links to record.

12.16 Reports/results

Reporting period, metric definition/value, comparison if available, source/freshness, observations, caveats and next actions.

Acceptance criteria
Unvalidated/demo metrics are clearly labelled; no fabricated data.

12.17 Billing/service records

Invoice reference, service period, issue/due date, amount/currency, state and support link.

Acceptance criteria
Only own records; payment links only with verified payment integration.

12.18 Help/glossary

Plain definitions of brief, deliverable, revision, approval, reach, engagement, lead, conversion and campaign.

Acceptance criteria
Searchable help and clear support path.

12.19 Client users/preferences

Allowed contacts, reviewer access and notification preferences.

Acceptance criteria
Only client admins manage users; access remains workspace-scoped.

12.20 Accessibility/mobile

Responsive layouts, readable text, keyboard access, visible focus, labels, error summary and non-colour status.

Acceptance criteria
Critical actions work on mobile/keyboard; forms preserve data after errors.

13. Demo login and seeded scenario

These are proposed local-only demo credentials, not existing accounts. Create via a seed script, store only password hashes and replace before non-demo deployment.

Account	Suggested credential	Access
Company Admin	demo.admin@samrudhi.local / SamrudhiDemo!2026	Company console with seeded client, tasks, registry and reports.
Client Owner	demo.client@samrudhi.local / SamrudhiClient!2026	Full fictional client workspace.
Client Reviewer	demo.reviewer@samrudhi.local / SamrudhiReview!2026	Review and approval experience.

13.1 Seeded client scenario

Seed a fictional Green Valley Medical Centre workspace with social-content scope, profile, brand kit, brief, source notes, plan, three posts in different states, QA finding, revision request, pending client approval, approved version, simulated publication result, sample report and draft invoice.

13.2 Demonstration path

• Client signs in and sees onboarding checklist/status.

• Client completes a brief and uploads a brand asset.

• Admin sees brief validation and any missing fields.

• Workflow creates plan/tasks; research and draft runs are recorded.

• QA finding creates a linked revision task.

• Client reviewer approves the exact revised version.

• Publishing shows simulated result, not live posting.

• Report shows demo metrics with period/definition/sample badge.

• Admin inspects inputs, outputs, versions, validation, approvals and audit trail.

13.3 Safety

• Persistent Demo Mode banner.

• External email, publishing, ad spend, payments and connector writes disabled.

• Reset only demo-owned records.

• All sample metrics/invoices/results labelled DEMO DATA.

• No real patient or confidential client data in seed examples.

14. Data model and audit records

Entity	Minimum fields and purpose
User	user ID, name, email, auth/password hash, status, last login and lifecycle metadata.
Role/Permission	role, permission key, resource/action, workspace scope, grantor, grant/revoke time and audit ref.
Client Workspace	client ID, organisation, status, owner, contacts, business/brand profile, scope version and tenant key.
Project	project/client ID, scope version, objectives, deliverables, owner, milestones, acceptance and state.
Brief	brief ID, client/project, submitter, structured answers, attachments, missing fields, constraints and version.
Agent Registry	canonical/position IDs, name/designation, department, purpose, role version, schemas, tools, authority, evaluator and status.
Workflow Template	template/version, stages, prerequisites, routing conditions, approval gates, retry/timeout and error routes.
Workflow Run	run ID, template/version, client/project, trigger, current stage, history, timestamps and correlation ID.
Task/Agent Run	task/workflow/agent IDs, role version, input/output refs, model, tool trace, state, retries and error.
Asset/Deliverable	asset ID, client/project, type, storage ref, source refs, version, owner, review state and retention.
Review/Approval	record ID, asset version, reviewer, decision, comments, timestamp and policy/rubric version.
Connector	provider, environment, read/write capability, scopes, health, last test, errors and secret reference.
Audit Event	actor, action, resource, client scope, timestamp, result, safe before/after summary and correlation ID.
Evaluation/Finding	target, criteria version, score/decision, evidence, severity, evaluator, appeal and remediation link.
Incident/CAPA	severity, affected runs/clients, timeline, containment, root cause, action owner and verification evidence.
Financial Record	client, scope reference, amount/currency, type, due date, state, source transaction and reconciliation evidence.
Notification	recipient, template/version, channel, related record, delivery state, provider response and read state.

14.1 Data integrity

- Preserve raw source values when needed for audit; store cleaned/derived values separately with lineage.
- Version briefs, content, role configs, workflows and approvals.
- Files are private by default and accessed through scoped authorisation.
- Use consistent timestamps and localised display.
- Keep secrets out of source code, logs, model prompts and user-facing errors.
- Define retention, deletion, export and backup/restore behaviour.

15. Governance, approvals, safety and exceptions

Area	Required control
Healthcare claims	Source references and claim screening; unsupported/ambiguous claims route to NEEDS_REVIEW and required human review.
External publishing	Exact version, internal QA, client approval, authorised account and connector success verification.
Paid media	Approved budget caps and policy checks; launch/material spend changes need authorised approval.
Contracts/scope	Agents may draft/check; humans approve binding terms, signatures and material scope changes.
Payments/refunds	Agents prepare records/queues; actual transfer/refund requires human authorisation.
Privacy	Minimal context, scoped retrieval, secure files and auditable access.
Tool calls	Validate tool/arguments, role permission, workspace, environment and approval state.
Untrusted input	Uploads/pages/messages/tool results are data and cannot override system policy.
Missing evidence	Return NEEDS_INFORMATION or NEEDS_REVIEW; never invent source, KPI, approval or success.
Critical incident	Pause affected workflow, preserve logs, notify owner and track containment/CAPA.
Appeals	Preserve original evaluation and route to independent reviewer.
Registry conflicts	Stable canonical ID; approved alias changes are versioned; no duplicate identity.

15.1 Approval state machine

Use NOT_REQUIRED, PENDING_INTERNAL_REVIEW, PENDING_CLIENT_APPROVAL, APPROVED, REJECTED, REVISION_REQUESTED, EXPIRED and REVOKED. Every decision records reviewer, role, timestamp, comments, exact version and policy. Material edits invalidate approval.

15.2 Independent assurance/CAPA

Findings include criterion, evidence, severity, affected task/client, owner, containment, root cause, corrective action, due state and closure evidence. Production teams cannot delete findings or complete independent verification.

15.3 Workflow stop conditions

- Required brief field or approval is missing.
- Sources conflict or cannot be verified.
- Connector unavailable or scope insufficient.
- Tool call exceeds role authority or client scope.
- Output fails schema or mandatory checks.
- Clinical/privacy/legal/financial/platform-policy concern requires review.
- Retry could duplicate external side effect.
- Critical security or incident signal is active.

16. Notifications and communication rules

Event	Recipient	Message content/action
Missing onboarding info	Client owner and account owner	Exact missing fields, why needed and link to form.
Brief submitted	Account owner/intake	Brief ID/version, validation state and next owner.
Task blocked	Task owner and lead	Reason, affected dependency, decision needed and safe next action.
QA failed	Production owner/reviewer queue	Finding, evidence, severity, version and revision needs.
Client approval requested	Authorised client reviewer	Deliverable title, exact version, decision choices and review notes.
Revision submitted	Account owner/production role	Client feedback, linked version and acceptance criteria.
Approval received	Account owner/workflow	Reviewer, timestamp, version and next eligible step.
Publish result/failure	Account owner/operator	Actual connector response or labelled simulation/failure.
Report ready	Client users with access	Period, data freshness, caveats and portal link.
Critical incident	Human authority/response owner	Severity, affected scope, containment and evidence reference.

16.1 Delivery channels

In-portal notifications are baseline. Email, WhatsApp, calendar or external notifications require configured connectors and must display actual delivery status. A portal-stored message is not labelled emailed or sent externally.

16.2 Client tone

Client messages state what happened, what is needed, why it matters and how to act. Internal agent jargon and unexplained codes do not appear in client-facing messages.

17. Non-functional requirements

Area	Requirement
Usability	Consistent navigation, plain language, responsive layout, clear loading/empty/error states and saved form progress.
Accessibility	Semantic labels, keyboard navigation, visible focus, readable text, adequate contrast and non-colour status cues.
Security	Secure authentication, password hashing, server-side permissions, input validation, rate limiting and secret management.
Tenant isolation	All client records/files scoped and negative-tested; cross-client access denied and logged.
Reliability	Persist workflow state; bound retries; handle Ollama downtime, malformed output, connector failure and partial operation.
Observability	Structured logs, correlation IDs, task traces, model/version metadata, connector health and evaluation results.
Maintainability	Version roles/schemas/workflows/prompts; provide migrations, seed scripts, typed interfaces and repeatable tests.
Portability	Core workflows work locally with sample data and simulated connectors; integrations are adapter-based.
Data governance	Preserve evidence lineage, source freshness, audit history, retention and deletion/export controls.
Recovery	Test backup/restore and rollback; preserve approvals and audit history.
Performance	Paginate large tables, run long tasks asynchronously, preserve progress and define measurable targets in testing.
Transparency	Show concise rationale, evidence, assumptions, limitations and approval state; no private chain-of-thought.

18. User stories and acceptance criteria

18.1 Company-side stories

As a user, company admin creates a workspace.
Acceptance: Unique ID, owner, scope and tenant boundary are saved; all records inherit access scope.

As a user, department lead sees blockers.
Acceptance: Queue shows blocked reason, affected dependency, next owner and safe next action.

As a user, admin inspects agent run.
Acceptance: Input/output refs, role/model version, tools, validation, errors, status and handoff are visible.

As a user, admin changes a role.
Acceptance: New version created with editor/reason; schema validated; previous runs preserved.

As a user, assurance reviewer records finding.
Acceptance: Finding linked to evidence and cannot be silently deleted/rewritten by production owner.

As a user, admin demonstrates platform locally.
Acceptance: Seed data supports workflow; Demo Mode visible; external writes disabled.

As a user, finance prepares invoice.
Acceptance: Draft references approved scope and accepted work; discrepancies flagged; payment remains authorised.

As a user, operator retries failed task.
Acceptance: System checks possible side effect before retry; ambiguous outcome blocks for inspection.

18.2 Client-side stories

As a user, first-time client knows what to do next.
Acceptance: Home shows status, next action, why it is needed and a clear primary action.

As a user, client submits brief without agent terminology.
Acceptance: Form uses plain labels, examples, validation, save/resume and final summary.

As a user, client understands approval request.
Acceptance: Preview shows exact content/assets, version, channel and review notes.

As a user, client requests changes.
Acceptance: Comment links to reviewed version and creates a revision task; history is preserved.

As a user, client reviewer approves deliverable.
Acceptance: Authenticated reviewer, timestamp, version, decision and comment are stored.

As a user, client understands report.
Acceptance: Metrics include definition, period, source/freshness and limitations.

As a user, client data remains private.
Acceptance: Cross-client access attempts are denied by backend and logged.

As a user, client sees actual publication state.
Acceptance: UI shows connector response or labelled simulation/failure.

18.3 Agent/workflow stories

As a system user, workflow routes only validated outputs.
Acceptance: Schema, prerequisites and approval gates pass before dispatch.

As a system user, agent identifies missing data.
Acceptance: NEEDS_INFORMATION names missing fields/sources and expected owner; no guessing.

As a system user, tool gateway denies unauthorised calls.
Acceptance: Identity, client scope, action, environment and approval are checked; denied call logged.

As a system user, evaluator scores against versioned rubric.
Acceptance: Criterion results, evidence and evaluator identity recorded; appeals preserved.

As a system user, operator diagnoses failure.
Acceptance: Inspector shows error code, stage, retryability, affected task and recovery guidance.

19. Implementation validation checklist

This checklist is ordered by dependency, not by implementation time or budget.

19.1 Foundation

- ■ Authentication and server-side permissions work.
- ■ Client workspaces and tenant isolation are implemented and negative-tested.
- ■ Registry contains all 194 canonical identities and 11 departments with no duplicate canonical IDs.
- ■ Every role has purpose, input/output schema, dependencies, tool allow-list, authority and evaluator.
- ■ Role/workflow versions are preserved on old runs.
- ■ Task, workflow, asset, approval, audit, evaluation, incident and notification records persist.
- ■ Ollama adapter handles unavailable model, timeout, malformed output and model selection.
- ■ Simulation mode is visible and external writes disabled.

19.2 Core workflow

- ■ Lead qualification and approved-scope handoff work.
- ■ Onboarding and brief submission preserve versions and missing-information state.
- ■ Workflow engine creates task dependencies and blocks premature execution.
- ■ Research, draft, asset, QA and revision tasks link to exact versions.
- ■ Client can approve or request changes in portal.
- ■ Publishing blocked unless QA, client approval, connector and permissions pass.
- ■ Reports show source, period, definitions, freshness and caveats.
- ■ Finance preparation is traceable to accepted work and approved scope.

19.3 Safety and assurance

- ■ Healthcare claims route to required review.
- ■ Ad spend and external launches respect approved caps and human approval.
- ■ Contracts/payments cannot be executed by drafting agents alone.
- ■ Independent findings cannot be silently deleted or changed.
- ■ Incidents preserve evidence and require corrective-action verification.
- ■ Retry tests prove side effects cannot be duplicated silently.
- ■ Secrets are absent from source, logs, prompts and user-facing errors.

19.4 Client experience

- ■ Portal includes onboarding, profile, brand files, brief, timeline, deliverables, approval, messages, reports and help.
- ■ Every client screen explains status and next action in plain language.
- ■ Forms show field-level errors and preserve entered data.
- ■ Approval binds to exact version and material edits require reapproval.
- ■ Client cannot view another client workspace/file.
- ■ Demo data is labelled and reset cannot affect real records.

Appendix A. Canonical IDs and naming notes

The consolidated registry assigns stable canonical IDs and department position IDs. Shared executive identities are reused across reporting assignments and must not be duplicated. Vikram’s secondary oversight of Samrudhi Brand & Marketing does not create a second canonical identity.

The source flags similar-name pairs: Maanak (MKT-015) and Manak (DAT-006), with Tulak proposed for DAT-006; Navikaran (CEX-015) and Naveekaran (FIN-016), with Avartan proposed for FIN-016. These are proposed changes, not approved replacements. Preserve canonical IDs/responsibilities and audit any approved display-name change.

Appendix B. Example handoff payload


```
{ "workflow_id": "WF-CLIENT-CONTENT-0001", "task_id": "TASK-0004", "client_id": "CLIENT-DEMO-001", "agent_id": "SAM-AG-082", "position_id": "CRT-008", "role_version": "1.0", "status": "NEEDS_REVIEW", "input_refs": ["BRIEF-0001", "RESEARCH-0003"], "output": {"type": "healthcare_social_caption", "text": "Draft caption...", "source_refs": ["RESEARCH-0003"], "warnings": ["Clinical claim review required"]}, "approval_required": true, "next_owner": "SAM-AG-080", "model": {"provider": "ollama", "name": "configured-local-model"}, "tool_calls": [], "error": null }
```


Appendix C. Glossary

Term	Meaning
Agent	Logical role with purpose, instructions, schemas, tools, permissions and evaluation.
Canonical ID	Stable registry identity such as SAM-AG-001.
Position ID	Department-scoped ID such as CRT-008.
Handoff	Validated structured output passed to the next eligible role or human owner.
MCP connector	Typed integration/tool interface to an internal or external capability.
Workflow run	Persisted execution including tasks, state changes and evidence.
Approval gate	Rule that blocks next action until authorised decision is recorded.
CAPA	Corrective/preventive action for incidents or repeated defects.
Tenant isolation	Ensures each client accesses only its own workspace.
Simulation mode	Records simulated results without external action.
Evidence lineage	Trace from source data through transformations to output/finding/decision.

End of Detailed Product Requirements Document