


## Week 6 – Adding items in cart (html+php)



**Source Code :** index.php

```
<?php
```

```
//connection to database
```

```
session_start();
```

```
$connect = mysqli_connect('localhost','root','','cart');
```

```
if(isset($_POST["add_to_cart"]))
```

```
{
```

```
if(isset($_SESSION["shopping_cart"]))
```

```
{
```

```
$item_array_id = array_column($_SESSION["shopping_cart"], "item_id");
```

```
if(!in_array($_GET["id"], $item_array_id))
```

```
{
```

```
$count = count($_SESSION["shopping_cart"]);
```

```
//get all item detail
```

```
$item_array = array(
```

```
    'item_id'    => $_GET["id"],
```

```
    'product_img' => $_POST["hidden_image"],
```

```
    'item_name'  => $_POST["hidden_name"],
```

```
    'item_price' => $_POST["hidden_price"],
```

```
    'item_quantity' => $_POST["quantity"]
```

```

    );

    $_SESSION["shopping_cart"][$count] = $item_array;
}
else
{
    //product added then this block
    echo '<script>alert("Item allready added ")</script>';
    echo '<script>window.location = "index.php"</script>';
}
}
else
{
    //cart is empty excute this block
    $item_array = array(
        'item_id'    =>  $_GET["id"],
        'product_img' =>  $_POST["hidden_image"],
        'item_name'  =>  $_POST["hidden_name"],
        'item_price' =>  $_POST['hidden_price'],
        'item_quantity' =>  $_POST["quantity"]

    );

    $_SESSION["shopping_cart"][0] = $item_array;
}
}

//Remove item in cart
if(isset($_GET["action"]))
{
    if($_GET["action"] == "delete")
    {
        foreach($_SESSION["shopping_cart"] as $key=>$value)
        {

```

```

        if($value["item_id"] == $_GET["id"])
        {
            unset($_SESSION["shopping_cart"][$key]);
            echo '<script>alert("Item removed")</script>';
            echo '<script>window.location="indax.php</script>';
        }
    }
}
}

```

?>

<!DOCTYPE html>

<html>

<head>

<title> PHP Mysql Shopping Cart</title>

<script src="https://ajax.googleapis.com/ajax/libs/jquery/2.2.0/jquery.min.js"></script>

<link rel="stylesheet" href="https://maxcdn.bootstrapcdn.com/bootstrap/3.3.6/css/bootstrap.min.css" />

<script src="https://maxcdn.bootstrapcdn.com/bootstrap/3.3.6/js/bootstrap.min.js"></script>

</head>

<body>

<br />

<div class="container" style="width:700px;">

<h3 align="center">Simple PHP Mysql Shopping Cart</h3><br />

<?php

\$qry = "SELECT \* FROM tbl\_product ORDER BY id ASC";

\$result = mysqli\_query(\$connect,\$qry);

if(mysqli\_num\_rows(\$result) >0)

{

```

while($row = mysqli_fetch_array($result))
{

?>

<div class="col-md-4">

    <form method="post" action="index.php?action=add&id=<?php echo $row['id'];?>">

        <div style="border:1px solid #333; background-color:#f1f1f1; border-
radius:5px; padding:16px;" align="center">

            <br />

            <h4 class="text-info"><?php echo $row['name'];?></h4>

            <h4 class="text-danger">$<?php echo $row['price'];?></h4>

            <input type="text" name="quantity" class="form-control" value="1" />

            <input type="hidden" name="hidden_name" value="<?php echo $row['name'] ?>" />

            <input type="hidden" name="hidden_image" value="<?php echo $row['image'];?>">

            <input type="hidden" name="hidden_price" value="<?php echo $row['price'];?>">


            <input type="submit" name="add_to_cart" style="margin-top:5px;" class="btn btn-
success" value="Add to Cart" />

        </div>

    </form>

</div>

<?php } } ?>

<div style="clear:both"></div>

<br />

<h3>Order Details <b style="color: red">Please Subscribe my Channel</b></h3>

<div class="table-responsive">

    <table class="table table-bordered">

        <tr>

            <th>product image</th>

            <th width="40%">Item Name</th>

            <th width="10%">Quantity</th>

```

```

        <th width="20%">Price</th>

        <th width="15%">Total</th>

        <th width="5%">Action</th>
    </tr>

    <?php
    if(!empty($_SESSION["shopping_cart"]))
    {
        $total = 0;

        foreach($_SESSION["shopping_cart"] as $key => $value)
        {

            ?>

        <tr>

            <td></td>

            <td><?php echo $value['item_name'];?></td>

            <td><?php echo $value['item_quantity']; ?></td>

            <td>$<?php echo $value['item_price'];?></td>

            <td>$<?php echo number_format($value["item_quantity"] * $value["item_price"],
2);?></td>

            <td><a href="index.php?action=delete&id=<?php echo $value['item_id'];?>"><span
class="btn btn-danger">Remove</span></a></td>

        </tr>

        <?php $total = $total + ($value["item_quantity"] * $value['item_price']);
    }

    ?>

    <tr>

        <td colspan="3" align="right">Total</td>

        <td align="right">$<?php echo number_format($total);?></td>

        <td></td>

```

</tr>

<?php } ?>

</table>

</div>

</div>

<br />

</body>

</html>