
Week 5 – DBMS implementation



Source Code: cart.sql

```
-- Host: localhost
SET SQL_MODE = "NO_AUTO_VALUE_ON_ZERO";
SET AUTOCOMMIT = 0;
START TRANSACTION;
SET time zone = "+00:00";
/*!40101 SET @OLD_CHARACTER_SET_CLIENT=@@CHARACTER_SET_CLIENT */;
/*!40101 SET @OLD_CHARACTER_SET_RESULTS=@@CHARACTER_SET_RESULTS */;
/*!40101 SET @OLD_COLLATION_CONNECTION=@@COLLATION_CONNECTION */;
/*!40101 SET NAMES utf8mb4 */;
-- Database: `cart`
-- Table structure for table `tbl_product`
CREATE TABLE `tbl_product` (
'id' int(11) NOT NULL,
'name' varchar(255) NOT NULL,
'image' varchar(255) NOT NULL,
 'price' double(10,2) NOT NULL
) ENGINE=MyISAM DEFAULT CHARSET=latin1;
-- Dumping data for table 'tbl product'
INSERT INTO 'tbl product' ('id', 'name', 'image', 'price') VALUES
(4, 'Test1', 'box-4-1.jpg', 25.00),
(5, 'Test2', 'box-2-1.jpg', 45.00),
```

```
(6, 'Test3', 'candles-poles-08.jpg', 55.00);
-- Indexes for dumped tables
-- Indexes for table `tbl_product`

ALTER TABLE `tbl_product`

ADD PRIMARY KEY (`id`);
-- AUTO_INCREMENT for dumped tables
-- AUTO_INCREMENT for table `tbl_product`

ALTER TABLE `tbl_product`

MODIFY `id` int(11) NOT NULL AUTO_INCREMENT, AUTO_INCREMENT=7;

COMMIT;

/*!40101 SET CHARACTER_SET_CLIENT=@OLD_CHARACTER_SET_CLIENT */;

/*!40101 SET CHARACTER_SET_RESULTS=@OLD_CHARACTER_SET_RESULTS */;

/*!40101 SET COLLATION_CONNECTION=@OLD_COLLATION_CONNECTION */;
```