Week 8

# JSP IMPLEMETATION

NewFile.jsp

```jsp
<%@ page language="java"
contentType="text/html; charset=ISO-8859-1"
   pageEncoding="ISO-8859-1"%>
<!DOCTYPE html>
<html>
<head>
<meta charset="ISO-8859-1">
<title>Page1</title>
</head>
<body>
<P> Hi my name is BHARAT MODANI Find remainder </P>
<form action="NewFile2.jsp" method="post\">
  <label for="fnm">First :</label><br>
  <input type="text" name="fnm"><br>
```

```html
    <label for="lnm">Second :</label><br>

    <input type="text" name="lnm"><br>

    <input type="submit" value="Submit">

</form>

</body>

</html>
```

NewFile2.jsp

```jsp
<%@ page language="java"
contentType="text/html; charset=ISO-8859-
1"

pageEncoding="ISO-8859-1"%>

<!DOCTYPE html>

<html>

<head>

<meta charset="ISO-8859-1">

<title>Page2</title>

</head>

<body>
```

```jsp
<ul>
    <li><p><b>First Number:</b>
        <%= request.getParameter("fnm")%>
    </p></li>
    <li><p><b>Second  Number:</b>
        <%= request.getParameter("lnm")%>
    </p></li>
    <li><p><b>Remainder of two
numbers:</b>


    <%= "<h2> The remainder is
"+(Integer.parseInt(request.getParameter("fn
m"))%Integer.parseInt(request.getParameter(
"lnm")))+"</h2>"%>


  </p></li>
```

```html
    </ul>
  </body>
</html>
```