
Question 1:

Create Angular application which will create component named as FirstComp. That component will display "Hello from First component" on page. Render that component from index.html file

Output:



Hello from First component


Git Hub link


Question 2:

Create one application which will create two components named as FirstComp, SecondComp. FirstComp will display "Hello from First component" on page & SecondComp will display "Hello from second component" on page. Render both component from root component i.e. App component.

Output:

Git hub link





Hello from first component

Hello from second component

Question 3:


Create one application which will create two components named as FirstComp, SecondComp. FirstComp will display "Hello from First component" on page & SecondComp will display "Hello from second component" on page. Render FirstComp from App component & SecondComp from FirstComp.

Output:

```
Application3
                                                               5 first-comp.component.html U ×
ф
      Q
            <h1>Hello from First component</h1>

    app.component.html ∪ ×

4
      留
     ɪ app.component.ts U 💢
      src > app > 🔣 app.component.ts > ધ AppComponent
            import { FirstCompComponent } from './first-comp/first-comp.component';
            @Component({
              standalone: true,
              imports: [CommonModule, RouterOutlet, FirstCompComponent],
              templateUrl: './app.component.html',
             styleUrl: './app.component.css'
     5 second-comp.component.html ∪ X
                                                                               D th □ ...
      src > app > second-comp > 5 second-comp.component.html > ...
            <h1>Hello from second component</h1>
      src > app > first-comp > \( \text{rs} \) first-comp.component.ts > ...
            import { Component } from '@angular/core';
            import { SecondCompComponent } from '../second-comp/second-
            comp.component';
            @Component({
              selector: 'app-first-comp',
              standalone: true,
(2)
              imports: [SecondCompComponent],
              templateUrl: './first-comp.component.html',
              styleUrl: './first-comp.component.css'
```



Hello from First component Hello from second component

Git Hub link