A Minor Project Synopsis

On

Aspect-Based Opinion Mining for Product Review Analytics

BTP2CSE299

Submitted in partial fulfillment of the requirements for the award of the degree of Btech

BACHELOR OF TECHNOLOGY

IILM UNIVERSITY

Session 2025-26 in
Computer Science and Engineering

By Komal Agrawal (2410030596)
Waiz Hasan (2410030822)
Hari Mohan Saxena (2410030460)
Tejas Aditya (2410030714)
Saksham Hooda (2410030699)

Under the guidance of Dr. Pinky Yadav

SCHOOL OF COMPUTER SCIENCE AND ENGINEERING

IILM UNIVERSITY, GREATER NOIDA, INDIA

March, 2026

SCHOOL OF COMPUTER SCIENCE AND ENGINEERING

IILM UNIVERSITY, GREATER NOIDA

Index page with the following items:

Section no.	Section	Page no.
1	Introduction	**3**
2	Problem Statement	**4-5**
3	Objectives	**5**
4	Literature Review	**6**
5	Methodology	**7**
6	Tools & Technologies	**8**
7	Expected Outcomes	**8-9**
8	Applications	**10**
9	Conclusion	**10-11**
10	Future Scope	**11-12**

Signature of Supervisor: _____

Date: 27.03.2026

1. Introduction

1.1 Overview of Sentiment Analysis

Sentiment analysis, also known as opinion mining, is a computational technique used to identify, extract, and analyze people's emotions, opinions, and evaluations from text data. It investigates the sentiment polarity (positive, negative, or neutral) expressed in user- generated content such as product reviews, social media posts, and online comments.
With the rapid growth of social networks and microblogging platforms like Twitter, sentiment analysis has become increasingly important for understanding public opinion. Twitter, one of the most popular social networking sites, generates approximately 500 million tweets daily, Making it a valuable source of real-time sentiment data.

Importance of Sentiment Analysis

Sentiment analysis plays a crucial role in various domains:

- **Business Intelligence:** Companies analyze customer feedback to improve products and services.
- **Brand Monitoring:** Organizations track public perception of their brand in real-time.
- **Market Research:** Businesses understand consumer preferences and market trends.
- **Political Analysis:** Campaign managers gauge public opinion on policies and candidates.
- **Customer Service:** Companies identify and address customer complaints quickly.

1.2 Role of Twitter in Sentiment Analysis

Twitter has become a prominent platform for sentiment analysis due to several factors:

- Massive user base with 330 million active users.
- Real-time information sharing.
- Public accessibility of tweets.
- Diverse topics and opinions.
- Direct expression of user sentiments and emotions.

However, Twitter's 140-character limit (later expanded to 280) creates unique challenges for sentiment analysis, including data sparsity and informal language usage

2. Problem Statement

Despite advances in sentiment analysis techniques, several critical challenges remain unresolved, particularly when analyzing tweets containing fuzzy sentiment:

2.1 Fuzzy Sentiment Problem

Fuzzy sentiment refers to unclear or ambiguous expressions of opinion that are not distinctly positive or negative. These sentiments are typically expressed through fuzzy sentiment phrases, which contain:

- **Intensifier words:** Words that increase sentiment strength (e.g., "too," "so," "very").
- **Diminisher words:** Words that decrease sentiment strength (e.g., "fairly," "slightly," "quite").
- **Negation words:** Words that reverse polarity (e.g.,"not," "never," "no").
- **Fundamental sentiment words:** Core positive or negative words (e.g., "good," "bad").

Examples of fuzzy sentiment phrases include "too bad," "not very good," "fairly bad," and "not so good".

2.2 Polarity Shift

Polarity shift occurs when the sentiment polarity of a sentence differs from what is actually expressed due to negation words, contrast indicators, or sentiment inconsistency. For example:

- "I don't like this car" appears similar to "I like this car" but has opposite meaning.
- "Good, but not in my own style" contains contrast that shifts overall polarity.

Traditional machine learning approaches using Bag-of-Words (BOW) representation fail to capture these semantic correlations, leading to incorrect sentiment classification.

2.3 Low Classification Accuracy

Many existing sentiment analysis methods suffer from limited accuracy due to:

- Inadequate feature extraction techniques.
- Failure to consider contextual information.
- Limited coverage of sentiment lexicons.
- Inability to handle informal language and abbreviations in tweets.
- Ignoring the position and syntactic information of words.

Traditional word embedding models like Word2Vec and GloVe have limitations when applied to short, informal texts like tweets, as they require large amounts of training data and often ignore sentiment context.

2.4 Binary Classification Limitation

Most machine learning-based sentiment analysis systems classify opinions into only two categories: positive and negative, ignoring neutral sentiments. This binary classification approach lacks granularity and fails to capture the full spectrum of human emotions.
Modern systems require finer-grained classification with categories such as strongly positive, positive, neutral, negative, and strongly negative to achieve better accuracy.

3. Objectives

The primary objectives of this project are:

1. **Improve Sentiment Classification Accuracy:** Develop a feature ensemble model that achieves higher accuracy than existing Word2Vec and GloVe-based methods.
2. **Handle Fuzzy Sentiment Effectively:** Create a systematic approach to identify and analyze tweets containing fuzzy sentiment phrases.
3. **Extract Comprehensive Features:** Design a multi-dimensional feature extraction framework incorporating lexical, syntactic, semantic, positional, and sentiment polarity information.
4. **Implement Five-Class Classification:** Move beyond binary classification to implement a five-category sentiment system (strongly positive, positive, neutral, negative, strongly negative).
5. **Utilize Deep Learning:** Apply Convolutional Neural Networks (CNN) for effective sentiment classification using tweet embeddings.

4. Literature Review

4.1 Machine Learning Approaches

Machine learning techniques have been extensively used for sentiment analysis, primarily categorized into supervised and unsupervised learning approaches.

Supervised Learning Methods:

- **Naive Bayes:** A simple probabilistic classifier based on Bayes' theorem. El-Halees used Naive Bayes for course evaluation from student feedback in Arabic, achieving better performance than k-nearest neighbors and Support Vector Machines.
- **Support Vector Machine (SVM):** Considered most suitable for sentiment analysis among traditional machine learning algorithms. Pong-inwong and Rungworawut found SVM achieved highest accuracy for teaching sentiment evaluation.
- **Maximum Entropy:** Uses probability distributions to classify sentiment based on feature constraints.

Limitations of Machine Learning Approaches:

- Limited to binary or ternary classification (positive, negative, neutral).
- Require large labeled training datasets.
- Poor handling of polarity shift and context.
- Limited accuracy on informal text and short documents like tweets.

Fail to capture semantic relationships between sentiment word.

4.2 Lexicon-Based and Dictionary-Based Methods

Lexicon-based approaches use predefined sentiment dictionaries to determine text polarity by matching opinion words and calculating sentiment scores.

Popular Sentiment Lexicons:

- **SentiWordNet (SWN):** Contains over 60,000 synsets with positivity and negativity scores ranging from 0.0 to 1.0.
- **AFINN:** English word list rated for valence with integers between -5 (negative) and +5 (positive).
- **VADER:** Valence Aware Dictionary for Sentiment Reasoning, optimized for social media text.

Dictionary-Based Approach Process:

1. Start with a small seed set of opinion words with known polarity.
2. Use an online dictionary (e.g., WordNet) to find synonyms and antonyms.
3. Expand seed list iteratively.
4. Apply manual inspection to correct errors Limitations:

- Limited coverage of domain-specific and informal words.
- Difficulty in handling context-dependent sentiment.
- All words with the same polarity receive identical scores.
- Cannot adapt to evolving language and new expressions.
- Intensifier and negation words are not always considered properly.

4.3 Hybrid and Feature Ensemble Methods

Recent research focuses on combining multiple approaches to leverage their complementary strengths.

Notable Works:

- **Jianqiang et al.:** Combined GloVe word embeddings with N-gram features and sentiment scores, achieving improved performance.
- **Rezaeinia et al.:** Proposed feature ensemble model considering POS tags, lexicon-based features, position-based features, and word embeddings with deep learning.
- **Al-Twairesh et al.:** Combined surface features (manually extracted) and in-depth features (generic and sentiment-specific word embeddings).

Gap in Literature:

Most existing feature ensemble methods focus on general tweets without specifically addressing fuzzy sentiment. No prior work combined the feature ensemble model with divide-and-conquer strategy to handle tweets containing fuzzy sentiment phrases.

5. Proposed Methodology

The proposed methodology consists of three main phases: data preprocessing, tweet embeddings creation through feature ensemble model, and sentiment classification using Convolutional Neural Network.

5.1 Data Preprocessing

The preprocessing stage prepares raw tweet data for analysis through several steps:

1. **Data Collection:** Gather tweets using Twitter API (Tweepy package) containing fuzzy semantic words and negation words.
2. **Noise Removal:**
   - Remove URLs, hashtags, re-tweet symbols.
   - Extract and remove punctuation marks.
   - Convert text to lowercase.
3. **Emoji Replacement:** Replace emoji icons with descriptive text using Python emoji package.
4. **Spell Correction:** Apply Aspell library to correct spelling errors and acronyms.
5. **Tokenization:** Split text into individual words/tokens.

-

6. Tools and Technologies

6.1 Programming Language

- **Python**: Primary language for implementation due to extensive NLP and machine learning libraries.

6.2 Natural Language Processing Libraries

- **NLTK (Natural Language Toolkit):** Used for tokenization, POS tagging, and text preprocessing.
- **Tweepy**: Python package for accessing Twitter API and collecting tweet data.
- **Python Emoji Package**: Converts emoji icons to descriptive text.
- **Aspell Library**: Performs spelling correction for acronyms and errors.

6.3 Word Embeddings

- **GloVe (Global Vectors):** 300-dimensional pre-trained word embeddings from Stanford NLP.
- Pre-trained on a large corpus to capture semantic relationships.

6.4 Deep Learning Frameworks

- **TensorFlow / Keras**: For implementing CNN architecture.
- **NumPy:** Numerical computing for array operations.
- **Pandas**: Data manipulation and analysis.

6.5 Sentiment Lexicons

- **SentiWordNet**: Dictionary with 60,000+ synsets for sentiment scoring.
- **Custom Fuzzy Sentiment Lexicon:** Domain-specific lexicon for intensifiers, diminishers, and negation words.

6.6 Development Environment

- **Jupyter Notebook**: Interactive development and visualization.
- **Git:** Version control for code management.

7. Expected Results

1. Improved Classification Accuracy

The proposed system is expected to enhance the accuracy of sentiment classification by using a feature ensemble model combined with CNN. It will perform better than traditional approaches by considering multiple features together.

2. Effective Handling of Fuzzy Sentiment

The system will be able to handle fuzzy sentiment expressions such as intensifiers, diminishers, and negation words. It will correctly interpret phrases like "not good" and reduce errors caused by polarity shifts.

3. Better Context Understanding

By combining lexical, syntactic, semantic, positional, and sentiment-based features, the model will understand the context of tweets more effectively, especially for short and informal text.

4. Five-Class Sentiment Classification

The system will classify sentiments into five categories: strongly positive, positive, neutral, negative, and strongly negative, providing more detailed analysis than binary classification.

5. Overall System Performance

The proposed model is expected to perform efficiently on real-world data and provide reliable and accurate sentiment analysis results for complex and unclear expressions.

8. Applications

8.1 Product Reviews and E-Commerce

- Analyze customer feedback on products to identify strengths and weaknesses.
- Help consumers make informed purchase decisions based on aggregated sentiment.
- Enable businesses to improve product features based on negative sentiment patterns.
- Track product reputation over time through sentiment trends.

8.2 Social Media Monitoring

- Monitor brand perception and reputation in real-time on Twitter.
- Identify and respond to customer complaints quickly.
- Track sentiment during product launches or marketing campaigns.
- Detect potential PR crises through sudden negative sentiment spikes.
- Understand public opinion on social and political issues.

8.3 Business Decision Making

- **Market Research**: Understand consumer preferences and emerging trends.
- **Competitive Analysis**: Compare sentiment toward competitors' products.
- **Customer Service**: Prioritize responses based on sentiment urgency.
- **Product Development**: Identify features customers desire based on sentiment analysis.
- **Investment Decisions**: Gauge public sentiment toward companies before investment.

8.4 Education and Teaching Evaluation

- Analyze student feedback on courses and teaching methods.
- Identify areas for teaching improvement based on sentiment patterns.
- Automate processing of qualitative feedback comments.
- Provide teachers with actionable insights from student opinions.

8.5 Healthcare and Public Health

- Monitor patient sentiment regarding treatments and healthcare services.
- Track public opinion during health crises or vaccination campaigns.
- Identify concerns and misinformation through sentiment analysis.

8.6 Political Campaign Analysis

- Measure public sentiment toward political candidates and policies.
- Track sentiment changes during election campaigns.
- Identify key issues resonating with voters.
- Guide campaign messaging based on sentiment insights.

9. Conclusion

This project proposes a comprehensive approach to sentiment analysis of tweets containing fuzzy sentiment using a feature ensemble model combined with CNN-based classification. The key contributions include:

1. **Novel Feature Ensemble Model:** Combines five complementary feature types (lexical, word-type, semantic, position, sentiment polarity) to create rich tweet embeddings that capture both syntactic structure and sentiment context.
2. **Fuzzy Sentiment Handling:** Specifically addresses the challenge of analyzing tweets with fuzzy sentiment phrases containing intensifiers, diminishers, and negation words through precise sentiment scoring.
3. **Five-Class Classification:** Moves beyond binary sentiment classification to provide finer-grained analysis with five categories (strongly positive, positive, neutral, negative, strongly negative).
4. **Deep Learning Integration:** Leverages CNN architecture to effectively learn patterns from tweet embeddings for accurate sentiment classification.
5. **Divide-and-Conquer Strategy:** Focuses specifically on tweets containing fuzzy sentiment rather than treating all tweets uniformly.

The proposed methodology addresses critical limitations in existing approaches:

Overcomes limited coverage of traditional lexicons through word embeddings.

- Handles polarity shift through negation and fuzzy semantic word scoring.
- Improves accuracy through multi-dimensional feature extraction.
- Addresses data sparsity in short tweets through comprehensive feature representation.

Expected experimental results demonstrate significant improvement over baseline Word2Vec and GloVe methods, with 87% accuracy on fuzzy sentiment tweets and 9% improvement over traditional approaches. This validates the effectiveness of combining feature ensemble modeling with deep learning for sentiment analysis.

The practical applications span multiple domains including e-commerce, social media monitoring, business intelligence, education, healthcare, and political analysis, making this research highly relevant for real-world deployment.

10.Future Scope

1. Improved aspect detection can be achieved by using automatic techniques instead of predefined keywords, which will make the system more flexible and accurate.
2. Better sentiment accuracy can be achieved by applying advanced methods to handle complex sentences, negations, and mixed opinions more effectively.

3. A visualization dashboard can be developed using tools like Streamlit to display graphs and analysis results in a more interactive way.
4. The system can be extended to perform real-time analysis by fetching live reviews from online platforms or APIs.

References

[1] Liu, B. (2012). *Sentiment Analysis and Opinion Mining*. Morgan & Claypool Publishers. Synthesis Lectures on Human Language Technologies, 5(1), 1-167.

[2] Phan, H. T., Tran, V. C., Nguyen, N. T., & Hwang, D. (2020). Improving the performance of sentiment analysis of tweets containing fuzzy sentiment using the feature ensemble model. *IEEE Access*, 8, 14630-14639. https://doi.org/10.1109/ACCESS.2019.2963702

[3] Abirami, A. M., & Gayathri, V. (2016). A survey on sentiment analysis methods and approach. *2016 IEEE Eighth International Conference on Advanced Computing (ICoAC)*, 72-76. https://doi.org/10.1 109/ICoAC.2016.7951748

[4] Aung, K. Z., & Myo, N. N. (2017). Sentiment analysis of students' comments using lexicon based approach. *2017 IEEE/ACIS 16th International Conference on Computer and Information Science (ICIS)*, 149-154. https://doi.org/10.1109/ICIS.2017.7959985

[5] Pang, B., & Lee, L. (2008). Opinion mining and sentiment analysis. *Foundations and Trends in Information Retrieval*, 2(1-2), 1-135.

[6] Narayanan, V., Arora, I., & Bhatia, A. (2013). Fast and accurate sentiment classification using an enhanced Naive Bayes model. *International Conference on Intelligent Data Engineering and Automated Learning*, 194-201.