




FoodieHub - Online Food Ordering System









Nov 7 11:24
tejas-gosavi@tejas-gosavi-Latitude-7480: ~/Documents/foodiehub-frontend
tejas-gosavi@tejas-gosavi-Latitude-7480: ~/Documents/foodiehub-frontend
tejas-gosavi@tejas-gosavi-Latitude-7480: ~/Documents/foodiehub-frontend
tejas-gosavi@tejas-gosavi-Latitude-7480: ~/Documents/foodordering
:: Spring Boot :: (v4.2.0-SNAPSHOT)
2026-11-07T11:11:27.638+05:30 INFO 23353 --- [foodordering] [restartedMain] c.f.f.FoodorderingApplication : Starting FoodorderingApplication using Java 25.0.2 with PID 23353 (/home/tejas-gosavi/Documents/foodordering/target/classes started by tejas-gosavi in /home/tejas-gosavi/Documents/foodordering)
2026-11-07T11:11:27.640+05:30 INFO 23353 --- [foodordering] [restartedMain] c.f.f.FoodorderingApplication : No active profile set, falling back to 1 default profile: "default"
2026-11-07T11:11:27.704+05:30 INFO 23353 --- [foodordering] [restartedMain] .e.DevToolsPropertyDefaultsPostProcessor : Devtools property defaults active! Set 'spring.devtools.add-properties' to 'false' to disable
2026-11-07T11:11:27.704+05:30 INFO 23353 --- [foodordering] [restartedMain] .e.DevToolsPropertyDefaultsPostProcessor : For additional web related logging consider setting the 'logging.level.web' property to 'DEBUG'
2026-11-07T11:11:28.295+05:30 INFO 23353 --- [foodordering] [restartedMain] .s.d.r.c.RepositoryConfigurationDelegate : Bootstrapping Spring Data JPA repositories in DEFAULT mode.
2026-11-07T11:11:28.345+05:30 INFO 23353 --- [foodordering] [restartedMain] .s.d.r.c.RepositoryConfigurationDelegate : Finished Spring Data repository scanning in 40 ms. Found 4 JPA repository interfaces.
2026-11-07T11:11:28.796+05:30 INFO 23353 --- [foodordering] [restartedMain] o.s.boot.tomcat.TomcatWebServer : Tomcat initialized with port 8080 (http)
2026-11-07T11:11:28.810+05:30 INFO 23353 --- [foodordering] [restartedMain] o.apache.catalina.core.StandardService : Starting service [Tomcat]
2026-11-07T11:11:28.810+05:30 INFO 23353 --- [foodordering] [restartedMain] o.apache.catalina.core.StandardEngine : Starting Servlet engine: [Apache Tomcat/11.0.27]
2026-11-07T11:11:28.838+05:30 INFO 23353 --- [foodordering] [restartedMain] b.w.c.s.WebApplicationContextInitializer : Root WebApplicationContext: initialization completed in 1133 ms
2026-11-07T11:11:28.977+05:30 INFO 23353 --- [foodordering] [restartedMain] org.hibernate.orm.jpa : HHH008540: Processing PersistenceUnitInfo [name: default]
2026-11-07T11:11:29.035+05:30 INFO 23353 --- [foodordering] [restartedMain] org.hibernate.orm.core : HHH000001: Hibernate ORM core version 7.4.14.Final
2026-11-07T11:11:29.391+05:30 INFO 23353 --- [foodordering] [restartedMain] o.s.o.j.p.SpringPersistenceUnitInfo : No LoadTimeWeaver setup: ignoring JPA class transformer
2026-11-07T11:11:29.420+05:30 INFO 23353 --- [foodordering] [restartedMain] com.zaxxer.hikari.HikariDataSource : HikariPool-1 - Starting...
2026-11-07T11:11:29.548+05:30 INFO 23353 --- [foodordering] [restartedMain] com.zaxxer.hikari.pool.HikariPool : HikariPool-1 - Added connection com.mysql.cj.jdbc.ConnectionImpl@11f4edfa
2026-11-07T11:11:29.549+05:30 INFO 23353 --- [foodordering] [restartedMain] com.zaxxer.hikari.HikariDataSource : HikariPool-1 - Start completed.
2026-11-07T11:11:29.629+05:30 INFO 23353 --- [foodordering] [restartedMain] org.hibernate.orm.connections.pooling : HHH10001005: Database info:
Database JDBC URL [jdbc:mysql://localhost:3306/food_ordering_db?useSSL=false&allowPublicKeyRetrieval=true&serverTimezone=Asia/Kolkata]
Database driver: MySQL Connector/J
Database dialect: MySQLDialect
Database version: 8.0.46
Default catalog/schema: food_ordering_db/undefined
Autocommit mode: undefined/unknown
Isolation level: REPEATABLE_READ [default REPEATABLE_READ]
JDBC fetch size: none
Pool: DataSourceConnectionProvider
Minimum pool size: undefined/unknown



Nov 7 11:24
tejas-gosavi@tejas-gosavi-Latitude-7480: ~/Documents/foodiehub-frontend
tejas-gosavi@tejas-gosavi-Latitude-7480: ~/Documents/foodiehub-frontend
tejas-gosavi@tejas-gosavi-Latitude-7480: ~/Documents/foodiehub-frontend
tejas-gosavi@tejas-gosavi-Latitude-7480: ~/Documents/foodordering
Run `npm audit` for details.
tejas-gosavi@tejas-gosavi-Latitude-7480:~/Documents/foodiehub-frontend$ npm run dev
> foodiehub-frontend@1.0.0 dev
> vite
VITE v5.4.21 ready in 262 ms
➜ Local: http://localhost:5173/
➜ Network: use --host to expose
➜ press h + enter to show help
^C
tejas-gosavi@tejas-gosavi-Latitude-7480:~/Documents/foodiehub-frontend$ npm run dev
> foodiehub-frontend@1.0.0 dev
> vite
VITE v5.4.21 ready in 247 ms
➜ Local: http://localhost:5173/
➜ Network: use --host to expose
➜ press h + enter to show help



Nov 7 11:25
tejas-gosavi@tejas-gosavi-Latitude-7480: ~/Documents/foodordering
tejas-gosavi@tejas-gosavi-Latitude-7480: ~/Documents/foodiehub-frontend
tejas-gosavi@tejas-gosavi-Latitude-7480: ~/Documents/foodiehub-frontend
tejas-gosavi@tejas-gosavi-Latitude-7480: ~/Documents/foodordering
You can turn off this feature to get a quicker startup with -A
Database changed
mysql>
mysql> -- All orders
mysql> SELECT id, user_id, total, status, address, created_at FROM orders;
id	user_id	total	status	address	created_at
1	1	645	PLACED	Pune	2026-11-07 11:13:12.536026
2	1	198	DELIVERED	Pune	2026-11-07 11:13:58.028027
2 rows in set (0.00 sec)
mysql>
mysql> -- Items inside each order
mysql> SELECT * FROM order_items;
id	food_name	price	quantity	order_id
1	Cheese Burger	129	5	1
2	Veg Burger	99	1	2
3	Veg Burger	99	1	2
3 rows in set (0.00 sec)
mysql>
mysql> -- Orders and items together, with the customer name
mysql> SELECT o.id AS order_id, u.name AS customer, oi.food_name, oi.quantity, oi.price, o.total, o.status
-> FROM orders o
-> JOIN users u ON u.id = o.user_id
-> JOIN order_items oi ON oi.order_id = o.id
-> ORDER BY o.id DESC;
order_id	customer	food_name	quantity	price	total	status
2	Tejas Gosavi	Veg Burger	1	99	198	DELIVERED
2	Tejas Gosavi	Veg Burger	1	99	198	DELIVERED
1	Tejas Gosavi	Cheese Burger	5	129	645	PLACED
3 rows in set (0.00 sec)
mysql>



Nov 7 11:25
Branch · Build Full Stack
localhost:8080/api/food
Spring Initializr
Postman - Browser Base
ChatGPT shared convers
FoodieHub - Order food
localhost:5173
FoodieHub
Menu
My orders
Cart 0
Tejas · Log out
Hungry? Dinner is a few taps away.
Burgers, pizza, biryani and cold drinks from the FoodieHub kitchen, delivered hot.
Search for a dish, like biryani



FoodieHub
Menu
My orders
Cart 0
Tejas · Log out
All
Beverages
Biryani
Burger
Pizza
FoodieHub
Veg Burger
Cheese Burger
Burger
Veg Burger
Fresh vegetable burger
₹99
Add to cart
Burger
Veg Burger
Fresh vegetable patty with lettuce and mayo
₹99
Add to cart
Burger
Cheese Burger
Double cheese with crispy patty
₹129
Add to cart



FoodieHub
Menu
My orders
Your cart
Veg Burger
₹99 each
₹99
Remove
Veg Burger
Veg Burger
₹99 each
₹99
Remove
Delivery address
Pune
Total
₹198
Place order
Margherita
Paneer Pizza



FoodieHub
Menu
My orders
Cart 0
Tejas · Log out
Order #2
Placed
7/11/2026, 11:13:58 am · Pune
1 × Veg Burger
₹99
1 × Veg Burger
₹99
Total paid
₹198
Order #1
Placed
7/11/2026, 11:13:12 am · Pune
5 × Cheese Burger
₹645
Total paid
₹645


FoodieHub
Menu
My orders
Cart 0
Tejas · Log out
Order #2
Delivered
7/11/2026, 11:13:58 am · Pune
1 × Veg Burger
₹99
1 × Veg Burger
₹99
Total paid
₹198
Order #1
Placed
7/11/2026, 11:13:12 am · Pune
5 × Cheese Burger
₹645
Total paid
₹645


Nov 7 10:00
localhost:8080/api/foods/categories - Comp.A 42 tejas gosavi's Workspace
File Edit View Help
Comp.A 42 tejas gosavi's Workspace
Search
Invite
Upgrade
Overview
GET localhost:8080/api/foo
No environment
localhost:8080/api/foods/categories
Save
Share
COLLECTIONS
New Collection
React Auth Mock
GET
localhost:8080/api/foods/categories
Send
Docs Params Authorization Headers 6 Body Scripts Tests Settings
Cookies
none form-data x-www-form-urlencoded raw binary GraphQL JSON
Schema Beautify
1
Body Cookies Headers 5 Test Results
200 OK 57 ms 196 B
{} JSON Preview Visualize
1 [
2 "Beverages",
3 "Biryani",
4 "Burger",
5 "Pizza"
6]
ENVIRONMENTS
SPECS
FLOWS
Connect Git Console Terminal 0 0
Globals Vault Tools


Nov 7 10:00
localhost:8080/api/foods - Comp.A 42 tejas gosavi's Workspace
File Edit View Help
Comp.A 42 tejas gosavi's Workspace
Search
Invite
Upgrade
Overview
GET localhost:8080/api/foo
No environment
localhost:8080/api/foods
Save
Share
COLLECTIONS
New Collection
React Auth Mock
GET
localhost:8080/api/foods?search=burger
Send
Docs Params Authorization Headers 6 Body Scripts Tests Settings
Cookies
none form-data x-www-form-urlencoded raw binary GraphQL JSON
Schema Beautify
1
Body Cookies Headers 5 Test Results
200 OK 9 ms 709 B
{} JSON Preview Visualize
"name": "Veg Burger",
"price": 99.0
},
{
"available": true,
"category": "Burger",
"description": "Fresh vegetable patty with lettuce and mayo",
"id": 2,
"imageUrl": "https://placehold.co/400x300?text=Veg+Burger",
"name": "Veg Burger",
"price": 99.0
},
{
ENVIRONMENTS
SPECS
FLOWS
Connect Git Console Terminal 0 0
Globals Vault Tools


Nov 7 11:17
http://localhost:8080/api/orders/user/1 - Comp.A 42 tejas gosavi's Workspace
File Edit View Help
Comp.A 42 tejas gosavi's Workspace
Search
Invite
Upgrade
Overview
GET http://localhost:8080/a
No environment
http://localhost:8080/api/orders/user/1
Save
Share
COLLECTIONS
New Collection
React Auth Mock
GET
http://localhost:8080/api/orders/user/1
Send
Docs Params Authorization Headers 8 Body Scripts Tests Settings
Cookies
none form-data x-www-form-urlencoded raw binary GraphQL JSON
Schema Beautify
1 {"quantity": 5}
Body Cookies Headers 8 Test Results
200 OK 11 ms 646 B
{} JSON Preview Visualize
"createdAt": "2026-11-07T11:13:12.536026",
"id": 1,
"items": [
{
"foodName": "Cheese Burger",
"price": 129.0,
"quantity": 5,
"id": 1
}
],
"status": "PLACED",
"total": 645.0
}
ENVIRONMENTS
SPECS
FLOWS
Connect Git Console Terminal 0 0
Globals Vault Tools


Nov 7 11:19
http://localhost:8080/api/orders/2/status - Comp.A 42 tejas gosavi's Workspace
File Edit View Help
Comp.A 42 tejas gosavi's Workspace
Search
Invite
Upgrade
Overview
PUT http://localhost:8080/a
No environment
http://localhost:8080/api/orders/2/status
Save
Share
COLLECTIONS
New Collection
React Auth Mock
PUT
http://localhost:8080/api/orders/2/status?status=DELIVERED
Send
Docs Params Authorization Headers 8 Body Scripts Tests Settings
Cookies
none form-data x-www-form-urlencoded raw binary GraphQL JSON
Schema Beautify
1 {"quantity": 5}
Body Cookies Headers 8 Test Results
200 OK 67 ms 475 B
{} JSON Preview Visualize
"quantity": 1,
"id": 2
},
{
"foodName": "Veg Burger",
"price": 99.0,
"quantity": 1,
"id": 3
}
],
"status": "DELIVERED",
"total": 198.0
}
ENVIRONMENTS
SPECS
FLOWS
Connect Git Console Terminal 0 0
Globals Vault Tools