SYNTHETIC TEST DATA — NOT A REAL MEDICAL REPORT — FOR EVALUATION ONLY

# METROPOLITAN CARDIOLOGY & DIAGNOSTIC LABORATORIES

742 Evergreen Healthcare Blvd, Suite 400 | CAP & CLIA Accredited
Tel: +1 (555) 019-8832 | Web: https://metropolitan-diagnostics.local

**REPORT STATUS:** FINAL VERIFIED
**ACCESSION #:** HD_ELEV_001

**REPORT DATE:** 2026-01-15
**SPECIMEN ID:** HD-SPEC-_001

| | | |
|---|---|---|
| **PATIENT NAME:** Patient HD-001 (Synthetic) | **PATIENT ID:** HD-SYN-001 | **AGE / GENDER:** 62 Years / Male |
| **DATE OF BIRTH:** 1964-03-15 | **ORDERING PHYSICIAN:** Dr. Alexander Vance, MD (Cardiology) | **CLINICAL INDICATION:** Routine cardiovascular risk evaluation in patient with hypertension history |

## COMPREHENSIVE CARDIOMETABOLIC RISK PANEL

### Resting Physical Examination & Vital Signs

| | | | |
|---|---|---|---|
| **Resting Blood Pressure** | **158/94** mmHg | **Body Mass Index (BMI)** | **29.1** kg/m² |
| **Heart Rate** | **78** bpm | **Smoking Status** | **Current Smoker (1 pack/day)** |

### Lipid & Metabolic Profile

| Test Parameter / Analyte | Observed Value | Unit | Reference Range | Flag | Methodology |
|---|---|---|---|---|---|
| Total Cholesterol | **245** | mg/dL | 125 - 200 | HIGH | Standard Automated Assay |
| HDL Cholesterol | 38 | mg/dL | > 40 | LOW | Standard Automated Assay |
| Triglycerides | 215 | mg/dL | < 150 | HIGH | Standard Automated Assay |
| Fasting Plasma Glucose | **116** | mg/dL | 70 - 99 | HIGH | Standard Automated Assay |

### Clinical Summary

Patient exhibits Stage 2 systolic hypertension, atherogenic dyslipidemia with total cholesterol of 245 mg/dL, and elevated fasting glucose. Active tobacco use documented.

| | | |
|---|---|---|
| **Analyst / Technologist:**<br>E. Mercer, MT(ASCP), Lead Biochemist | **Consultant Reviewer:**<br>Dr. Julian Vance, MD, FACC, Director of Clinical Chemistry | **Electronic Signature:**<br>[DIGITALLY VERIFIED RECORD]<br>Timestamp: 2026-01-15 17:42 UTC |


VERIFIED SYNTHETIC ARTIFACT — STRICTLY CONFIDENTIAL