SYNTHETIC TEST DOCUMENT — NOT A REAL MEDICAL RECORD — FOR EVALUATION ONLY

MEDTEST DIAGNOSTIC & CLINICAL RESEARCH LABORATORIES

404 Synthetic Health Parkway, Diagnostic Plaza, Suite 300 | ISO 15189:2022 Accredited
Tel: +1 (555) 019-2834 | Web: https://synthetic-lab.medscan.local | NABL/CAP Certified

REPORT STATUS: FINAL VERIFIED
ACCESSION #: SYN-M003-R01

REPORT DATE: 2025-07-08
SPECIMEN ID: SYN-SPEC--R01

Patient Name: Test Patient MIS3	**Patient ID: SYN-MIS3**	**Referring Clinician: Dr. Alan Price, MD**
Age: 36 Years / Gender: Male	DOB: 1989-11-29	Sample Type: Serum / Whole Blood (EDTA)
Clinical Notes: Direct-to-consumer screening — lipid profile only	Collected: 2025-06-15 08:30 AM	Received: 2025-06-15 09:45 AM

LIPID PROFILE PANEL

Investigation / Parameter	Observed Result	Unit	Biological Ref. Interval	Flag	Method
Total Cholesterol	**215.0**	mg/dL	125.0 - 200.0	**HIGH**	CHOD-PAP
HDL Cholesterol	**42.0**	mg/dL	> 40.0	NORMAL	Direct
Triglycerides	**190.0**	mg/dL	< 150.0	**HIGH**	GPO-PAP
LDL Cholesterol	**135.0**	mg/dL	< 100.0	**HIGH**	Friedewald

Medical Laboratory Technologist
Verified & Authenticated by automated analyzer

Dr. Arthur Vance, MD (Pathology)
Consultant Pathologist, Reg. No. SYN-88341

Dr. Sarah K. Mehta, MD, FACP
Director of Clinical Laboratories

VERIFIED SYNTHETIC ARTIFACT — STRICTLY CONFIDENTIAL