SYNTHETIC TEST DOCUMENT — NOT A REAL MEDICAL RECORD — FOR EVALUATION ONLY

MEDTEST DIAGNOSTIC & CLINICAL RESEARCH LABORATORIES

404 Synthetic Health Parkway, Diagnostic Plaza, Suite 300 | ISO 15189:2022 Accredited
Tel: +1 (555) 019-2834 | Web: https://synthetic-lab.medscan.local | NABL/CAP Certified

REPORT STATUS: FINAL VERIFIED
ACCESSION #: SYN-L003-R02

REPORT DATE: 2025-04-14
SPECIMEN ID: SYN-SPEC--R02

Patient Name: Test Patient L003	**Patient ID: SYN-L003**	**Referring Clinician: Dr. Alan Price, MD**
Age: 63 Years / Gender: Male	DOB: 1962-12-05	Sample Type: Serum / Whole Blood (EDTA)
Clinical Notes: Visit Part 2: Fasting laboratory blood draw (lipid & renal profile)	Collected: 2025-06-15 08:30 AM	Received: 2025-06-15 09:45 AM

LIPID & RENAL PROFILE PANEL

Investigation / Parameter	Observed Result	Unit	Biological Ref. Interval	Flag	Method
Total Cholesterol	**224.0**	mg/dL	125.0 - 200.0	HIGH	Enzymatic
HDL Cholesterol	**43.0**	mg/dL	> 40.0	NORMAL	Direct
Serum Creatinine	**1.12**	mg/dL	0.70 - 1.20	NORMAL	Jaffe

Medical Laboratory Technologist
Verified & Authenticated by automated analyzer

Dr. Arthur Vance, MD (Pathology)
Consultant Pathologist, Reg. No. SYN-88341

Dr. Sarah K. Mehta, MD, FACP
Director of Clinical Laboratories

VERIFIED SYNTHETIC ARTIFACT — STRICTLY CONFIDENTIAL