SYNTHETIC TEST DOCUMENT — NOT A REAL MEDICAL RECORD — FOR EVALUATION ONLY

MEDTEST DIAGNOSTIC & CLINICAL RESEARCH LABORATORIES

404 Synthetic Health Parkway, Diagnostic Plaza, Suite 300 | ISO 15189:2022 Accredited
Tel: +1 (555) 019-2834 | Web: https://synthetic-lab.medscan.local | NABL/CAP Certified

REPORT STATUS: FINAL VERIFIED
ACCESSION #: SYN-L004-R02

REPORT DATE: 2026-03-15
SPECIMEN ID: SYN-SPEC--R02

Patient Name: Test Patient L004	**Patient ID: SYN-L004**	**Referring Clinician: Dr. Karen Evans, MD**
Age: 35 Years / Gender: Female	DOB: 1991-08-22	Sample Type: Serum / Whole Blood (EDTA)
Clinical Notes: Annual preventative follow-up (weight normalized to baseline)	Collected: 2025-06-15 08:30 AM	Received: 2025-06-15 09:45 AM

ANNUAL CLINIC VITALS

Resting Blood Pressure: 116/74 mmHg **Body Mass Index (BMI):** 24.5 kg/m² **Heart Rate:** 68 BPM

ROUTINE CHEMISTRIES

Investigation / Parameter	Observed Result	Unit	Biological Ref. Interval	Flag	Method
Total Cholesterol	**176.0**	mg/dL	125.0 - 200.0	NORMAL	Enzymatic
HDL Cholesterol	**58.0**	mg/dL	> 50.0	NORMAL	Direct
Serum Creatinine	**0.75**	mg/dL	0.50 - 1.10	NORMAL	Jaffe

Medical Laboratory Technologist
Verified & Authenticated by automated analyzer

Dr. Arthur Vance, MD (Pathology)
Consultant Pathologist, Reg. No. SYN-88341

Dr. Sarah K. Mehta, MD, FACP
Director of Clinical Laboratories

VERIFIED SYNTHETIC ARTIFACT — STRICTLY CONFIDENTIAL