SYNTHETIC TEST DOCUMENT — NOT A REAL MEDICAL RECORD — FOR EVALUATION ONLY

MEDTEST DIAGNOSTIC & CLINICAL RESEARCH LABORATORIES

404 Synthetic Health Parkway, Diagnostic Plaza, Suite 300 | ISO 15189:2022 Accredited
Tel: +1 (555) 019-2834 | Web: https://synthetic-lab.medscan.local | NABL/CAP Certified

REPORT STATUS: FINAL VERIFIED
ACCESSION #: SYN-OCR2-R01

REPORT DATE: 2025-07-14
SPECIMEN ID: SYN-SPEC--R01

Patient Name: Test Patient OCR2	**Patient ID: SYN-OCR2**	**Referring Clinician: Dr. Brenda Vance, MD**
Age: 47 Years / Gender: Female	DOB: 1978-01-25	Sample Type: Serum / Whole Blood (EDTA)
Clinical Notes: Multi-section report with wrapped parameter labels and commas	Collected: 2025-06-15 08:30 AM	Received: 2025-06-15 09:45 AM

PHYSICAL ASSESSMENT

Blood Pressure: 138/86 mmHg | **Body Mass Index:** 28.4 kg/m2 | **Heart Rate:** 78 BPM

COMPREHENSIVE BIOCHEMISTRY PANEL

Investigation / Parameter	Observed Result	Unit	Biological Ref. Interval	Flag	Method
Cholesterol, Total	**214.0**	mg/dL	125.0 - 200.0	HIGH	Automated Spectrophotometry
HDL Cholesterol	**43.0**	mg/dL	> 50.0	LOW	Selective Detergent Acceleration
Serum Creatinine	**1.04**	mg/dL	0.50 - 1.10	NORMAL	Modified Kinetic Jaffe Reaction

Medical Laboratory Technologist
Verified & Authenticated by automated analyzer

Dr. Arthur Vance, MD (Pathology)
Consultant Pathologist, Reg. No. SYN-88341

Dr. Sarah K. Mehta, MD, FACP
Director of Clinical Laboratories

VERIFIED SYNTHETIC ARTIFACT — STRICTLY CONFIDENTIAL