SYNTHETIC TEST DOCUMENT — NOT A REAL MEDICAL RECORD — FOR EVALUATION ONLY

MEDTEST DIAGNOSTIC & CLINICAL RESEARCH LABORATORIES

404 Synthetic Health Parkway, Diagnostic Plaza, Suite 300 | ISO 15189:2022 Accredited
Tel: +1 (555) 019-2834 | Web: https://synthetic-lab.medscan.local | NABL/CAP Certified

REPORT STATUS: FINAL VERIFIED
ACCESSION #: SYN-MIX2-R01

REPORT DATE: 2025-07-20
SPECIMEN ID: SYN-SPEC--R01

Patient Name: Test Patient MIX2	**Patient ID: SYN-MIX2**	**Referring Clinician: Dr. Brenda Vance, MD (Cardiology)**
Age: 51 Years / Gender: Male	DOB: 1974-09-16	Sample Type: Serum / Whole Blood (EDTA)
Clinical Notes: 24-hour Ambulatory Blood Pressure Monitoring (ABPM) with routine outpatient metabolic chemistries	Collected: 2025-06-15 08:30 AM	Received: 2025-06-15 09:45 AM

ANTHROPOMETRIC DATA

Body Mass Index (BMI): 30.2 kg/m² **Height:** 178 cm **Weight:** 95.6 kg

24-HOUR AMBULATORY BLOOD PRESSURE STATISTICS (SENTINEL ABP)

Investigation / Parameter	Observed Result	Unit	Biological Ref. Interval	Flag	Method
Overall 24-Hour Mean BP	**139/87**	mmHg	< 130/80	HIGH	Oscillometric Mean
Awake (Daytime) Mean BP	**144/91**	mmHg	< 135/85	HIGH	Awake Interval Mean
Asleep (Nighttime) Mean BP	**128/78**	mmHg	< 120/70	HIGH	Sleep Interval Mean
Nocturnal Dipping Percentage	**11.1**	%	10.0 - 20.0	NORMAL	Dipping Analysis (Dipper)

CONCURRENT ROUTINE SERUM CHEMISTRIES

Investigation / Parameter	Observed Result	Unit	Biological Ref. Interval	Flag	Method
Total Cholesterol	**228.0**	mg/dL	125.0 - 200.0	HIGH	Enzymatic
HDL Cholesterol	**39.0**	mg/dL	> 40.0	LOW	Direct
Serum Creatinine	**1.1**	mg/dL	0.70 - 1.20	NORMAL	Jaffe

Medical Laboratory Technologist
Verified & Authenticated by automated analyzer

Dr. Arthur Vance, MD (Pathology)
Consultant Pathologist, Reg. No. SYN-88341

Dr. Sarah K. Mehta, MD, FACP
Director of Clinical Laboratories

VERIFIED SYNTHETIC ARTIFACT — STRICTLY CONFIDENTIAL