SYNTHETIC TEST DATA — NOT A REAL MEDICAL REPORT — FOR EVALUATION ONLY

METROPOLITAN CARDIOLOGY & DIAGNOSTIC LABORATORIES

742 Evergreen Healthcare Blvd, Suite 400 | CAP & CLIA Accredited
Tel: +1 (555) 019-8832 | Web: https://metropolitan-diagnostics.local

REPORT STATUS: FINAL VERIFIED
ACCESSION #: HD_CORR_003

REPORT DATE: 2026-04-11
SPECIMEN ID: HD-SPEC-_003

PATIENT NAME: Patient HD-030 (Synthetic)	**PATIENT ID:** HD-SYN-030	**AGE / GENDER:** 50 Years / Male
DATE OF BIRTH: 1976-11-22	**ORDERING PHYSICIAN:** Dr. Alexander Vance, MD (Cardiology)	**CLINICAL INDICATION:** Clean legible baseline intended to test user manual override in the confirmation modal

STANDARD CARDIAC PANEL (MANUAL EDITING BASELINE)

Vital Signs

Resting Blood Pressure	**142/88** mmHg	**Body Mass Index**	**27.5** kg/m²
Smoking Status	**Current Smoker**		

Serum Lipid Panel

Test Parameter / Analyte	Observed Value	Unit	Reference Range	Flag	Methodology
Total Cholesterol	**235**	mg/dL	125 - 200	**HIGH**	Standard Automated Assay
Fasting Plasma Glucose	**106**	mg/dL	70 - 99	**HIGH**	Standard Automated Assay

Analyst / Technologist: E. Mercer, MT(ASCP), Lead Biochemist	**Consultant Reviewer:** Dr. Julian Vance, MD, FACC, Director of Clinical Chemistry	**Electronic Signature:** [DIGITALLY VERIFIED RECORD] Timestamp: 2026-04-11 17:42 UTC

VERIFIED SYNTHETIC ARTIFACT — STRICTLY CONFIDENTIAL