

```
student@fedora-it088:/home/student x mongosh mongodb://127
root@fedora-it088:/home/student# su
root@fedora-it088:/home/student# npm init
This utility will walk you through creating a package.json file.
It only covers the most common items, and tries to guess sensible defaults.

See `npm help init` for definitive documentation on these fields
and exactly what they do.

Use `npm install <pkg>` afterwards to install a package and
save it as a dependency in the package.json file.

Press ^C at any time to quit.
package name: (student)
version: (1.0.0)
description:
git repository:
keywords:
author:
license: (ISC)
About to write to /home/student/package.json:

{
  "name": "student",
  "version": "1.0.0",
  "main": "UseEffect.js",
```

```
    "scripts": {
      "test": "echo \"Error: no test specified\" && exit 1"
    },
    "author": "",
    "license": "ISC",
    "description": ""
  }
}

Is this OK? (yes)
```

```
root@fedora-it088:/home/student# ls
11                               matomo-docker1
'41TEIT '                       MatomoInstallationHelp_ok.txt
ash                              matomo-test-site
Desktop                          'MongoDb commands.pdf'
Downloads                        'MongoDB Shell Cheat Sheet.pdf'
Exp03KubernetesCluster          'mongoose connection.pdf'
Exp06UseEffect                  Music
Exp09                           my-app
Exp1                             MyClass.py
Exp10                           NodeToMongooseConnection.png
Exp1.1SPARQL                    otherFunctions.txt
'Exp1 (2)'                       package.json
```

```
root@fedora-it088:/home/student# cat package.json
{
  "name": "student",
  "version": "1.0.0",
  "main": "UseEffect.js",
  "scripts": {
    "test": "echo \"Error: no test specified\" && exit 1"
  },
  "author": "",
  "license": "ISC",
  "description": ""
}

root@fedora-it088:/home/student# npm install mongoose
npm WARN EBADENGINE Unsupported engine {
npm WARN EBADENGINE   package: 'mongoose@9.3.2',
npm WARN EBADENGINE   required: { node: '>=20.19.0' },
npm WARN EBADENGINE   current: { node: 'v16.14.2', npm: '8.5.0' }
npm WARN EBADENGINE }
npm WARN EBADENGINE Unsupported engine {
npm WARN EBADENGINE   package: 'kareem@3.2.0',
npm WARN EBADENGINE   required: { node: '>=18.0.0' },
npm WARN EBADENGINE   current: { node: 'v16.14.2', npm: '8.5.0' }
npm WARN EBADENGINE }
```

```
npm WARN EBADENGINE Unsupported engine {
npm WARN EBADENGINE   package: 'mongodb@7.1.0',
npm WARN EBADENGINE   required: { node: '>=20.19.0' },
npm WARN EBADENGINE   current: { node: 'v16.14.2', npm: '8.5.0' }
npm WARN EBADENGINE }
npm WARN EBADENGINE Unsupported engine {
npm WARN EBADENGINE   package: 'mquery@6.0.0',
npm WARN EBADENGINE   required: { node: '>=20.19.0' },
npm WARN EBADENGINE   current: { node: 'v16.14.2', npm: '8.5.0' }
npm WARN EBADENGINE }
npm WARN EBADENGINE Unsupported engine {
npm WARN EBADENGINE   package: 'bson@7.2.0',
npm WARN EBADENGINE   required: { node: '>=20.19.0' },
npm WARN EBADENGINE   current: { node: 'v16.14.2', npm: '8.5.0' }
npm WARN EBADENGINE }
npm WARN EBADENGINE Unsupported engine {
npm WARN EBADENGINE   package: 'mongodb-connection-string-url@7.0.1',
npm WARN EBADENGINE   required: { node: '>=20.19.0' },
npm WARN EBADENGINE   current: { node: 'v16.14.2', npm: '8.5.0' }
npm WARN EBADENGINE }
npm WARN EBADENGINE Unsupported engine {
npm WARN EBADENGINE   package: 'whatwg-url@14.2.0',
npm WARN EBADENGINE   required: { node: '>=18' },
npm WARN EBADENGINE   current: { node: 'v16.14.2', npm: '8.5.0' }
npm WARN EBADENGINE }
```

```

npm WARN EBADENGINE }
npm WARN EBADENGINE Unsupported engine {
npm WARN EBADENGINE   package: 'tr46@5.1.1',
npm WARN EBADENGINE   required: { node: '>=18' },
npm WARN EBADENGINE   current: { node: 'v16.14.2', npm: '8.5.0' }
npm WARN EBADENGINE }

```

added 18 packages, and audited 19 packages in 6s

1 package is looking for funding
run `npm fund` for details

found 0 vulnerabilities

```
root@fedora-it088:/home/student#
```

```
root@fedora-it088:/home/student# npm fund
```

```
student@1.0.0
```

```
└─ https://opencollective.com/mongoose
   └─ mongoose@9.3.2
```

```
root@fedora-it088:/home/student# cat package.json
```

```

{
  "name": "student",
  "version": "1.0.0",
  "main": "UseEffect.js",
  "scripts": {
    "test": "echo \"Error: no test specified\" && exit 1"
  },
  "author": "",
  "license": "ISC",
  "description": "",
  "dependencies": {
    "mongoose": "^9.3.2"
  }
}

```

```
root@fedora-it088:/home/student# touch project.js
```

```

const mongoose=require('mongoose');
mongoose.connect('mongodb://localhost/test2').then(()=>console.log('connected')).catch(err=>console.log('couldnt connect'));

```

```

const courseSchema=new
mongoose.Schema({name:String,author:String,isPublished:Boolean,price:Number});

```

```

const Course=mongoose.model('Course',courseSchema);
async function createCourse(){
const course = await Course.findById('69ba56582dafc563d4ca2213');
course.name = 'Aakanksha';
course.price = 2000;

```

```

const result= await course.save();
console.log(result);
}

```

createCourse();

```
root@fedora-it088:/home/student# node project.js
connected
{
  _id: new ObjectId('69ba56582dafc563d4ca2213'),
  name: 'New Name1',
  author: 'AP2',
  isPublished: true,
  price: 2000,
  __v: 0
}
^C
root@fedora-it088:/home/student# node project.js
connected
{
  _id: new ObjectId('69ba56582dafc563d4ca2213'),
  name: 'Aakanksha',
  author: 'AP2',
  isPublished: true,
  price: 2000,
  __v: 0
}
^C
```

```
mongosh mongodb://127.0.0.1:27017/?directConnection=true&serverSelectionTimeoutM... x student@fedora-it088:/home/student x
student@fedora-it088:~$ mongosh
Current Mongosh Log ID: 69c2355fc7e5f879628ce5af
Connecting to:      mongodb://127.0.0.1:27017/?directConnection=true&serverSelectionTimeoutMS=2000&appName=mongosh+2.6.0
Using MongoDB:      6.0.27
Using Mongosh:      2.6.0
mongosh 2.7.0 is available for download: https://www.mongodb.com/try/download/shell

For mongosh info see: https://www.mongodb.com/docs/mongodb-shell/

-----
The server generated these startup warnings when booting
2026-03-24T11:58:21.724+05:30: Using the XFS filesystem is strongly recommended with the WiredTiger storage engine. See http://dochub.mongodb.org/core/prodnotes-filesystem
2026-03-24T11:58:24.763+05:30: Access control is not enabled for the database. Read and write access to data and configuration is unrestricted
-----

test> show dbs
My_DB2  40.00 KiB
admin   40.00 KiB
config  72.00 KiB
dbName  40.00 KiB
local   104.00 KiB
test    48.00 KiB
test2   72.00 KiB
test> use test2
switched to db test2
test2> show collections;
courses
test2> db.courses.find();
,
```

```
[
  {
    _id: ObjectId('69ba4ec8971a2e145efd30bf'),
    name: 'webX',
    author: 'pal',
    isPublished: true,
    price: 300,
    __v: 0
  },
  {
    _id: ObjectId('69ba4f0eed2476d23bf58948'),
    name: 'webX',
    author: 'pal',
    isPublished: true,
    price: 300,
    __v: 0
  },
  {
    _id: ObjectId('69ba56582dafc563d4ca2213'),
    name: 'Aakanksha',
    author: 'AP2',
    isPublished: true,
    price: 2000,
    __v: 0
  },
  {
    _id: ObjectId('69c0eb454cd993608f72ac27'),
    name: 'WebX.0',
    author: 'reys',
    isPublished: true,
```

```
    price: 1000,
    __v: 0
  },
  {
    _id: ObjectId('69c0efc6e24ed5f68db04df3'),
    name: 'WebX.0',
    author: 'reys',
    isPublished: true,
    price: 1000,
    __v: 0
  },
  {
    _id: ObjectId('69c0f111f0671e97ccbb56c7'),
    name: 'Direct Update',
    author: 'reys',
    isPublished: true,
    price: 3000,
    __v: 0
  }
]
```

```
const mongoose=require('mongoose');
mongoose.connect('mongodb://localhost/test2').then(()=>console.log('connected')).catch(err=>console.log('couldnt connect'));
```

```
const courseSchema=new
mongoose.Schema({name:String,author:String,isPublished:Boolean,price:Number});
```

```

const Course=mongoose.model('Course',courseSchema);
async function createCourse(){
const course = await Course.findById('69ba56582dafc563d4ca2213');
course.name = 'Aakanksha';
course.price = 2000;

const result= await course.save();
console.log(result);
}

async function updateCourse(){

const course = await Course.findById('69c0f111f0671e97ccbb56c7');
course.name = 'New Name';
course.price = 2000;
await course.save();

}
updateCourse();

```

```

test2> db.courses.find();
[
  {
    _id: ObjectId('69ba4ec8971a2e145efd30bf'),
    name: 'webX',
    author: 'pal',
    isPublished: true,
    price: 300,
    __v: 0
  },
  {
    _id: ObjectId('69ba4f0eed2476d23bf58948'),
    name: 'webX',
    author: 'pal',
    isPublished: true,
    price: 300,
    __v: 0
  },
  {
    _id: ObjectId('69ba56582dafc563d4ca2213'),
    name: 'Aakanksha',
    author: 'AP2',
    isPublished: true,
    price: 2000,
    __v: 0
  },
]

```

```

    {
      _id: ObjectId('69c0eb454cd993608f72ac27'),
      name: 'WebX.0',
      author: 'reys',
      isPublished: true,
      price: 1000,
      __v: 0
    },
    {
      _id: ObjectId('69c0efc6e24ed5f68db04df3'),
      name: 'WebX.0',
      author: 'reys',
      isPublished: true,
      price: 1000,
      __v: 0
    },
    {
      _id: ObjectId('69c0f111f0671e97ccbb56c7'),
      name: 'New Name',
      author: 'reys',
      isPublished: true,
      price: 2000,
      __v: 0
    }
  ]
}

```

```

const mongoose=require('mongoose');
mongoose.connect('mongodb://localhost/test2').then(()=>console.log('connected')).catch(err=>console.log('couldnt connect'));

```

```

const courseSchema=new
mongoose.Schema({name:String,author:String,isPublished:Boolean,price:Number});

```

```

const Course=mongoose.model('Course',courseSchema);
async function createCourse(){
const course = await Course.findById('69ba56582dafc563d4ca2213');
course.name = 'Aakanksha';
course.price = 2000;

```

```

const result= await course.save();
console.log(result);
}

```

```

async function updateCourse(){
const course = await Course.findById('69c0f111f0671e97ccbb56c7');
course.name = 'New Name';
course.price = 2000;
await course.save();
}
async function deleteCourse(){
const result = await Course.deleteOne({ _id: '69c0f111f0671e97ccbb56c7'});
console.log("Deleted:", result.deletedCount);
}
deleteCourse();

```

```
root@fedora-it088:/home/student# node project.js
connected
Deleted: 1
```

```
test2> db.courses.find();
[
  {
    _id: ObjectId('69ba4ec8971a2e145efd30bf'),
    name: 'webX',
    author: 'pal',
    isPublished: true,
    price: 300,
    __v: 0
  },
  {
    _id: ObjectId('69ba4f0eed2476d23bf58948'),
    name: 'webX',
    author: 'pal',
    isPublished: true,
    price: 300,
    __v: 0
  },
  {
    _id: ObjectId('69ba56582dafc563d4ca2213'),
    name: 'Aakanksha',
    author: 'AP2',
    isPublished: true,
    price: 2000,
    __v: 0
  },
]
```

```
{
  _id: ObjectId('69c0eb454cd993608f72ac27'),
  name: 'WebX.0',
  author: 'reys',
  isPublished: true,
  price: 1000,
  __v: 0
},
{
  _id: ObjectId('69c0efc6e24ed5f68db04df3'),
  name: 'WebX.0',
  author: 'reys',
  isPublished: true,
  price: 1000,
  __v: 0
}
]
test2> 
```