

```

<!DOCTYPE html>
<html>
<head>
  <title>Getting data dynamically</title>
  <script>
    function displayFullName() {
      var cnt = 0;
      var request = new XMLHttpRequest();
      // Get value and convert to uppercase for the API call
      var n = (document.A.sn.value).toUpperCase();

      // Open the GET request
      request.open("GET", `http://172.16.5.154:4000/api/getAll/${n}`, true);

      request.onreadystatechange = function() {
        if (this.readyState === 4 && this.status === 200) {
          var Sresponse = JSON.parse(this.responseText);
          var str = "";
          cnt = 0; // Reset counter for new results

          Sresponse.forEach(element => {
            cnt = cnt + 1;

            // Constructing the list items for each record
            var d2 = "<li>" + "<b>Name: </b>" + element.Name + "</li>";
            var d4 = "<li>" + "<b>Title: </b>" + element.Title + "</li>";
            var d7 = "<li>" + "<b>Total: </b>" + element.Total + "</li>";

            // ADDED: Remark field from your JSON data
            var d8 = "<li>" + "<b>Remark: </b>" + element.Remark + "</li>";

            // Combine all fields and add a horizontal rule
            str = str + d2 + d4 + d7 + d8 + "<hr/>";
          });

          // Update the DOM with results
          document.getElementById("result").innerHTML = str;
          document.getElementById("myText").innerHTML = cnt;
        } else if (this.readyState === 4 && this.status !== 200) {
          document.getElementById("result").innerHTML = "Could not get data due to:<br/>1.
Server might not be running<br/>2. Network failure<br/>3. No input";
        }
      };
      request.send();
    }
  </script>
</head>
<body>
  <form name="A">
    <input type="text" autocomplete="off" name="sn" id="search" onkeyup="displayFullName()"
placeholder="Start typing student name : TE IT Students" size="50">
    <br/>

```

Total record(s) found: 0

<h2>Getting Data using AJAX</h2>

<div id="result">

<p>Below contents will change as you start typing ...</p>

</div>

Select the name of class:

<select name="cl">

<option> FE </option>

<option> SE </option>

<option> TE </option>

<option> BE </option>

</select>

</form>

</body>

</html>

de

Total record(s) found: 60

Getting Data using AJAX

Name: TALEKAR VAIDEHI SUNIL

Title: Web Lab:Quiz 4.0 AJAX.

Total: 88.88888888888889

Remark: Wednesday, March 4, 2026, 12:40:04 PM

Name: PATIL DEEPAK RAVINDRA

Title: Web Lab:Quiz 4.0 AJAX.

Total: 100

Remark: Wednesday, March 4, 2026, 12:39:23 PM

Name: PATIL DEEPAK RAVINDRA

Title: Web Lab:Quiz 2.1:Class Inheritance Access Specifiers.

Total: 100

Remark: Wednesday, January 28, 2026, 12:51:25 PM

Name: TALEKAR VAIDEHI SUNIL

Title: Web Lab:Quiz 2.1:Class Inheritance Access Specifiers.

Total: 83.33333333333334

Remark: Wednesday, January 28, 2026, 12:48:18 PM

Name: PATIL DEEPAK RAVINDRA

Title: Web Lab Quiz02:Basic Programs using typescript.

Total: 100

Remark: Wednesday, January 28, 2026, 12:47:26 PM

Name: PATIL DEEPAK RAVINDRA

Title: Web Lab Quiz1.1:Study Semantic Web Open Source Tools like Apache Jena.

Total: 83.33333333333334