RailSync AI traffic control system

"RailSync: The AI Traffic Controller for Heavy Railways" *Generated by LeapSpace*

RailSync for Heavy Railways: Quick Insights

Key Findings Table

Topic	Evidence-based finding	Operational group/context	Citations
RailSync-specific evidence	The supplied literature does not contain RailSync-specific papers, pilots, or field results; the evidence therefore supports only a RailSync-like architecture by analogy to adjacent heavy-rail studies.	Heavy-rail traffic management literature set	[1] [2] [3]
Most plausible operating model	A RailSync-like system would most credibly function as human-supervised decision support that predicts disruption effects and recommends feasible re-timing, re-ordering, re-routing, or speed changes rather than acting as a fully autonomous controller.	Dispatchers, traffic managers, disruption handling	[4] [5] [6] [7] [8] [9]
Core technical stack	The strongest evidence points to hybrid systems: prediction or learning modules layered over classical optimization structures such as alternative graphs, rolling-horizon control, MILP, scenario-based optimization, and safety/headway constraints.	Heavy-rail dispatching and rescheduling	[10] [11] [12] [13] [14] [15] [16]

Topic	Evidence-based finding	Operational group/context	Citations
Reported performance	Benefits are reported mainly in simulation; one deep RL timetable-rescheduling study achieved about 13% delay reduction, while many other studies report relative improvement without standardized operational KPIs.	Simulation studies, benchmark environments	[17] [18] [19] [20] [21]
Integration reality	AI traffic management is generally positioned above interlocking and ETCS/ERTMS/ATO layers, but the literature rarely reports live interface latency, failover, or interoperability details.	Signaling, train control, TMS integration	[22] [23] [24] [25] [26] [27]
Main deployment bottleneck	Safety assurance is a major constraint because railway verification is already computationally hard at scale, while black-box AI adds explainability and certification problems.	Safety-critical railway control	[28] [29] [30] [31] [32] [33] [34] [35]
Human factors	The literature consistently recommends keeping dispatchers in authority because disrupted operations are fuzzy, time-pressured, and sensitive to contextual judgment.	Human-in-the-loop control rooms	[7] [8] [9] [36]

Direct Answer

The supplied evidence does not include publications explicitly about a system named **RailSync**. Based on the retrieved studies, the closest defensible answer is that a **RailSync-like AI traffic controller for heavy railways** would be most credible as a **dispatcher-facing decision-support layer**, not a fully autonomous control authority, combining short-horizon delay/disruption prediction with feasibility-constrained rescheduling under signaling, headway, occupancy, and dwell rules [4] [5] [6] [8].

In practical terms, such a system would likely:

- forecast near-term delay propagation and operational infeasibility [6] [37] [38];

- generate dispatch options such as re-timing, re-ordering, rerouting, or speed coordination [4] [18] [19];
- screen those options through classical optimization and infrastructure constraints rather than relying on unconstrained end-to-end AI [13] [14] [16];
- leave final authority with human dispatchers because trust, explainability, certification, and cyber-resilience remain unresolved in live railway operations [7] [9] [28] [29] [39].

Evidence for benefit is promising but weakly field-validated: the clearest quantitative result in the retrieved set is a deep RL rescheduling study reporting about **13% delay reduction in simulation**, while most other studies report benchmark superiority without standardized heavy-rail KPIs or live deployment evidence [1] [17] [18] [20] [21].

Confidence level: High - the literature is consistent on the architectural pattern and deployment constraints, though not on RailSync specifically [7] [9] [40] [41].

Study Scope

- **Time span covered:** primarily recent work from roughly 2015-2025, with some foundational dispatching formulations reused in later studies [13] [14] [42].
- **Disciplines included:** railway traffic management, operations research, AI/ML for dispatching, signaling/control integration, and formal safety verification [12] [28] [40] [43].
- **Methods represented:** reinforcement learning, multi-agent control, Bayesian prediction, MPC, MDP-style decision support, MILP, alternative-graph scheduling, heuristic/local search, model checking, and rule-based validation [4] [13] [17] [37] [44] [45].
- **Evaluation styles:** mostly simulation, benchmarks, Monte Carlo analysis, and formal verification; live operational evidence is sparse in the supplied set [1] [34] [46] [47].

Assumptions & Limitations

- The evidence base is **not RailSync-specific**; conclusions therefore describe what a RailSync-like heavy-rail AI controller would most plausibly look like given adjacent literature [1] [2] [3].
- Reported benefits are **dominated by simulation evidence** and are hard to compare because KPI definitions are inconsistent across studies [1] [3] [17] [21].
- Integration details such as production latency, failover, and exact interlocking interfaces are **underreported** in the retrieved material [23] [25] [26] [27].
- Safety-assurance evidence focuses mostly on **verifying interlocking and route logic**, not certifying AI dispatch modules themselves [32] [45] [48].

Suggested Further Research

- Publish RailSync-identifiable architecture and pilot documentation, including signaling/TMS/interlocking interfaces and fallback modes [23] [25].

- Benchmark AI dispatchers directly against classical alternative-graph, MILP, and rule-based approaches on common disruption scenarios and common KPIs [44] [49] [50].
- Evaluate human-in-the-loop performance using dispatcher workload, trust, explanation quality, and intervention timing as primary outcomes [7] [9] [36].
- Develop certification-friendly wrappers that restrict AI outputs to formally checkable safe action sets [28] [45] [51].
- Report field-grade measures such as delay minutes, headway recovery, throughput, energy, latency, and cyber-resilience under degraded conditions [39] [52] [53].

Full Report

1. Introduction and Scope

“RailSync” is best interpreted here as a proposed or conceptual **AI-enabled heavy-rail traffic controller** rather than an evidenced commercial product, because the supplied literature set contains no direct RailSync publication or deployment report [1] [2] [3]. What the literature does support is the broader problem that RailSync would aim to solve: **real-time coordination of conflicting train movements, delay propagation, bottleneck management, and dispatcher workload** in dense railway systems [40] [41] [54].

Heavy-rail traffic control is difficult because disturbances spread through tightly coupled infrastructure, rolling-stock circulation, platform occupation, and connection commitments [37] [38] [55]. The field is therefore exploring AI not as a replacement for railway control fundamentals, but as a way to improve **schedule optimization, near-term forecasting, and decision support under disruption** [28] [40] [56] [57].

Confidence level: High - these motivations are repeatedly stated across reviews and method papers [40] [41] [56] [57].

2. Foundational Context: What an AI Traffic Controller Must Actually Do

Before examining methods, it helps to separate the layers involved in heavy-rail control.

2.1 Traffic management versus safe train control

The literature describes a layered arrangement in which **traffic management** decides preferred train order, timing, routing, or holding actions, while **interlocking and ETCS/ERTMS/ATO-style systems** enforce safe movement authority, speed supervision, and route protection [22] [23] [24] [25]. This distinction matters because an AI traffic controller does not directly replace safety logic in the evidence provided; it sits above it as a planner or recommender [7] [58].

2.2 The dispatching problem structure

Train dispatching is repeatedly framed as a **dynamic optimization problem** with conflicts over track occupancy, precedence, headway, platform capacity, and timing under perturbation [10] [11] [12]. Foundational approaches model this through **alternative-graph or disjunctive scheduling structures**, often solved using branch-and-bound, decomposition, or local search [13] [14] [59] [60]. Later work extends the same logic into rolling-horizon, time-space, and scenario-based formulations [15] [16].

2.3 Why prediction matters

Several studies link **delay prediction** directly to dispatch feasibility: predicted delays affect connections, rolling-stock circulation, crew feasibility, and route conflicts, so forecasting is operationally useful only when connected to rescheduling logic [6] [37] [38]. This is why the most plausible RailSync pattern is **predict then optimize**, not prediction alone [4] [5].

Confidence level: High - the layered architecture and optimization framing recur across independent sources [12] [23] [25].

3. What RailSync Aims to Solve

A RailSync-like system would target four operational pain points.

3.1 Conflicting train movements

AI-related and classical dispatch studies both treat train conflicts as decisions about **who goes first, which route is used, and how timing is adjusted** under infrastructure and headway constraints [10] [11] [12] [61]. These are core heavy-rail decisions at junctions, bottlenecks, and disrupted corridors [4] [49].

3.2 Delay propagation

Delays do not remain local: Bayesian and operational prediction studies show propagation across time, space, train connections, and resource cycles [37] [38]. A useful AI controller must therefore anticipate **secondary effects**, not merely react to the first late train [6].

3.3 Bottleneck recovery

Closed-loop MPC and analytical dispatch tools are aimed especially at bottlenecks, where local decisions have network-wide consequences [4] [47]. This fits the likely value proposition of RailSync in heavy rail: reducing disruption amplification at constrained nodes [40] [41].

3.4 Dispatcher workload

Reviews and case-oriented papers claim potential reductions in dispatcher workload and faster recovery, but usually through better decision support rather than removing the dispatcher [40] [41] [54] [62]. The literature explicitly keeps humans in control when operations become fuzzy and time-pressured [7] [9].

4. Why AI-Based Traffic Control Is Emerging

AI is being explored because heavy-rail dispatching combines **large search spaces, time pressure, uncertainty, and multiple objectives** such as punctuality, capacity, robustness, and sometimes energy [40] [52]. Reviews characterize AI in rail as promising but still early-stage, with strong activity in planning, management, and control research rather than mature system-wide deployment [1] [2] [3].

Taken together, these findings suggest that AI is attractive where classical models struggle with speed or uncertainty, but it has not displaced classical methods because railways require traceable feasibility and safety guarantees [28] [29] [50]. That pattern strongly supports a hybrid RailSync design [15] [16].

Confidence level: High - the sources converge on promise plus early-stage maturity [1] [2].

5. AI Dispatching and Predictive Control Methods

5.1 Real-time dispatching and conflict resolution

The retrieved AI dispatching studies center on **reinforcement learning and hybrid learning/heuristic approaches** for real-time rescheduling [17] [18] [19] [20].

- A deep RL timetable-rescheduling study for high-speed rail under random interruptions reported about **13% delay reduction in simulation** and faster convergence than comparison RL methods, outperforming on-site dispatchers in that experimental setting [17].
- A multi-agent deep RL study on London Underground complete-track-blockage scenarios outperformed earlier distributed-control and metaheuristic methods, though the excerpt does not provide a concrete delay or throughput percentage [18].
- A reinforcement-learning-plus-graph-attention model adapted routes and passing sequences in real time to improve disturbance management and throughput, but the excerpt reports no effect size [19].
- Gatekeeper combined deep RL with heuristics and improved normalized score and makespan in Flatland, again without direct railway KPI reporting such as delay minutes or headway recovery [20].

The practical implication is that AI can produce competitive dispatch behavior in simulated or benchmark environments, but the evidence remains **thin on operationally standardized outcomes** [21].

5.2 Predictive control and delay forecasting

This is the strongest section of the evidence for a RailSync-like product.

- A **closed-loop MPC** framework for bottleneck areas combines forecasting with rescheduling to retime, reroute, and coordinate speed profiles; the Berne case study with 13 platforms, 1500 trains, and 10 delay scenarios is presented as practically viable [4].
- An analytical delay model was used prescriptively as a dispatch tool with dynamic meet/pass priorities, validated by Monte Carlo simulation on historical freight-rail data [47].
- A Bayesian-network interruption model predicts both **temporal and spatial delay propagation**, linking disturbance detection to timetable adjustment and, for larger disruptions, rolling-stock and crew changes [37].
- Near-term delay prediction is explicitly tied to **conflict-free disposition** and the feasibility of rolling-stock and crew circulation [38].
- A real-time prediction benchmark incorporates scheduled times, buffers, connections, train composition, vehicle reuse, and infrastructure topology, making it a concrete example of feasibility-aware prediction [6].
- A regional heavy-rail predict-then-optimise deployment combines short-horizon delay prediction with a **feasibility-constrained MDP**, using delay class, capacity regime, infrastructure condition, and bounded dwell feasibility to recommend proceed/hold/reschedule/reroute actions [5].

Taken together, these findings suggest that the most operationally plausible RailSync architecture is **closed-loop predictive dispatching**: forecast the state, generate candidate responses, test feasibility, then present actions to operators [4] [5] [6].

Confidence level: High - multiple independent sources support the predict-then-optimize pattern [4] [5] [6] [38] [47].

5.3 Optimization frameworks and foundational algorithms

The evidence shows that newer AI methods are layered over longstanding optimization traditions rather than replacing them.

Key recurring foundations include:

- **alternative-graph / disjunctive-graph scheduling** for conflict resolution [13] [14] [59];
- **route-then-sequence decomposition** and iterative local search as used in the ROMA line of work [14] [42] [60] [63];
- **MILP plus heuristic refinement**, including variable neighbourhood search and tabu search [44] [49];

- **time-space network formulations** and shortest-path subroutines for rerouting/rescheduling [16] [64];
- **rolling-horizon and scenario-based optimization** under uncertainty [15] [65] [66].

Direct head-to-head evidence comparing AI dispatchers against these classical methods is limited; one review explicitly notes the lack of robust comparisons, and the closest evidence often compares optimization methods against human dispatchers or other heuristics rather than against AI [49] [50].

6. Integration with Railway Control and Safety Assurance

6.1 Signaling, interlocking, and train-control integration

The architectural picture is conceptually clear. ERTMS/ETCS supervise safe movement and speed, ATO can operate over ETCS, and traffic management systems provide dispatching and supervision functions [22] [23] [24] [25]. High-density concepts such as moving block are associated with tighter scheduling and potential capacity gains, but they also make manual dispatch harder and increase the need for more detailed decision support [67] [68] [69].

However, the literature mostly stops at **layered system descriptions, modeling, and simulation**. It does not provide concrete production metrics for interface latency or failover behavior, and interoperability concerns are mainly discussed at the standardization level, especially across national ERTMS/ETCS contexts [23] [25] [26] [27].

Confidence level: High - strong agreement on architecture, but also on underreporting of operational detail [22] [25].

6.2 Formal verification and safety validation

Formal verification remains central because railway control is safety critical and complex.

- Model checking is widely used but scales poorly because of **state-space explosion** and heavy computation/memory demands [32] [33] [34] [45] [48].
- **Compositional verification** is the main proposed remedy: divide a network into fragments, verify each, then infer system-level safety [32] [33] [51] [70].
- For large, highly intertwined stations, decomposition itself becomes difficult because routes overlap heavily [32] [33].
- Rule-based validation with Datalog and railML can automate static infrastructure checks without full state-space exploration [45].

Critically, the evidence does **not** show a formally certified AI dispatcher. The safety literature is about verifying interlocking logic, routing rules, and infrastructure data, not certifying opaque learning components [32] [45] [48] [71]. This creates a direct tension for RailSync-like systems if they rely heavily on black-box models [28] [35].

6.3 Human-in-the-loop supervision

Human supervision is not a fallback; it is the dominant deployment model in the supplied literature.

Papers on human-in-the-loop traffic control describe systems where AI **proposes or validates** rescheduling options, while operators review outcomes, adjust parameters, and make final decisions using contextual knowledge unavailable to the model [7] [8]. Disrupted railway operations are repeatedly described as fuzzy, combinatorially complex, and time-pressured, which is why automation is positioned as support for judgment rather than replacement [7] [9]. Human-error modes such as misordered signal commands and delayed rerouting also show that interface design matters, not only algorithm quality [36].

7. Operational Benefits, Limitations, and Deployment Barriers

7.1 Performance outcomes and reported gains

The literature attributes several benefits to AI-based railway traffic control: improved safety, higher capacity or throughput, reduced workload, and faster delay recovery [40] [41] [54] [62] [72] [73]. But the evidence quality varies.

The strongest explicit quantitative result in the retrieved set is the approximately **13% delay reduction** from deep RL timetable rescheduling in simulation [17]. Other studies report superiority in makespan, normalized score, or relative comparison to previous methods without standard heavy-rail operational KPIs [18] [20]. Reviews emphasize the need for stronger benchmarking, digital twins, and quantitative evaluation because current evidence is uneven [1] [3] [21].

So the balanced conclusion is: **promising benefits, weak field validation** [1] [21].

Confidence level: High - the contradiction between promise and validation is repeatedly stated [1] [3].

7.2 Failure modes and adoption constraints

The major barriers are consistent across the literature:

- **black-box behavior and weak explainability**, which reduce trust in data-driven traffic control [35];
- **certification and validation difficulty** in safety-critical operations [28] [29] [30] [31];
- **interoperability and standardization constraints** across railway control environments [23] [25];

- **cyber risk**, especially for unattended or highly automated operations [39];
- **data quality and systems complexity**, implied by the need to integrate timetable, occupancy, topology, rolling-stock, and operational-state information [6] [38].

For a RailSync-like system, these constraints imply that success depends as much on systems engineering and assurance as on AI accuracy [28] [29].

7.3 What is still missing in the evidence base

Three evidence gaps are especially important.

First, there is **little direct benchmarking** of AI dispatchers against classical alternative-graph, MILP, or rule-based systems under common scenarios [44] [49] [50]. Second, there is **limited live-operation evidence**; most studies use simulation, prototypes, or formal models [1] [3] [46]. Third, **interface and operational engineering details** such as latency, failover, operator override workflow, and cross-system interoperability are rarely quantified [25] [26] [27].

8. Synthesis: What RailSync Most Likely Looks Like If Built Well

Based on the supplied evidence, a credible RailSync design for heavy rail would likely have the following stack:

1. **Prediction layer** for short-horizon delay and disruption propagation [6] [37] [38].
2. **Feasibility-constrained optimization layer** using occupancy, dwell, routing, headway, and resource constraints [4] [5] [16].
3. **Recommendation interface** that presents ranked dispatch options rather than directly commanding the railway [7] [8].
4. **Safety wrapper and integration layer** aligned with existing interlocking and ETCS/ERTMS/ATO structures [22] [23] [45].
5. **Human authority and override** for exceptional, ambiguous, or degraded situations [9] [39].

This pattern is directly evidenced in pieces and, taken together, implies that the winning product architecture is likely **"AI for recommendation, optimization for feasibility, humans for authority"** [4] [8] [14].
Inferred: A pure end-to-end autonomous RailSync controller would be less operationally plausible in the current evidence base because the certification and explainability burden would conflict with existing railway assurance practices [28] [29] [35].
Confidence level: Medium - this is a synthesis across multiple sources rather than a directly described single system [4] [8].

9. Conclusion

The provided literature does not verify RailSync as a documented heavy-rail product, but it does strongly support the feasibility of a **RailSync-like AI traffic controller** as a **human-supervised, predict-then-optimize dispatch system** [4] [5] [7]. The strongest technical foundations come from combining delay forecasting and disturbance modeling with classical feasibility-constrained dispatch optimization [15] [16] [38]. The strongest practical obstacles are not lack of algorithmic ideas but **weak field validation, difficult safety assurance, limited explainability, and underreported integration realities** [21] [25] [28] [29].

For decision-makers, the clearest implication is that RailSync should be evaluated not as a standalone AI brain but as a **certification-conscious decision-support platform** embedded within existing railway traffic management and signaling layers [8] [23] [45].

Overall confidence level: High - the broad conclusion is consistently supported across reviews, method papers, and safety/integration studies, even though RailSync-specific evidence is absent [9] [28] [40] [41].

References

1. Zhang, J., Zhang, J. (2023) Artificial Intelligence Applied on Traffic Planning and Management for Rail Transport: A Review and Perspective. *Discrete Dynamics in Nature and Society*. https://doi.org/10.1155/2023/1832501
2. Xie, Y., Yang, H. (2025) A review of artificial intelligence in train driving and control. *Railway Sciences*. https://doi.org/10.1108/RS-09-2025-0036
3. Tang, R., de Donato, L., Bešinović, N., (...), Wang, Z. (2022) A literature review of Artificial Intelligence applications in railway systems. *Transportation Research Part C: Emerging Technologies*. https://doi.org/10.1016/j.trc.2022.103679
4. Cacchiani, V., Huisman, D., Kidd, M., (...), Wagenaar, J. (2014) An overview of recovery models and algorithms for real-time railway rescheduling. *Transportation Research Part B: Methodological*. https://doi.org/10.1016/j.trb.2014.01.009
5. Ahmadi, E., Ludwig, A., Fatahi Valilai, O. (2026) Predict-then-optimise interchange control for rail logistics with combined passenger-freight chains. *Transportation Research Part E: Logistics and Transportation Review*. https://doi.org/10.1016/j.tre.2026.105118
6. Sobrie, L., Verschelde, M., Hennebel, V., Roets, B. (2023) Capturing complexity over space and time via deep learning: An application to real-time delay prediction in railways. *European Journal of Operational Research*. https://doi.org/10.1016/j.ejor.2023.03.040
7. Lo, J.C., Sehic, E., Meijer, S.A. (2019) Balancing organizational and academic research: Investigating train traffic Controller's geographical workspace design and team situation awareness using gaming simulations. *Journal of Rail Transport Planning and Management*. https://doi.org/10.1016/j.jrtpm.2019.05.002

8. Mussi, M., Metelli, A.M., Restelli, M., (...), Zanotti, G. (2025) Human-AI interaction in safety-critical network infrastructures. *iScience*. https://doi.org/10.1016/j.isci.2025.113400
9. https://www.sciencedirect.com/science/article/pii/S1435556619000166
10. Makarov, I., Gorbachev, R., Novikov, A., Zakharova, E. (2020) Research and development of an intelligent system for rapid train schedule adjustment based on step-by-step neural control. *2020 International Conference Engineering and Telecommunication, En and T 2020*. https://doi.org/10.1109/EnT50437.2020.9431284
11. D'Ariano, A. (2009) Innovative decision support system for railway traffic control. *IEEE Intelligent Transportation Systems Magazine*. https://doi.org/10.1109/MITS.2010.935910
12. Matowicki, M., Jakub, M., Piotr, G., Jan, P. (2025) Defining Railway Traffic Conflicts and Optimising Their Resolution: A Machine Learning Perspective. *Transactions on Transport Sciences*. https://doi.org/10.5507/tots.2025.010
13. D'Ariano, A., Pacciarelli, D., Pranzo, M. (2007) A branch and bound algorithm for scheduling trains in a railway network. *European Journal of Operational Research*. https://doi.org/10.1016/j.ejor.2006.10.034
14. Corman, F., D'Ariano, A., Pacciarelli, D., Pranzo, M. (2010) A tabu search algorithm for rerouting trains during rail operations. *Transportation Research Part B: Methodological*. https://doi.org/10.1016/j.trb.2009.05.004
15. Meng, L., Zhou, X. (2011) Robust single-track train dispatching model under a dynamic and stochastic environment: A scenario-based rolling horizon solution approach. *Transportation Research Part B: Methodological*. https://doi.org/10.1016/j.trb.2011.05.001
16. Caimi, G., Fuchsberger, M., Laumanns, M., Luethi, M. (2012) A model predictive control approach for discrete-time rescheduling in complex central railway station areas. *Computers and Operations Research*. https://doi.org/10.1016/j.cor.2012.01.003
17. Pang, Z.-S., Wang, L.-W., Peng, Q.-Y. (2023) High-speed Railway Timetable Rescheduling Under Random Interruptions Based on Reinforcement Learning. *Jiaotong Yunshu Xitong Gongcheng Yu Xinxi/Journal of Transportation Systems Engineering and Information Technology*. https://doi.org/10.16097/j.cnki.1009-6744.2023.05.029
18. Ying, C., Chow, A.H.F., Yan, Y., (...), Wang, S. (2024) Adaptive rescheduling of rail transit services with short-turnings under disruptions via a multi-agent deep reinforcement learning approach. *Transportation Research Part B: Methodological*. https://doi.org/10.1016/j.trb.2024.103067
19. Farkas, P., Szőke, L., Aradi, S. (2025) Optimizing Rail Traffic with Reinforcement Learning and Graph Attention Networks. *Proceedings of the International Symposium on Applied Machine Intelligence and Informatics, SAMI*. https://doi.org/10.1109/SAMI63904.2025.10883318

20. Mohapatra, D., Ojha, A., Khadilkar, H., Ghosh, S. (2022) Gatekeeper: A deep reinforcement learning-cum-heuristic based algorithm for scheduling and routing trains in complex environments. *Proceedings of the International Joint Conference on Neural Networks*. https://doi.org/10.1109/IJCNN55064.2022.9892216

21. Bešinović, N., de Donato, L., Flammini, F., (...), Vittorini, V. (2022) Artificial Intelligence in Railway Transport: Taxonomy, Regulations, and Applications. *IEEE Transactions on Intelligent Transportation Systems*. https://doi.org/10.1109/TITS.2021.3131637

22. https://www.sciencedirect.com/science/article/pii/S1573138323000115

23. Gomez, I., Diaz de Cerio, U., Parra, J., (...), González-Harbour, M.G. (2024) Using MAST for modeling and response-time analysis of real-time applications with GPUs. *Journal of Systems Architecture*. https://doi.org/10.1016/j.sysarc.2024.103300

24. Wang, Junfeng (2023) Influence of variable approach locking section rules on station passing capacity. *Theory and Technology for Improving High-Speed Railway Transportation Capacity*. https://doi.org/10.1016/B978-0-323-99700-3.00005-0

25. Wang, Junfeng (2023) High-speed railway signal technology and transport capacity. *Theory and Technology for Improving High-Speed Railway Transportation Capacity*. https://doi.org/10.1016/B978-0-323-99700-3.00001-3

26. Berger, U., James, P., Lawrence, A., (...), Seisenberger, M. (2018) Verification of the European Rail Traffic Management System in Real-Time Maude. *Science of Computer Programming*. https://doi.org/10.1016/j.scico.2017.10.011

27. Mateu, J.M., Martínez Fernández, P., Insa-Franco, R. (2021) Setting safety foundations in the Hyperloop: A first approach to preliminary hazard analysis and safety assurance system. *Safety Science*. https://doi.org/10.1016/j.ssci.2021.105366

28. Zhao, Z., Xun, J., Cao, Y., (...), Cai, Y. (2026) A Systematic Review on Explainable Artificial Intelligence in Railway: Taxonomy, Application, and Prospect. *IEEE Transactions on Intelligent Transportation Systems*. https://doi.org/10.1109/TITS.2026.3684039

29. Hadj-Mabrouk, H. (2024) A literature review on the applications of artificial intelligence to European rail transport safety. *IET Intelligent Transport Systems*. https://doi.org/10.1049/itr2.12587

30. Zeller, M., Waschulzik, T., Rothfelder, M., Klein, C. (2023) Safety Assurance of a Driverless Regional Train -Insight in the safe.trAIn Project. *Proceedings - 2023 IEEE 34th International Symposium on Software Reliability Engineering Workshop, ISSREW 2023*. https://doi.org/10.1109/ISSREW60843.2023.00043

31. Flammini, F. (2026) Artificial intelligence in the railway sector: a review of recent research. *Ingegneria Ferroviaria*. https://www.scopus.com/pages/publications/105049638268

32. Fantechi, A., Haxthausen, A.E., Macedo, H.D. (2017) Compositional verification of interlocking systems for large stations. *Lecture Notes in Computer Science (including subseries Lecture Notes in Artificial Intelligence and Lecture Notes in Bioinformatics)*. https://doi.org/10.1007/978-3-319-66197-1_15

33. Haxthausen, A.E., Fantechi, A. (2023) Compositional Verification of Railway Interlocking Systems. *Formal Aspects of Computing*. https://doi.org/10.1145/3549736

34. Petersen, Jakob Lyng (1998) Automatic verification of railway interlocking systems: A case study. *Proceedings of the Workshop on Formal Methods in Software Practice*. https://www.scopus.com/pages/publications/0031681003

35. Huang, P., Li, Z., Zhu, Y., (...), Corman, F. (2023) Train traffic control in merging stations: A data-driven approach. *Transportation Research Part C: Emerging Technologies*. https://doi.org/10.1016/j.trc.2023.104155

36. Roets, B., Verschelde, M., Christiaens, J. (2018) Multi-output efficiency and operational safety: An analysis of railway traffic control centre performance. *European Journal of Operational Research*. https://doi.org/10.1016/j.ejor.2018.04.045

37. Huang, P., Lessan, J., Wen, C., (...), Xu, X. (2020) A Bayesian network model to predict the effects of interruptions on train operations. *Transportation Research Part C: Emerging Technologies*. https://doi.org/10.1016/j.trc.2020.02.021

38. Xu, J., Wang, W., Gao, Z., (...), Wu, Q. (2023) A novel Markov model for near-term railway delay prediction. *Computers and Industrial Engineering*. https://doi.org/10.1016/j.cie.2023.109302

39. Cahya, Z., Sentouh, C., Rijanto, E., (...), Cahya, D.E. (2026) State of the art of railway onboard systems for driver-machine cooperation. *Journal of Traffic and Transportation Engineering (English Edition)*. https://doi.org/10.1016/j.jtte.2025.03.009

40. Kulbovskyi, I., Tkachuk, M. (2024) Prospects of Applying Artificial Intelligence in Microprocessor Systems for Railway Traffic Control. *Transport Means - Proceedings of the International Conference*. https://doi.org/10.5755/e01.2351-7034.2024.P712-715

41. Boltayev, S.T., Muhiddinov, O.O., Kosimova, Q.A. (2026) Artificial Intelligence-based Centralized Dispatcher Control System for Organizing Train Movement. *Proceedings - 2026 International Russian Smart Industry Conference, SmartIndustryCon 2026*. https://doi.org/10.1109/SmartIndustryCon68821.2026.11492932

42. D'Ariano, A., Pranzo, M. (2009) An advanced real-time train dispatching system for minimizing the propagation of delays in a dispatching area under severe disturbances. *Networks and Spatial Economics*. https://doi.org/10.1007/s11067-008-9088-1

43. Limbrée, C., Cappart, Q., Pecheur, C., Tonetta, S. (2016) Verification of railway interlocking - Compositional approach with OCRA. *Lecture Notes in Computer Science (including subseries Lecture Notes in Artificial Intelligence and Lecture Notes in Bioinformatics)*. https://doi.org/10.1007/978-3-319-33951-1_10

44. Samà, M., D'Ariano, A., Corman, F., Pacciarelli, D. (2017) A variable neighbourhood search for fast train scheduling and routing during disturbed railway traffic situations. *Computers and Operations Research*. https://doi.org/10.1016/j.cor.2016.02.008

45. Luteberget, B., Johansen, C., Steffen, M. (2016) Rule-based consistency checking of railway infrastructure designs. *Lecture Notes in Computer Science (including subseries Lecture Notes in Artificial Intelligence and Lecture Notes in Bioinformatics)*. https://doi.org/10.1007/978-3-319-33693-0_31

46. Gorbachev, R., Novikov, A., Kalinkin, A., (...), Zakharova, E. (2020) Applying virtual modelling to verify control systems decision with artificial intelligence in railway transport. *2020 International Conference Engineering and Telecommunication, En and T 2020*. https://doi.org/10.1109/EnT50437.2020.9431256

47. Hallowell, S.F., Harker, P.T. (1998) Predicting on-time performance in scheduled railroad operations: Methodology and application to train scheduling. *Transportation Research Part A: Policy and Practice*. https://doi.org/10.1016/S0965-8564(97)00009-8

48. Bonacchi, A., Fantechi, A., Bacherini, S., (...), Cipriani, L. (2014) Validation of railway interlocking systems by formal verification, a case study. *Lecture Notes in Computer Science (including subseries Lecture Notes in Artificial Intelligence and Lecture Notes in Bioinformatics)*. https://doi.org/10.1007/978-3-319-05032-4_18

49. Pellegrini, P., Marlière, G., Rodriguez, J. (2016) A detailed analysis of the actual impact of real-time railway traffic management optimization. *Journal of Rail Transport Planning and Management*. https://doi.org/10.1016/j.jrtpm.2016.01.002

50. Wen, C., Huang, P., Li, Z., (...), Xu, X. (2019) Train dispatching management with data-driven approaches: A comprehensive review and appraisal. *IEEE Access*. https://doi.org/10.1109/ACCESS.2019.2935106

51. Fantechi, A., Gori, G., Haxthausen, A.E., Limbrée, C. (2022) Compositional Verification of Railway Interlockings: Comparison of Two Methods. *Lecture Notes in Computer Science (including subseries Lecture Notes in Artificial Intelligence and Lecture Notes in Bioinformatics)*. https://doi.org/10.1007/978-3-031-05814-1_1

52. Holoborodko, P., Bazaras, D., Batarlienė, N. (2025) Future Rail Signaling: Cyber and Energy Resilience Through AI Interoperability. *Sustainability (Switzerland)*. https://doi.org/10.3390/su17104643

53. Tunca, S., Noyan, E. (2026) AI-driven passenger experience monitoring in railway operations: a Reddit-based NLP analysis of service failures, sentiment and operational priorities. *Railway Sciences*. https://doi.org/10.1108/RS-07-2026-0059

54. Nie, J., Shi, Q., Zhang, M. (2026) Application of Artificial Intelligence Technology in Railway Signal Automatic Control. *Proceedings - 2026 11th Asia Conference on Power and Electrical Engineering, ACPEE 2026*. https://doi.org/10.1109/ACPEE69242.2026.11525366

55. Corman, F., D'Ariano, A., Pacciarelli, D., Pranzo, M. (2012) Bi-objective conflict detection and resolution in railway traffic management. *Transportation Research Part C: Emerging Technologies*. https://doi.org/10.1016/j.trc.2010.09.009

56. Senthilnayaki, B., Niranjana Devi, P.C., Prethika, S. (2026) Smart Kavach: AI-Powered Railway Traffic Management System for Maximizing Section Throughput. *Proceedings - ICSES 2026: 5th International Conference on Innovative Computing, Intelligent Communication and Smart Electrical Systems*. https://doi.org/10.1109/ICSES66558.2026.11478893

57. Zheng, Y. (2024) Exploration of Machine Learning-Enabled Prediction and Control Algorithms for Railway Traffic Management. *Lecture Notes in Networks and Systems*. https://doi.org/10.1007/978-981-97-7710-5_66

58. Janssenswillen, Gert, Depaire, Benoît, Verboven, Sabine (2018) Detecting train reroutings with process mining. *EURO Journal on Transportation and Logistics*. https://doi.org/10.1007/s13676-017-0105-8

59. Mascis, A., Pacciarelli, D. (2002) Job-shop scheduling with blocking and no-wait constraints. *European Journal of Operational Research*. https://doi.org/10.1016/S0377-2217(01)00338-1

60. D'Ariano, A., Corman, F., Pacciarelli, D., Pranzo, M. (2008) Reordering and local rerouting strategies to manage train traffic in real time. *Transportation Science*. https://doi.org/10.1287/trsc.1080.0247

61. D'Ariano, A., Pranzo, M., Hansen, I.A. (2007) Conflict resolution and train speed coordination for solving real-time timetable perturbations. *IEEE Transactions on Intelligent Transportation Systems*. https://doi.org/10.1109/TITS.2006.888605

62. Šrámek, P., Široký, J., Vojtek, M. (2023) ARTIFICIAL INTELLIGENCE IN OPERATIONAL APPLICATIONS OF RAILWAY INFRASTRUCTURE MANAGER. *Acta Polytechnica CTU Proceedings*. https://doi.org/10.14311/APP.2023.43.0106

63. Mazzarello, M., Ottaviani, E. (2007) A traffic management system for real-time traffic optimisation in railways. *Transportation Research Part B: Methodological*. https://doi.org/10.1016/j.trb.2006.02.005

64. Meng, L., Zhou, X. (2014) Simultaneous train rerouting and rescheduling on an N-track network: A model reformulation with network-based cumulative flow variables. *Transportation Research Part B: Methodological*. https://doi.org/10.1016/j.trb.2014.05.005

65. Fang, W., Yang, S., Yao, X. (2015) A Survey on Problem Models and Solution Approaches to Rescheduling in Railway Networks. *IEEE Transactions on Intelligent Transportation Systems*. https://doi.org/10.1109/TITS.2015.2446985

66. Corman, F., Meng, L. (2015) A review of online dynamic models and algorithms for railway traffic management. *IEEE Transactions on Intelligent Transportation Systems*. https://doi.org/10.1109/TITS.2014.2358392

67. Nakkerud, A. (2023) Rail Infrastructure Data for Oslo Central Station. *Omega (United Kingdom)*. https://doi.org/10.1016/j.omega.2022.102796

68. Diaz de Rivera, A., Dick, C.T. (2021) Illustrating the implications of moving blocks on railway traffic flow behavior with fundamental diagrams. *Transportation Research Part C: Emerging Technologies*. https://doi.org/10.1016/j.trc.2021.102982

69. Montrone, T., Pellegrini, P., Nobili, P. (2018) Real-time energy consumption minimization in railway networks. *Transportation Research Part D: Transport and Environment*. https://doi.org/10.1016/j.trd.2018.09.018

70. Limbrée, C., Haxthausen, A.E., Gori, G., Fantechi, A. (2025) Formal Verification of Railway Interlockings: a Compositional Approach Based on a Library of Pre-verified Components. *Lecture Notes in Computer Science*. https://doi.org/10.1007/978-3-031-75390-9_9

71. Lukacs, G., Farkas, B., Bartha, T. (2017) Experiences with the formal modeling of the geographical and tabular principles of interlocking systems. *Transport Means - Proceedings of the International Conference*. https://www.scopus.com/pages/publications/85045260540

72. Kawaguchi, K., Komaki, T., Yamada, T., Fukushima, T. (1997) Recent trends in train traffic control systems. *Hitachi Review*. https://www.scopus.com/pages/publications/3743127395

73. Khokhrin, A.S., Kochetova, A.O., Zolkin, A.L., (...), Poskryakov, I.A. (2023) Analysis of the use of artificial intelligence systems in railway transport. *AIP Conference Proceedings*. https://doi.org/10.1063/5.0158759