Railway dispatching and schedule optimization

"RailSync: Intelligent Dispatching & Real-Time Schedule Optimization for Modern Railways" *Generated by LeapSpace*

RailSync at a Glance

Key Findings Table

Theme	Key finding	Operational group / setting	Evidence
Dispatching architecture	Modern intelligent dispatching is converging on **hybrid hierarchical control**: centralized traffic management for network supervision plus local/regional optimizers for fast conflict resolution and timetable recovery.	Passenger, mixed-traffic, multi-area networks	[1] [2] [3] [4] [5] [6]
Scalability	**Decomposition, rolling horizons, and distributed optimization** are the main tools for meeting real-time runtime limits on large networks, often producing high-quality solutions in seconds or minutes.	Large railway networks, urban rail, national/regional networks	[7] [8] [9] [10] [11]
Closed-loop recovery	Repeated re-optimization with updated delay and train-position information is a common design pattern in real-time traffic management and timetable recovery.	Online disruption management, dispatcher decision support	[4] [12] [13]
Passenger objectives	Recovery models increasingly optimize **missed transfers, waiting time, overcrowding, stranded passengers, and service continuity**, not only train delay.	Passenger rail, metro, high-speed rail	[14] [15] [16] [17] [18] [19]

Theme	Key finding	Operational group / setting	Evidence
Learning-based methods	RL and DRL can outperform FCFS and heuristic rules, with some studies reporting **1-6 s decision times**, strong delay reductions, and small optimality gaps; most successful uses remain hybrid with simulation or optimization.	Timetable recovery, disruption recovery, freight and HSR rescheduling	[20] [21] [22] [23] [24]
Safety and signaling constraints	Real-time dispatching is bounded by **route locking, headway, ATP/signaling principles, and fixed infrastructure logic**, which limit what can be changed online.	Dispatching integrated with control/signaling	[25] [26] [27] [28]
Deployment bottlenecks	The main barriers to field deployment are **interoperability, data latency, heterogeneous systems, dispatcher workload, and incomplete integration with existing control systems**.	Operational deployment, digital twin integration	[4] [29] [30] [31] [32]
Validation environments	Simulation sandboxes and digital twins are increasingly used to test dispatching logic before deployment, but evidence remains mostly pilot-, station-, or corridor-scale.	Validation, station operations, corridor risk monitoring	[33] [34] [35] [36] [37] [38]

Direct Answer

RailSync should be designed as a hybrid hierarchical dispatching system: a central coordinator should supervise network-wide objectives and consistency, while regional or station-level optimizers handle local conflict resolution and rapid rescheduling using rolling-horizon or MPC-style updates. That architecture is the clearest pattern in the evidence because it balances global consistency with local responsiveness under disruption. [1] [2] [3] [4] [5]

For the optimization engine, the strongest practical evidence supports **decomposition-based MILP/MIP, rolling-horizon recovery, and distributed coordination** when scale matters, because fully centralized exact optimization often struggles with real-time latency on large networks. Some studies report high-quality solutions within about 10 seconds, others within 3 seconds to a few minutes depending on scope and fidelity. [7] [10] [39] [40]

For rapid disturbance response, **learning-based methods are promising as accelerators**, especially DRL and RL-assisted optimization. Applied studies report better delay outcomes than FCFS or heuristic rules, with online decision times around 1-6 seconds and optimality gaps below roughly 4%-5.3% in the strongest cases. But the evidence also indicates that these methods work best when embedded inside constrained optimization or simulation frameworks rather than replacing safety-aware dispatching logic outright. [20] [21] [22] [23] [24]

A modern RailSync design should also be **passenger-aware**, because several studies show that minimizing train delay alone can be passenger-suboptimal; missed transfers, waiting time, overcrowding, and service continuity increasingly matter in recovery quality. [14] [16] [18] [19]

The main non-algorithmic risk is deployment: signaling rules, route locking, data latency, legacy interfaces, and dispatcher interaction remain the biggest obstacles to production use. [4] [25] [29] [30]

Confidence level: High - The architecture, scalability, passenger-objective, and deployment patterns recur across multiple independent topic clusters and the meta-synthesis. [1] [7] [14] [23] [30]

Study Scope

This report synthesizes studies and reviews spanning real-time railway dispatching, timetable recovery, conflict detection, delay propagation, optimization, RL/DRL-based decision support, and digital twins/simulation, mainly covering **2018-2025 applied work** plus foundational traffic-management formulations and earlier digital-twin concepts where needed for context. Methods include MILP/MIP, decomposition, ADMM, MPC, heuristic/metaheuristic search, RL/DRL, simulation, and digital twin prototypes. The dominant application settings are passenger rail, urban metro, high-speed rail, and some mixed-traffic or freight recovery scenarios. [7] [12] [23] [33] [41] [42] [43]

Assumptions & Limitations

The evidence supports robust qualitative conclusions, but **comparability is uneven**: many studies do not report standardized false-alarm rates for disruption detection, omit MAE/RMSE details for delay prediction, lack fully centralized baselines for distributed methods, or do not expose explicit deadlock-avoidance metrics or certification pathways. That limits strict cross-method ranking. [7] [8] [36] [38] [44] [45] [46] [47]

Suggested Further Research

- Build standardized benchmarks comparing centralized, hierarchical, distributed, MILP, heuristic, and RL dispatching on common scenarios and metrics. [7] [8] [24]
- Report disruption-detection quality more transparently, especially warning horizon and false-alarm behavior. [44] [45] [48]
- Evaluate end-to-end closed-loop pipelines linking prediction, conflict detection, recovery, and train control rather than isolated modules. [4] [12] [49]

- Compare passenger-centric and operations-centric objectives directly to quantify trade-offs in delay, runtime, and service quality. [14] [18] [50]
- Advance certification-ready integration with signaling, ATP, interlocking, and legacy information systems. [25] [29] [30]

RailSync: Intelligent Dispatching and Real-Time Schedule Optimization for Modern Railways

1. Foundational Context

Intelligent railway dispatching sits at the bottom of a broader rail planning hierarchy that includes routing, scheduling, and operational control. Foundational surveys identify dispatching as the real-time task of managing train movements under disruptions and infrastructure constraints, while early traffic-management formulations define a core loop of monitoring train and infrastructure states, predicting conflicts, and resolving them through sequencing, rerouting, and speed recommendations. [41] [42] [51] [52]

In modern practice, the problem is not simply “find the shortest-delay timetable.” Real-time dispatching must preserve **feasibility** under headway, route, platform, rolling-stock, and safety constraints while coping with disturbances that propagate across the network. Recovery actions can include retiming, resequencing, rerouting, cancellations, stop-skipping, emergency train insertion, rolling-stock changes, and platform reassignment. [43] [53] [54] [55] [56] [57] [58] [59] [60]

Taken together, these findings imply that RailSync is best understood as a **closed-loop cyber-physical decision system** rather than a one-shot optimizer: it needs sensing, state estimation, conflict prediction, rapid optimization, and operationally safe execution. [4] [12]

Confidence level: High - This framing is repeatedly stated in foundational and recent real-time traffic-management sources. [4] [42] [52]

2. Real-Time Dispatching Architectures

2.1 Centralized versus distributed traffic management

Recent work shows a clear shift from purely centralized dispatching toward **distributed or hierarchical architectures**. Region-based decomposition with iterative coordination layers such as ADMM/PR/CDRSBK has been used to solve large traffic-management instances efficiently; one study reports that a train-based decomposition combined with CDRSBK produced high-quality solutions within 10 seconds on a South-East Netherlands network. [7]

Similarly, distributed real-time traffic management using regional MILP subproblems coordinated by ADMM shows a practical trade-off between solution quality and computational efficiency on the Dutch railway network. [8] At the local-control level, distributed approximate dynamic programming at critical locations reduces delay versus FCFS, with stronger gains at terminal stations. [61] For passenger-connection preservation, coupling route-selection and real-time traffic-management layers in the Lille-Flandres area reduced delay propagation while preserving transfers. [62]

The cross-source pattern is consistent: distributed control improves runtime and scalability, but abstracts often do not provide direct comparisons with a fully centralized optimum and do not report standardized deadlock metrics. [7] [8] [61] [62]

2.2 Model-predictive and closed-loop dispatching

MPC-style dispatching appears as a mature template for real-time schedule updates. One central-station dispatching prototype reschedules trains in a closed loop using binary optimization over precomputed blocking-time stairways while enforcing platform, connection, clique, and consistency constraints. [3] Another framework integrates traffic management and train control by combining forecasts with a new disposition timetable and passing decisions onward to trains while updating the commercial offer. [4]

RECIFE-MILP goes further by jointly optimizing dispatching decisions and speed trajectories in a two-level framework, linking timetable recovery with train control. [49] In parallel, receding-horizon disruption-management systems repeatedly re-solve based on updated delays and train positions. [4] [12]

These studies support a common architectural principle for RailSync: repeated optimization over short horizons using refreshed state information is more operationally realistic than static disruption plans. [4] [12]

2.3 Architecture constraints from signaling and safety logic

The evidence is equally clear that dispatching freedom is sharply bounded by infrastructure and signaling logic. Studies note that route choices may be fixed, leaving optimization to ordering and speed decisions, especially when interactions with signaling systems are under study. [25] [26] Safety headway and train-control limits also shape feasible recovery actions in online systems. [27] [28]

This means that high-performing algorithms cannot be assessed apart from the control rules they must satisfy. A RailSync architecture that ignores route-locking, ATP principles, or interlocking constraints would be operationally incomplete. [25] [63] [64]

2.4 Foundational traffic-management formulations

Foundational formulations define the enduring dispatching loop: monitor train positions and infrastructure, predict conflicts, then resolve them by sequencing, local rerouting, and timetable adjustment. [42] [52] Later work extends this with branch-and-bound, tabu-style search, stochastic rolling-horizon recovery, and MPC-like rescheduling under disturbances such as delays and blocked tracks. [65] [66] [67] [68]

Confidence level: High - The architectural convergence toward layered, closed-loop, constraint-aware dispatching is strongly supported across historical and recent sources. [4] [7] [42]

3. Disruption Detection, Delay Propagation, and Timetable Recovery

3.1 Early warning and disturbance detection

Disruption onset detection is handled through both **physical sensing** and **operational estimation**. The evidence includes vision-based intrusion detection using YOLOv5 plus risk assessment, earthquake early-warning systems using monitoring networks and train-mounted sensors, and real-time disturbance estimation models. [44] [45] [48]

However, the retrieved studies do not provide comparable false-alarm statistics, so the literature supports the existence of early-warning approaches but not a defensible ranking by reliability. [44] [45] [48]

3.2 Delay propagation and conflict identification

Delay propagation is modeled using updated blocking-time graphs, colored Petri nets, timed event graphs, Monte Carlo robustness simulation, and neural or sequence models using timetable, operational, and weather features. [69] [70] [71] [72] Conflicts are identified through track-occupation horizon checks and clear-time/headway constraint violations in disturbed timetables. [73] [74] [75]

Taken together, these findings suggest a “predict-then-dispatch” pipeline: short-horizon delay propagation models can identify emerging conflicts early enough to support proactive rescheduling. [12] [70] [72]
Inferred: This integration appears promising, but the evidence base mostly evaluates prediction and rescheduling modules separately rather than as one certified pipeline. [12] [38] [70]

3.3 Passenger-centric recovery objectives

A major shift in timetable recovery is the move from train-delay minimization toward **passenger-centric objectives**. Models now explicitly optimize missed connections, overcrowding, waiting time, onboard time, transfers, platform waiting, and satisfaction. [14] [15] [16] [76] Service continuity is evaluated through metrics such as inaccessible passengers, failed-transfer probability, stranded passengers, and broader accessibility/service-evenness outcomes. [17] [19] [77] [78] [79] [80]

One service-oriented disrupted-network study reports up to 19.86% improvement in passenger experience when optimizing weighted passenger inconvenience rather than operations-only metrics. [18] This supports the broader conclusion that operationally efficient plans can be passenger-suboptimal. [14] [18] [50]

3.4 Online and closed-loop recovery frameworks

Closed-loop frameworks repeatedly re-optimize as new information arrives. Receding-horizon traffic management re-solves after fixed windows using updated delay states, while discrete-time closed-loop control combines forecast effects with a new disposition timetable for dispatchers and trains. [4] [12] Reported constraints include second- or minute-level latency budgets, dispatcher workload when local staff must confirm disruptions and estimate duration, and train-control limits such as safety headway time. [4] [13] [27] [28] [81]

Confidence level: High - The transition to passenger-aware, repeatedly updated recovery models is supported by several independent lines of evidence. [12] [16] [18]

4. Optimization Methods for Headway, Rescheduling, and Platform Assignment

4.1 MILP and MIP formulations for live rescheduling

MILP/MIP remains the dominant exact modeling backbone for headway management and timetable recovery. The evidence includes headway-aware joint rescheduling and train control, single-track mixed-integer rescheduling with order and dwelling decisions, bi-level mesoscopic MILP, and closure-oriented freight rescheduling with fixed or unfixed train order. [43] [82] [83] [84]

Real-time tractability varies by scope. A 2025 decomposition algorithm achieved less than 5% optimality gap within 3 seconds in urban rail rescheduling. [10] A 2023 MILP single-track study solved the hardest instances within 3 minutes. [39] A 2022 macroscopic HSR blockage model required 450-600 seconds. [40] These results suggest that exact methods remain practical when problem size, decomposition, or model fidelity are carefully controlled. [10] [59] [85]

4.2 Platform assignment integrated with train recovery

Platform assignment is increasingly treated as inseparable from rescheduling. Integrated station-disruption models minimize total delay plus non-preferred-platform and platform-reassignment costs while enforcing section-occupation and interlocking constraints. [63] [64] HSR station studies note that timetable and platform decisions are mutually dependent; sequential treatment can create mismatches or overcrowded platforms. [86]

Passenger transfer preservation is also embedded through added stops at transfer points, destination-oriented adjustments, and seat reservation on following trains. [87] [88] Metro studies further show that recovery on one line can create transfer surges and crowding on connected lines, implying that platform and flow effects extend beyond the disrupted location. [89] [90]

4.3 Decomposition, rolling horizon, and Benders-style methods

Decomposition is the field's main response to scale. Logic-based and improved Benders approaches speed recovery, including up to 2x acceleration through cut-library reuse and additional gains when delays are similar to stored patterns. [85] On the Beijing Batong line, improved Benders decomposition for timetable rescheduling plus rolling-stock reassignment outperformed a two-stage sequential algorithm and commercial solvers. [57]

Rolling-horizon and decomposition methods also show strong runtime-quality trade-offs elsewhere: the Netherlands TRA + CDRSBK case found optimal or near-optimal solutions within 10 seconds, while VNS methods produced high-quality rolling-stock recovery solutions within 1 minute on real instances. [7] [91] [92]

4.4 Passenger-oriented performance metrics

Passenger-level metrics now include transfer waiting time, inaccessible-passenger penalty, failed-transfer counts, satisfaction, passenger delays, waiting time, weighted inconvenience, travel time, stranded passengers, and compensation-related service measures. [17] [18] [19] [50] [77] [78] [80] [93] [94]

Confidence level: High - Optimization formulations are well evidenced; exact runtime superiority across all settings is less certain because problem scales and assumptions differ. [10] [57]

5. Learning-Based and Hybrid Decision-Making for Live Dispatching

5.1 Reinforcement learning for timetable recovery

Learning-based dispatching is growing quickly, especially in hybrid form. An RL+MILP method uses value-based RL to choose independent integer variables, then solves a reduced LP, yielding lower passenger delays and shorter solution time than a baseline. [20] A DQN rescheduling method improved performance by 80% over FCFS with 1-2 second online decisions. [21] DRL for high-speed rail reduced average total delay by 46.38% versus FCFS in real time. [22]

Enhanced PPO with conflict-aware action selection achieved lower total arrival delays than heuristic rules and other DRL methods, with average optimality gap below 4.0% and about 4 seconds computation time; one component alone reduced delay by 27.2%. [23] Another applied evaluation reports a DRL timetable-recovery model outperforming practical rules/heuristics by 10.5%, with average optimality gap below 5.3% and a new timetable for over 100 trains in 6 seconds. [24]

These results support a strong practical conclusion: RL is most convincing where it is used to **accelerate constrained decision-making** under simulation or optimization scaffolding. [20] [23] [24]

5.2 Heuristic search and metaheuristics under real-time constraints

Heuristic and metaheuristic methods remain important because exact optimization can be too slow under severe disruption. Rolling-horizon heuristics can produce feasible near-optimal solutions within required time windows, and hybrid rolling-horizon + NSGA-II improves both solution quality and efficiency relative to single methods. [11] [95]

VNS, strengthened genetic algorithms, memetic algorithms, ant colony methods, Monte Carlo tree search, hybrid bat algorithms, and search-space-reduced bi-level formulations all report useful real-time performance. [83] [91] [96] [97] [98] [99] [100] For example, a strengthened elitist GA found feasible solutions in about 9 seconds and quasi-optimal ones in 20 seconds in blockage scenarios, while CPLEX could not prove optimality within 10 minutes in several cases. [96]

5.3 Tractability improvements through reformulation

Several studies improve tractability by reducing binary variables or simplifying couplings. The clearest speedup is a rescheduling model with complementary binaries and delayed row generation that solved all but one tested instance in under 1 second, versus more than 1 minute for a previous formulation on the same machine. [101] Other formulations reduce precedence binaries, replace station-indexed binaries, eliminate binaries via time partitioning, or shrink rolling-stock circulation variables substantially. [102] [103] [104] [105]

5.4 Benchmark evidence versus rule-based dispatching

Across applied evaluations, learning-based systems frequently beat FCFS or heuristic rules on delay reduction and response time. [21] [22] [23] [24] Still, the evidence base is uneven: not all studies compare against strong centralized optimization baselines, and many tests remain simulation-based. [8] [38]

Confidence level: Medium-High - Performance improvements are repeatedly reported, but cross-study ranking is limited by heterogeneous benchmarks and evaluation protocols. [21] [24] [38]

6. Integration with Simulation, Digital Twins, and Operational Deployment

6.1 Simulation environments for validation

Simulation is central to pre-deployment evaluation. Railway station sandboxes combine discrete-event simulation of trains, signals, platforms, and passenger flows with RL control modules and safety-validation layers; one such system reports improved station-operation timing and 98% synchronization accuracy versus a prior S-DT model. [33] Closed-loop station digital twins ingest physical-station data, simulate future evolution, issue congestion warnings, and test corrective actions before implementation. [34] Corridor-scale digital twins also appear for hazard early warning and passenger-flow forecasting. [35] [106]

6.2 Digital twin support for scheduling and control

The retrieved evidence shows digital twins supporting visualization, scheduling optimization, congestion warning, evacuation planning, and gate management, with linked physical and virtual layers plus data-driven models. [34] [35] [107] But the strongest direct train-dispatching evidence remains limited; station-scale and corridor-scale decision support are more visible than fully networked dispatching twins. [36] [38] [108] [109]

6.3 Synchronization and data-exchange mechanisms

Alignment between twin and operations depends on combining master data, dynamic live state data from sensors or tracking systems, and user-defined static instantiation data. [108] Other prototypes rely on continuous data streams, heterogeneous source integration, and advanced sensing to keep virtual and physical systems synchronized. [109] [110] [111]

6.4 Interoperability and deployment barriers

Interoperability is a major barrier. Studies cite incompatible formats, schemas, and naming conventions; heterogeneous and non-integrated tools; and the need to interface with signaling, supervision, timetable, communication, monitoring, and maintenance systems. [29] [30] [31] [32] Proposed remedies include shared data dictionaries, reference architectures, international interoperability frameworks, secure data-driven interoperability layers, and interfaces designed around existing operational rules rather than stand-alone digital twins. [29] [30] [31]

Confidence level: High - The deployment bottlenecks are consistently reported across digital twin and online-control evidence. [4] [29] [30]

7. Practical Design Implications for a RailSync System

A practical RailSync architecture, grounded in the evidence, would likely include:

1. **Central network supervisor** for global consistency, passenger-priority weighting, and cross-region spillover management. [1] [62] [89]
2. **Regional/station optimizers** using decomposition-based MILP/MIP or MPC for fast local conflict resolution. [3] [7] [10]

3. **Predictive layer** for delay propagation and conflict anticipation using blocking-time, event-graph, or learned predictors. [70] [72] [74]
4. **Passenger-impact evaluator** to re-rank feasible dispatch plans by transfers, waiting, crowding, and continuity. [16] [18] [19]
5. **Safety/interlocking constraint layer** enforcing route locking, headway, signaling, and ATP rules. [25] [27] [64]
6. **Shadow simulation or digital twin environment** for stress-testing policies before live activation. [29] [33] [34]

Inferred: The strongest evidence favors hybrid AI+OR RailSync designs over end-to-end autonomous dispatching, because learning methods are most credible when embedded inside constrained, validated operational frameworks. [20] [23] [33]
Confidence level: Medium-High - This is a synthesis across architecture, optimization, and deployment studies rather than a single directly tested full-stack system. [7] [23] [29]

8. Conclusion

The literature indicates that modern railway dispatching is moving toward **hybrid, hierarchical, real-time control systems** that combine centralized supervision with distributed or local optimization. [1] [3] [5] The main technical enablers are decomposition, rolling-horizon recovery, and closed-loop replanning, which make large-scale disruption management computationally feasible. [7] [12]

At the algorithmic level, MILP/MIP and decomposition remain the most established tools for feasible recovery, while RL/DRL is emerging as a fast decision accelerator with strong applied results against FCFS and heuristic rules. [10] [21] [24] [43] At the objective level, the field is clearly broadening toward passenger-centric recovery rather than train-delay minimization alone. [14] [18] [19]

The largest gap between research promise and operational reality is deployment: signaling constraints, legacy interfaces, data latency, interoperability, and limited certification-oriented evidence remain decisive bottlenecks. [4] [25] [29] [30]

Overall confidence level: High - The report's main conclusions are stable across multiple evidence clusters and the provided meta-synthesis, though precise method ranking is limited by inconsistent reporting and heterogeneous benchmarks. [8] [38] [46]

References

1. Belousov, A.A., Skobelev, P.O., Stepanov, M.E. (2015) Network-centric approach to real-time train scheduling in large-scale railway systems. *Lecture Notes in Computer Science (including subseries Lecture Notes in Artificial Intelligence and Lecture Notes in Bioinformatics)*. https://doi.org/10.1007/978-3-319-20472-7_31

2. Lamorgese, L., Mannino, C., Piacentini, M. (2016) Optimal train dispatching by Benders'-like reformulation. *Transportation Science*. https://doi.org/10.1287/trsc.2015.0605
3. Wang, P., Goverde, R.M.P., van Luipen, J. (2019) A connected driver advisory system framework for merging freight trains. *Transportation Research Part C: Emerging Technologies*. https://doi.org/10.1016/j.trc.2019.05.043
4. Cacchiani, V., Huisman, D., Kidd, M., (...), Wagenaar, J. (2014) An overview of recovery models and algorithms for real-time railway rescheduling. *Transportation Research Part B: Methodological*. https://doi.org/10.1016/j.trb.2014.01.009
5. Wang, Y., Zhu, S., Li, S., (...), De Schutter, B. (2022) Hierarchical Model Predictive Control for On-Line High-Speed Railway Delay Management and Train Control in a Dynamic Operations Environment. *IEEE Transactions on Control Systems Technology*. https://doi.org/10.1109/TCST.2022.3140805
6. Quaglietta, E., Corman, F., Goverde, R.M.P. (2013) Stability analysis of railway dispatching plans in a stochastic and dynamic environment. *Journal of Rail Transport Planning and Management*. https://doi.org/10.1016/j.jrtpm.2013.10.009
7. Luan, X., De Schutter, B., Meng, L., Corman, F. (2020) Decomposition and distributed optimization of real-time traffic management for large-scale railway networks. *Transportation Research Part B: Methodological*. https://doi.org/10.1016/j.trb.2020.09.004
8. Luan, X., De Schutter, B.D., van den Boom, T., (...), Lodewijks, G. (2018) Distributed optimization for real-time railway traffic management. https://doi.org/10.1016/j.ifacol.2018.07.018
9. Yuan, Y., Li, S., Yang, L., Gao, Z. (2022) Real-time optimization of train regulation and passenger flow control for urban rail transit network under frequent disturbances. *Transportation Research Part E: Logistics and Transportation Review*. https://doi.org/10.1016/j.tre.2022.102942
10. Yuan, Y., Li, S.-K., Chen, Z.-B., Yang, L.-X. (2025) Real-time optimization for train rescheduling and speed profile selection in urban rail transit networks. *Kongzhi yu Juece/Control and Decision*. https://doi.org/10.13195/j.kzyjc.2025.0297
11. Gao, X. (2019) A Real-time Train Timetable Rescheduling Approach to High-speed Railway. *Proceedings - 2019 Chinese Automation Congress, CAC 2019*. https://doi.org/10.1109/CAC48633.2019.8997386
12. Kersbergen, B., van den Boom, T., De Schutter, B. (2016) Distributed model predictive control for railway traffic management. *Transportation Research Part C: Emerging Technologies*. https://doi.org/10.1016/j.trc.2016.05.006
13. Vafaei, S., Yaghini, M. (2024) Online prediction of arrival and departure times in each station for passenger trains using machine learning methods. *Transportation Engineering*. https://doi.org/10.1016/j.treng.2024.100250

14. Binder, S., Maknoon, M.Y., Azadeh, S., Bierlaire, M. (2021) Passenger-centric timetable rescheduling: A user equilibrium approach. *Transportation Research Part C: Emerging Technologies*. https://doi.org/10.1016/j.trc.2021.103368
15. Binder, S., Maknoon, Y., Bierlaire, M. (2017) The multi-objective railway timetable rescheduling problem. *Transportation Research Part C: Emerging Technologies*. https://doi.org/10.1016/j.trc.2017.02.001
16. Sato, K., Tamura, K., Tomii, N. (2013) A MIP-based timetable rescheduling formulation and algorithm minimizing further inconvenience to passengers. *Journal of Rail Transport Planning and Management*. https://doi.org/10.1016/j.jrtpm.2013.10.007
17. Wang, Y., Zheng, C., Shen, J., (...), Chen, Z. (2022) Last Train Delay Management in a Metro System: A Multi-Objective Rescheduling Optimization Model. *IEEE Access*. https://doi.org/10.1109/ACCESS.2022.3215961
18. Xiu, C., Pan, J., D'Ariano, A., (...), Peng, Q. (2024) Passenger service-oriented timetable rescheduling for large-scale disruptions in a railway network: A heuristic-based alternating direction method of multipliers. *Omega (United Kingdom)*. https://doi.org/10.1016/j.omega.2024.103040
19. Zhu, Y., Goverde, R.M.P. (2019) Railway timetable rescheduling with flexible stopping and flexible short-turning during disruptions. *Transportation Research Part B: Methodological*. https://doi.org/10.1016/j.trb.2019.02.015
20. Zhang, H., Liu, X., Sun, D., (...), De Schutter, B. (2024) Integrated Reinforcement Learning and Optimization for Railway Timetable Rescheduling. *IFAC-PapersOnLine*. https://doi.org/10.1016/j.ifacol.2024.07.358
21. Shi, Q., Dai, X., Cui, D., Cheng, L. (2023) Reinforcement Learning for Combinatorial Optimization of Train Timetable Rescheduling. *Proceedings - 2023 IEEE SmartWorld, Ubiquitous Intelligence and Computing, Autonomous and Trusted Vehicles, Scalable Computing and Communications, Digital Twin, Privacy Computing and Data Security, Metaverse, SmartWorld/UIC/ATC/ScalCom/DigitalTwin/PCDS/Metaverse 2023*. https://doi.org/10.1109/SWC57546.2023.10449236
22. Ning, L., Li, Y., Zhou, M., (...), Dong, H. (2019) A Deep Reinforcement Learning Approach to High-speed Train Timetable Rescheduling under Disturbances. *2019 IEEE Intelligent Transportation Systems Conference, ITSC 2019*. https://doi.org/10.1109/ITSC.2019.8917180
23. Luo, J., Huang, P., Li, Z., (...), D'Ariano, A. (2026) Train timetable rescheduling considering potential train operation conflicts: an enhanced deep reinforcement learning approach. *International Journal of Rail Transportation*. https://doi.org/10.1080/23248378.2025.2611805
24. Huang, P., D'Ariano, A., Yang, Y., (...), Corman, F. (2026) Robust train timetabling based on realized operations: a data-driven prediction-optimization framework. *Transportation Research Part E: Logistics and Transportation Review*. https://doi.org/10.1016/j.tre.2026.104923

25. Goverde, R.M.P., Corman, F., D'Ariano, A. (2013) Railway line capacity consumption of different railway signalling systems under scheduled and disturbed conditions. *Journal of Rail Transport Planning and Management*. https://doi.org/10.1016/j.jrtpm.2013.12.001

26. Corman, F., D'Ariano, A., Pacciarelli, D., Pranzo, M. (2012) Bi-objective conflict detection and resolution in railway traffic management. *Transportation Research Part C: Emerging Technologies*. https://doi.org/10.1016/j.trc.2010.09.009

27. Wang, F., Hao, X., Xu, R. (2025) Train rescheduling for a metro corridor under unidirectional disruptions considering the trade-off between confirm phase and interrupt phase. *Journal of Rail Transport Planning and Management*. https://doi.org/10.1016/j.jrtpm.2025.100534

28. Long, S., Meng, L., Wang, Y., (...), Corman, F. (2023) Integrated speed modeling and traffic management to precisely model the effect and dynamics of temporary speed restrictions to high-speed railway traffic. *Transportation Research Part C: Emerging Technologies*. https://doi.org/10.1016/j.trc.2023.104148

29. Ni, H., Fu, Q., Easton, J., (...), Arvanitis, T.N. (2026) Reinforcement learning in railway research and applications: A review. *Transportation Research Interdisciplinary Perspectives*. https://doi.org/10.1016/j.trip.2026.102165

30. Kazemi, Mahyar Jafar, Rashidi, Maria, Kang, Won-Hee, Siahkouhi, Mohammad (2026) Toward Smart Railway Infrastructure Predictive and Optimised Maintenance Through Digital Twin (DT) System. *Sensors (Basel, Switzerland)*. https://doi.org/10.3390/s26082333

31. https://www.sciencedirect.com/science/article/pii/S2199467623000049

32. Ibrahim, A., Kineber, A.F., Mohandes, S.R., (...), Shakor, P. (2026) Understanding risk dynamics in digital twin integration: A causal analysis for smart infrastructure projects. *Expert Systems with Applications*. https://doi.org/10.1016/j.eswa.2025.129533

33. Luo, Y., Zhen, X. (2025) Railway Station Transportation Management and Control Electronic Sandbox System Based on Spring Boot. *International Conference on Communication, Computer and Information Technology, IC3IT 2025*. https://doi.org/10.1109/IC3IT66137.2025.11341272

34. Padovano, A., Longo, F., Manca, L., Grugni, R. (2024) Improving safety management in railway stations through a simulation-based digital twin approach. *Computers and Industrial Engineering*. https://doi.org/10.1016/j.cie.2023.109839

35. Ou, Y., Mihăiţă, A.-S., Ellison, A., (...), Chen, F. (2025) Rail Digital Twin and Deep Learning for Passenger Flow Prediction Using Mobile Data. *Electronics (Switzerland)*. https://doi.org/10.3390/electronics14122359

36. Yang, X., Wu, D., Wang, G., (...), Sun, Y. (2023) Research on the Digital Twin Platform and Emergency Response Technology for Rail Transit Operation Emergencies. *2023 IEEE 8th International Conference on Intelligent Transportation Engineering, ICITE 2023*. https://doi.org/10.1109/ICITE59717.2023.10733908

37. Kazemi, M.J., Rashidi, M., Kang, W.-H., Siahkouhi, M. (2026) Toward Smart Railway Infrastructure Predictive and Optimised Maintenance Through Digital Twin (DT) System. *Sensors*. https://doi.org/10.3390/s26082333

38. M'halla, A., Collart-Dutilleul, S. (2026) Digital Twins and Railway Networks Maintenance: A Partnership for Efficiency and Safety. *Lecture Notes in Computer Science*. https://doi.org/10.1007/978-3-032-12484-5_15

39. Aydın, G., Şahin, İ. (2023) A Mixed Integer Linear Programming Model with Heuristic Improvements for Single-Track Railway Rescheduling Problem. *Applied Sciences (Switzerland)*. https://doi.org/10.3390/app13020696

40. Gao, B., Dong, D., Wu, Y., Ou, D. (2022) Macroscopic Real-Time Timetable Rescheduling Approach for High-Speed Railway under Complete Blockages Using a Three-Stage Algorithm. *Transportation Research Record*. https://doi.org/10.1177/03611981211052960

41. Cordeau, J.-F., Toth, P., Vigo, D. (1998) A survey of optimization models for train routing and scheduling. *Transportation Science*. https://doi.org/10.1287/trsc.32.4.380

42. Mazzarello, M., Ottaviani, E. (2007) A traffic management system for real-time traffic optimisation in railways. *Transportation Research Part B: Methodological*. https://doi.org/10.1016/j.trb.2006.02.005

43. Long, S.-H., Meng, L.-Y., Wang, Y.-H., (...), Zhang, P. (2020) A Bi-objective Integrated Optimization Model of High-speed Train Rescheduling and Train Control. *Jiaotong Yunshu Xitong Gongcheng Yu Xinxi/Journal of Transportation Systems Engineering and Information Technology*. https://doi.org/10.16097/j.cnki.1009-6744.2020.06.021

44. Tan, Minjia, Hu, Qizhou, Wu, Yikai, (...), Fang, Xin (2024) Decision-making method for high-speed rail early warning system in complex earthquake situations. *Transportation Safety and Environment*. https://doi.org/10.1093/tse/tdad034

45. Zhang, Z., Chen, P., Huang, Y., (...), Hu, H. (2024) Railway obstacle intrusion warning mechanism integrating YOLO-based detection and risk assessment. *Journal of Industrial Information Integration*. https://doi.org/10.1016/j.jii.2024.100571

46. Eluri, R.K., Lahari, K., Priya, A.C., (...), Swarnalatha, K. (2025) Leveraging Operational and Environmental Data for Train Delay Prediction via Deep Learning Models. *2025 2nd IEEE International Conference for Women in Computing, InCoWoCo 2025*. https://doi.org/10.1109/InCoWoCo68239.2025.11407210

47. Yu, H., Easton, J., Liu, Y., Roberts, C. (2025) A Hybrid CNN+BiLSTM+Attention Model for Improved Train Delay Prediction. *2025 IEEE International Conference on Intelligent Rail Transportation, ICIRT 2025*. https://doi.org/10.1109/ICIRT66379.2025.11216731

48. Pineda-Jaramillo, J., Viti, F. (2023) MLOps in freight rail operations. *Engineering Applications of Artificial Intelligence*. https://doi.org/10.1016/j.engappai.2023.106222

49. Pellegrini, P., Pesenti, R., Rodriguez, J. (2019) Efficient train re-routing and rescheduling: Valid inequalities and reformulation of RECIFE-MILP. *Transportation Research Part B: Methodological*. https://doi.org/10.1016/j.trb.2018.12.008
50. Corman, F. (2020) Interactions and equilibrium between rescheduling train traffic and routing passengers in microscopic delay management: A game theoretical study. *Transportation Science*. https://doi.org/10.1287/trsc.2020.0979
51. Assad, A.A. (1980) Models for rail transportation. *Transportation Research Part A: General*. https://doi.org/10.1016/0191-2607(80)90017-5
52. D'Ariano, A., Corman, F., Pacciarelli, D., Pranzo, M. (2008) Reordering and local rerouting strategies to manage train traffic in real time. *Transportation Science*. https://doi.org/10.1287/trsc.1080.0247
53. Corman, F., D'Ariano, A., Pacciarelli, D., Pranzo, M. (2012) Bi-objective conflict detection and resolution in railway traffic management. *Transportation Research Part C: Emerging Technologies*. https://doi.org/10.1016/j.trc.2010.09.009
54. Corman, F., D'Ariano, A. (2012) Assessment of advanced dispatching measures for recovering disrupted railway traffic situations. *Transportation Research Record*. https://doi.org/10.3141/2289-01
55. Cacchiani, V., Huisman, D., Kidd, M., (...), Wagenaar, J. (2014) An overview of recovery models and algorithms for real-time railway rescheduling. *Transportation Research Part B: Methodological*. https://doi.org/10.1016/j.trb.2014.01.009
56. Qi, W., Li, S., Zhang, H., Chen, Z. (2025) A Two-Level Method for the Real-Time Joint Optimization Problem of Train Rescheduling and Train Trajectory in High-Speed Railways. *Lecture Notes in Electrical Engineering*. https://doi.org/10.1007/978-981-96-7441-1_48
57. Buhigiro, N., Kang, L., Lai, Q., (...), Xu, Q. (2026) From railway disruptions to recovery: An improved Benders decomposition for the dynamic train timetable rescheduling and rolling stock reassignment. *Computers and Industrial Engineering*. https://doi.org/10.1016/j.cie.2025.111794
58. Su, B., Wang, F., Su, S., (...), Tang, T. (2025) A Two-Step Optimization Framework for Real-Time Train Rescheduling in an Urban Rail Transit Line. *IEEE Transactions on Intelligent Transportation Systems*. https://doi.org/10.1109/TITS.2025.3541275
59. Lövétei, I.F., Lindenmaier, L., Aradi, S. (2025) Efficient real-time rail traffic optimization: Decomposition of rerouting, reordering, and rescheduling problems. *Journal of Rail Transport Planning and Management*. https://doi.org/10.1016/j.jrtpm.2024.100496
60. Sarvade, S., Shirwal, V., Kugaonkar, P., Mudgonda, K. (2025) Optimizing Railway Signaling and Platform Management with LoRaWAN, RFID and Automation Technologies. *Procedia Computer Science*. https://doi.org/10.1016/j.procs.2025.01.015
61. Ghasempour, T., Nicholson, G.L., Kirkwood, D., (...), Heydecker, B. (2020) Distributed Approximate Dynamic Control for Traffic Management of Busy Railway Networks. *IEEE Transactions on Intelligent Transportation Systems*. https://doi.org/10.1109/TITS.2019.2934083

62. Sharma, B., Pascariu, B., Pellegrini, P., (...), Chaudhary, N. (2024) A Real-Time Railway Traffic Management Approach Preserving Passenger Connections. *IEEE Access*. https://doi.org/10.1109/ACCESS.2024.3409183

63. Bai, L., Zhang, Y., Gao, F., (...), Zhao, H. (2026) A three-level iterative heuristic algorithm for train platforming problem in complex railway stations. *Journal of Rail Transport Planning and Management*. https://doi.org/10.1016/j.jrtpm.2026.100595

64. Zhang, H., D'Ariano, A., Zhu, Y., (...), Lu, G. (2026) Learning to reschedule platforms: A graph neural network based deep reinforcement learning method for the train platforming and rescheduling problem⁎. *Transportation Research Part C: Emerging Technologies*. https://doi.org/10.1016/j.trc.2025.105453

65. Corman, F., D'Ariano, A., Pacciarelli, D., Pranzo, M. (2010) A tabu search algorithm for rerouting trains during rail operations. *Transportation Research Part B: Methodological*. https://doi.org/10.1016/j.trb.2009.05.004

66. Meng, L., Zhou, X. (2011) Robust single-track train dispatching model under a dynamic and stochastic environment: A scenario-based rolling horizon solution approach. *Transportation Research Part B: Methodological*. https://doi.org/10.1016/j.trb.2011.05.001

67. Törnquist Krasemann, J. (2012) Design of an effective algorithm for fast response to the re-scheduling of railway traffic during disturbances. *Transportation Research Part C: Emerging Technologies*. https://doi.org/10.1016/j.trc.2010.12.004

68. Caimi, G., Fuchsberger, M., Laumanns, M., Luethi, M. (2012) A model predictive control approach for discrete-time rescheduling in complex central railway station areas. *Computers and Operations Research*. https://doi.org/10.1016/j.cor.2012.01.003

69. Barbour, W., Work, D.B. (2021) Optimization methods for analysis of empirical rail dispatching relative to train plans. *Journal of Rail Transport Planning and Management*. https://doi.org/10.1016/j.jrtpm.2021.100261

70. Zieger, S., Weik, N., Niessen, N. (2018) The influence of buffer time distributions in delay propagation modelling of railway networks. *Journal of Rail Transport Planning and Management*. https://doi.org/10.1016/j.jrtpm.2018.09.001

71. Huang, P., Wen, C., Fu, L., (...), Xu, X. (2020) Modeling train operation as sequences: A study of delay prediction with operation and weather data. *Transportation Research Part E: Logistics and Transportation Review*. https://doi.org/10.1016/j.tre.2020.102022

72. Li, Z., Huang, P., Wen, C., (...), Rodrigues, F. (2022) Prediction of train arrival delays considering route conflicts at multi-line stations. *Transportation Research Part C: Emerging Technologies*. https://doi.org/10.1016/j.trc.2022.103606

73. Zhang, H., Guo, M., Hu, L., Lu, G. (2024) A multi-agent simulation based train platforming research for facilitating passenger transfer in a high-speed railway station. *Simulation Modelling Practice and Theory*. https://doi.org/10.1016/j.simpat.2023.102856

74. Josyula, S.P., Törnquist Krasemann, J., Lundberg, L. (2018) A parallel algorithm for train rescheduling. *Transportation Research Part C: Emerging Technologies*. https://doi.org/10.1016/j.trc.2018.07.003

75. Arthaud, F., Lecoeur, G., Pierre, A. (2024) Transformers à Grande Vitesse: Massively parallel real-time predictions of train delay propagation. *Journal of Rail Transport Planning and Management*. https://doi.org/10.1016/j.jrtpm.2023.100418

76. Altazin, E., Dauzère–Pérès, S., Ramond, F., Tréfond, S. (2017) Rescheduling through stop-skipping in dense railway systems. *Transportation Research Part C: Emerging Technologies*. https://doi.org/10.1016/j.trc.2017.03.012

77. Dong, A., Liu, B., Tian, Z., Deng, Z. (2024) Study on the Train Timetable Rescheduling of High-speed Railway Considering the Satisfaction of Transfer Passengers. *Engineering Letters*. https://www.scopus.com/pages/publications/85196436509

78. Wen, P., Zhao, P., Yao, X., Zhang, P. (2022) Timetable Rescheduling During Last Train Period in High-speed Rail Network Considering Passenger Transfer Connections. *Tiedao Xuebao/Journal of the China Railway Society*. https://doi.org/10.3969/j.issn.1001-8360.2022.12.001

79. Wang, D., Wang, Y., Zhu, S., (...), Tang, T. (2020) Train rescheduling for minimizing passenger travel time under disruption for metro lines. *IEEE International Conference on Control and Automation, ICCA*. https://doi.org/10.1109/ICCA51439.2020.9264446

80. Zhang, P., Zhao, P., Qiao, K., Wen, P. (2022) Research on High-speed Railway Timetable Rescheduling Considering Passenger Transfer. *Tiedao Xuebao/Journal of the China Railway Society*. https://doi.org/10.3969/j.issn.1001-8360.2022.02.002

81. Liu, E., Lin, Z., Wang, J.Y.T., (...), Corman, F. (2026) An online approach for integrated railway schedule replanning and passenger reassignment with unknown passenger reactions under hub disruptions. *Transportation Research Part B: Methodological*. https://doi.org/10.1016/j.trb.2026.103606

82. Zhang, H., Li, S., Wang, Y., (...), Yang, L. (2021) Real-time optimization strategy for single-track high-speed train rescheduling with disturbance uncertainties: A scenario-based chance-constrained model predictive control approach. *Computers and Operations Research*. https://doi.org/10.1016/j.cor.2020.105135

83. Cavone, G., Blenkers, L., van den Boom, T., (...), De Schutter, B. (2019) Railway disruption: A bi-level rescheduling algorithm. *2019 6th International Conference on Control, Decision and Information Technologies, CoDIT 2019*. https://doi.org/10.1109/CoDIT.2019.8820380

84. Häll, C.H., Peterson, A., Schmidt, C., Yu, L. (2024) A Mixed-Integer-Linear-Programming Model for Rescheduling Freight Trains under an Unexpected Marshalling-Yard Closure. *Ingegneria Ferroviaria*. https://doi.org/10.57597/IF.06.2024.ART.1

85. Leutwiler, F., Bonet Filella, G., Corman, F. (2023) Accelerating logic-based Benders decomposition for railway rescheduling by exploiting similarities in delays. *Computers and Operations Research*. https://doi.org/10.1016/j.cor.2022.106075

86. Liu, X., Zhou, M., Dong, H. (2025) Joint rescheduling for timetable and platform assignment of High-Speed Railways via graph neural network-based Deep Reinforcement Learning. *Transportation Research Part E: Logistics and Transportation Review*. https://doi.org/10.1016/j.tre.2025.104277

87. Hong, X., Meng, L., D'Ariano, A., (...), Corman, F. (2021) Integrated optimization of capacitated train rescheduling and passenger reassignment under disruptions. *Transportation Research Part C: Emerging Technologies*. https://doi.org/10.1016/j.trc.2021.103025

88. Xiu, C., Pan, J., D'Ariano, A., (...), Peng, Q. (2025) Integrated train rescheduling and passenger reassignment for disrupted high-speed railway networks: A hierarchical Benders decomposition and column generation approach. *Transportation Research Part E: Logistics and Transportation Review*. https://doi.org/10.1016/j.tre.2025.104177

89. Wang, L., Jin, J.G. (2026) Multi-line coordinated schedule adjustment optimization for metro short-term disruption recovery. *Computers and Industrial Engineering*. https://doi.org/10.1016/j.cie.2025.111770

90. Ying, C., Chow, A.H.F., Yan, Y., (...), Wang, S. (2024) Adaptive rescheduling of rail transit services with short-turnings under disruptions via a multi-agent deep reinforcement learning approach. *Transportation Research Part B: Methodological*. https://doi.org/10.1016/j.trb.2024.103067

91. Hoogervorst, R., Dollevoet, T., Maroti, G., Huisman, D. (2021) A Variable Neighborhood Search heuristic for rolling stock rescheduling. *EURO Journal on Transportation and Logistics*. https://doi.org/10.1016/j.ejtl.2021.100032

92. Shakibayifar, M., Sheikholeslami, A., Corman, F. (2018) A simulation-based optimization approach to rescheduling train traffic in uncertain conditions during disruptions. *Scientia Iranica*. https://doi.org/10.24200/sci.2017.4186

93. Xu, W., Xie, B., Zhang, X., Ning, L. (2020) Timetable Rescheduling Considering Headway: A Genetic Algorithm Combined with the Benchmark Time Method. *2020 IEEE 5th International Conference on Intelligent Transportation Engineering, ICITE 2020*. https://doi.org/10.1109/ICITE50838.2020.9231380

94. Wen, P., Zhao, P., Qiao, K., (...), Li, P. (2025) Integrated Optimization Approach for High-Speed Railway Rescheduling With Passenger Transfer and Compensation Mechanisms. *IEEE Transactions on Intelligent Transportation Systems*. https://doi.org/10.1109/TITS.2025.3610262

95. Zhao, W., Zhou, L., Han, C. (2025) A Hybrid Optimization Approach Combining Rolling Horizon with Deep-Learning-Embedded NSGA-II Algorithm for High-Speed Railway Train Rescheduling Under Interruption Conditions. *Sustainability (Switzerland)*. https://doi.org/10.3390/su17062375

96. Wang, R., Zhang, Q., Zhang, T., (...), Yuan, Z. (2022) Real-time rescheduling approach of train operation for high-speed railways using problem-specific knowledge under a station blockage. *Scientia Sinica Informationis*. https://doi.org/10.1360/SSI-2021-0332

97. Ding, S., Zhang, T., Liu, Z., (...), Yuan, Z. (2022) A Memetic Algorithm for High-Speed Railway Train Timetable Rescheduling. *Journal of Advanced Computational Intelligence and Intelligent Informatics*. https://doi.org/10.20965/jaciii.2022.p0407

98. Eaton, J., Yang, S., Mavrovouniotis, M. (2016) Ant colony optimization with immigrants schemes for the dynamic railway junction rescheduling problem with multiple delays. *Soft Computing*. https://doi.org/10.1007/s00500-015-1924-x

99. Wang, R., Zhou, M., Li, Y., (...), Dong, H. (2019) A Timetable Rescheduling Approach for Railway based on Monte Carlo Tree Search. *2019 IEEE Intelligent Transportation Systems Conference, ITSC 2019*. https://doi.org/10.1109/ITSC.2019.8916963

100. Dalapati, P., Paul, K. (2021) Optimal Scheduling for Delay Management in Railway Network Using Hybrid Bat Algorithm. *Lecture Notes in Electrical Engineering*. https://doi.org/10.1007/978-981-15-8439-8_8

101. Cacchiani, V., Huisman, D., Kidd, M., (...), Wagenaar, J. (2014) An overview of recovery models and algorithms for real-time railway rescheduling. *Transportation Research Part B: Methodological*. https://doi.org/10.1016/j.trb.2014.01.009

102. Arenas, D., Pellegrini, P., Hanafi, S., Rodriguez, J. (2018) Timetable rearrangement to cope with railway maintenance activities. *Computers and Operations Research*. https://doi.org/10.1016/j.cor.2018.02.018

103. Sahli, A., Behiri, W., Belmokhtar-Berraf, S., Chu, C. (2022) An effective and robust genetic algorithm for urban freight transport scheduling using passenger rail network. *Computers and Industrial Engineering*. https://doi.org/10.1016/j.cie.2022.108645

104. Castillo, Enrique, Grande, Zacarías, Moraga, Paola, Sánchez-Vizcaíno, Jesús (2016) A Time Partitioning Technique for Railway Line Design and Timetable Optimization. *Computer-Aided Civil and Infrastructure Engineering*. https://doi.org/10.1111/mice.12194

105. Fioole, P.-J., Kroon, L., Maroti, G., Schrijver, A. (2006) A rolling stock circulation model for combining and splitting of passenger trains. *European Journal of Operational Research*. https://doi.org/10.1016/j.ejor.2005.03.032

106. Ababsa, F. (2026) A Physics-Guided Hybrid Digital Twin for Early Warning of Ground-Related Hazards in Railway Corridors. *12th 2026 International Conference on Control, Decision and Information Technologies, CoDIT 2026*. https://doi.org/10.1109/CoDIT70676.2026.11630824

107. Gao, S., Yan, D., Di, Q., (...), Zhu, Y. (2024) Construction of Digital Twin Model for Train Simulation Operation Based on Gaussian Process Regression. *8th IEEE International Conference on Energy Internet, ICEI 2024*. https://doi.org/10.1109/ICEI63732.2024.10917143

108. Padovano, A., Longo, F., Manca, L., Grugni, R. (2024) Improving safety management in railway stations through a simulation-based digital twin approach. *Computers and Industrial Engineering*. https://doi.org/10.1016/j.cie.2023.109839

109. Ng, K., Shiwakoti, N., Stasinopoulos, P. (2026) A foundational dwell time model for regional railways. *Multimodal Transportation*. https://doi.org/10.1016/j.multra.2026.100290

110. Mishkurov, P.N., Rakhmangulov, A.N., Kornilov, S.N., Aleksandrin, D.V. (2022) Rail yard digital twin implementation into an industrial information system. *AIP Conference Proceedings*. https://doi.org/10.1063/5.0074662

111. Issa, M., Zhai, X., Ducellier, G. (2025) Rail Infrastructure Management Optimization Through Digital Twins: Focus on Data Reliability and Quality. *IFIP Advances in Information and Communication Technology*. https://doi.org/10.1007/978-3-031-93323-3_7