

PROJECT DOCUMENTATION

Automated Network Request Management

Table of Contents

1. Introduction
2. Project Overview
3. System Architecture
4. Setup Instructions
5. Custom Table Configuration
6. Flow Designer – Automation Setup
7. Service Catalog Item Configuration
8. Flow Actions – Record Creation and Notifications
9. Complete Automation Flow Overview
10. Catalog Item Variables and UI Policies
11. End-User Self-Service Portal
12. Network Task Automation and Access Control
13. Additional Request Submission Example
14. Notification and Email Management
15. Records and Data Management

1. Introduction

1.1 Project Title

Automated Network Request Management in ServiceNow

1.2 Project Background

Organizations frequently receive requests from employees for new network connections, network relocations, and related device configuration support. When such requests are handled manually, the process can be slow, inconsistent, and difficult to track. This project addresses that challenge by using the ServiceNow platform to automate the intake, approval, assignment, and resolution of network requests, from the moment a request is submitted through the Service Catalog to the point where the request is fulfilled and the requester is notified.

1.3 Team Members

[Add team member names and roles here]

2. Project Overview

2.1 Purpose

The purpose of this project is to design and implement an end-to-end automated workflow on the ServiceNow platform that manages network-related service requests. The solution allows employees to raise a request through a self-service portal, automatically records the request in a dedicated database table, routes the request through defined approval steps, assigns follow-up tasks to the network team, and keeps the requester informed through email notifications at each stage of the process.

2.2 Key Features

- A custom database table (Network Database) to store and track all network request records.
- A Service Catalog item (Network Request) through which employees can submit new requests.
- Dynamic form behavior using Catalog UI Policies, so that only relevant fields are shown to the requester.
- A fully automated Flow Designer workflow that creates records, requests approvals, and updates statuses without manual intervention.
- A two-stage approval process, covering both the initial network request and the follow-up network task.
- Automatic email notifications sent to requesters when a request is created, approved, and resolved.

- Access Control List (ACL) rules to govern who can create, read, update, or delete network request records.
- A reporting view of submitted requests, approvals, and tasks for administrators to monitor progress.

3. System Architecture

The solution is built entirely on the ServiceNow platform and is organized into three main layers that work together to deliver the automated experience.

3.1 Data Layer

A custom table, Network Database, stores all information related to a network request, including requester details, device information, work status, and assignment information.

3.2 Presentation Layer

The Service Catalog provides the Network Request item, which is the form that employees use to submit a request through the Employee Service Center portal. Catalog UI Policies control how the form behaves based on the answers provided.

3.3 Automation Layer

Flow Designer contains the Network Request flow, which is triggered automatically when a Network Request item is submitted. This flow creates records, sends notifications, requests approvals, creates follow-up tasks, and updates statuses as the request moves toward resolution.

4. Setup Instructions

4.1 Prerequisites

- Access to a ServiceNow instance with administrator privileges.
- The System Definition, Service Catalog, and Flow Designer (Workflow Studio) modules enabled.
- Permission to create custom tables, catalog items, variable sets, and flows.
- An email/notification configuration in the instance so that outbound notifications can be sent.

4.2 Configuration Steps

- Create the Network Database custom table and add the required columns.
- Create the Network Request catalog item and define its variables and variable sets.
- Add Catalog UI Policies to control field visibility based on requester input.
- Build the Network Request flow in Flow Designer and configure the Service Catalog trigger.
- Add flow actions to create records, send notifications, and request approvals.

- Define Access Control List (ACL) rules for the Network Database table.
- Publish the catalog item so that it becomes available to end users in the portal.

5. Custom Table Configuration

This section describes how the Network Database table, which stores every network request record, was created and configured within the platform.

5.1 Navigating to Table Configuration

The developer begins by opening the System Definition menu in ServiceNow and selecting the Tables option, which is the starting point for creating a new custom table.




Figure 1: Navigating to the Tables module

5.2 Reviewing Existing Tables

The complete list of existing tables in the instance is displayed. This list allows the developer to confirm that no table with the same purpose already exists before creating a new one.

Label	Name	Extends table	Extensible	Updated
Account Subscription Entitlement	account_subscription_entitlement	(empty)	false	2026-03-31 22:02:59
Adaptive Authentication Event	adaptive_auth_event	(empty)	false	2026-03-31 21:50:34
Agent Assist Recommendation	agent_assist_recommendation	Application File	false	2026-03-31 21:44:54
MID Server File	agent_file	(empty)	false	2026-03-31 21:29:03
AIG Access Policy	aig_access_policy	Application File	false	2026-07-16 23:47:31
AIG Access Policy Scope Mapping	aig_access_policy_scope_mapping	Application File	false	2026-07-16 23:47:32
AIG Scope Tool Mapping	aig_scope_tool_mapping	Application File	false	2026-07-16 23:47:30
Record Producer Configuration	aisa_rp_config	Application File	false	2026-03-31 21:48:23
Search Actions	aisa_ui_action	Application File	false	2026-03-31 21:48:23
AI Search ACL Overrides	aisa_acl_overrides	Application File	false	2026-03-31 21:03:38
AI Search Active Table Ingestion Tracker	aisa_active_table_ingestion_tracker	(empty)	false	2026-03-31 21:03:35
AI Search Transaction Log	aisa_api_transaction_log	(empty)	false	2026-03-31 21:03:42
AI Search Async Genius Result	aisa_async_genius_result	(empty)	false	2026-03-31 21:03:42
AI Search Async Request	aisa_async_request	(empty)	false	2026-03-31 21:03:43
AI Search Child Table	aisa_child_table	Application File	false	2026-03-31 21:03:40
AI Search Configuration Attribute	aisa_configuration_attribute	(empty)	false	2026-03-31 21:03:35
AI Search Connection	aisa_connection	(empty)	false	2026-03-31 21:03:42

Figure 2: List of existing tables

5.3 Creating the Network Database Table

The Network Database table (u_network_database) is created in the Global application scope. The table starts with the default system columns, such as Sys ID, Created, Created by, Updated by, and Updated Date/Time.




Figure 3: Network Database table definition

5.4 Adding Custom Columns

Additional custom columns are added to the table to capture request-specific details. These include Assigned To, Work Status, Device Details, Date of Enquiry, Customer Address, Customer Documentation, Assignment Group, Request Number, and Requested For.




Figure 4: Custom columns added to the Network Database table

5.5 Table Configuration Options

The table configuration menu provides access to related settings such as Business Rules, Client Scripts, UI Policies, Data Policies, UI Actions, Notifications, and Dictionary entries, which can be used to extend the table's behavior.




Figure 5: Table configuration menu

6. Flow Designer – Automation Setup

This section covers the creation of the automated flow that drives the entire network request process, from the moment a request is submitted to its eventual resolution.

6.1 Navigating to Flow Designer

The developer navigates to the Process Automation section and opens the Flow Designer (Workflow Studio) module, which is used to build automated workflows without writing extensive code.




Figure 6: Navigating to Flow Designer

6.2 Workflow Studio Dashboard

The Workflow Studio homepage lists all existing flows, subflows, and related automation components that have already been configured in the instance.




Figure 7: Workflow Studio dashboard

6.3 Creating the Network Request Flow

A new flow named "Network Request" is created in the Global application. A short description is added to explain that the flow handles the automatic approvals and actions associated with network requests.




Figure 8: Creating the Network Request flow

6.4 Configuring the Trigger

The trigger for the flow is set to Service Catalog. This means the flow will start automatically whenever a request is submitted for the Network Request catalog item.




Figure 9: Service Catalog trigger configuration

6.5 Get Catalog Variables Action

The first action added to the flow is Get Catalog Variables. It is configured to read the answers that the requester submitted through the Network Request form.




Figure 10: Get Catalog Variables action setup

6.6 Selecting Catalog Variables

The required catalog variables, including email ID, phone number, and user name, are selected from the list of available fields so that their values can be used later in the flow.




Figure 11: Selecting catalog variables

7. Service Catalog Item Configuration

This section describes how the Network Request catalog item, including its form fields and grouped variables, was configured so that employees can submit requests through the self-service portal.

7.1 Catalog Items List

The list of catalog items confirms that the Network Request item has been created and placed under the Network Standard Changes category, alongside other existing catalog items.

Active	Roles	Catalogs	Category	Price	Type	Updated
true		Service Catalog	Peripherals	\$43.19	Item	2022-11-20 20:46:33
true		Service Catalog	Peripherals	\$42.23	Item	2022-11-20 20:46:33
true		Service Catalog	Peripherals	\$40.31	Item	2022-11-20 16:00:00
true		Service Catalog	Software	\$139.99	Item	2022-11-20 20:46:33
true		Service Catalog	Software	\$139.99	Item	2022-12-05 20:46:33
true		Service Catalog	Network Standard Changes	\$0.00	Item	2026-07-16 21:23:07
true		Service Catalog	Services	\$0.00	Item	2022-12-05 10:17:33
true		Service Catalog	Software	\$0.00	Item	2022-12-05 20:46:33
true		Service Catalog	Software	\$0.00	Item	2022-12-05 20:46:33
false		Service Catalog	Tablets	\$600.00	Item	2022-11-20 20:46:33
true		Service Catalog	Mobiles	\$799.00	Item	2024-08-08 02:16:16
true		Service Catalog	Mobiles	\$999.00	Item	2024-08-08 02:16:16

Figure 12: Catalog items list

7.2 Network Request Catalog Item

The Network Request catalog item is configured with its name, category, active status, and fulfillment settings, along with a short description that appears to the requester.

Build and modify items faster with the improved [Catalog Builder](#).

Catalog items are goods or services available to order from the service catalog. Items can be anything from hardware, like tablets and phones, to software applications, to furniture and office supplies.

- Enter a Name and Short description to display for the item.
- Enter a Price, approvals, variables, and other information as needed.

Name: Network Request

Application: Global

Catalogs: Service Catalog

Category: Network Standard Changes

State: -- None --

Checked out: -- None --

Owner: System Administrator

Secondary owners:

Active: ☒

Fulfillment automation level: Unspecified

Item Details | Process Engine | Picture | Pricing | Portal Settings

Short description: Network Services Request

Description: <>

Figure 13: Network Request catalog item configuration

7.3 Catalog Item Variables

The list of variables, or form fields, created for the Network Request item is shown. These include questions about the type of request, relocation details, address, and device type, each with a defined display order.

Variables (10)

Variable Sets

Catalog UI Policies

Catalog Client Scripts

Available For

Not Available For

Categories (1)

Catalogs (1)

Catalog Data Lookup Definitions

Related Articles

Related Catalog Items

Assigned Topics

≡

🔍

Order

Search

⚙️

📄

🔍

📄

—

Actions on selected rows...

New

Catalog item = Network Request

☐	🔍	Type	Question	Order ▲	Mandatory
		Container Start	Service Details	200	false
		Multiple Choice	Is this a new network connection or a re...	300	false
		Single Line Text	If this is a relocation,please provide l...	310	false
		Single Line Text	if this is a relocation,please provide a...	320	false
		Container Start	Location & Devices Type	400	false
		Single Line Text	Please Provide Address here	410	false
		Select Box	Type of devices	420	false
		Single Line Text	Provide device details	430	false
		Container Start	Additional Information	500	false
		Single Line Text	if any please write here	510	false

⏪

◀

1 to 10 of 10

▶

⏩

Figure 14: Catalog item variables

7.4 Configuring an Individual Variable

One of the variables, "Please Provide Address here," is configured as a single-line text field. Each variable is set up in a similar manner, defining its type, order, and mandatory status.

Variable

Please Provide Address here

🔗

?

⚙️

...

Copy

Update

Delete

↑

↓

Application

Global

ⓘ

Type

Single Line Text

▼

Catalog item

Network Request

🔍

ⓘ

Order

410

Active

☒

Mandatory

☐

Read only

☐

Hidden

☐

Disable automatic slot fill based on user context

☐

Question

Annotation

Type Specifications

Default Value

Auto-populate

Permission

Availability

Specify the **Question** that explains the options available to the end user when ordering the item

* Question

Please Provide Address here

* Name

please_provide_address_here

Conversational label

Tooltip

Example Text

Copy

Update

Delete

Figure 15: Individual variable configuration

7.5 Creating a Variable Set

A variable set named "Request Information" is created. Variable sets allow related questions to be grouped together and reused across multiple catalog items if needed.

The screenshot shows the 'Variable Set' configuration page for 'Request Information'. The form includes fields for Title, Internal name, Order, Type, Application, Display title, Layout, and Description. Below the form, there is a table of variables.

Name	Type	Question	Order
opened_on_behalf_of	Reference	Opened on behalf of	100

Figure 16: Variable set creation

7.6 Variable Set – Complete List

The complete list of variables included in the Request Information set is displayed, covering phone number, email ID, proof of document, user name, and the person the request is opened on behalf of.

The screenshot shows the 'Variable Set' configuration page for 'Request Information' with the 'Variables' tab selected. The table lists five variables:

Name	Type	Question	Order
phone_number	Single Line Text	phone number	
email_id	Single Line Text	email id	
proof_of_document	Attachment	proof of document	
user_name	Single Line Text	user name	
opened_on_behalf_of	Reference	Opened on behalf of	100

Figure 17: Variable set contents

8. Flow Actions – Record Creation and Notifications

This section explains how the flow processes a submitted request, from reading the submitted answers to creating records and sending the first notification and approval request.

8.1 Finalizing Variable Selection

The Get Catalog Variables action is finalized by mapping each required field, such as email ID, phone number, address, and device type, so that the values are available for use in later steps of the flow.




Figure 18: Finalized catalog variable mapping

8.2 Create Network Database Record Action

The Create Record action generates a new record in the Network Database table using the values submitted by the requester. The initial Work Status of the record is set to "New."

Action Properties

Action: Create Record

Action Inputs

* Table: Network Database [u_network_d...]

* Fields:

- Request Number | u_request_n...: Trigger - Service...
- Requested for | u_requested_for: 1 - ... Name
- Work Status | u_approval_state: New
- Date of Enquiry | u_date_of_enq...: Trigger - Service...
- Device Details | u_device_details: 1 - Get Catalo...
- Customer Address | u_customer...: 1 - G...
- Assignment Group | u_assignme...: Network

+ Add field value

Delete Cancel Done

Figure 19: Create Network Database Record action

8.3 Send Email Notification Action

A Send Email action is configured to notify the requester, using the newly created Network Database record as the target record for the notification.

Action Properties

Action: Send Email

Action Inputs

Target Record: 2 - Cr... Network Database ...

Table: Network Database [u_network_d...]

Include Watermark: ☒

* To: 1 - Get Catalog Va...

CC: 2 - Create Record ...

Delete Cancel Done

Figure 20: Send Email action configuration

8.4 Email Notification Content

The content of the notification email is defined, with the subject line "Request has been Created" and a message body confirming that the request has been received and will be resolved within the stated timeframe.

* Subject: Request has been Created

Body:

Hello 2. ... Requested for | u_re... ,

We have received your request with Request Number:

... Request Number | u_r...

Sorry for the inconvenience and Your request will be resolved within 2 business working days.

Thanks for contacting us.

Network Team

Buttons: Delete, Cancel, Done

Figure 21: Email notification content

8.5 Approval Request Action

An Ask For Approval action is added to route the request to an approver. The approval rule is set so that the request is approved as soon as any one approver responds.

The screenshot shows the 'Network Request' configuration page. At the top, there's a header with the title 'Network Request' and a status 'Active'. Below the header, the 'Action Inputs' section contains several fields:

- * Record: 2 - Cr... Network Database ...
- Table: Network Database [u_network_d...]
- Approval Reason: Waiting for approval
- Approval Field: Select a field
- Journal Field: Select a field

 To the right of these fields are icons for adding and searching. Below the 'Add another OR rule' button, the 'Rules' section is visible:

- * Rules: Approve
- When: Anyone approves
- Condition: 2 - Create Rec... Manage...
- Due Date: None

 There are also icons for adding and searching rules.

Figure 22: Approval request configuration

8.6 Updating the Record upon Approval

When the request is approved, an Update Record action changes the Work Status of the Network Database record to "Work in Progress" and assigns it to a member of the network team.

The screenshot shows the 'Update Network Database Record' configuration page. At the top, there's a header with the title 'Update Network Database Record'. Below the header, the 'Action Properties' section contains:

- Action: Update Record

 Below the 'Action Properties' section, the 'Action Inputs' section contains:

- * Record: 2 - Cr... Network Database ...
- * Table: Network Database [u_network_d...]
- Work Status | u_approval_state: Work In Progress
- * Fields: Assigned to | u_assigned_to: Abel Tuter
- + Add field value

 At the bottom, there are buttons for 'Delete', 'Cancel', and 'Done'.

Figure 23: Update Record action on approval

8.7 Update Record – Field Mapping

The field mapping used in the Update Record action confirms that the Work Status field is updated to reflect that the request is now being actively worked on.

Figure 24: Update Record field mapping

9. Complete Automation Flow Overview

This section presents the full sequence of steps that make up the Network Request flow, from the initial trigger to the final outcome.

9.1 Flow Sequence – Part 1

The first part of the flow is shown, covering the trigger, the retrieval of catalog variables, record creation, the initial notification, the approval request, and the record update that follows approval (steps 1 through 6).




Figure 25: Flow sequence

9.2 Flow Sequence – Part 2

The second part of the flow is shown, covering the creation of a follow-up Network Task record, further notifications, a second approval step, and the flow's ending conditions for both approved and rejected outcomes (steps 7 through 17).




Figure 26: Flow sequence

10. Catalog Item Variables and UI Policies

This section describes how the request form adapts dynamically to the requester's answers, ensuring that only relevant fields are shown at the right time.

10.1 Reviewing Catalog Item Variables

The list of catalog item variables is reviewed again to confirm the order and configuration of each question that appears on the Network Request form.




Figure 27: Catalog item variables review

10.2 Catalog UI Policies List

The list of Catalog UI Policies created for the Network Request item is shown, including "Relocation Fields Hiding" and "Types of Devices is Others," both of which control field visibility based on requester input.




Figure 28: Catalog UI policies list

10.3 UI Policy – Condition Configuration

The "Types of Devices is Others" policy is configured to activate when the requester selects "Others" as the device type, allowing the form to respond dynamically to that choice.

Figure 29: UI policy condition configuration

10.4 UI Policy Actions

The UI Policy Actions linked to this policy are displayed, showing that the behavior of the "Provide Device Details" field is controlled whenever the condition is met.

Name	Read only	Mandatory	Visible	Order
provide_device_details	Leave alone	Leave alone	Leave alone	100

Figure 30: UI policy actions

10.5 UI Policy Action – Field Behavior

The detailed configuration of the UI Policy Action is shown, including settings that determine whether the field is mandatory, visible, or read-only under the defined condition.

Figure 31: UI policy action detail

11. End-User Self-Service Portal

This section illustrates how an employee experiences the process from the Employee Service Center portal, from browsing the catalog to submitting a request.

11.1 Service Portal Homepage

The Employee Service Center homepage allows users to request items, browse the knowledge base, or contact support for help, providing a single entry point for all service needs.




Figure 32: Employee Service Center homepage

11.2 Submitting a Network Request

The Network Request item, as it appears to the end user, includes fields for phone number, user name, email ID, and proof of document, along with questions about the nature of the request.

Figure 33: Network Request submission form

11.3 Request Summary Confirmation

After the request is submitted, a summary page confirms the request number, the requester's name, and the estimated delivery date for the service.

The screenshot shows the ServiceNow interface with the 'Request Summary' page for request REQ0010003. The page includes a header with navigation links (Knowledge, Catalog, Requests, System Status, Cart, Tours) and a user profile (System Administrator). The main content area displays the request details: Submitted: 2026-07-30 05:00:21, Request Number: REQ0010003, Requested for: Abel Tuter, and Estimated Delivery: 2026-08-01. Below this is a table with columns: Item, Delivery Date, Stage, Price (each), Quantity, and Total. The table contains one row for 'Network Request' with a delivery date of 2026-08-01, stage of 'Request Approval', and a quantity of 1. The total price is listed as £0.00.

Item	Delivery Date	Stage	Price (each)	Quantity	Total
Network Request	2026-08-01	Request Approval	---	1	---

Total: £0.00

Figure 34: Request summary confirmation

11.4 Submitting a Second Request

A second example shows a different user completing the same request form with their own contact details, demonstrating that the form works consistently for any requester.

The screenshot shows the ServiceNow 'Network Request' form. The form is titled 'Network Request' and is categorized as a 'Network Services Request'. It includes a 'Request information' section with fields for 'phone number' (765) 432-8906, 'user name' (Abel Tuter), 'email id' (abel.tuter@example.com), and 'Opened on behalf of' (Abel Tuter). There is also a 'proof of document' section with an 'Upload' button. On the right side, there is a 'Quantity' dropdown set to 1, a 'Delivery Time' of 2 Days, and buttons for 'Add to Cart', 'Save as Draft', and 'Order Now'.

Figure 35: A second request submission

11.5 Location and Device Type Details

The Location and Devices Type section of the form allows the requester to provide their address and select the type of device involved in the request, such as a laptop.

Location & Devices Type

Please Provide Address here

Please provide address here

Type of devices

Laptop

Figure 36: Location and device type section

12. Network Task Automation and Access Control

This section describes how follow-up tasks are updated automatically and how access to request data is controlled and secured.

12.1 Update Network Task Action

The Update Network Task action updates the task record with details such as user name, phone number, device type, work status, and approval status once the task has been actioned by the network team.

Network Request Active

The screenshot displays the configuration for the 'Update Network Task' action. At the top, the 'Action' dropdown is set to 'Create Record'. Below this, the 'Action Inputs' section is visible. It includes a table input for 'Network Task [u_network_task]' and several field inputs. The 'Table' input is set to 'Network Task [u_network_task]'. The 'Fields' section includes inputs for 'Request Number', 'User Name', 'Phone Number', 'Device Type', 'Work Status', 'Approval Status', and 'Assigned to'. Each input field has a dropdown menu and a search icon. The 'Work Status' is set to 'Completed', 'Approval Status' is set to 'Approved', and 'Assigned to' is set to 'Abel Tuter'. At the bottom, there are buttons for 'Delete', 'Cancel', and 'Done'.

Figure 37: Update Network Task action

12.2 Access Control List (ACL) Rules

Access Control List rules are defined for the Network Database table, specifying who is permitted to create, read, write, and delete records, which helps keep request data secure.

All > Name >= u_network_database_table						
☐ Search	Name ▲	Decision Type	Operation	Type	Active	Updated by
Search	Search	Search	Search	Search	Search	Search
	u_network_database_table	Allow If	create	record	true	admin
	u_network_database_table	Allow If	write	record	true	admin
	u_network_database_table	Allow If	delete	record	true	admin
	u_network_database_table	Allow If	read	record	true	admin

Figure 38: ACL rules for the Network Database table

12.3 Approval on Network Task

A second Ask For Approval action is configured for the Network Task, routing the task for an additional level of approval before it is marked as complete.

Network Request Active

Action Properties

Action:

Action Inputs

* Record:

Table:

Approval Reason:

Approval Field:

Journal Field:

Rules

* Rules:

Anyone approves

Due Date:

Add another O...

Figure 39: Approval action on the Network Task

12.4 Flow Action Toolbar

A close-up view of the flow action toolbar is shown, which is used by the developer to edit, save, or cancel changes while building the automation steps.

10

Condition Label: If Request is Approved

* Condition 1: 4 - Ask For Ap... Approval St... X Approved

Add another condition set(OR)

Delete Cancel Done

Figure 40: Flow action toolbar

13. Additional Request Submission Example

A further example is included to demonstrate that the process behaves consistently for different requesters.

13.1 Second User Request Submission

Another request is submitted through the portal by a different user, confirming that the form and validation behave consistently across different requesters.

servicenow Knowledge Catalog Requests System Status Cart Tours System Administrator

Home > Service Catalog > Standard Changes > Network Standard Changes > Network Request

Search Catalog

Network Request

Network Services Request

Request information

phone number (555) 555-0004 user name Abraham Lincoln

email id abraham.lincoln@example.com Opened on behalf of Abraham Lincoln

proof of document Upload

Is this a new network connection or a relocation network

Quantity: 1

Delivery Time: 2 Days

Add to Cart


Save as Draft

Order Now

Figure 41: Additional request submission

13.2 Request Summary Confirmation

The request summary confirmation for this second example is displayed, showing its own unique request number and estimated delivery date.



Item	Delivery Date	Stage	Price (each)	Quantity	Total
Network Request	2026-08-01	Request Approval	---	1	---

Total: £0.00

Figure 42: Request summary for the second example

14. Notification and Email Management

This section shows how outgoing notifications are tracked and verified within the platform.

14.1 Navigating to System Logs

The developer navigates to the System Logs section, where all outgoing email notifications generated by the platform are recorded for review.




Figure 43: Navigating to system logs

14.2 Notification Preview

A preview of the "Network Request Created" notification shows the exact message sent to the requester, confirming receipt of their request and the expected resolution time.




Figure 44: Notification preview

14.3 Email Log – Created Notifications

The list of emails generated by the system confirms that notifications for newly created requests and assigned tasks were sent successfully to the appropriate recipients.

Emails Created						
All > Created on Today						
Created	Recipients	Subject	Type	Notification type	User ID	
2026-07-30 05:00:23	abel.tuter@example.com,admin@example.com	Request REQ0010003 was created	send-ready	SMTP	(empty)	
2026-07-30 05:00:23	fred.luddy@example.com	Catalog Task SCTASK0010006 has been assigned to group Software	send-ready	SMTP	(empty)	

Figure 45: Email log of created notifications

15. Records and Data Management

This section presents the administrative views used to monitor requests, approvals, and tasks after they have been submitted.

15.1 Network Database Records List

The list of records in the Network Database table shows a submitted request along with its current status, assignment group, address, and device details.

Network Databases

Request Number

Search

Figure 46: Network Database records list

15.2 Network Database Record Detail

The detailed view of a single Network Database record displays the database number, work status, assignment group, requester name, and customer address.

Network Database
Created 2026-07-30 23:56:58

Database Number

NET0000513

Request Number

REQ0012345

Created

2026-07-30 23:56:58

Requested for

John Doe

Date of Enquiry

2026-07-31

Customer Address

123 Corporate Blvd, Suite 400

Special Instructions

Special Instructions

Work Status

In Progress

Assignment Group

Network

Assigned to

Device Details

Laptop

Figure 47: Network Database record detail

15.3 Approval Records

The Approvals list shows the current state of approval requests linked to their respective records, allowing administrators to track which items are awaiting a decision.

Approvals

State

Search

Actions on selected rows...

All

	State	Approver	Comments	Approval for	Created
	Search	Search	Search	Search	Search
	Requested	cab approver		CHG0000082	2024-08-29 08:04:46
	Requested	Ron Kettering		CHG0000088	2024-08-30 06:34:19

Figure 48: Approval records list

15.4 Network Task Records

The list of Network Task records shows the assigned user, device type, phone number, and related request number for each follow-up task.

Network Tasks

Assigned to

Search

All

Assigned to

Comments

Device Type

Phone Number

Request Number

User Name

Search

Search

Search

Search

Search

Search

Abel Tuter

2026-07-31 00:32:13 - System Administrat

8976543290

REQ0010043

Abel Tuter

Abraham Lincoln

2026-07-31 00:35:55 - System Administrat

9876589076

REQ0010041

Abraham Lincoln

Figure 49: Network Task records list

15.5 Email Log – Resolution Notification

The list of updated email notifications confirms that a "Request has been Resolved" message was sent once the corresponding request had been completed.

Emails

Updated

Search

Actions on selected rows...

New

All > Created on Today

☐	Created	Recipients	Subject	Type	Notification type	User ID	Updated
☐	Search	Search	Search	Search	Search	Search	Search
	2026-07-31 01:12:32	abraham.lincoln@example.com	Request has been Resolved	received	SMTP	(empty)	2026-07-31 01:13:42

Figure 50: Resolution notification log