METRO GENERAL HOSPITAL & CLINICAL OUTPATIENT CENTER

Encounter Record #ENC-2026-8841 | Date: October 15, 2026 | Attending: Dr. Sarah Vance, MD

Patient Name: Robert Davis | **Age:** 62 | **MRN:** PT-882194

Consultation Transcript & Clinical Dialogue:

Patient: Doctor, I have had high fever, severe cough, and chest tightness for three days. I took Paracetamol 500 mg twice daily, but it caused severe nausea and vomiting.

Doctor: I understand. Let us discontinue the paracetamol for now. Have you had any chills or shortness of breath?

Patient: Yes, breathlessness especially when climbing stairs. Also, I am currently taking warfarin 5 mg once daily for atrial fibrillation.

Doctor: Noted. Because of your cardiac history, we cannot combine ibuprofen with warfarin due to severe bleeding risk. I will order a complete blood count, troponin test, and an electrocardiogram (ECG). I will also prescribe amoxicillin 500 mg three times daily for 7 days to cover bacterial pneumonia.

Patient: I also take lisinopril 10 mg daily for hypertension. Should I continue it?

Doctor: Yes, continue lisinopril 10 mg once daily. Let us also schedule a chest X-ray this afternoon. If you experience dizziness or worsening fatigue, call our emergency line immediately.

Physician Assessment & Preliminary Plan:
Acute lower respiratory tract infection. Monitor anticoagulation and renal parameters. Pending CBC, troponin, and chest X-ray.