



WD Lab Manual

web designing (GL Bajaj Institute of Technology and Management)



messages.pdf_cover_qr_code_label



GL BAJAJ
Institute of Technology & Management

[Approved by AICTE, Govt. of India & Affiliated to Dr. APJ
Abdul Kalam Technical University, Lucknow, U.P., India]
Department of Applied Computational Science & Engineering

Lab File

Web Designing Workshop (BCS-353)

Submitted By:

Student Name: XYZ

University Roll NO.: 112233

Branch: AIML/AI-DS/CSE-AI/CSE-AIML

Section:

Group:



Submitted To:

Mr. Sunny Gupta

G. L. BAJAJ INSTITUTE OF TECHNOLOGY AND MANAGEMENT
Greater Noida



List of Experiments

Sr. No.	Experiments
1.	Design the following static web pages required for an online book store web site. HOME PAGE: The static home page must contain three frames.
2.	LOGINPAGE:
3.	CATALOGUE PAGE: The catalogue page should contain the details of all the books available in the website in a table. The details should contain the following: 1. Snap shot of Cover Page. 2. Author Name. 3. Publisher. 4. Price. 5. Add to cart button.
4.	CARTPAGE: The cart page contains the details about the books which are added to the cart.
5.	REGISTRATION PAGE : Create a“ registration form“ with the following fields 1)Name (Text field) 2>Password (password field) 3) E-mailid(text field) 4) Phone Number(text field) 5) Sex(radio button) 6) Date of birth(3 select boxes) 7) Languages known(checkboxes–English, Telugu, Hindi, Tamil) 8) Address(text area)
6.	Js VALIDATION: Write JavaScript to validate the following fields of the above registration page. 1. Name (Name should contains alphabets and the length should not be less than 6 characters). 2. Password (Password should not be less than 6 characters length).
7.	Js VALIDATION: 3. E-mailid (should not contain any invalid and must follow the standard pattern(name@domain.com) 4. Phone Number(Phone number should contain 10 digits only).
8.	CSS: Design a web page using CSS(Cascading Style Sheets) which includes the following: 1) Use different font, styles: In the style definition you define how each selector should work(font, color etc.). Then, in the body of your pages, you refer to these selectors to activate the styles. 2) Set a background image for both the page and single elements on the page.
9.	CSS: 1) Control the repetition of the image with the background-repeat property. 2) Define styles for links as



	A:link A:visited A:active A:hover
10.	Consider a small topic of your choice on which you can develop static Webpages and try to implement all topics of html, CSS and Js within the topic. Choose any one topic. 1. Your Own Portfolio 2. To-Do List 3. Survey Form 4. A Tribute Page 5. A Questionnaire



Introduction

Web design is the creation of websites and pages to reflect a company's brand and information and ensure a user-friendly experience. Appearance and design are incorporated as vital elements whether you're designing a website, mobile app or maintaining content on a web page. Gaining web design skills can help you in applying for roles where your creativity could help a business improve their brand, their message and their bottom line.

Web design identifies the goals of a website or webpage and promotes accessibility for all potential users. This process involves organizing content and images across a series of pages and integrating applications and other interactive elements.

The professionals who perform this process are called web designers, and their job includes the following duties:

- Selecting easy-to-read fonts
- Choosing attractive color schemes that also enable easy-to-read fonts
- Implementing a brand's identity into the colors, fonts and layout
- Creating a map of the website's structure to ensure intuitive navigation
- Placing images, logos, text, videos, applications and other elements
- Using coding languages, such as HTML and CSS, to create layouts and to style pages
- Making optimized versions of websites and pages both for desktop and mobile viewing

There are two common web design methods: adaptive and responsive design. In adaptive design, the website content is created using standard screen sizes as the frame for the layout.

In responsive design, content moves dynamically according to the screen size. Web designers use the various steps of the general web design process to employ these design methods depending on their client or employer's preferences and goals for the site.



Experiment-1

Aim: Design the following static web pages required for online book store.

Home page:- the static home page must contains three pages

Top frame:- logo and college name and links to homepage, login page, registration page and catalogue page

Left frame:- at least four links for navigation which will display the catalogue of Respective links

Right frame:- the pages to links in the left frame must be loaded here initially it Contains the description of the website.

PROGRAM:

home.html:

```
<frameset rows="40%,*">
<frame src="top.html" noresize scrolling="NO" name="topframe">
<frameset cols="15%,*">
<frame src="left.html" noresize scrolling="NO" name="leftframe">
<frame src="right.html" noresize name="rightframe" scrolling="auto">
</frameset>
</frameset>

top.html:
<html>
<head>
<title>Top Frame</title>
</head>
<body bgcolor="Brown ">



<center>
<marquee bgcolor="yellow" width="650" behavior="alternate">
<font face="Brush Script MT" size="8" color="green"><b><i>Online Book Store</i></b>
</font>
</marquee> <br>
<font face="Brush Script" size="6" color="white"><b>Created & Maintained By
MRCET</b></font>
</center>
<br>
<table width="100%" height="50%" cellpadding="10">
<tr align="center">
<td> <a href="Home.html" target="_parent"><font face="Brush Script" size="6"
color="navy">HOME </a> </td>
<td> <a href="login.html" target="rightframe"><font face="Brush Script" size="6"
color="navy">LOGIN</a> </td>
<td> <a href="registration.html" target="rightframe"> <font face="Brush Script"
```



```
size="6" color="navy">REGISTER </a> </td>
<td> <a href="catalogue.html" target="rightframe"> <font face="Brush Script"
size="6" color="navy">CATALOGUE</a> </td>
</tr>
</table>
</body>
</html>
```

left.html:

```
<html>
<body align="center" bgcolor="White"> <br>
<a href="cse.html" target="rightframe"><font size="6">CSE</font></a><br><br>
<a href="ece.html" target="rightframe"><font size="6">ECE</font></a><br><br>
<a href="eee.html" target="rightframe"><font size="6">EEE</font></a><br><br>
<a href="mech.html" target="rightframe"><font size="6">MECH</font></a><br>
</body>
</html>
```

right.html:

```
<html>
<body bgcolor="orange">
<center>
<br>
<font face="Brush Script MT" size="5" color="blue">
<h1><b>Welcome to the Online Book Store!!!</b></font><br />
<font face="Brush Script MT" size="5" color="red">
<h2><b> "A Huge Collection Of Engineering E-Books"</b></h2></font>
</center>
</body>
</html>
```

cse.html:

```
<html>
<head><title>CSE</title></head>
<body bgcolor="cyan">
<center><font color="blue"><h1>Computer Science and Engineering</h1></font></center>
<br>
<table align="center">
<tr>
<td>Text Books</td>
<td>
<select >
<option value="select the book" selected>Select the book
<option value="C&Ds">C&Ds
<option value="Ads">Ads
<option value="Java">Java
<option value="Oracle">Oracle
<option value="Ms SQL Server">Ms SQL Server
<option value="MySQL">MySQL
```



```
</select>
</td></tr>
<tr>
<td>Quantity</td>
<td><input type="text" id="q"></td>
</tr>
<tr>
<td></td>
<td>
<form method=post action="order.html">
<input type="submit" value=ok />
</form>
</td>
</tr>
</table>
<center>
<pre> Cost of one book is"500" + shipping "100" </pre>
</center>
</body>
</html>
```

ece.html:

```
<html>
<body bgcolor="Plum">
<h1><font color="blue">Electronics and Communication Engineering</font></h1>
<h2>
<ul>
<li>Digital Circuits</li> <li>Signals and Systems</li> <li>Digital Communication</li>
</ul>
</h2>
</body>
</html>
```

eee.html:

```
<html>
<body bgcolor="Plum">
<h1><font color="blue">Electrical and Electronics Engineering</font></h1>
<h2>
<ul type="square">
<li>Concepts in Electric Circuits</li>
<li>Introduction to Electronic Engineering</li>
<li>Electrical Power</li>
</ul>
</h2>
</body>
</html>
```

mech.html:

```
<html>
```



GL BAJAJ
Institute of Technology & Management
Greater Noida

[Approved by AICTE, Govt. of India & Affiliated to Dr. APJ
Abdul Kalam Technical University, Lucknow, U.P., India]
Department of Applied Computational Science & Engineering

```
<body bgcolor="Plum">
<h1><font color="blue">Electronics and Communication Engineering</font></h1>
<h2>
<ol type="I">
<li>Theory of Machines</li>
<li>Automation and Robotics</li>
<li>Engineering Fluid Mechanics</li>
</ol>
</h2>
</body>
</html>
```

Output:-





Experiment-2

Aim: Design Login Page

Program:

login.html:

```
<html>
<body bg color="pink">
<basefont face="Cambria" size="4"> <br>
<center>
<br />
<font face="Brush Script MT" size="7" color="purple">
<b>Enter Login Details:</b>
</font>
</center>
<form name="f1" method="post" action="right.html">
<table align="center" width="100" height="150" cellspacing="15">
<tr><td><b>Login ID:</b></td>
<td><input type="text" name="t1"></td>
</tr>
<tr>
<td><b>Password:</b></td>
<td><input type="password" name="t2"></td>
</tr>
<tr align="center">
<td><input type="submit" name="b1" value="Submit"></td>
<td><input type="reset" name="b2" value="Reset"></td>
</tr>
</table> </form> </basefont> </body> </html>
```



GL BAJAJ
Institute of Technology & Management

[Approved by AICTE, Govt. of India & Affiliated to Dr. APJ
Abdul Kalam Technical University, Lucknow, U.P., India]
Department of Applied Computational Science & Engineering

Output:-

frames.html

File | C:/Users/HP/OneDrive/Documents/WD/frames.html

 **Online Book Store**
Created & Maintained By GLBITM

[HOME](#) [LOGIN](#) [REGISTER](#) [CATALOGUE](#)

[CSE](#)
[ECE](#)
[EEE](#)
[MECH](#)


Enter Login Details:

Login ID:

Password:

file:///C:/Users/HP/OneDrive/Documents/WD/login.html






Type here to search

27°C 09:43 AM 24-09-2023





Output:-

Logo	WebSite Name			
Home	Login	Registration	Catalogue	Cart
CS E EC E EEE CIVIL		Book:XMLBible Author : Winston Publication:Wiley	\$40.5	
		Book :AI Author:S.Russell Publication:Princetonhall	\$63	
		Book : Java 2 Author:Watson Publication:BPBpublications	\$35.5	
		Book : HTML in 24 hours Author : Sam Peter Publication:Sampublication	\$50	



GL BAJAJ
Institute of Technology & Management

[Approved by AICTE, Govt. of India & Affiliated to Dr. APJ
Abdul Kalam Technical University, Lucknow, U.P., India]
Department of Applied Computational Science & Engineering

Output:-

frames.html x +

File | C:/Users/HP/OneDrive/Documents/WD/frames.html

 **Online Book Store**
Created & Maintained By GLBITM

[HOME](#) [LOGIN](#) [REGISTER](#) [CATALOGUE](#)

[CSE](#)
[ECE](#)
[EEE](#)
[MECH](#)

Registration Form

First Name(Minimum 6 characters)*

Last Name*

EmailAddress*
(one e-mail id only): e.g. smith@hotmail.com

Password(minimum 6 characters)*

Address*

Mobile No*


Gender: ☐ male ☐ female

Type here to search

27°C 09:44 AM 24-09-2023

[illegible]

Output:-



Registration Form Validation

file:///D:/WT Manual Programs/validation.html

Registration Form

First Name(Minimum 6 characters)*

Last Name*

EmailAddress*
(one e-mail id only): e.g. smith@hotmail.com


Password(minimum 6 characters)*

Address*

Mobile No*

Gender: ☐ male ☐ female

can not be null



Registration Form Validation

file:///D:/WT Manual Programs/validation.html

Registration Form

First Name(Minimum 6 characters)* 78787

Last Name*

EmailAddress*
(one e-mail id only): e.g. smith@hotmail.com


Password(minimum 6 characters)*

Address*

Mobile No*

Gender: ☐ male ☐ female

Please enter only letters for your Firstname



Registration Form Validation

file:///D:/WT Manual Programs/validation.html

Registration Form

First Name(Minimum 6 characters)* fds

Last Name*

EmailAddress*
(one e-mail id only): e.g. smith@hotmail.com

Password(minimum 6 characters)*

Address*

Mobile No*

Gender: ☐ male ☐ female

Please enter minimum 6 characters



Experiment-7

Aim: Js VALIDATION:

3. E-mailid (should not contain any invalid and must follow the standard pattern(name@domain.com))
4. Phone Number(Phone number should contain 10 digits only).

Program: After clicking OK button the page is redirected to success.html

```
<html>

<head><title>Registration Form Validation</title></head>

<body bgcolor="#E4F0F8">

<script type='text/javascript'>

function validateform()

{

var fname=document.myform.firstname.value;

var lname=document.myform.lastname.value;

var mail=document.myform.email.value;

var password=document.myform.pass.value;

var atposition=mail.indexOf("@");

var dotposition=mail.lastIndexOf(".");

if (fname==null || fname=="")

{

    alert("Name can't be blank");

    return false;

}

else if(fname.length<6)

{

    alert("firstname must be at least 6 characters long.");

    return false;

}

else if(password.length<6)

{

    alert("Password must be at least 6 characters long.");
```

[illegible]



**[Approved by AICTE, Govt. of India & Affiliated to Dr. APJ
Abdul Kalam Technical University, Lucknow, U.P., India]
Department of Applied Computational Science & Engineering**

Email Address*

```
<input type='text' name='email' /><br />
```

(one e-mail id only):

e.g. smith@hotmail.com

Password(minimum 6 characters)*

```
<input type='password' name='pass'><br /><br/>
```

Address*

<textarea rows="2" cols="20" id='addr' /></textarea>

Mobile No*

```
<input type='text' name='num' /><br />
```

Gender: ☐ male

☐female


```
<input type='Reset' value='reset' />
```

</body>



Output:-

Registration Form Validation

file:///D:/WT Manual Programs/validation.html

Registration Form

First Name(Minimum 6 characters)* mrcetce

Last Name* thirdyear

EmailAddress* mrcetce@
(one e-mail id only): e.g. smith@hotmail.com

Password(minimum 6 characters)*

Address*

Mobile No*

Gender: ☐ male ☐ female

Please enter a valid email address

Registration Form Validation

file:///D:/WT Manual Programs/validation.html

Registration Form

First Name(Minimum 6 characters)* mrcetce

Last Name* thirdyear

EmailAddress* mrcetce@
(one e-mail id only): e.g. smith@hotmail.com

Password(minimum 6 characters)*

Address*

Mobile No*

Gender: ☐ male ☐ female

Please enter a valid email address

Registration Form Validation

file:///D:/WT Manual Programs/validation.html

Registration Form

First Name(Minimum 6 characters)* mrcetce

Last Name* thirdyear

EmailAddress* mrcetce@gmail.com
(one e-mail id only): e.g. smith@hotmail.com

Password(minimum 6 characters)*

Address* Koppally Hyderabad

Mobile No* bhghgh

Gender: ☐ male ☐ female

Please enter a valid mobileno



Experiment-8

Aim: CSS: Design a web page using CSS(Cascading Style Sheets) which includes the following:

- 1) Use different font, styles: In the style definition you define how each selector should work(font, color etc.). Then, in the body of your pages, you refer to these selectors to activate the styles.
- 2) Set a background image for both the page and single elements on the page.

Program:

style.css

```
p.left
{
text-align:left;
color:blue;
font-family:Cambria;
font-size:large;
text-indent:20px;
}
p.center
{
text-align:center;
text-decoration:underline;
text-transform:uppercase;
letter-spacing:-3px;
word-spacing:20px;
font-size:larger;
}
p.right
{
text-align:right;
color:red;
font-family:Tahoma;
font-size:15pt;
text-decoration:overline;
font-style:italic;
}
b#headline
{
color:orange;
font-size:22px;
font-family:arial;
text-decoration:underline;
}
```

sample.html


```
<html>
```



```
<head>
<style type="text/css">
body
{
background-image:url('images/cse.png');
background-repeat:no-repeat;
background-position:center center;
background-attachment:fixed;
background-color:pink;
}
</style>
<link rel="stylesheet" type="text/css" href="style.css">
</head>
<body bgcolor="cyan">
<h1 style="color:blue;text-align:center;"> CSS (Inline, Internal and External) </h1>
<p>This Paragraph is a Not Styled</p>
<p class="left">This Paragraph is Styled by class "Left"</p>
<p class="center">This Paragraph is Styled by class "Center"</p>
<p class="right">This Paragraph is Styled by class "Right"</p>
<b>This is normal Bold</b> <br>
<b id="headline">This Bold Text is Styled </b>
<h2><b><a href=" ">This is a link</a></b></h2>
<h3 class="c1">The cursor over this element is plus sign</h3>
<h3 class="c2">The cursor over this element is a pointing hand</h3>
<h3 class="c3">The cursor over this element is a grasping hand</h3>
<h3 class="c4">The cursor over this element is a I bar</h3>
<h3 class="c5">The cursor over this element is a wait</h3>
<h3 class="c6">The cursor over this element is a question mark</h3>
</html>
```



Output:-





Experiment-9

Aim: CSS:1) Control the repetition of the image with the background-repeat property.

2) Define styles for links as:- A:link, A:visited, A:active, A:hover

Program:

style.css

```
p.left
{
text-align:left;
color:blue;
font-family:Cambria;
font-size:large;
text-indent:20px;
}
p.center
{
text-align:center;
text-decoration:underline;
text-transform:uppercase;
letter-spacing:-3px;
word-spacing:20px;
font-size:larger;
}
p.right
{
text-align:right;
color:red;
font-family:Tahoma;
font-size:15pt;
text-decoration:overline;
font-style:italic;
}
b#headline
{
color:orange;
font-size:22px;
font-family:arial;
text-decoration:underline;
}
```


sample.html

```
<html>
<head>
<style type="text/css">
body
{
background-image:url('images/cse.png');
```



```
background-repeat:repeat;
background-position:center center;
background-attachment:fixed;
background-color:pink;
}
a:link { text-decoration:none;color:orange; }
a:visited { text-decoration:none;color:red; }
a:hover { text-decoration:underline;color:blue; }
a:active { text-decoration:underline;color:purple; }
h3 { color:green; }
.c1 { cursor:crosshair}
.c2 { cursor:pointer}
.c3 { cursor:move}
.c4 { cursor:text}
.c5 { cursor:wait}
.c6 { cursor:help}
</style>
<link rel="stylesheet" type="text/css" href="style.css">
</head>
<body bgcolor="cyan">
<h1 style="color:blue;text-align:center;"> CSS (Inline, Internal and External) </h1>
<p>This Paragraph is a Not Styled</p>
<p class="left">This Paragraph is Styled by class "Left"</p>
<p class="center">This Paragraph is Styled by class "Center"</p>
<p class="right">This Paragraph is Styled by class "Right"</p>
<b>This is normal Bold</b> <br>
<b id="headline">This Bold Text is Styled </b>
<h2><b><a href=" ">This is a link</a></b></h2>
<h3 class="c1">The cursor over this element is plus sign</h3>
<h3 class="c2">The cursor over this element is a pointing hand</h3>
<h3 class="c3">The cursor over this element is a grasping hand</h3>
<h3 class="c4">The cursor over this element is a I bar</h3>
<h3 class="c5">The cursor over this element is a wait</h3>
<h3 class="c6">The cursor over this element is a question mark</h3>
</html>
```

Output:





Experiment-10

Aim: Consider a small topic of your choice on which you can develop static Webpages and try to implement all topics of html, CSS and Js within the topic.

Choose any one topic.

1. Your Own Portfolio
2. To-Do List
3. Survey Form
4. A Tribute Page
5. A Questionnaire

Program: Survey Form

```
<!DOCTYPE html>
```

```
<html lang="en">
```

```
<head>
```

```
    <meta charset="UTF-8">
```

```
    <meta http-equiv="X-UA-Compatible"
```

```
        content="IE=edge">
```

```
    <meta name="viewport"
```

```
        content="width=device-width, initial-scale=1.0">
```

```
<title>
```

```
    Build a Survey Form using HTML and CSS
```

```
</title>
```

```
<style>
```

```
    /* Styling the Body element i.e. Color,
```

```
    Font, Alignment */
```

```
    body {
```

```
        background-color: #05c46b;
```

```
        font-family: Verdana;
```

```
        text-align: center;
```

```
    }
```

```
    /* Styling the Form (Color, Padding, Shadow) */
```



```
form {  
    background-color: #fff;  
    max-width: 500px;  
    margin: 50px auto;  
    padding: 30px 20px;  
    box-shadow: 2px 5px 10px rgba(0, 0, 0, 0.5);  
}
```

```
/* Styling form-control Class */  
.form-control {  
    text-align: left;  
    margin-bottom: 25px;  
}
```

```
/* Styling form-control Label */  
.form-control label {  
    display: block;  
    margin-bottom: 10px;  
}
```

```
/* Styling form-control input,  
select, textarea */  
.form-control input,  
.form-control select,  
.form-control textarea {  
    border: 1px solid #777;  
    border-radius: 2px;  
    font-family: inherit;  
    padding: 10px;  
    display: block;
```



```
        width: 95%;
    }

    /* Styling form-control Radio
    button and Checkbox */
    .form-control input[type="radio"],
    .form-control input[type="checkbox"] {
        display: inline-block;
        width: auto;
    }

    /* Styling Button */
    button {
        background-color: #05c46b;
        border: 1px solid #777;
        border-radius: 2px;
        font-family: inherit;
        font-size: 21px;
        display: block;
        width: 100%;
        margin-top: 50px;
        margin-bottom: 20px;
    }
</style>
</head>

<body>
    <h1>GLBITM Survey Form</h1>

    <!-- Create Form -->
```



```
<form id="form">
```

```
<!-- Details -->
```

```
<div class="form-control">
```

```
<label for="name" id="label-name">
```

```
    Name
```

```
</label>
```

```
<!-- Input Type Text -->
```

```
<input type="text"
```

```
    id="name"
```

```
    placeholder="Enter your name" />
```

```
</div>
```

```
<div class="form-control">
```

```
<label for="email" id="label-email">
```

```
    Email
```

```
</label>
```

```
<!-- Input Type Email-->
```

```
<input type="email"
```

```
    id="email"
```

```
    placeholder="Enter your email" />
```

```
</div>
```

```
<div class="form-control">
```

```
<label for="age" id="label-age">
```

```
    Age
```

```
</label>
```



```
<!-- Input Type Text -->

<input type="text"
      id="age"
      placeholder="Enter your age" />

</div>

<div class="form-control">
  <label for="role" id="label-role">
    Which option best describes you?
  </label>

  <!-- Dropdown options -->
  <select name="role" id="role">
    <option value="student">Student</option>
    <option value="intern">Intern</option>
    <option value="professional">
      Professional
    </option>
    <option value="other">Other</option>
  </select>
</div>

<div class="form-control">
  <label>
    Would you recommend GeeksforGeeks
    to a friend?
  </label>

  <!-- Input Type Radio Button -->
  <label for="recommmed-1">
```



```
<input type="radio"
      id="recommended-1"
      name="recommended">Yes</input>
</label>
<label for="recommended-2">
      <input type="radio"
            id="recommended-2"
            name="recommended">No</input>
</label>
<label for="recommended-3">
      <input type="radio"
            id="recommended-3"
            name="recommended">Maybe</input>
</label>
</div>

<div class="form-control">
  <label>Languages and Frameworks known
    <small>(Check all that apply)</small>
  </label>
  <!-- Input Type Checkbox -->
  <label for="inp-1">
    <input type="checkbox"
          name="inp">C</input></label>
  <label for="inp-2">
    <input type="checkbox"
          name="inp">C++</input></label>
  <label for="inp-3">
    <input type="checkbox"
          name="inp">C#</input></label>
```



```
<label for="inp-4">
    <input type="checkbox"
        name="inp">Java</input></label>
<label for="inp-5">
    <input type="checkbox"
        name="inp">Python</input></label>
<label for="inp-6">
    <input type="checkbox"
        name="inp">JavaScript</input></label>
<label for="inp-7">
    <input type="checkbox"
        name="inp">React</input></label>
<label for="inp-7">
    <input type="checkbox"
        name="inp">Angular</input></label>
<label for="inp-7">
    <input type="checkbox"
        name="inp">Django</input></label>
<label for="inp-7">
    <input type="checkbox"
        name="inp">Spring</input></label>
</div>


<div class="form-control">
    <label for="comment">
        Any comments or suggestions
    </label>

    <!-- multi-line text input control -->
    <textarea name="comment" id="comment">
```

```
placeholder="Enter your comment here">
</textarea>
</div>

<!-- Multi-line Text Input Control -->
<button type="submit" value="submit">
    Submit
</button>
</form>
</body>
</html>
```

Output:-



Build a Survey Form using HTML x

File | C:/Users/HP/OneDrive/Documents/WD/glbsurvey.html

GLBITM Survey Form

Name
Enter your name

Email
Enter your email

Age
Enter your age

Which option best describes you?
Student

Would you recommend GeeksforGeeks to a friend?
☐ Yes
☐ No
☐ Maybe

Languages and Frameworks known (Check all that apply)
☐ C
☐ C++
☐ C#
☐ Java
☐ Python
☐ JavaScript
☐ React
☐ Angular
☐ Django
☐ Spring

Any comments or suggestions

Submit

Type here to search

29°C Cloudy 11:24 AM 24-09-2023