


Task 1 — Repository Initiation

1. Made a folder named intern-portfolio
2. Then made 3 files
3. Index.html
4. About.txt
5. Notes.md
6. git init : used to initialise
7. git status : to check current status of files unstaged or staged



The screenshot shows the Visual Studio Code interface with a project named 'intern-portfolio'. The Explorer sidebar on the left shows three files: 'about.txt', 'index.html', and 'notes.md', all marked with a green 'U' for untracked. The main editor area shows the 'notes.md' file with the content 'hello' on the first line. The bottom panel contains the Terminal window, which displays the output of the following commands:

```
PS D:\intern-portfolio> git init
Initialized empty Git repository in D:/intern-portfolio/.git/
PS D:\intern-portfolio> git status
On branch master

No commits yet


Untracked files:
  (use "git add <file>..." to include in what will be committed)
        about.txt
        index.html
        notes.md

nothing added to commit but untracked files present (use "git add" to track)
PS D:\intern-portfolio>
```

The status bar at the bottom indicates the current branch is 'master' and shows the file encoding as UTF-8 and line endings as CRLF.

Task 2 — Staging & Committing

1. Connected local repository with github repository using remote url
2. Then followed this steps to commit changes and push
3. And used logs to view commit history
4. Git add index.html : added index file
5. Git add about.txt: added about file
6. Git commit -m "1st commit" : committed both file to repository
7. Git add notes.md : added notes file
8. Git commit -m "2nd commit" : committed to repository
9. Git log to see commit history : used git log to see commit history




```
intern-portfolio
Update

EXPLORER
INTERN-PORTFOLIO
  about.txt
  index.html
  notes.md

notes.md
1 hello
2


TERMINAL
powershell
PS D:\intern-portfolio> git status
notes.md

nothing added to commit but untracked files present (use "git add" to track)
• PS D:\intern-portfolio> git add index.html
• PS D:\intern-portfolio> git add about.txt
• PS D:\intern-portfolio> git commit -m "1st commit index and about"
[master (root-commit) 50ebe89] 1st commit index and about
2 files changed, 3 insertions(+)
create mode 100644 about.txt
create mode 100644 index.html
• PS D:\intern-portfolio> git add notes.md
• PS D:\intern-portfolio> git commit -m "2nd commit notes.md"
[master d69169c] 2nd commit notes.md
1 file changed, 1 insertion(+)
create mode 100644 notes.md
• PS D:\intern-portfolio>
```



Task 3 — Remote Repository Setup


1. Git branch main : Made new branch main
2. Git checkout main: entered inside main branch
3. Git push -u origin main : pushed committed changes into main branch



Task 4 — Branching & Merging

1. Git branch feature-update : made new branch feature-update
2. Git checkout feature-update : entered into new branch
3. Made changes in index file added skills section in index.html
edited about file with hello
added new changed file
then commit files
4. git push --set-upstream origin feature-update : to push feature-update branch in github repository

5. git checkout main : enter into main branch
6. git merge feature-update : merged main branch and feature updated branch




The screenshot shows the Visual Studio Code interface with the Explorer sidebar on the left displaying the file structure of a project named 'intern-portfolio'. The files listed are 'about.txt', 'contact.txt', 'index.html', and 'notes.md'. The 'index.html' file is selected and its content is displayed in the main editor area. The content of 'index.html' is as follows:


```
1 <h2>Tejasvi Panoli</h2>
2 <h2>Skills</h2>
```


The bottom of the screen shows the integrated terminal with a PowerShell session. The command executed is `git push --set-upstream origin feature-contact`. The output of the command is as follows:


```
PS D:\intern-portfolio> git push --set-upstream origin feature-contact
Enumerating objects: 4, done.
Counting objects: 100% (4/4), done.
Delta compression using up to 24 threads
Compressing objects: 100% (2/2), done.
Writing objects: 100% (3/3), 362 bytes | 362.00 KiB/s, done.
Total 3 (delta 0), reused 0 (delta 0), pack-reused 0 (from 0)
remote:
remote: Create a pull request for 'feature-contact' on GitHub by visiting:
remote:   https://github.com/Tejasvi68/intern-portfolio/pull/new/feature-contact
remote:
To https://github.com/Tejasvi68/intern-portfolio.git
 * [new branch]      feature-contact -> feature-contact
branch 'feature-contact' set up to track 'origin/feature-contact'.
PS D:\intern-portfolio>
```


The status bar at the bottom indicates the current file is 'feature-contact', the cursor is at line 2, column 11, and the encoding is UTF-8. The status bar also shows 0 errors and 0 warnings.











GitHub_Pr... x Tejasvi68/... x Tejasvi68/i... x + Ask Gemini

github.com/Tejasvi68/intern-portfolioo/tree/main

main

Go to file + Code

This branch is 4 commits ahead of and 1 commit behind master.

Contribute

Tejasvi68 Merge pull request #1 from Tejasvi68/feature-update e03da74 · 2 minutes ago

about.txt Added skills section 7 minutes ago

index.html Added skills section 7 minutes ago

notes.md 2nd commit notes.md 18 minutes ago

README

Add a README

Help people interested in this repository understand your project.

Add a README

Releases


No releases published

[Create a new release](#)

Task 5 — Pull Request Workflow

In this task made new branch feature-contact

1. Added new file contact.txt with simple contact number
2. Git branch feature-contact : to make new branch
3. Made new file contact.txt
4. Git add contact.txt : added contact file
5. git push --set-upstream origin feature-contactit commit -m "new file contact.txt" : pushed new branch into repository





The screenshot shows the Visual Studio Code interface with the Explorer sidebar on the left displaying the file structure of the 'intern-portfolio' project. The Explorer shows 'INTERN-PORTFOLIO' with files 'about.txt', 'contact.txt', 'index.html', and 'notes.md'. The 'contact.txt' file is selected. The Editor pane shows the content of 'contact.txt' as '1 1234567890'. The Terminal pane at the bottom shows a series of Git commands and their outputs:


```
PS D:\intern-portfolio> git merge feature-update
2 files changed, 4 insertions(+), 2 deletions(-)
● PS D:\intern-portfolio> git add index.html
● PS D:\intern-portfolio> git add about.txt
● PS D:\intern-portfolio> git commit -m "new merged feature-update"
On branch main
Your branch is ahead of 'origin/main' by 1 commit.
(use "git push" to publish your local commits)

nothing to commit, working tree clean
● PS D:\intern-portfolio> git branch feature-contact
● PS D:\intern-portfolio> git checkout feature-contact
Switched to branch 'feature-contact'
● PS D:\intern-portfolio> git add contact.txt
● PS D:\intern-portfolio> git commit -m "new file contact.txt"
[feature-contact 533fbc5] new file contact.txt
1 file changed, 1 insertion(+)
create mode 100644 contact.txt
```

The status bar at the bottom indicates the current branch is 'feature-contact' and shows icons for file encoding (UTF-8), line endings (CRLF), and other settings.







Challenges Faced

1. Push branch

solved using fatal error

```
PS D:\intern-portfolio> git push
```

fatal: The current branch feature-contact has no upstream branch.

To push the current branch and set the remote as upstream, use

```
git push --set-upstream origin feature-contact
```

To have this happen automatically for branches without a tracking upstream, see 'push.autoSetupRemote' in 'git help config'.

Learnings

1. How to push
- 2.making branch
- 3.merging branch
- 4.commit