




INSTALLATION AND CONFIGURATION OF MUTT EMAIL TERMINAL

Presented by-
Tejaswi Gadde-
2884829

COMMAND TO UPDATE AND INSTALL MUTT TERMINAL

wget <ftp://ftp.mutt.org/pub/mutt/mutt-2.1.3.tar.gz>

```
teja123@HARINI-CHOWDARY-TEJASWI-SRIKANTH:~/cis620/p2884829$ wget ftp://ftp.mutt.org/pub/mutt/mutt-2.1.3.tar.gz
--2025-11-17 15:16:18--  ftp://ftp.mutt.org/pub/mutt/mutt-2.1.3.tar.gz
      => 'mutt-2.1.3.tar.gz'
Resolving ftp.mutt.org (ftp.mutt.org)... 64.50.236.52, 140.211.166.134, 64.50.233.100, ...
Connecting to ftp.mutt.org (ftp.mutt.org)|64.50.236.52|:21... connected.
Logging in as anonymous ... Logged in!
==> SYST ... done.    ==> PWD ... done.
==> TYPE I ... done. ==> CWD (1) /pub/mutt ... done.
==> SIZE mutt-2.1.3.tar.gz ... 5408941
==> PASV ... done.   ==> RETR mutt-2.1.3.tar.gz ... done.
Length: 5408941 (5.2M) (unauthoritative)

mutt-2.1.3.tar.gz      100%[=====>]  5.16M  665KB/s  in 10s

2025-11-17 15:16:28 (527 KB/s) - 'mutt-2.1.3.tar.gz' saved [5408941]
```

tar xzvf mutt-2.1.3.tar.gz

```
teja123@HARINI-CHOWDARY-TEJASWI-SRIKANTH:~/cis620/p2884829$ tar xzvf mutt-2.1.3.tar.gz
mutt-2.1.3/
mutt-2.1.3/main.c
mutt-2.1.3/README.SECURITY
mutt-2.1.3/sendlib.c
mutt-2.1.3/color.h
mutt-2.1.3/signal.c
mutt-2.1.3/OPS.SMIME
mutt-2.1.3/monitor.c
mutt-2.1.3/wcwidth.c
mutt-2.1.3/muttbug
mutt-2.1.3/wcscasecmp.c
mutt-2.1.3/_mutt_regex.h
mutt-2.1.3/mkdtemp.c
mutt-2.1.3/crypt-gpgme.h
mutt-2.1.3/buffy.c
mutt-2.1.3/status.c
mutt-2.1.3/GPL
mutt-2.1.3/from.c
mutt-2.1.3/crypt-mod.h
mutt-2.1.3/gettext.h
mutt-2.1.3/mh.c
mutt-2.1.3/md5.h
mutt-2.1.3/pager.h
mutt-2.1.3/gen_defs
mutt-2.1.3/mkreldate.sh
mutt-2.1.3/mutt_menu.h
mutt-2.1.3/TODO
mutt-2.1.3/mutt_ssl.c
mutt-2.1.3/mime.types
mutt-2.1.3/mx.h
mutt-2.1.3/check_sec.sh
mutt-2.1.3/mkchangelog.sh
mutt-2.1.3/txt2c.sh
mutt-2.1.3/pgpkey.c
mutt-2.1.3/doc/
mutt-2.1.3/doc/configuration.html
mutt-2.1.3/doc/tuning.html
mutt-2.1.3/doc/manual.xml.head
```

sudo apt-get install libncurses5-dev libncursesw5-dev

```
teja123@HARINI-CHOWDARY-TEJASWI-SRIKANTH:~/cis620/p2884829/mutt-2.1.3$ sudo apt-get install libncurses5-dev libncursesw5-dev
Reading package lists... Done
Building dependency tree... Done
Reading state information... Done
The following additional packages will be installed:
  libncurses-dev
Suggested packages:
  ncurses-doc
The following NEW packages will be installed:
  libncurses-dev libncurses5-dev libncursesw5-dev
0 upgraded, 3 newly installed, 0 to remove and 121 not upgraded.
Need to get 382 kB of archives.
After this operation, 2420 kB of additional disk space will be used.
Do you want to continue? [Y/n] y
Get:1 http://archive.ubuntu.com/ubuntu jammy-updates/main amd64 libncurses-dev amd64 6.3-2ubuntu0.1 [381 kB]
Get:2 http://archive.ubuntu.com/ubuntu jammy-updates/main amd64 libncurses5-dev amd64 6.3-2ubuntu0.1 [790 B]
Get:3 http://archive.ubuntu.com/ubuntu jammy-updates/main amd64 libncursesw5-dev amd64 6.3-2ubuntu0.1 [790 B]
Fetched 382 kB in 1s (511 kB/s)
Selecting previously unselected package libncurses-dev:amd64.
(Reading database ... 48169 files and directories currently installed.)
Preparing to unpack .../libncurses-dev_6.3-2ubuntu0.1_amd64.deb ...
Unpacking libncurses-dev:amd64 (6.3-2ubuntu0.1) ...
Selecting previously unselected package libncurses5-dev:amd64.
Preparing to unpack .../libncurses5-dev_6.3-2ubuntu0.1_amd64.deb ...
Unpacking libncurses5-dev:amd64 (6.3-2ubuntu0.1) ...
Selecting previously unselected package libncursesw5-dev:amd64.
Preparing to unpack .../libncursesw5-dev_6.3-2ubuntu0.1_amd64.deb ...
Unpacking libncursesw5-dev:amd64 (6.3-2ubuntu0.1) ...
Setting up libncurses-dev:amd64 (6.3-2ubuntu0.1) ...
Setting up libncursesw5-dev:amd64 (6.3-2ubuntu0.1) ...
Setting up libncurses5-dev:amd64 (6.3-2ubuntu0.1) ...
Processing triggers for man-db (2.10.2-1) ...
```

sudo apt-get install libssl-dev

```
tejal23@HARINI-CHOWDARY-TEJASWI-SRIKANTH:~/cis620/p2884829/mutt-2.1.3$ sudo apt-get install libssl-dev
Reading package lists... Done
Building dependency tree... Done
Reading state information... Done
The following additional packages will be installed:
  libssl3
Suggested packages:
  libssl-doc
The following NEW packages will be installed:
  libssl-dev
The following packages will be upgraded:
  libssl3
1 upgraded, 1 newly installed, 0 to remove and 120 not upgraded.
Need to get 4281 kB of archives.
After this operation, 12.4 MB of additional disk space will be used.
Do you want to continue? [Y/n] y
Get:1 http://archive.ubuntu.com/ubuntu jammy-updates/main amd64 libssl3 amd64 3.0.2-0ubuntu1.20 [1905 kB]
Get:2 http://archive.ubuntu.com/ubuntu jammy-updates/main amd64 libssl-dev amd64 3.0.2-0ubuntu1.20 [2376 kB]
Fetched 4281 kB in 2s (2290 kB/s)
Preconfiguring packages ...
(Reading database ... 48260 files and directories currently installed.)
Preparing to unpack .../libssl3_3.0.2-0ubuntu1.20_amd64.deb ...
Unpacking libssl3:amd64 (3.0.2-0ubuntu1.20) over (3.0.2-0ubuntu1.18) ...
Setting up libssl3:amd64 (3.0.2-0ubuntu1.20) ...
Selecting previously unselected package libssl-dev:amd64.
(Reading database ... 48260 files and directories currently installed.)
Preparing to unpack .../libssl-dev_3.0.2-0ubuntu1.20_amd64.deb ...
Unpacking libssl-dev:amd64 (3.0.2-0ubuntu1.20) ...
Setting up libssl-dev:amd64 (3.0.2-0ubuntu1.20) ...
Processing triggers for libc-bin (2.35-0ubuntu3.8) ...
```

CONFIGURE

```
./configure \ --prefix=/home/teja123/cis620/p2884829 \ --  
sysconfdir=/home/teja123/cis620/p2884829/etc \ --with-  
docdir=/home/teja123/cis620/p2884829/doc \ --with-ssl \ --enable-external-dotlock \ --enable-pop \  
--enable-imap \ --disable-hcache \ --enable-sidebar
```

```
teja123@HARINI-CHOWDARY-TEJASWI-SRIKANTH:~/cis620/p2884829/mutt-2.1.3$ ./configure \  
--prefix=/home/teja123/cis620/p2884829 \  
--sysconfdir=/home/teja123/cis620/p2884829/etc \  
--with-docdir=/home/teja123/cis620/p2884829/doc \  
--with-ssl \  
--enable-external-dotlock \  
--enable-pop \  
--enable-imap \  
--disable-hcache \  
--enable-sidebar  
checking for a BSD-compatible install... /usr/bin/install -c  
checking whether build environment is sane... yes  
checking for a thread-safe mkdir -p... /usr/bin/mkdir -p  
checking for gawk... gawk  
checking whether make sets $(MAKE)... yes  
checking whether make supports nested variables... yes  
checking whether make supports the include directive... yes (GNU style)  
checking for gcc... gcc  
checking whether the C compiler works... yes  
checking for C compiler default output file name... a.out  
checking for suffix of executables...  
checking whether we are cross compiling... no  
checking for suffix of object files... o  
checking whether we are using the GNU C compiler... yes  
checking whether gcc accepts -g... yes  
checking for gcc option to accept ISO C89... none needed  
checking whether gcc understands -c and -o together... yes  
checking dependency style of gcc... gcc3  
checking how to run the C preprocessor... gcc -E  
checking for grep that handles long lines and -e... /usr/bin/grep  
checking for egrep... /usr/bin/grep -E  
checking for ANSI C header files... yes  
checking for sys/types.h... yes  
checking for sys/stat.h... yes  
checking for stdlib.h... yes  
checking for string.h... yes  
checking for memory.h... yes  
checking for strings.h... yes  
checking for inttypes.h... yes
```


MAKE

make

```
tejal23@HARINI-CHOWDARY-TEJASWI-SRIKANTH:~/cis620/p2884829/mutt-2.1.3$ make
./gen_defs ./OPS ./OPS.SIDEBAR ./OPS.PGP ./OPS.SMIME ./OPS.CRYPT > keymap_defs.h
./patchlist.sh < ./PATCHES > patchlist.c
echo 'const char *ReleaseDate = "'$(cd . && ./mkreldate.sh)'"';' > reldate.h
gcc -DPKGDATA_DIR="/home/tejal23/cis620/p2884829/share/mutt" -DSYSCONFDIR="/home/tejal23/cis620/p2884829/etc" -DBINDIR="/home/tejal23/cis620/p2884829/bin" -DMUTTLOCALEDIR="/home/tejal23/cis620/p2884829/share/locale" -DHAVE_CONFIG_H=1 -I. -I. -I. -I./inap -Wall -pedantic -Wno-long-long -g -O2 -MT txt2c.o -MD -MP -MF .deps/txt2c.Tpo -c -o txt2c.o txt2c.c
mv -f .deps/txt2c.Tpo .deps/txt2c.Po
gcc -Wall -pedantic -Wno-long-long -g -O2 -o txt2c txt2c.o
( \
    (gcc -v >/dev/null 2>&1 && gcc -v) || \
    (gcc --version >/dev/null 2>&1 && gcc --version) || \
    (gcc -V >/dev/null 2>&1 && gcc -V) || \
    echo "unknown compiler"; \
) 2>&1 | ./txt2c.sh cc_version >conststrings.c
echo "-Wall -pedantic -Wno-long-long -g -O2" | ./txt2c.sh cc_cflags >>conststrings.c
grep ac_cs_config= config.status | \
cut -d= -f2- | \
sed -e 's/^"/' -e 's/$/"/' | ./txt2c.sh configure_options >>conststrings.c
mv -f conststrings.c conststrings.c
echo '#define MUTT_VERSION "'sh ./version.sh'"' > version.h.tmp
cmp -s version.h version.h.tmp && rm -f version.h.tmp || mv version.h.tmp version.h
make all-recursive
make[1]: Entering directory '/home/tejal23/cis620/p2884829/mutt-2.1.3'
Making all in m4
make[2]: Entering directory '/home/tejal23/cis620/p2884829/mutt-2.1.3/m4'
make[2]: Nothing to be done for 'all'.
make[2]: Leaving directory '/home/tejal23/cis620/p2884829/mutt-2.1.3/m4'
Making all in po
make[2]: Entering directory '/home/tejal23/cis620/p2884829/mutt-2.1.3/po'
make[2]: Nothing to be done for 'all'.
make[2]: Leaving directory '/home/tejal23/cis620/p2884829/mutt-2.1.3/po'
Making all in doc
make[2]: Entering directory '/home/tejal23/cis620/p2884829/mutt-2.1.3/doc'
sed -e 's,@sysconfdir@,/home/tejal23/cis620/p2884829/etc,g' -e 's,@pkgdatadir@,/home/tejal23/cis620/p2884829/share/mutt,g' -e 's,@bindir@,/home/tejal23/cis620/p2884829/bin,g' -e 's,@docdir@,/home/tejal23/cis620/p2884829/doc,g' ./mutt.man > mutt.1
sed -e 's,@sysconfdir@,/home/tejal23/cis620/p2884829/etc,g' -e 's,@pkgdatadir@,/home/tejal23/cis620/p2884829/share/mutt,g' -e 's,@bindir@,/home/tejal23/cis620/p2884829/bin,g' -e 's,@docdir@,/home/tejal23/cis620/p2884829/doc,g' ./mutt.doc > mutt.doc
```

sudo make install

```
tejal23@KHARINI-CHOWDARY-TEJASWI-SRIKANTH:~/cis620/p2884829/mutt-2.1.3$ sudo make install
echo '#define MUTT_VERSION "'sh "/version.sh""' > version.h.tmp
cmp -s version.h version.h.tmp && rm -f version.h.tmp || mv version.h.tmp version.h
make install-recursive
make[1]: Entering directory '/home/tejal23/cis620/p2884829/mutt-2.1.3'
Making install in m4
make[2]: Entering directory '/home/tejal23/cis620/p2884829/mutt-2.1.3/m4'
make[3]: Entering directory '/home/tejal23/cis620/p2884829/mutt-2.1.3/m4'
make[3]: Nothing to be done for 'install-exec-am'.
make[3]: Nothing to be done for 'install-data-am'.
make[3]: Leaving directory '/home/tejal23/cis620/p2884829/mutt-2.1.3/m4'
make[2]: Leaving directory '/home/tejal23/cis620/p2884829/mutt-2.1.3/m4'
Making install in po
make[2]: Entering directory '/home/tejal23/cis620/p2884829/mutt-2.1.3/po'
installing bg.gmo as /home/tejal23/cis620/p2884829/share/locale/bg/LC_MESSAGES/mutt.mo
installing ca.gmo as /home/tejal23/cis620/p2884829/share/locale/ca/LC_MESSAGES/mutt.mo
installing cs.gmo as /home/tejal23/cis620/p2884829/share/locale/cs/LC_MESSAGES/mutt.mo
installing da.gmo as /home/tejal23/cis620/p2884829/share/locale/da/LC_MESSAGES/mutt.mo
installing de.gmo as /home/tejal23/cis620/p2884829/share/locale/de/LC_MESSAGES/mutt.mo
installing el.gmo as /home/tejal23/cis620/p2884829/share/locale/el/LC_MESSAGES/mutt.mo
installing eo.gmo as /home/tejal23/cis620/p2884829/share/locale/eo/LC_MESSAGES/mutt.mo
installing es.gmo as /home/tejal23/cis620/p2884829/share/locale/es/LC_MESSAGES/mutt.mo
installing et.gmo as /home/tejal23/cis620/p2884829/share/locale/et/LC_MESSAGES/mutt.mo
installing eu.gmo as /home/tejal23/cis620/p2884829/share/locale/eu/LC_MESSAGES/mutt.mo
installing fi.gmo as /home/tejal23/cis620/p2884829/share/locale/fi/LC_MESSAGES/mutt.mo
installing fr.gmo as /home/tejal23/cis620/p2884829/share/locale/fr/LC_MESSAGES/mutt.mo
installing ga.gmo as /home/tejal23/cis620/p2884829/share/locale/ga/LC_MESSAGES/mutt.mo
installing gl.gmo as /home/tejal23/cis620/p2884829/share/locale/gl/LC_MESSAGES/mutt.mo
installing hu.gmo as /home/tejal23/cis620/p2884829/share/locale/hu/LC_MESSAGES/mutt.mo
installing id.gmo as /home/tejal23/cis620/p2884829/share/locale/id/LC_MESSAGES/mutt.mo
installing it.gmo as /home/tejal23/cis620/p2884829/share/locale/it/LC_MESSAGES/mutt.mo
installing ja.gmo as /home/tejal23/cis620/p2884829/share/locale/ja/LC_MESSAGES/mutt.mo
installing ko.gmo as /home/tejal23/cis620/p2884829/share/locale/ko/LC_MESSAGES/mutt.mo
installing lt.gmo as /home/tejal23/cis620/p2884829/share/locale/lt/LC_MESSAGES/mutt.mo
installing nl.gmo as /home/tejal23/cis620/p2884829/share/locale/nl/LC_MESSAGES/mutt.mo
installing pl.gmo as /home/tejal23/cis620/p2884829/share/locale/pl/LC_MESSAGES/mutt.mo
installing pt_BR.gmo as /home/tejal23/cis620/p2884829/share/locale/pt_BR/LC_MESSAGES/mutt.mo
installing ru.gmo as /home/tejal23/cis620/p2884829/share/locale/ru/LC_MESSAGES/mutt.mo
```


TO STORE CACHE MESSAGE HEADERS, BODIES AND STORE CERTIFICATES, BY USING THE FOLLOWING COMMANDS.

```
mkdir -p ~/.mutt/cache/headers
```

```
mkdir ~/.mutt/certificates
```

```
mkdir ~/.mutt/cache/bodies
```

```
touch ~/.mutt/certificates
```

```
teja123@HARINI-CHOWDARY-TEJASWI-SRIKANTH:~/cis620/p2884829/mutt-2.1.3$ mkdir -p ~/.mutt/cache/headers
teja123@HARINI-CHOWDARY-TEJASWI-SRIKANTH:~/cis620/p2884829/mutt-2.1.3$ mkdir ~/.mutt/certificates
teja123@HARINI-CHOWDARY-TEJASWI-SRIKANTH:~/cis620/p2884829/mutt-2.1.3$ mkdir ~/.mutt/cache/bodies
teja123@HARINI-CHOWDARY-TEJASWI-SRIKANTH:~/cis620/p2884829/mutt-2.1.3$ touch ~/.mutt/certificates
teja123@HARINI-CHOWDARY-TEJASWI-SRIKANTH:~/cis620/p2884829/mutt-2.1.3$ touch ~/.mutt/muttrc
teja123@HARINI-CHOWDARY-TEJASWI-SRIKANTH:~/cis620/p2884829/mutt-2.1.3$ |
```

NOW OPEN THE CONFIGURATION FILE USING VIM EDITOR


```
vim ~/.mutt/muttrc
```

COPY THE FOLLOWING CODE IN THE MUTTRC FILE

```
teja123@HARINI-CHOWD: ~  
|  
set from = "tejaswimuttconfig@gmail.com"  
set realname = "Tejaswi Gadde"  
set use_from = yes  
  
set imap_user = "tejaswimuttconfig@gmail.com"  
set imap_pass = "hvbzbwtncrjyanze"  
  
set folder = "imap://imap.gmail.com/"  
set spoolfile = "imap://imap.gmail.com/INBOX"  
set postponed = "imap://imap.gmail.com/[Gmail]/Drafts"  
set record = "imap://imap.gmail.com/[Gmail]/Sent Mail"  
set trash = "imap://imap.gmail.com/[Gmail]/Trash"  
set mbox = "imap://imap.gmail.com/[Gmail]/All Mail"  
  
# Using msmtplib is recommended (avoids mutt smtp errors)  
set sendmail = "/usr/bin/msmtplib"  
  
#set header_cache = "~/.mutt/cache/headers"  
#set message_cachedir = "~/.mutt/cache/bodies"  
#set certificate_file = "~/.mutt/certificates"  
  
unset use_domain  
set editor = "vim"  
set ssl_force_tls = yes  
set charset = "UTF-8"  
  
-- INSERT --  
1,1 All
```

5°C Mostly clear 6:32 PM 11/17/2025

OPEN THE GMAIL ACCOUNT AND ENABLE LESS SECURE APP ON



TYPE THE FOLLOWING COMMAND

```
/home/teja123/cis620/p2884829/bin/mutt
```

The open command open the mailing terminal like the below image

MUTT MAIL TERMINAL


```
teja123@HARINI-CHOWDARY x + -
q:Quit d:Del u:Undel s:Save m:Mail r:Reply g:Group ?:Help
1 0 + Oct 31 Google ( 11K) 2-Step Verification turned on
2      Oct 31      ( 12K)
3 0 + Oct 31 Google ( 11K) Security alert
4 0 + Oct 31 Google ( 11K) Security alert
5 0 + Oct 31 Google ( 11K) Security alert
6 0 + Nov 05 Google (9.5K) Google Verification Code
7 0 + Nov 05 Google ( 11K) Security alert
8 0 + Nov 05 Google ( 11K) Security alert
9 0 + Nov 05 Google ( 11K) Security alert
10 0 + Nov 05 Google ( 11K) Security alert
11 0 + Nov 17 Google ( 11K) Security alert
12 0 + Nov 17 Google ( 11K) Security alert
13 0 + Nov 17 Google ( 11K) Security alert

---Mutt: =INBOX [Msgs:13 Old:12 Post:1 149K]---(date/date)-----all-----

5°C Mostly clear
Search
6:34 PM 11/17/2025
```

TO SEND THE MAIL PRESS OPTION 'M' FROM THE KEYBOARD.


The following Screen will display type to address in below the editor and then press enter



```
teja123@HARINI-CHOWDARY
q:Quit d:Del u:Undel s:Save m:Mail r:Reply g:Group ?:Help
1 0 + Oct 31 Google ( 11K) 2-Step Verification turned on
2 0 + Oct 31 Google ( 12K)
3 0 + Oct 31 Google ( 11K) Security alert
4 0 + Oct 31 Google ( 11K) Security alert
5 0 + Oct 31 Google ( 11K) Security alert
6 0 + Nov 05 Google (9.5K) Google Verification Code
7 0 + Nov 05 Google ( 11K) Security alert
8 0 + Nov 05 Google ( 11K) Security alert
9 0 + Nov 05 Google ( 11K) Security alert
10 0 + Nov 05 Google ( 11K) Security alert
11 0 + Nov 17 Google ( 11K) Security alert
12 0 + Nov 17 Google ( 11K) Security alert
13 0 + Nov 17 Google ( 11K) Security alert

-----Mutt: =INBOX [Msgs:13 Old:12 Post:1 149K]--(date/date)--(all)-----
To: tejaswigadde17@gmail.com
```


THEN ENTER THE SUBJECT OF THE MAIL




```
tjs123@HARINI-CHOWDARY
q:Quit d:Del u:Undel s:Save m:Mail r:Reply g:Group ?:Help
1 0 + Oct 31 Google ( 11K) 2-Step Verification turned on
2 0 + Oct 31 Google ( 12K)
3 0 + Oct 31 Google ( 11K) Security alert
4 0 + Oct 31 Google ( 11K) Security alert
5 0 + Oct 31 Google ( 11K) Security alert
6 0 + Nov 05 Google (9.5K) Google Verification Code
7 0 + Nov 05 Google ( 11K) Security alert
8 0 + Nov 05 Google ( 11K) Security alert
9 0 + Nov 05 Google ( 11K) Security alert
10 0 + Nov 05 Google ( 11K) Security alert
11 0 + Nov 17 Google ( 11K) Security alert
12 0 + Nov 17 Google ( 11K) Security alert
13 0 + Nov 17 Google ( 11K) Security alert

--Mutt: =INBOX [Msgs:13 Old:12 Post:1 149K]--(date/date)--(all)
Subject: Test123
```

THEN TYPE THE BODY OF THE MAIL



PRESS Y TO SEND THE MAIL



```
teja123@HARINI-CHOWDARY
v:Send q:Abort t:lo c:CC s:Subj a:Attach file d:Descrip ?:Help
  From: Tejaswi Gadde <tejaswimuttconfig@gmail.com>
  To: tejaswigadde17@gmail.com
  Cc:
  Bcc:
  Subject: Test123
  Reply-To:
  Fcc: =[Gmail]/Sent Mail
  Security: None

-- Attachments
- 1      1 /tmp/mutt-HARINI-CHOWDARY-TEJASWI-SRIKAN                      [text/plain, 7bit, us-ascii, 0.1K]

-- Mutt: Compose [Approx. msg size: 0.1K  Atts: 1]-----

5°C
Mostly clear
Search
6:40 PM
11/17/2025
```

MAIL SENT SUCCESSFULLY

```
teja123@HARINI-CHOWDARY x + ~
q:Quit d:Del u:Undel s:Save m:Mail r:Reply g:Group ? :Help
1 0 + Oct 31 Google ( 11K) 2-Step Verification turned on
2      Oct 31      ( 12K)
3 0 + Oct 31 Google ( 11K) Security alert
4 0 + Oct 31 Google ( 11K) Security alert
5 0 + Oct 31 Google ( 11K) Security alert
6 0 + Nov 05 Google (9.5K) Google Verification Code
7 0 + Nov 05 Google ( 11K) Security alert
8 0 + Nov 05 Google ( 11K) Security alert
9 0 + Nov 05 Google ( 11K) Security alert
10 0 + Nov 05 Google ( 11K) Security alert
11 0 + Nov 17 Google ( 11K) Security alert
12 0 + Nov 17 Google ( 11K) Security alert
13 0 + Nov 17 Google ( 11K) Security alert

---Mutt: =INBOX [Msgs:13 Old:12 Post:1 149K]---(date/date)-----
Mail sent.-----(all)-----
```

5°C Mostly clear Search 6:43 PM 11/17/2025

