

Mutt

Tejaswi Gadde
2884829

What is Mutt?

- Mutt is a text-based email client for Linux/Unix systems.
- Runs entirely in the terminal, making it very fast and lightweight.
- Supports modern email features like IMAP, POP, SMTP (via msmtplib), SSL/TLS, and attachments.
- Highly customizable and ideal for servers, remote SSH systems, and technical users.

How Mutt Is Used

- Used to read, send, and manage email directly from the command line.
- Works with Gmail, Outlook, and any IMAP/POP mail server.
- Commonly used by system administrators and developers for quick mail operations.
- Combined with msmtplib, it can send secure email using Gmail App Passwords.


Package Installation

- Installed using apt
- Pre-built by Ubuntu
- Fast and easy
- Default path: `/usr/bin/mutt`
- Automatically updated

Package Installation commands


- `sudo apt update`
- `sudo apt upgrade -y`
- `sudo apt install mutt -y`
- `sudo apt install vim -y`
- `mutt -v`
- `sudo apt install msmtplib msmtplib-mta -y`

sudo apt update

A terminal window titled 'vboxuser@Ubuntu-Regular: ~/cis620/p2884829' with a timestamp of 'Nov 20 15:16'. The window shows the execution of 'sudo apt update'. It starts with a password prompt for 'vboxuser'. The output lists 24 GET requests to various Ubuntu mirrors for different components like 'noble-security', 'noble-updates', 'noble-backports', and 'noble-updates/main'. It shows the total size of the fetched data (7,597 kB) and the time taken (4s). The process then reads package lists, builds a dependency tree, and reads state information. Finally, it reports that 103 packages can be upgraded and suggests running 'apt list --upgradable' to see them.

```
vboxuser@Ubuntu-Regular:~/cis620$ cd p2884829
vboxuser@Ubuntu-Regular:~/cis620/p2884829$ sudo apt update
[sudo] password for vboxuser:
Get:1 http://security.ubuntu.com/ubuntu noble-security InRelease [126 kB]
Hit:2 http://us.archive.ubuntu.com/ubuntu noble InRelease
Get:3 http://us.archive.ubuntu.com/ubuntu noble-updates InRelease [126 kB]
Get:4 http://us.archive.ubuntu.com/ubuntu noble-backports InRelease [126 kB]
Get:5 http://us.archive.ubuntu.com/ubuntu noble-updates/main amd64 Packages [1,611 kB]
Get:6 http://us.archive.ubuntu.com/ubuntu noble-updates/main Translation-en [302 kB]
Get:7 http://us.archive.ubuntu.com/ubuntu noble-updates/main amd64 Components [175 kB]
Get:8 http://us.archive.ubuntu.com/ubuntu noble-updates/main amd64 c-n-f Metadata [15.7 kB]
Get:9 http://us.archive.ubuntu.com/ubuntu noble-updates/restricted amd64 Packages [2,289 kB]
Get:10 http://us.archive.ubuntu.com/ubuntu noble-updates/restricted Translation-en [519 kB]
Get:11 http://us.archive.ubuntu.com/ubuntu noble-updates/restricted amd64 Components [212 B]
Get:12 http://us.archive.ubuntu.com/ubuntu noble-updates/universe amd64 Packages [1,500 kB]
Get:13 http://us.archive.ubuntu.com/ubuntu noble-updates/universe Translation-en [304 kB]
Get:14 http://us.archive.ubuntu.com/ubuntu noble-updates/universe amd64 Components [378 kB]
Get:15 http://us.archive.ubuntu.com/ubuntu noble-updates/universe amd64 c-n-f Metadata [31.4 kB]
Get:16 http://us.archive.ubuntu.com/ubuntu noble-updates/multiverse amd64 Components [940 B]
Get:17 http://us.archive.ubuntu.com/ubuntu noble-backports/main amd64 Components [7,156 B]
Get:18 http://us.archive.ubuntu.com/ubuntu noble-backports/restricted amd64 Components [212 B]
Get:19 http://us.archive.ubuntu.com/ubuntu noble-backports/universe amd64 Components [11.0 kB]
Get:20 http://us.archive.ubuntu.com/ubuntu noble-backports/multiverse amd64 Components [212 B]
Get:21 http://security.ubuntu.com/ubuntu noble-security/main amd64 Components [21.5 kB]
Get:22 http://security.ubuntu.com/ubuntu noble-security/restricted amd64 Components [212 B]
Get:23 http://security.ubuntu.com/ubuntu noble-security/universe amd64 Components [52.3 kB]
Get:24 http://security.ubuntu.com/ubuntu noble-security/multiverse amd64 Components [208 B]
Fetched 7,597 kB in 4s (1,851 kB/s)
Reading package lists... Done
Building dependency tree... Done
Reading state information... Done
103 packages can be upgraded. Run 'apt list --upgradable' to see them.
vboxuser@Ubuntu-Regular:~/cis620/p2884829$ sudo apt upgrade -y
```

sudo apt upgrade -y




```
Nov 20 15:18
vboxuser@Ubuntu-Regular: ~/cis620/p2884829
vboxuser@Ubuntu-Regular:~/cis620/p2884829$ sudo apt upgrade -y
Reading package lists... Done
Building dependency tree... Done
Reading state information... Done
Calculating upgrade... Done
The following package was automatically installed and is no longer required:
  libllvm19
Use 'sudo apt autoremove' to remove it.
The following NEW packages will be installed:
  libllvm20 linux-headers-6.14.0-36-generic linux-hwe-6.14-headers-6.14.0-36 linux-hwe-6.14-tools-6.14.0-36
  linux-image-6.14.0-36-generic linux-modules-6.14.0-36-generic linux-modules-extra-6.14.0-36-generic
  linux-tools-6.14.0-36-generic
The following upgrades have been deferred due to phasing:
  gir1.2-gtk-4.0 gir1.2-nm-1.0 gir1.2-packagekitglib-1.0 gnome-shell gnome-shell-common gstreamer1.0-packagekit
  libdrm-amdgpu1 libdrm-common libdrm-intel1 libdrm-nouveau2 libdrm-radeon1 libdrm2 libgtk-4-1 libgtk-4-bin
  libgtk-4-common libgtk-4-media-gstreamer libnm0 libpackagekit-glib2-18 network-manager
  network-manager-config-connectivity-ubuntu packagekit packagekit-tools
The following packages will be upgraded:
  bluez bluez-cups bluez-obexd cloud-init coreutils dconf-cli dconf-gsettings-backend dconf-service distro-info-data
  fwupd gdm3 gir1.2-gdm-1.0 gnome-control-center gnome-control-center-data gnome-control-center-faces
  gnome-remote-desktop gnome-shell-extension-desktop-icons-ng libbluetooth3 libdconf1 libegl-mesa0 libfwupd2 libgbm1
  libgdm1 libglib-mesa-dri libglx-mesa0 libgtop-2.0-11 libgtop2-common libipa-hbac0t64 libmalcontent-0-0 libnss-sss
  libnss-systemd libpam-sss libpam-systemd libsss-certmap0 libsss-idmap0 libsss-nss-idmap0 libsystemd-shared
  libsystemd0 libudev1 libwireplumber-0.4-0 libxatracker2 linux-generic-hwe-24.04 linux-headers-generic-hwe-24.04
  linux-image-generic-hwe-24.04 linux-libc-dev linux-tools-common mesa-libgallium mesa-vulkan-drivers openssh-client
  openvpn powermgmt-base python3-software-properties python3-sss snapd software-properties-common
  software-properties-gtk sssd sssd-ad sssd-ad-common sssd-common sssd-ipa sssd-krb5 sssd-krb5-common sssd-ldap
  sssd-proxy systemd systemd-dev systemd-hwe-hwdb systemd-oomd systemd-resolved systemd-sysv systemd-timesyncd tcpdump
  tecla ubuntu-drivers-common udev wireplumber wpasupplicant xdg-dbus-proxy xserver-xorg-video-nouveau
  xserver-xorg-video-vesa
81 upgraded, 8 newly installed, 0 to remove and 22 not upgraded.
Need to get 321 MB of archives.
After this operation, 444 MB of additional disk space will be used.
```

sudo apt install mutt -y

```
Nov 20 15:20
vboxuser@Ubuntu-Regular: ~/cis620/p2884829
vboxuser@Ubuntu-Regular:~/cis620/p2884829$ sudo apt install mutt -y
Reading package lists... Done
Building dependency tree... Done
Reading state information... Done
The following package was automatically installed and is no longer required:
  libllvm19
Use 'sudo apt autoremove' to remove it.
The following additional packages will be installed:
  bzip2 gssasl-common libgssasl18 libgssglue1 libntlm0 libtokyocabinet9t64 mailcap
Suggested packages:
  bzip2-doc default-mta | mail-transport-agent urlview
The following NEW packages will be installed:
  bzip2 gssasl-common libgssasl18 libgssglue1 libntlm0 libtokyocabinet9t64 mailcap mutt
0 upgraded, 8 newly installed, 0 to remove and 22 not upgraded.
Need to get 1,608 kB of archives.
After this operation, 6,304 kB of additional disk space will be used.
Get:1 http://us.archive.ubuntu.com/ubuntu noble-updates/main amd64 bzip2 amd64 1.0.8-5.1build0.1 [34.5 kB]
Get:2 http://us.archive.ubuntu.com/ubuntu noble/main amd64 gssasl-common all 2.2.1-1willsync1build2 [5,056 B]
Get:3 http://us.archive.ubuntu.com/ubuntu noble/main amd64 libgssglue1 amd64 0.9-1build1 [20.7 kB]
Get:4 http://us.archive.ubuntu.com/ubuntu noble/main amd64 libntlm0 amd64 1.7-1build1 [19.4 kB]
Get:5 http://us.archive.ubuntu.com/ubuntu noble/main amd64 libgssasl18 amd64 2.2.1-1willsync1build2 [72.8 kB]
Get:6 http://us.archive.ubuntu.com/ubuntu noble/main amd64 libtokyocabinet9t64 amd64 1.4.48-15.1build1 [398 kB]
Get:7 http://us.archive.ubuntu.com/ubuntu noble/main amd64 mailcap all 3.70+nmu1ubuntu1 [23.8 kB]
Get:8 http://us.archive.ubuntu.com/ubuntu noble/main amd64 mutt amd64 2.2.12-0.1build4 [1,033 kB]
Fetched 1,608 kB in 1s (2,145 kB/s)
Selecting previously unselected package bzip2.
(Reading database ... 189693 files and directories currently installed.)
Preparing to unpack .../0-bzip2_1.0.8-5.1build0.1_amd64.deb ...
Unpacking bzip2 (1.0.8-5.1build0.1) ...
Selecting previously unselected package gssasl-common.
Preparing to unpack .../1-gssasl-common_2.2.1-1willsync1build2_all.deb ...
Unpacking gssasl-common (2.2.1-1willsync1build2) ...
Selecting previously unselected package libgssglue1:amd64
```

`sudo apt install vim -y`



```
Nov 20 15:22
vboxuser@Ubuntu-Regular: ~/cis620/p2884829

Processing triggers for gnome-menus (3.36.0-1ubuntu3) ...
vboxuser@Ubuntu-Regular:~/cis620/p2884829$ sudo apt install vim -y
Reading package lists... Done
Building dependency tree... Done
Reading state information... Done
The following package was automatically installed and is no longer required:
  liblvm19
Use 'sudo apt autoremove' to remove it.
The following additional packages will be installed:
  libsodium23 vim-runtime
Suggested packages:
  ctags vim-doc vim-scripts
The following NEW packages will be installed:
  libsodium23 vim vim-runtime
0 upgraded, 3 newly installed, 0 to remove and 22 not upgraded.
Need to get 9,324 kB of archives.
After this operation, 42.0 MB of additional disk space will be used.
Get:1 http://us.archive.ubuntu.com/ubuntu noble/main amd64 libsodium23 amd64 1.0.18-1build3 [161 kB]
Get:2 http://us.archive.ubuntu.com/ubuntu noble-updates/main amd64 vim-runtime all 2:9.1.0016-1ubuntu7.9 [7,281 kB]
Get:3 http://us.archive.ubuntu.com/ubuntu noble-updates/main amd64 vim amd64 2:9.1.0016-1ubuntu7.9 [1,881 kB]
Fetched 9,324 kB in 1s (10.4 MB/s)
Selecting previously unselected package libsodium23:amd64.
(Reading database ... 189856 files and directories currently installed.)
Preparing to unpack .../libsodium23_1.0.18-1build3_amd64.deb ...
Unpacking libsodium23:amd64 (1.0.18-1build3) ...
Selecting previously unselected package vim-runtime.
Preparing to unpack .../vim-runtime_2%3a9.1.0016-1ubuntu7.9_all.deb ...
Adding 'diversion of /usr/share/vim/vim91/doc/help.txt to /usr/share/vim/vim91/doc/help.txt.vim-tiny by vim-runtime'
Adding 'diversion of /usr/share/vim/vim91/doc/tags to /usr/share/vim/vim91/doc/tags.vim-tiny by vim-runtime'
Unpacking vim-runtime (2:9.1.0016-1ubuntu7.9) ...
Selecting previously unselected package vim.
Preparing to unpack .../vim_2%3a9.1.0016-1ubuntu7.9_amd64.deb ...
Unpacking vim (2:9.1.0016-1ubuntu7.9) ...
```

mutt -v

```
vboxuser@Ubuntu-Regular:~/cis620/p2884829$ mutt -v
Mutt 2.2.12 (2023-09-09)
Copyright (C) 1996-2023 Michael R. Elkins and others.
Mutt comes with ABSOLUTELY NO WARRANTY; for details type `mutt -vv'.
Mutt is free software, and you are welcome to redistribute it
under certain conditions; type `mutt -vv' for details.

System: Linux 6.14.0-35-generic (x86_64)
ncurses: ncurses 6.4.20240113 (compiled with 6.4)
libidn2: 2.3.7 (compiled with 2.3.7)
hcache backend: tokyocabinet 1.4.48

Compiler:
Using built-in specs.
COLLECT_GCC=gcc
COLLECT_LTO_WRAPPER=/usr/libexec/gcc/x86_64-linux-gnu/13/lto-wrapper
OFFLOAD_TARGET_NAMES=nvptx-none:amdgc-nvptx-amdhsa
OFFLOAD_TARGET_DEFAULT=1
Target: x86_64-linux-gnu
Configured with: ../src/configure -v --with-pkgversion='Ubuntu 13.2.0-23ubuntu3' --with-bugurl=file:///usr/share/doc/gcc-13/README.Bugs --enable-languages=c,ada,c++,go,d,fortran,objc,obj-c++,m2 --prefix=/usr --with-gcc-major-version-only --program-suffix=-13 --program-prefix=x86_64-linux-gnu- --enable-shared --enable-linker-build-id --libexecdir=/usr/libexec --without-included-gettext --enable-threads=posix --libdir=/usr/lib --enable-nls --enable-clocale=gnu --enable-libstdc-x-debug --enable-libstdcxx-time=yes --with-default-libstdcxx-abi=new --enable-libstdcxx-backtrace --enable-gnu-unique-object --disable-vtable-verify --enable-plugin --enable-default-pie --with-system-zlib --enable-libphobos-checking=release --with-target-system-zlib=auto --enable-objc-gc=auto --enable-multiarch --disable-werror --enable-cet --with-arch-32=i686 --with-abi=m64 --with-multilib-list=m32,m64,mx32 --enable-multilib --with-tune=generic --enable-offload-targets=nvptx-none=/build/gcc-13-0iuXZC/gcc-13-13.2.0/debian/tmp-nvptx/usr,amdgc-nvptx-amdhsa=/build/gcc-13-0iuXZC/gcc-13-13.2.0/debian/tmp-gcn/usr --enable-offload-defaulted --without-cuda-driver --enable-checking=release --build=x86_64-linux-gnu --host=x86_64-linux-gnu
```

```
sudo apt install msmtplib msmtplib-mta -y
```

```
vboxuser@Ubuntu-Regular:~$ sudo apt install msmtplib msmtplib-mta -y
Reading package lists... Done
Building dependency tree... Done
Reading state information... Done
The following package was automatically installed and is no longer required:
  libllvm19
Use 'sudo apt autoremove' to remove it.
The following NEW packages will be installed:
  msmtplib msmtplib-mta
0 upgraded, 2 newly installed, 0 to remove and 22 not upgraded.
Need to get 194 kB of archives.
After this operation, 720 kB of additional disk space will be used.
Get:1 http://us.archive.ubuntu.com/ubuntu noble/universe amd64 msmtplib amd64 1.8.24-1build2 [174 kB]
Get:2 http://us.archive.ubuntu.com/ubuntu noble/universe amd64 msmtplib-mta amd64 1.8.24-1build2 [20.5 kB]
Fetched 194 kB in 0s (611 kB/s)
Preconfiguring packages ...
Selecting previously unselected package msmtplib.
(Reading database ... 192015 files and directories currently installed.)
Preparing to unpack .../msmtplib_1.8.24-1build2_amd64.deb ...
Unpacking msmtplib (1.8.24-1build2) ...
Selecting previously unselected package msmtplib-mta.
Preparing to unpack .../msmtplib-mta_1.8.24-1build2_amd64.deb ...
Unpacking msmtplib-mta (1.8.24-1build2) ...
Setting up msmtplib (1.8.24-1build2) ...
Setting up msmtplib-mta (1.8.24-1build2) ...
msmtplib.service is a disabled or a static unit, not starting it.
Processing triggers for man-db (2.12.0-4build2) ...
Processing triggers for install-info (7.1-3build2) ...
vboxuser@Ubuntu-Regular:~$
```

After that create a editor : vim ~/.msmtprc and enter the following lines into the editor.

defaults

auth on

tls on

tls_trust_file /etc/ssl/certs/ca-certificates.crt

logfile ~/.msmtp.log

account gmail

host smtp.gmail.com

port 587

from tejaswimuttconfig@gmail.com

user tejaswimuttconfig@gmail.com


Password : hvbzbwtnsrjyanzw

account default : gmail


After that create a folder and then editor : `mkdir -p ~/.mutt`
`vim ~/.mutt/muttrc` enter below lines inside the editor and save it.

```
set from = "tejaswimuttconfig@gmail.com"
set realname = "Tejaswi Gadde"
set use_from = yes
set imap_user = "tejaswimuttconfig@gmail.com"
set imap_pass = "hvbzbwtnsrjyanzw"
set folder = "imaps://imap.gmail.com/"
set spoolfile = "imaps://imap.gmail.com/INBOX"
set postponed = "imaps://imap.gmail.com/[Gmail]/Drafts"
set record = "imaps://imap.gmail.com/[Gmail]/Sent Mail"
set trash = "imaps://imap.gmail.com/[Gmail]/Trash"
set mbox = "imaps://imap.gmail.com/[Gmail]/All Mail"
# Using msmtplib is recommended (avoids mutt smtp errors)
set sendmail = "/usr/bin/msmtplib"
unset use_domain
set editor = "vim"
set ssl_force_tls = yes
set charset = "UTF-8"
```

After that type mutt and click enter



After that type m to send Mail and enter To address as shown below and click enter




The image shows a terminal window with the Mutt email client interface. The top status bar is blue with white text showing navigation shortcuts: q:Quit, d:Del, u:Undel, s:Save, m:Mail, r:Reply, g:Group, and ?:Help. The main body of the terminal is dark blue. At the bottom, there is a blue status bar with white text that reads: ---Mutt: (no mailbox) [Msgs:0 Post:1]---(threads/date)-----all)---. Below this status bar, the text 'To: 2893938@vikes.csuohio.edu' is displayed in white on a dark background.

```
q:Quit d:Del u:Undel s:Save m:Mail r:Reply g:Group ?:Help

---Mutt: (no mailbox) [Msgs:0 Post:1]---(threads/date)-----all)---
To: 2893938@vikes.csuohio.edu
```

It will ask for subject as shown below, enter the required subject and click enter

A screenshot of the Mutt email client interface. The top status bar is blue with green text showing navigation shortcuts: q:Quit, d:Del, u:Undel, s:Save, m:Mail, r:Reply, g:Group, and ?:Help. The main area is dark blue. At the bottom, a blue status bar displays: ---Mutt: (no mailbox) [Msgs:0 Post:1]---(threads/date)-----all)---. Below this, the prompt 'Subject: Test from Package' is shown with a white cursor at the end.

```
q:Quit d:Del u:Undel s:Save m:Mail r:Reply g:Group ?:Help

---Mutt: (no mailbox) [Msgs:0 Post:1]---(threads/date)-----all)---
Subject: Test from Package
```

It will take me to the editor where I can enter body of the mail, after entering save it by typing Esc
:wq



The image shows a screenshot of a Vim text editor window. The title bar at the top reads "Test from Package". The main editing area is dark purple and contains a series of tilde (~) characters on the left side, indicating a list of lines. At the bottom left, the status line shows "-- INSERT --". At the bottom right, the status line shows "1,18" and "All". A small red dot is visible in the lower right area of the editor.

After saving we can see below page appears where you need to click 'y' to send the mail

```
y:Send q:Abort t:To c:CC s:Subj a:Attach file d:Descrip ?:Help
From: Tejaswi Gadde <tejaswimuttconfig@gmail.com>
To: 2893938@vikes.csuohio.edu
Cc:
Bcc:
Subject: Test from Package
Reply-To:
Fcc: =[Gmail]/Sent Mail
Mix: <no chain defined>
Security: None

-- Attachments
- I      1 /var/tmp/mutt-Ubuntu-Regular-1000-2681-9 [text/plain, 7bit, us-ascii, 0.1K]

-- Mutt: Compose [Approx. msg size: 0.1K  Atts: 1]-----
```

After successfully sending the mail we can see 'mail sent' as shown in the screenshot

```
q:Quit d:Del u:Undel s:Save m:Mail r:Reply g:Group ?:Help
---Mutt: (no mailbox) [Msgs:0 Post:1]---(threads/date)-----all)---
Mail sent.
```

Source Installation

- From tar.gz source code
- `configure` → `make` → `make install`
- Custom installation path
- You choose features (IMAP, POP, sidebar)
- Learn dependencies and Linux build process

wget ftp://ftp.mutt.org/pub/mutt/mutt-2.1.3.tar.gz

```
vboxuser@Ubuntu-Mutt:~$ wget ftp://ftp.mutt.org/pub/mutt/mutt-2.1.3.tar.gz
--2025-11-20 15:31:14-- ftp://ftp.mutt.org/pub/mutt/mutt-2.1.3.tar.gz
      => 'mutt-2.1.3.tar.gz'
Resolving ftp.mutt.org (ftp.mutt.org)... 140.211.166.134, 64.50.233.100, 64.50.236.52, ...
Connecting to ftp.mutt.org (ftp.mutt.org)|140.211.166.134|:21... connected.
Logging in as anonymous ... Logged in!
==> SYST ... done.      ==> PWD ... done.
==> TYPE I ... done.    ==> CWD (1) /pub/mutt ... done.
==> SIZE mutt-2.1.3.tar.gz ... 5408941
==> PASV ... done.      ==> RETR mutt-2.1.3.tar.gz ... done.
Length: 5408941 (5.2M) (unauthoritative)

mutt-2.1.3.tar.gz          100%[=====>]  5.16M  4.26MB/s   in 1.2s

2025-11-20 15:31:17 (4.26 MB/s) - 'mutt-2.1.3.tar.gz' saved [5408941]

vboxuser@Ubuntu-Mutt:~$ █
```

tar xzvf mutt-2.1.3.tar.gz

```
vboxuser@Ubuntu-Mutt:~/Downloads$ tar xzvf mutt-2.1.3.tar.gz
mutt-2.1.3/
mutt-2.1.3/main.c
mutt-2.1.3/README.SECURITY
mutt-2.1.3/sendlib.c
mutt-2.1.3/color.h
mutt-2.1.3/signal.c
mutt-2.1.3/OPS.SMIME
mutt-2.1.3/monitor.c
mutt-2.1.3/wcwidth.c
mutt-2.1.3/muttbug
mutt-2.1.3/wcscasecmp.c
mutt-2.1.3/_mutt_regex.h
mutt-2.1.3/mkdtemp.c
mutt-2.1.3/crypt-gpgme.h
mutt-2.1.3/buffy.c
mutt-2.1.3/status.c
mutt-2.1.3/GPL
mutt-2.1.3/from.c
mutt-2.1.3/crypt-mod.h
mutt-2.1.3/gettext.h
mutt-2.1.3/mh.c
mutt-2.1.3/md5.h
mutt-2.1.3/pager.h
mutt-2.1.3/gen_defs
mutt-2.1.3/mkreldate.sh
mutt-2.1.3/mutt_menu.h
mutt-2.1.3/TODO
mutt-2.1.3/mutt_ssl.c
mutt-2.1.3/mime.types
mutt-2.1.3/mx.h
```

sudo apt-get install libncurses5-dev libncursesw5-dev

```
vboxuser@Ubuntu-Mutt:~/Downloads$ cd mutt-2.1.3
vboxuser@Ubuntu-Mutt:~/Downloads/mutt-2.1.3$ sudo apt-get install libncurses5-dev libncursesw5-dev
[sudo] password for vboxuser:
Reading package lists... Done
Building dependency tree... Done
Reading state information... Done
Note, selecting 'libncurses-dev' instead of 'libncurses5-dev'
Note, selecting 'libncurses-dev' instead of 'libncursesw5-dev'
libncurses-dev is already the newest version (6.4+20240113-1ubuntu2).
0 upgraded, 0 newly installed, 0 to remove and 109 not upgraded.
vboxuser@Ubuntu-Mutt:~/Downloads/mutt-2.1.3$
```

```
sudo apt-get install libssl-dev
```

```
vboxuser@Ubuntu-Mutt:~/Downloads/mutt-2.1.3$ sudo apt-get install libssl-dev  
Reading package lists... Done  
Building dependency tree... Done  
Reading state information... Done  
libssl-dev is already the newest version (3.0.13-0ubuntu3.6).  
0 upgraded, 0 newly installed, 0 to remove and 109 not upgraded.  
vboxuser@Ubuntu-Mutt:~/Downloads/mutt-2.1.3$
```

```
./configure --prefix=/home/vboxuser/cis620/p2884829 --sysconfdir=/home/vboxuser/cis620/p2884829/etc --with-docdir=/home/vboxuser/cis620/p2884829/doc --with-ssl --enable-external-dotlock --enable-pop --enable-imap --disable-hcache --enable-sidebar
```

```
./configure: command not found
vboxuser@Ubuntu-Mutt:~/Downloads/mutt-2.1.3$ ./configure --prefix=/home/vboxuser/cis620/p2884829 --sysconfdir=/home/vboxuser/cis620/p2884829/etc --with-docdir=/home/vboxuser/cis620/p2884829/doc --with-ssl --enable-external-dotlock --enable-pop --enable-imap --disable-hcache --enable-sidebar
checking for a BSD-compatible install... /usr/bin/install -c
checking whether build environment is sane... yes
checking for a thread-safe mkdir -p... /usr/bin/mkdir -p
checking for gawk... no
checking for mawk... mawk
checking whether make sets $(MAKE)... yes
checking whether make supports nested variables... yes
checking whether make supports the include directive... yes (GNU style)
checking for gcc... gcc
checking whether the C compiler works... yes
checking for C compiler default output file name... a.out
checking for suffix of executables...
checking whether we are cross compiling... no
checking for suffix of object files... o
checking whether we are using the GNU C compiler... yes
checking whether gcc accepts -g... yes
checking for gcc option to accept ISO C89... none needed
checking whether gcc understands -c and -o together... yes
```

make

```
vboxuser@Ubuntu-Mutt:~/Downloads/mutt-2.1.3$ make
/bin/bash ./config.status --recheck
running CONFIG_SHELL=/bin/bash /bin/bash ./configure --prefix=/home/vboxuser/cis620/p2884829 --sysconfdir=/home/vboxuser/cis620/p2884829/etc --with-docdir=/home/vboxuser/cis620/p2884829/doc --with-ssl --enable-external-dotlock --enable-pop
--enable-imap --disable-hcache --enable-sidebar --no-create --no-recursion
checking for a BSD-compatible install... /usr/bin/install -c
checking whether build environment is sane... yes
checking for a thread-safe mkdir -p... /usr/bin/mkdir -p
checking for gawk... no
checking for mawk... mawk
checking whether make sets $(MAKE)... yes
checking whether make supports nested variables... yes
checking whether make supports the include directive... yes (GNU style)
checking for gcc... gcc
checking whether the C compiler works... yes
checking for C compiler default output file name... a.out
checking for suffix of executables...
checking whether we are cross compiling... no
checking for suffix of object files... o
checking whether we are using the GNU C compiler... yes
checking whether gcc accepts -g... yes
checking for gcc option to accept ISO C89... none needed
checking whether gcc understands -c and -o together... yes
checking dependency style of gcc... gcc3
checking how to run the C preprocessor... gcc -E
checking for grep that handles long lines and -e... /usr/bin/grep
checking for egrep... /usr/bin/grep -E
checking for ANSI C header files... yes
checking for sys/types.h... yes
checking for sys/stat.h... yes
checking for sys/time.h... yes
```

sudo make install

```
vboxuser@Ubuntu-Mutt:~/Downloads/mutt-2.1.3$ sudo make install
echo '#define MUTT_VERSION "'`sh ". /version.sh"`'"' > version.h.tmp
cmp -s version.h version.h.tmp && rm -f version.h.tmp || mv version.h.tmp version.h
make install-recursive
make[1]: Entering directory '/home/vboxuser/Downloads/mutt-2.1.3'
Making install in m4
make[2]: Entering directory '/home/vboxuser/Downloads/mutt-2.1.3/m4'
make[3]: Entering directory '/home/vboxuser/Downloads/mutt-2.1.3/m4'
make[3]: Nothing to be done for 'install-exec-am'.
make[3]: Nothing to be done for 'install-data-am'.
make[3]: Leaving directory '/home/vboxuser/Downloads/mutt-2.1.3/m4'
make[2]: Leaving directory '/home/vboxuser/Downloads/mutt-2.1.3/m4'
Making install in po
make[2]: Entering directory '/home/vboxuser/Downloads/mutt-2.1.3/po'
installing bg.gmo as /home/vboxuser/cis620/p2884829/share/locale/bg/LC_MESSAGES/mutt.mo
installing ca.gmo as /home/vboxuser/cis620/p2884829/share/locale/ca/LC_MESSAGES/mutt.mo
installing cs.gmo as /home/vboxuser/cis620/p2884829/share/locale/cs/LC_MESSAGES/mutt.mo
installing da.gmo as /home/vboxuser/cis620/p2884829/share/locale/da/LC_MESSAGES/mutt.mo
installing de.gmo as /home/vboxuser/cis620/p2884829/share/locale/de/LC_MESSAGES/mutt.mo
installing el.gmo as /home/vboxuser/cis620/p2884829/share/locale/el/LC_MESSAGES/mutt.mo
installing eo.gmo as /home/vboxuser/cis620/p2884829/share/locale/eo/LC_MESSAGES/mutt.mo
installing es.gmo as /home/vboxuser/cis620/p2884829/share/locale/es/LC_MESSAGES/mutt.mo
installing et.gmo as /home/vboxuser/cis620/p2884829/share/locale/et/LC_MESSAGES/mutt.mo
installing eu.gmo as /home/vboxuser/cis620/p2884829/share/locale/eu/LC_MESSAGES/mutt.mo
installing fi.gmo as /home/vboxuser/cis620/p2884829/share/locale/fi/LC_MESSAGES/mutt.mo
installing fr.gmo as /home/vboxuser/cis620/p2884829/share/locale/fr/LC_MESSAGES/mutt.mo
installing ga.gmo as /home/vboxuser/cis620/p2884829/share/locale/ga/LC_MESSAGES/mutt.mo
installing gl.gmo as /home/vboxuser/cis620/p2884829/share/locale/gl/LC_MESSAGES/mutt.mo
installing hu.gmo as /home/vboxuser/cis620/p2884829/share/locale/hu/LC_MESSAGES/mutt.mo
```

Creating the folders :

```
mkdir -p ~/.mutt/cache/headers
```


```
mkdir -p ~/.mutt/cache/bodies
```

```
mkdir -p ~/.mutt/certificates
```

```
touch ~/.mutt/mutttrc
```

```
vboxuser@Ubuntu-Mutt:~/cis620/p2884829/mutt-2.1.3$ which mutt
/home/vboxuser/cis620/p2884829/bin/mutt
vboxuser@Ubuntu-Mutt:~/cis620/p2884829/mutt-2.1.3$ mkdir -p ~/.mutt/cache/headers
vboxuser@Ubuntu-Mutt:~/cis620/p2884829/mutt-2.1.3$ mkdir -p ~/.mutt/cache/bodies
vboxuser@Ubuntu-Mutt:~/cis620/p2884829/mutt-2.1.3$ mkdir -p ~/.mutt/certificates
vboxuser@Ubuntu-Mutt:~/cis620/p2884829/mutt-2.1.3$ touch ~/.mutt/mutttrc
vboxuser@Ubuntu-Mutt:~/cis620/p2884829/mutt-2.1.3$
```

sudo apt install vim -y



A terminal window titled 'vboxuser@Ubuntu-Mutt: ~/cis620/p2884829/mutt-2.1.3' with a timestamp of 'Nov 20 16:03'. The terminal shows the command 'sudo apt install vim -y' being executed. The output displays the package lists, dependency tree, and state information. It lists additional packages to be installed (libsodium23, vim-runtime) and suggested packages (ctags, vim-doc, vim-scripts). The terminal shows that 3 new packages will be installed, requiring 9,324 kB of space and 42.0 MB of additional disk space. It then shows the download progress for libsodium23, vim-runtime, and vim, followed by the unpacking and setting up of these packages. The terminal ends with the message 'Setting up vim (2:9.1.0016-1ubuntu7.9) ...'.

```
vboxuser@Ubuntu-Mutt: ~/cis620/p2884829/mutt-2.1.3$ sudo apt install vim -y
Reading package lists... Done
Building dependency tree... Done
Reading state information... Done
The following additional packages will be installed:
  libsodium23 vim-runtime
Suggested packages:
  ctags vim-doc vim-scripts
The following NEW packages will be installed:
  libsodium23 vim vim-runtime
0 upgraded, 3 newly installed, 0 to remove and 98 not upgraded.
Need to get 9,324 kB of archives.
After this operation, 42.0 MB of additional disk space will be used.
Get:1 http://us.archive.ubuntu.com/ubuntu noble/main amd64 libsodium23 amd64 1.0.18-1build3 [161 kB]
Get:2 http://us.archive.ubuntu.com/ubuntu noble-updates/main amd64 vim-runtime all 2:9.1.0016-1ubuntu7.9 [7,281 kB]
Get:3 http://us.archive.ubuntu.com/ubuntu noble-updates/main amd64 vim amd64 2:9.1.0016-1ubuntu7.9 [1,881 kB]
Fetched 9,324 kB in 1s (12.1 MB/s)
Selecting previously unselected package libsodium23:amd64.
(Reading database ... 152791 files and directories currently installed.)
Preparing to unpack .../libsodium23_1.0.18-1build3_amd64.deb ...
Unpacking libsodium23:amd64 (1.0.18-1build3) ...
Selecting previously unselected package vim-runtime.
Preparing to unpack .../vim-runtime_2%3a9.1.0016-1ubuntu7.9_all.deb ...
Adding 'diversion of /usr/share/vim/vim91/doc/help.txt to /usr/share/vim/vim91/doc/help.txt.vim-tiny by vim-runtime'
Adding 'diversion of /usr/share/vim/vim91/doc/tags to /usr/share/vim/vim91/doc/tags.vim-tiny by vim-runtime'
Unpacking vim-runtime (2:9.1.0016-1ubuntu7.9) ...
Selecting previously unselected package vim.
Preparing to unpack .../vim_2%3a9.1.0016-1ubuntu7.9_amd64.deb ...
Unpacking vim (2:9.1.0016-1ubuntu7.9) ...
Setting up libsodium23:amd64 (1.0.18-1build3) ...
Setting up vim-runtime (2:9.1.0016-1ubuntu7.9) ...
Setting up vim (2:9.1.0016-1ubuntu7.9) ...
```

sudo apt install msmtplib msmtplib-mta -y

```
vboxuser@Ubuntu-Mutt:~/cis620/p2884829/mutt-2.1.3$ sudo apt install msmtplib msmtplib-mta -y
Reading package lists... Done
Building dependency tree... Done
Reading state information... Done
The following additional packages will be installed:
  gssapi-common libgssapi-dev libgssapi-krb5-2 libgssapi-krb5-2-bin libgssapi-krb5-2-dev
The following NEW packages will be installed:
  gssapi-common libgssapi-dev libgssapi-krb5-2 libgssapi-krb5-2-bin libgssapi-krb5-2-dev msmtplib msmtplib-mta
0 upgraded, 6 newly installed, 0 to remove and 98 not upgraded.
Need to get 312 kB of archives.
After this operation, 1,049 kB of additional disk space will be used.
Get:1 http://us.archive.ubuntu.com/ubuntu noble/main amd64 libgssapi-dev amd64 0.9-1build1 [20.7 kB]
Get:2 http://us.archive.ubuntu.com/ubuntu noble/main amd64 libgssapi-krb5-2 amd64 1.7-1build1 [19.4 kB]
Get:3 http://us.archive.ubuntu.com/ubuntu noble/main amd64 libgssapi-krb5-2-bin amd64 2.2.1-1willsync1build2 [72.8 kB]
Get:4 http://us.archive.ubuntu.com/ubuntu noble/universe amd64 msmtplib amd64 1.8.24-1build2 [174 kB]
Get:5 http://us.archive.ubuntu.com/ubuntu noble/universe amd64 msmtplib-mta amd64 1.8.24-1build2 [20.5 kB]
Get:6 http://us.archive.ubuntu.com/ubuntu noble/main amd64 gssapi-common all 2.2.1-1willsync1build2 [5,056 B]
Fetched 312 kB in 1s (302 kB/s)
Preconfiguring packages ...
Selecting previously unselected package libgssapi-dev:amd64.
(Reading database ... 154950 files and directories currently installed.)
Preparing to unpack .../0-libgssapi-dev_0.9-1build1_amd64.deb ...
Unpacking libgssapi-dev:amd64 (0.9-1build1) ...
Selecting previously unselected package libgssapi-krb5-2:amd64.
Preparing to unpack .../1-libgssapi-krb5-2_1.7-1build1_amd64.deb ...
Unpacking libgssapi-krb5-2:amd64 (1.7-1build1) ...
Selecting previously unselected package libgssapi-krb5-2-bin:amd64.
Preparing to unpack .../2-libgssapi-krb5-2-bin_2.2.1-1willsync1build2_amd64.deb ...
Unpacking libgssapi-krb5-2-bin:amd64 (2.2.1-1willsync1build2) ...
Selecting previously unselected package msmtplib.
Preparing to unpack .../3-msmtplib_1.8.24-1build2_amd64.deb ...
Unpacking msmtplib (1.8.24-1build2) ...
Selecting previously unselected package msmtplib-mta.
Preparing to unpack .../4-msmtplib-mta_1.8.24-1build2_amd64.deb ...
Unpacking msmtplib-mta (1.8.24-1build2) ...
```

After that create a folder and then editor : `mkdir -p ~/.mutt`
`vim ~/.mutt/muttrc` enter below lines inside the editor and save it.

```
set from = "tejaswimuttconfig@gmail.com"
set realname = "Tejaswi Gadde"
set use_from = yes
set imap_user = "tejaswimuttconfig@gmail.com"
set imap_pass = "hvbzbwtnsrjyanzw"
set folder = "imaps://imap.gmail.com/"
set spoolfile = "imaps://imap.gmail.com/INBOX"
set postponed = "imaps://imap.gmail.com/[Gmail]/Drafts"
set record = "imaps://imap.gmail.com/[Gmail]/Sent Mail"
set trash = "imaps://imap.gmail.com/[Gmail]/Trash"
set mbox = "imaps://imap.gmail.com/[Gmail]/All Mail"
# Using msmtplib is recommended (avoids mutt smtp errors)
set sendmail = "/usr/bin/msmtplib"
unset use_domain
set editor = "vim"
set ssl_force_tls = yes
set charset = "UTF-8"
```

After that create a editor : vim ~/.msmtprc and enter the following lines into the editor.

defaults

auth on

tls on

tls_trust_file /etc/ssl/certs/ca-certificates.crt

logfile ~/.msmtp.log

account gmail

host smtp.gmail.com

port 587

from tejaswimuttconfig@gmail.com

user tejaswimuttconfig@gmail.com

Password : hvbzbwtnsrjyanzw

account default : gmail

Type mutt and click enter than the mutt will start logging in

```
q:Quit d:Del u:Undel s:Save m:Mail r:Reply g:Group ?:Help
1 0 + Nov 20 Mail Delivery S ( 14K) Delivery Status Notification (Failure)

---Mutt: =INBOX [Msgs:1 Old:1 Post:1 14K]---(date/date)-----
```

Type m for sending the mail and press enter

```
q:Quit d:Del u:Undel s:Save m:Mail r:Reply g:Group ?:Help
1 0 + Nov 20 Mail Delivery S ( 14K) Delivery Status Notification (Failure)

---Mutt: =INBOX [Msgs:1 Old:1 Post:1 14K]---(date/date)----- (all)
To: tejaswigadde17@gmail.com
```

Then it will ask for subject, type the subject and press enter

```
q:Quit d:Del u:Undel s:Save m:Mail r:Reply g:Group ?:Help
1 O + Nov 20 Mail Delivery S ( 14K) Delivery Status Notification (Failure)

---Mutt: =INBOX [Msgs:1 Old:1 Post:1 14K]---(date/date)-----
Subject: Test from Source
```

Now it will take to the editor where we can enter our body of the email enter the body and save it
Esc :wq

[illegible]

After saving it will show the email as shown below

```
y:Send q:Abort t:To c:CC s:Subj a:Attach file d:Descrip ?:Help
  From: Tejaswi Gadde <tejaswimuttconfig@gmail.com>
  To: tejaswigadde17@gmail.com
  Cc:
  Bcc:
  Subject: Test from Source
  Reply-To:
  Fcc: =[Gmail]/Sent Mail
  Security: None

-- Attachments
- I      1 /tmp/mutt-Ubuntu-Mutt-1000-4485-10596819 [text/plain, 7bit, us-ascii, 0.1K]

-- Mutt: Compose [Approx. msg size: 0.1K  Atts: 1]-----
```

Type 'y' to send the mail and after successfully sending you can see the below screen

```
q:Quit d:Del u:Undel s:Save m:Mail r:Reply g:Group ?:Help
1 O + Nov 20 Mail Delivery S ( 14K) Delivery Status Notification (Failure)

---Mutt: =INBOX [Msgs:1 Old:1 14K]---(date/date)------(all)
```

References

- <https://mutt.org/relnotes/>
- <https://mutt.org/doc/manual/#installation>
- https://www.gnu.org/software/autoconf/manual/autoconf-2.71/html_node/Installation-Directories.html
- <https://www.linuxfromscratch.org/blfs/view/11.2/mail/mutt.html>
- <https://ubuntu.com/server/docs/how-to-build-software-from-source>
- <https://mutt.org/>