

# Rajalakshmi Engineering College

Name: Tejendra Chapai

Email: 240701558@rajalakshmi.edu.in

Roll no:

Phone: 8368278358

Branch: REC

Department: CSE - Section 2

Batch: 2028

Degree: B.E - CSE

Scan to verify results



## 2024\_28\_III\_OOPS Using Java Lab

### 2028\_REC\_OOPS using Java\_Week 7\_Q2

Attempt : 1

Total Mark : 10

Marks Obtained : 10

#### Section 1 : Coding

##### 1. Problem Statement

Jaheer is working on a health monitoring system to help individuals calculate their Body Mass Index (BMI). He has implemented a basic BMI calculator and an interface called HealthCalculator. It should have a method called calculateBMI.

You are tasked with creating a program that takes weight and height as input, calculates the BMI using the BMICalculator class, and displays the result. If the height or weight is less than or equal to zero, then return -1.

Formula:  $BMI = \text{weight} / (\text{height} * \text{height})$

##### *Input Format*

The first line of input consists of a double value W, the person's weight in kilograms.

The second line consists of a double value H, the height of the person in meters.

### ***Output Format***

The output displays "BMI: " followed by a double value, representing the calculated BMI, rounded off to two decimal places.

Refer to the sample output for formatting specifications.

### ***Sample Test Case***

Input: 70.0

1.75

Output: BMI: 22.86

### ***Answer***

```
import java.util.Scanner;
```

```
interface HealthCalculator {  
    double calculateBMI(double weight, double height);  
}  
  
class BMICalculator implements HealthCalculator {  
    public double calculateBMI(double weight, double height) {  
        if (weight <= 0 || height <= 0) return -1;  
        return weight / (height * height);  
    }  
}  
  
class BMICalculatorApp {  
    public static void main(String[] args) {  
        Scanner scanner = new Scanner(System.in);  
        double weight = scanner.nextDouble();  
        double height = scanner.nextDouble();  
        BMICalculator bmiCalculator = new BMICalculator();  
        double bmi = bmiCalculator.calculateBMI(weight, height);  
        if (bmi == -1)  
            System.out.println("BMI: -1");  
    }  
}
```

```
        else
            System.out.printf("BMI: %.2f%n", bmi);
    }
}

class Main {
    public static void main(String[] args) {
        Scanner scanner = new Scanner(System.in);

        double weight = scanner.nextDouble();
        double height = scanner.nextDouble();

        BMICalculator bmiCalculator = new BMICalculator();

        double bmi = bmiCalculator.calculateBMI(weight, height);

        System.out.printf("BMI: %.2f\n", bmi);

        scanner.close();
    }
}
```

**Status :** Correct

**Marks :** 10/10