```sql
--  Sales Overview –


/* Category Wise Sales base on yearly and monthly */


SELECT
    p.category,
    YEAR(o.order_date) AS sales_year,
    DATENAME(MONTH, o.order_date) AS sales_month,
    ROUND(SUM(itm.total_price),0 ) AS Total_Sales
FROM blinkit_products AS p
left JOIN blinkit_order_items AS itm
    ON p.product_id = itm.product_id
left JOIN blinkit_orders AS o
    ON itm.order_id = o.order_id
WHERE YEAR(o.order_date) IN (2023, 2024, 2025)
GROUP BY
    p.category,
    YEAR(o.order_date),
    DATENAME(MONTH, o.order_date),
    MONTH(o.order_date)  -- required for proper ordering
ORDER BY
    sales_year,
    MONTH(o.order_date),  -- keeps months in correct order (Jan → Dec)
    Total_Sales;


/*Current Year Sale */


SELECT
    ROUND(
        SUM(
            CASE
                WHEN YEAR(o.order_date) = YEAR(GETDATE())
                THEN itm.total_price
            END
        ), 0
    ) AS current_year_sale
FROM blinkit_order_items AS itm
LEFT JOIN blinkit_orders AS o
    ON itm.order_id = o.order_id;



/*Previous Year Sale */


SELECT
    ROUND(
        SUM(
            CASE
                WHEN YEAR(o.order_date) = YEAR(GETDATE()) - 1
```

```sql
                THEN itm.total_price
            END
        ), 0
    ) AS previous_year_sale
FROM blinkit_order_items AS itm
LEFT JOIN blinkit_orders AS o
    ON itm.order_id = o.order_id;




/* YOY Growth % Sales */



WITH yearly_sales AS (
    SELECT
        YEAR(o.order_date) AS sales_year,
        ROUND(SUM(itm.total_price),0) AS current_year_sales
    FROM blinkit_order_items AS itm
    LEFT JOIN blinkit_orders AS o
        ON itm.order_id = o.order_id
    GROUP BY YEAR(o.order_date)
),
with_prev AS (
    SELECT
        sales_year,
        current_year_sales,
        LAG(current_year_sales, 1)
            OVER (ORDER BY sales_year) AS previous_year_sales
    FROM yearly_sales
)
SELECT
    sales_year AS year,
    current_year_sales AS Current_sales,
    previous_year_sales AS Previous_sales,
    ROUND(
        ((current_year_sales - previous_year_sales)
            / NULLIF(previous_year_sales, 0)) * 100,
        2
    ) AS Growth_Percent
FROM with_prev
ORDER BY sales_year;




/* YOY Growth % By Month Sales */



WITH monthly_sales AS (
    SELECT
        YEAR(o.order_date) AS sales_year,
        MONTH(o.order_date) AS month_num,
        FORMAT(o.order_date, 'MMM') AS month_name,
        SUM(itm.total_price) AS current_sales
    FROM blinkit_order_items itm
```

```sql
    LEFT JOIN blinkit_orders o
        ON itm.order_id = o.order_id
    GROUP BY
        YEAR(o.order_date),
        MONTH(o.order_date),
        FORMAT(o.order_date, 'MMM')
),
with_prev AS (
    SELECT
        sales_year,
        month_num,
        month_name,
        current_sales,
        LAG(current_sales, 1) OVER (
            PARTITION BY month_num
            ORDER BY sales_year
        ) AS previous_sales
    FROM monthly_sales
)
SELECT
    sales_year AS year,
    month_name AS month,
    current_sales,
    previous_sales,
    ROUND(
        ((current_sales - previous_sales) / NULLIF(previous_sales, 0)) * 100,
        2
    ) AS growth_percent
FROM with_prev
ORDER BY sales_year, month_num;



/* Top 10 Product Sales */


SELECT top 10
    p.product_name,
    ROUND(SUM(itm.total_price),0) AS total_sale
FROM blinkit_products AS p
LEFT JOIN blinkit_order_items AS itm
    ON p.product_id = itm.product_id
GROUP BY
    p.product_name
ORDER BY
    total_sale DESC



/* Top 10 Product Sales 2024 and 2025 */


WITH yearly_sales AS (
SELECT
        YEAR(o.order_date) AS sales_year,
        p.product_name,
        ROUND(SUM(itm.total_price),0) AS total_sale,
        RANK() OVER (
```

```sql
            PARTITION BY YEAR(o.order_date)
            ORDER BY SUM(itm.total_price) DESC
        ) AS rn
    FROM blinkit_products AS p
    LEFT JOIN blinkit_order_items AS itm
        ON p.product_id = itm.product_id
    LEFT JOIN blinkit_orders AS o
        ON o.order_id = itm.order_id
    WHERE YEAR(o.order_date) IN (2024, 2025)
    GROUP BY
        YEAR(o.order_date),
        p.product_name
)
SELECT
    sales_year,
    product_name,
    total_sale
FROM yearly_sales
WHERE rn <= 10
ORDER BY
    sales_year,
    total_sale DESC;
```

```sql
/* Top 10 Area Wise Sales */
```

```sql
SELECT top 10
    c.area AS Area,
    ROUND(SUM(itm.total_price),0) AS Total_Sale
FROM blinkit_customers AS c
LEFT JOIN blinkit_orders AS o
    ON c.customer_id = o.customer_id
LEFT JOIN blinkit_order_items AS itm
    ON o.order_id = itm.order_id
GROUP BY
    c.area
ORDER BY
    Total_Sale DESC;
```

```sql
/* Category Wise Total Sales */
```

```sql
SELECT
    p.category,
    ROUND(SUM(itm.total_price), 0) AS Total_sale
FROM blinkit_products AS p
LEFT JOIN blinkit_order_items AS itm
    ON p.product_id = itm.product_id
GROUP BY
    p.category
ORDER BY
    Total_Sale DESC;
```

```sql
/* Category Wise Sales 2025 and March Month */


SELECT
    p.category,
    ROUND(SUM(itm.total_price), 0) AS Total_Sale
FROM blinkit_products AS p
LEFT JOIN blinkit_order_items AS itm
    ON p.product_id = itm.product_id
LEFT JOIN blinkit_orders AS o
    ON itm.order_id = o.order_id
WHERE
    YEAR(o.order_date) = 2025
    AND MONTH(o.order_date) = 3
GROUP BY
    p.category
ORDER BY
    Total_Sale DESC;


/* Segment Wise Total Sales */


SELECT
    c.customer_segment AS Segment,
    ROUND(SUM(itm.total_price),0) AS Total_Sale
FROM blinkit_customers AS c
LEFT JOIN blinkit_orders AS o
    ON c.customer_id = o.customer_id
LEFT JOIN blinkit_order_items AS itm
    ON o.order_id = itm.order_id
GROUP BY
    c.customer_segment
ORDER BY
    Total_Sale DESC;


/* Payment Method Wise Total Sales */


SELECT
    o.payment_method AS Payment_method,
    ROUND(SUM(itm.total_price),0) AS Total_Sale
FROM blinkit_orders AS o
LEFT JOIN blinkit_order_items AS itm
    ON o.order_id = itm.order_id
GROUP BY
    o.payment_method
ORDER BY
    Total_Sale DESC;
```

```sql
--  Customer Overview -
```

```sql
/* Customer Count and Revenue by Year */

SELECT
    YEAR(o.order_date) AS year,
    COUNT(DISTINCT o.customer_id) AS Customer_Count,
    ROUND(SUM(itm.total_price), 0) AS Revenue
FROM blinkit_orders AS o
LEFT JOIN blinkit_order_items AS itm
       ON o.order_id = itm.order_id
WHERE YEAR(o.order_date) IN (2024, 2025)
GROUP BY YEAR(o.order_date)
ORDER BY year;
```

```sql
/* New, Lost and Active Customer Count */
```

```sql
       WITH active AS (
    SELECT DISTINCT customer_id
    FROM blinkit_orders
    WHERE YEAR(order_date) = YEAR(GETDATE())
),
prev_active AS (
    SELECT DISTINCT customer_id
    FROM blinkit_orders
    WHERE YEAR(order_date) = YEAR(GETDATE()) - 1
)
SELECT
    (SELECT COUNT(*)
     FROM blinkit_customers
     WHERE YEAR(registration_date) = YEAR(GETDATE())) AS new_customers,

    (SELECT COUNT(DISTINCT customer_id)
     FROM active) AS active_customers,

    (SELECT COUNT(*)
     FROM prev_active
     WHERE customer_id NOT IN (SELECT customer_id FROM active)) AS lost_customers;
```

```sql
/* New Customer Sale*/



SELECT
    ROUND(SUM(itm.total_price), 0) AS new_sales
FROM blinkit_customers AS c
LEFT JOIN blinkit_orders AS o
    ON c.customer_id = o.customer_id
LEFT JOIN blinkit_order_items AS itm
    ON o.order_id = itm.order_id
WHERE
    YEAR(c.registration_date) = YEAR(GETDATE());



/* Lost Customer Sale*/

        WITH last_year_customers AS (
    SELECT DISTINCT customer_id
    FROM blinkit_orders
    WHERE YEAR(order_date) = YEAR(GETDATE()) - 1
),
this_year_customers AS (
    SELECT DISTINCT customer_id
    FROM blinkit_orders
    WHERE YEAR(order_date) = YEAR(GETDATE())
),
lost_customers AS (
    SELECT customer_id
    FROM last_year_customers
    WHERE customer_id NOT IN (SELECT customer_id FROM this_year_customers)
)
SELECT
    ROUND(SUM(itm.total_price), 0) AS lost_sales
FROM blinkit_orders AS o
JOIN blinkit_order_items AS itm
    ON o.order_id = itm.order_id
WHERE
    YEAR(o.order_date) = YEAR(GETDATE()) - 1
    AND o.customer_id IN (SELECT customer_id FROM lost_customers);


/* Customer Count by Year and Month*/


SELECT
    YEAR(registration_date) AS Year,
    DATENAME(MONTH, registration_date) AS Month,
    COUNT(customer_id) AS Customer
FROM blinkit_customers
GROUP BY
    YEAR(registration_date),
    DATENAME(MONTH, registration_date),
    MONTH(registration_date)
ORDER BY
    Year,
```

```
    MONTH(registration_date);


/* Category wise Custome Count and Revenue*/


SELECT
    p.category AS Category,
    COUNT(o.customer_id) AS Customer,
    ROUND(SUM(itm.total_price), 0) AS Revenue
FROM blinkit_products AS p
JOIN blinkit_order_items AS itm
    ON p.product_id = itm.product_id
JOIN blinkit_orders AS o
    ON itm.order_id = o.order_id
GROUP BY
    p.category
ORDER BY
    Customer DESC,
    Revenue DESC;

                                --  Marketing Overview –



/* Feedback Category Wise Sentiment */


SELECT
    feedback_category,
    sentiment
FROM blinkit_customer_feedback
GROUP BY
    feedback_category,
    sentiment;


/* Feedback by Customer Sentiment */


SELECT
    COUNT(order_id) as Customer,
    sentiment
FROM blinkit_customer_feedback
GROUP BY
    sentiment;


/* Feedback by Customer Segment */

SELECT
    COUNT(customer_id) AS Customer,
    customer_segment
FROM blinkit_customers
GROUP BY customer_segment;
```

```sql
/* Customer Delivery Status */


SELECT
    COUNT(order_id) AS Orders,
    delivery_status
FROM blinkit_delivery_performance
GROUP BY delivery_status;


/* Customer Reasons of Delayed */

SELECT
    COUNT(order_id) AS Orders,
    reasons_if_delayed
FROM blinkit_delivery_performance
GROUP BY reasons_if_delayed;


/* Campaign by Audience */
SELECT
    target_audience,
    COUNT(campaign_id) AS Campaign
FROM blinkit_marketing_performance
GROUP BY target_audience
ORDER BY Campaign DESC;


/* Campaign by Channel */

SELECT
    channel,
    COUNT(campaign_id) AS Campaign
FROM blinkit_marketing_performance
GROUP BY channel
ORDER BY Campaign DESC;



/* KPI'S */

SELECT
    SUM(impressions) AS Impressions,
    SUM(clicks) AS Clicks,
    SUM(conversions) AS Conversions,
    SUM(spend) AS Spend,
    SUM(revenue_generated) AS Revenue
FROM blinkit_marketing_performance;
```