


Question – 1

Write a JSP program to retrieve name, image of the person, date of birth based on the empid using useBean tag.

**Index.html**

```
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <title>Employee</title>
  <link rel="stylesheet"
href="https://cdnjs.cloudflare.com/ajax/libs/materialize/1.0.0/css/materialize.min.css">
</head>
<body style="background-image: url('../background.jpg');background-size: cover;">
  <div class="container">
    <div class="card-panel center" style="margin-top:30%;background-color: #fff;">
      <form action="data.jsp" method="post">
        <div class="row">
          <div class="input-field col l3 m3"></div>
          <div class="input-field col l6 m6 s12">
            <input name="empId" id="emp" type="number" class="validate">
            <label for="emp">Employee Id</label>
          </div>
        </div>
        <button class="btn waves-effect waves-light" type="submit" name="action"
style="background-color: crimson;">Submit
          <i class="material-icons right">send</i>
        </button>
      </form>
    </div>
  </div>

</body>
<script src="https://code.jquery.com/jquery-3.5.1.js"
  integrity="sha256-QWo7LDvxbWT2tbbQ97B53yJnYU3WhH/C8ycbRAkjPDc="
  crossorigin="anonymous"></script>
<script
src="https://cdnjs.cloudflare.com/ajax/libs/materialize/1.0.0/js/materialize.min.js"></script>
</html>
```

data.jsp













```
<%@ page import="DataBase.db" language="java" contentType="text/html; charset=ISO-8859-1"
pageEncoding="ISO-8859-1"%>
<%@ page import="java.util.*" %>
<jsp:useBean id = "d" class="DataBase.db"></jsp:useBean>
<!DOCTYPE html>
<html lang="en">
<head>
    <meta charset="UTF-8">
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
    <title>Employee</title>
    <link rel="stylesheet"
href="https://cdnjs.cloudflare.com/ajax/libs/materialize/1.0.0/css/materialize.min.css">
    <style>
        h1,h2,h3,h4,h5,h6 {
            color:crimson;
            font-weight: bold;
        }
    </style>
</head>
<body style="background-image: url('./background.jpg');background-size: cover;">
<%int eid=Integer.parseInt(request.getParameter("empId"));%>
${d.setEmpid(eid)}
    <div class="container">
        <div class="card-panel center" style="margin-top:30%;background-color: #00ffff;">
            <div class="row">
                <div class="input-field col l6 m6 s12">
                    <div class="row">
                        <div class="input-field col l6 m6 s6">
                            <h4>Name</h4>
                        </div>
                        <div class="input-field col l6 m6 s6">
                            <h4>${d.getName() }</h4>
                        </div>
                    </div>
                    <div class="row">
                        <div class="input-field col l6 m6 s6">
                            <h4>Date Of Birth</h4>
                        </div>
                        <div class="input-field col l6 m6 s6">
                            <h4>${d.getBirthdate()}</h4>
                        </div>
                    </div>
                    <a class="waves-effect waves-light btn" href="index.html"
style="background-color: aqua; color: #000000;">Back</a>
                </div>
                <div class="input-field col l6 m6 s12">
                    
                </div>
            </div>
        </div>
    </div>
</body>
<script src="https://code.jquery.com/jquery-3.5.1.js"
integrity="sha256-QWo7LDvxbWT2tbbQ97B53yJnYU3WhH/C8ycbRAkjpDc="
crossorigin="anonymous"></script>
<script
src="https://cdnjs.cloudflare.com/ajax/libs/materialize/1.0.0/js/materialize.min.js"></script>
</html>
```

db.java

```
package DataBase;
import java.io.*;
import java.sql.*;
import java.util.Base64;

public class db implements java.io.Serializable {
    private String Name;
    private int empid;
    private String birthdate;
    private String pic;
    public String getName() {
        return Name;
    }
    public void setEmpid(int empid) {
        this.empid = empid;
        System.out.println(empid);
        String url="jdbc:mysql://localhost:3306/imagdate";
        String username="hemanth";
        String password="hemanth@22";
        try {
            Class.forName("com.mysql.cj.jdbc.Driver");
            Connection con =DriverManager.getConnection(url,username,password);
            DatabaseMetaData metaData = con.getMetaData();
            System.out.println(metaData.getDatabaseProductName());
            Statement state = con.createStatement();
            String str = "SELECT name, Bdate, id, picture FROM image WHERE image.id =" +empid+"";
            ResultSet rst = state.executeQuery(str);
            if(rst.next())
            {
                Name=rst.getString("name");
                birthdate="" +rst.getDate("Bdate");
                Blob pc=rst.getBlob("picture");
                InputStream inputStream = pc.getBinaryStream();
                ByteArrayOutputStream outputStream = new
                ByteArrayOutputStream();
                byte[] buffer = new byte[4096];
                int bytesRead = -1;
                while ((bytesRead = inputStream.read(buffer)) != -1) {
                    outputStream.write(buffer, 0, bytesRead);
                }
                byte[] imageBytes = outputStream.toByteArray();
                pic = Base64.getEncoder().encodeToString(imageBytes);
                inputStream.close();
                outputStream.close();
            }
            else {
                Name="No Data";
                birthdate="No Data";
                pic="No Data";
            }
        } catch (Exception e) {
            // TODO Auto-generated catch block
        }
    }
    public String getBirthdate() {
        return birthdate;
    }
    public String getPic() {
        return pic;
    }
}
```

Data Base

				name	Bdate	id	picture
<input type="checkbox"/>		Edit		Copy		Delete	hemanth
<input type="checkbox"/>		Edit		Copy		Delete	vyshu
<input type="checkbox"/>		Edit		Copy		Delete	aditya
<input type="checkbox"/>		Edit		Copy		Delete	karthik

If Employee Id Not Found

Employee

localhost:8080/imageRetrive/index.html

Employee Id

6

SUBMIT

Employee

localhost:8080/imageRetrive/data.jsp

No Data

Name No Data

Date Of Birth No Data

BACK

IF Employee Data Found


Employee

localhost:8080/imageRetrive/index.html

Employee Id


1

SUBMIT



Question – 2

Create a web application with PHP, the main page (editing) must provide input options for entering the title and contents of a new blog post, a "preview" button and a list of existing posts. Pressing the preview button brings up a page showing the new post, with date. This page has a radio or checkbox input indicating whether to accept the post and a "Continue" button. Pressing the continue button returns to the entry page. If the previewed post was accepted, the post now appears in the list of posts. The posts must be saved in database.



Index.php

```
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <title>Post It</title>
  <link href="https://fonts.googleapis.com/icon?family=Material+Icons" rel="stylesheet">
```

```

<link rel="stylesheet" href="https://cdnjs.cloudflare.com/ajax/libs/materialize/1.0.0
/css/materialize.min.css">
<link rel="stylesheet" href="_css/style.css">
</head>
<body style="background-color:#000;width:100%;height:100%;">
  <div class="container" style="margin-top:10%">
    <div class="row">
      <div class="col l6 xs 6 m6 s12" style="color:#fff;text-align:center">
        <h4 style="margin-top:100px">Let Them See Your Thoughts!!</h4>
        <h5>Join the Community <i class="material-
icons" style="color:#fff">arrow_downward</i></h5>
        <button class="btn waves-effect waves-light" style="background-
color:#d2691e;width:150px;text-align:center"><a href="registration.php">Join</a>
        <i class="material-icons left">person</i>
        </button>
      </div>
      <div class="col l6 xs 6 m6 s12">
        
      </div>
    </div>
  </div>
</body>
<script src="https://code.jquery.com/jquery-3.5.1.js"
  integrity="sha256-QWo7LDvxbWT2tbbQ97B53yJnYU3WhH/C8ycbRAkjpDc="
  crossorigin="anonymous"></script>
<script src="https://cdnjs.cloudflare.com/ajax/libs/materialize/1.0.0/js/materialize.min.j
s"></script>
</html>

```

redistration.php

```

<?php include('server.php')?>
<!DOCTYPE html>
<html lang="en" >
<head>
  <meta charset="UTF-8">
  <title>Post It</title>
  <link href='https://fonts.googleapis.com/css?family=Titillium+Web:400,300,600' rel='styl
esheet' type='text/css'><link rel="stylesheet" href="https://cdnjs.cloudflare.com/ajax/lib
s/normalize/5.0.0/normalize.min.css">
<link rel="stylesheet" href="_css/style.css">
</head>
<body>
<!-- partial:index.partial.html -->
<div class="form">
  <ul class="tab-group">
    <li class="tab active"><a href="#signup">Sign Up</a></li>
    <li class="tab"><a href="#login">Log In</a></li>
  </ul>
  <div class="tab-content">
    <div id="signup">
      <h1>Sign Up for Free</h1>
      <form action="registration.php" method="post">
        <?php include('errors.php') ?>
        <div class="top-row">
          <div class="field-wrap">
            <label>
              First Name<span class="req">*</span>

```

```

        </label>
        <input type="text" required autocomplete="off" name="firstName" />
    </div>
    <div class="field-wrap">
        <label>
            Last Name<span class="req">*</span>
        </label>
        <input type="text" required autocomplete="off" name="lastName" />
    </div>
</div>
<div class="field-wrap">
    <label>
        Email Address<span class="req">*</span>
    </label>
    <input type="email" required autocomplete="off" name="mailSignUp" />
</div>
<div class="field-wrap">
    <label>
        Set A Password<span class="req">*</span>
    </label>
    <input type="password" required autocomplete="off" name="passwordSignUp"/>
</div>
    <button type="submit" class="button button-
block" name="signUp_user">Get Started</button>
</form>
</div>
<div id="login">
    <h1>Welcome Back!</h1>
    <form action="registration.php" method="post">
        <div class="field-wrap">
            <label>
                Email Address<span class="req">*</span>
            </label>
            <input type="email" required autocomplete="off" name="mailLogin"/>
        </div>
        <div class="field-wrap">
            <label>
                Password<span class="req">*</span>
            </label>
            <input type="password" required autocomplete="off" name="passwordLogin"/>
        </div>
        <p class="forgot"><a href="#">Forgot Password?</a></p>
        <button class="button button-
block" type="submit" name="logIn_user">Log In</button>
    </form>
</div>
</div><!-- tab-content -->
</div> <!-- /form -->
<!-- partial -->
<script src='https://cdnjs.cloudflare.com/ajax/libs/jquery/2.1.3/jquery.min.js'></script>
<script>
    $('form').find('input, textarea').on('keyup blur focus', function (e) {
var $this = $(this),
    label = $this.prev('label');

    if (e.type === 'keyup') {
        if ($this.val() === '') {
            label.removeClass('active highlight');
        } else {
            label.addClass('active highlight');

```

```

    }
} else if (e.type === 'blur') {
    if( $this.val() === '' ) {
        label.removeClass('active highlight');
    } else {
        label.removeClass('highlight');
    }
} else if (e.type === 'focus') {

    if( $this.val() === '' ) {
        label.removeClass('highlight');
    }
    else if( $this.val() !== '' ) {
        label.addClass('highlight');
    }
}
});

$('.tab a').on('click', function (e) {

    e.preventDefault();

    $(this).parent().addClass('active');
    $(this).parent().siblings().removeClass('active');

    target = $(this).attr('href');

    $('.tab-content > div').not(target).hide();

    $(target).fadeIn(600);

});
</script>

</body>
</html>

```

Server.php

```

<?php
session_start();//when ever we enter into website we have to track by some one for email e
tc;
$firstName="";
$lastName="";
$space=" ";
$email="";
$userName="";
$errors = array();
$db = mysqli_connect('localhost','hemanth','hemanth@22','blogit') or die("could not connec
t to database");
if (isset($_POST['signUp_user'])){
    $firstName= mysqli_real_escape_string($db,$_POST['firstName']);
    $lastName= mysqli_real_escape_string($db,$_POST['lastName']);
    $email= mysqli_real_escape_string($db,$_POST['mailSignUp']);
    $password= mysqli_real_escape_string($db,$_POST['passwordSignUp']);
    $userName=$firstName.$space.$lastName;
    if(empty($userName)){array_push($errors,"userName is Required");}
}

```



```

if(empty($email)){array_push($errors,"Email is Required");}
if(empty($password)){array_push($errors,"Password is Required");}
$user_check_query = "SELECT * FROM users WHERE email = '$email' LIMIT 1";
$results = mysqli_query($db,$user_check_query);
$user = mysqli_fetch_assoc($results);
if($user){
    array_push($errors,"User Already Exist");
}
if(count($errors)==0){
    $query = "INSERT INTO users(name, email, password) VALUES ('$userName','$email','$password')";
    mysqli_query($db,$query);
    $_SESSION['userMail']=$email;
    header('location: home.php');
}
}
if(isset($_POST['logIn_user'])){
    $dbc = mysqli_connect('localhost','hemanth','hemanth@22','blogit') or die("could not connect to database");

    $email= mysqli_real_escape_string($db,$_POST['mailLogin']);
    $password= mysqli_real_escape_string($db,$_POST['passwordLogin']);
    if(empty($email)){array_push($errors,"Email is Required");}
    if(empty($password)){array_push($errors,"Password is Required");}
    echo $email. $password;
    $query = "SELECT * FROM users WHERE users.email = '$email' AND users.password = '$password'";
    $results = $dbc->query($query);
    if($results->num_rows > 0){
        $_SESSION['userMail']=$email;
        header('location: home.php');
    }
    else{
        array_push($errors,"user not found");
    }
}
?>

```

error.php

```

<?php if(count($errors)>0) : ?>
    <div>
        <?php foreach($errors as $error) :?>
            <p><?php echo $error ?></p>
        <?php endforeach ?>
    </div>
<?php endif ?>

```

home.php

```

<?php
session_start();
$email=$_SESSION['userMail'];
$name="";

```

```

$db = mysqli_connect('localhost','hemanth','hemanth@22','blogit') or die("could not connect to database");

$query = "SELECT * FROM users WHERE users.email = '$email'";
// $results = mysqli_query($db,$query);
$results = $db->query($query);
if($results->num_rows > 0){
$user = mysqli_fetch_assoc($results);
if($user){
$name=$user['name'];
}
}
else{
    echo "error";
}

$allQuery = "SELECT * FROM blogdata ORDER BY id Desc";
$allResults = $db->query($allQuery);

$myQuery = "SELECT * FROM blogdata WHERE blogdata.email = '$email' ORDER BY id Desc";
$myResults = $db->query($myQuery);

?>

<!DOCTYPE html>
<html lang="en">
<head>
    <meta charset="UTF-8">
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
    <title>Post It</title>
    <!-- google font -->
    <link href="https://fonts.googleapis.com/css2?family=Bangers&family=Lobster+Two:ital,wght@1,700&family=Pacifico&family=Permanent+Marker&display=swap" rel="stylesheet">
    <!-- icons -->
    <link href="https://fonts.googleapis.com/icon?family=Material+Icons" rel="stylesheet">
    <!-- Compiled and minified CSS -->
    <link rel="stylesheet" href="https://cdnjs.cloudflare.com/ajax/libs/materialize/1.0.0/css/materialize.min.css">
</head>
<body style="background-color:#000000af;width:100%;height:100%;">
    <div class="container" style="margin-top:10%">
        <div class="row">
            <div class="col l6 xs 6 m6 s12" style="color:#fff;text-align:center">
                <div class="card-panel" style="border-width: 20px;border-color: blue;background-color: transparent;padding: 10vh;">
                    <button class="btn waves-effect waves-light" style="float: right;margin-top: -50px;margin-right: -30px;background-color: transparent;"><a href="create.php"> Write New Blog</a>
                        <i class="material-icons right">create</i>
                    </button>
                    <a class="btn tooltipped" data-position="right" data-tooltip=<?php echo $name ?> style="float: left;background-color: cornflowerblue;padding-right:25px;padding-left: 25px;">Name</a>
                    <br/>
                    <a class="btn tooltipped" data-position="left" data-tooltip=<?php echo $email ?> style="float: right;margin-top: 30px;padding-right:25px;padding-left: 25px;">Email</a>
                    <button class="btn waves-effect waves-light" type="submit" name="action" style="margin-top: 90px;background-color: #ff0037;"><a href="index.php"> Log Out</a>
                        <i class="material-icons right">exit_to_app</i>
                    </button>
                </div>
            </div>
        </div>
    </div>

```

```

        </div>
        <div class="row center">
            <h3>Your Blogs</h3>
            <?php if ($myResults->num_rows > 0) {
                // output data of each row
                while($row = $myResults->fetch_assoc()) {?>
                    <div class="col l6 xs 6 m6 s12" style="color:#000;text-align:center">
                        <ul class="collapsible">
                            <li>
                                <div class="collapsible-header center" ><i class="material-icons">person</i><?php echo $row["head"] ?></div>
                                <div class="collapsible-body">
                                    <?php echo $row["body"] ?>
                                    <hr/>
                                    mail: <?php echo $row["email"] ?>
                                    <br/>
                                    time: <?php echo $row["time"] ?>
                                </div>
                            </li>
                        </ul>
                    </div>
                    <?php
                }
            }
            else {
                echo "No Blogs";
            }
            ?>
        </div>
    </div>
    <div class="col l1 xs1 m1 s0"></div>
    <div class="col l5 xs 5 m5 s12 center">
        <h3 style="color:#fff;">Latest Blogs</h3>
        <?php if ($allResults->num_rows > 0) {
            // output data of each row
            while($row = $allResults->fetch_assoc()) {
                ?>
                <ul class="collapsible">
                    <li>
                        <div class="collapsible-header center" ><i class="material-icons">subtitles</i><?php echo $row["head"] ?></div>
                        <div class="collapsible-body">
                            <?php echo $row["body"] ?>
                            <hr/>
                            mail: <?php echo $row["email"] ?>
                            <br/>
                            time: <?php echo $row["time"] ?>
                        </div>
                    </li>
                </ul>
                <?php
            }
        }
        else {
            echo "No Blogs";
        }
        ?>
    </div>
</div>
</div>
</body>

```

```

<!-- jquery -->
<script src="https://code.jquery.com/jquery-3.5.1.js"
  integrity="sha256-QWo7LDvxbWT2tbbQ97B53yJnYU3WhH/C8ycbRAKjPDc="
  crossorigin="anonymous"></script>

<!-- Compiled and minified JavaScript -->
<script src="https://cdnjs.cloudflare.com/ajax/libs/materialize/1.0.0/js/materialize.min.js"></script>

<!-- coustomjs -->
<script >
  $(document).ready(function(){
    $('.tooltipped').tooltip();
    $('.collapsible').collapsible();
  });
</script>
</html>

```

create.php

```

<?php include('addData.php')?>
<!DOCTYPE html>
<html lang="en" >
<head>
  <meta charset="UTF-8">
  <title>Post It</title>
  <link href='https://fonts.googleapis.com/css?family=Titillium+Web:400,300,600' rel='stylesheet' type='text/css'><link rel="stylesheet" href="https://cdnjs.cloudflare.com/ajax/libs/normalize/5.0.0/normalize.min.css">
  <link rel="stylesheet" href="./_css/style.css">

</head>
<body>
<!-- partial:index.partial.html -->
<div class="form">

  <div class="card-panel">
    <div id="signup">
      <h1>Start Your Blog</h1>

      <form action="create.php" method="post">
        <?php include('errors.php') ?>
        <div class="field-wrap">
          <label>
            Title<span class="req">*</span>
          </label>
          <input type="text"required autocomplete="off" name="title" />
        </div>
        <h1>Body</h1>
        <div class="field-wrap">
          <textarea rows = "5" cols = "60" type="text"required autocomplete="off" name="
body">
          </textarea>
        </div>

        <button type="submit" class="button button-block"style="color: #fff;" name="preview">Preview</button>

      </form>

    </div>

```

```

        </div><!-- tab-content -->
</div> <!-- /form -->
<!-- partial -->
<script src='https://cdnjs.cloudflare.com/ajax/libs/jquery/2.1.3/jquery.min.js'></script>
<script>
    $('form').find('input, textarea').on('keyup blur focus', function (e) {

var $this = $(this),
    label = $this.prev('label');

    if (e.type === 'keyup') {
        if ($this.val() === '') {
            label.removeClass('active highlight');
        } else {
            label.addClass('active highlight');
        }
    } else if (e.type === 'blur') {
        if( $this.val() === '' ) {
            label.removeClass('active highlight');
        } else {
            label.removeClass('highlight');
        }
    } else if (e.type === 'focus') {

        if( $this.val() === '' ) {
            label.removeClass('highlight');
        }
        else if( $this.val() !== '' ) {
            label.addClass('highlight');
        }
    }

});

$('.tab a').on('click', function (e) {

    e.preventDefault();

    $(this).parent().addClass('active');
    $(this).parent().siblings().removeClass('active');

    target = $(this).attr('href');

    $('.tab-content > div').not(target).hide();

    $(target).fadeIn(600);

});
</script>
</body>
</html>

```

preview.php

```

<?php
session_start();

```

```

$email=$_SESSION['userMail'];
$title=$_SESSION['title'];
$content=$_SESSION['body'];
$temp=date("Y-m-d");

$db = mysqli_connect('localhost','hemanth','hemanth@22','blog's') or die("could not connect to database");
$query = "INSERT INTO blogdata(head, body, time, email) VALUES ('$title','$content','$temp','$email')";

if(isset($_POST['preview'])){
    if(isset($_POST['formSubmit'])){mysqli_query($db,$query);}
header('location: home.php');
}
?>
<!DOCTYPE html>
<html lang="en" >
<head>
    <meta charset="UTF-8">
    <title>Post It</title>
    <!-- google font -->
    <link href="https://fonts.googleapis.com/css2?family=Bangers&family=Lobster+Two:ital,wght@1,700&family=Pacifico&family=Permanent+Marker&display=swap" rel="stylesheet">
    <!-- icons -->
    <link href="https://fonts.googleapis.com/icon?family=Material+Icons" rel="stylesheet">
    <!-- Compiled and minified CSS -->
    <link rel="stylesheet" href="https://cdnjs.cloudflare.com/ajax/libs/materialize/1.0.0/css/materialize.min.css">
</head>
<body style="background-color:#000000af;width:100%;height:100%;">

    <div class="container">
        <div class="card-panel" style="margin-top:10%;background-color: transparent;padding: 10vh;color:#fff">
            <form action="preview.php" method="post">
                <div class="row">
                    <div class="col x15 l5 s5 m5">
                        <h5>Title</h5>
                    </div>
                    <div class="col x11 l1 s1 m1">
                        <h5>:</h5>
                    </div>
                    <div class="col x16 l6 s6 m6">
                        <h5>
                            <?php echo $title?>
                        </h5>
                    </div>
                </div>
                <div class="row">
                    <div class="col x15 l5 s5 m5">
                        <h5>Body</h5>
                    </div>
                    <div class="col x11 l1 s1 m1">
                        <h5>:</h5>
                    </div>
                    <div class="col x16 l6 s6 m6">
                        <h5>
                            <?php echo $content?>
                        </h5>
                    </div>
                </div>
            </div>
            <div class="row">

```

```

        <div class="col xl5 l5 s5 m5">
            <h5>Email</h5>
        </div>
        <div class="col xl1 l1 s1 m1">
            <h5>:</h5>
        </div>
        <div class="col xl6 l6 s6 m6">
            <h5>
                <?php echo $email?>
            </h5>
        </div>
    </div>
    <div class="row">
        <div class="col xl5 l5 s5 m5">
            <h5>Date</h5>
        </div>
        <div class="col xl1 l1 s1 m1">
            <h5>:</h5>
        </div>
        <div class="col xl6 l6 s6 m6">
            <h5>
                <?php echo $temp?>
            </h5>
        </div>
    </div>
    <p>
        <label>
            <input type="checkbox" name="formSubmit" />
            <span>All Set</span>
        </label>
    </p>
    <button type="submit" class="btn waves-effect waves-
light" style="color: #fff;" name="preview">Continue</button>
</form>
</div>
</div>
</body>
</html>

```

addData.php

```

<?php
session_start();
$title="";
$body="";
$errors = array();
$db = mysqli_connect('localhost','hemanth','hemanth@22','blogit') or die("could not connect to database");

if (isset($_POST['preview'])){
    $title= mysqli_real_escape_string($db,$_POST['title']);
    $body= mysqli_real_escape_string($db,$_POST['body']);

    if(empty($title)){array_push($errors,"title is Required");}
    if(empty($body)){array_push($errors,"Body is Required");}

    if(count($errors)==0){
        $_SESSION['title']=$title;
        $_SESSION['body']=$body;
















        header('location: preview.php');
    }
}

```

```
}
}
?>
```

Data Base


Users:-

		name	email	password
<input type="checkbox"/>	 Edit  Copy  Delete	ajith reddy	ajith@gmail.com	4bb52c85cb51237d8c57d894201a0c
<input type="checkbox"/>	 Edit  Copy  Delete	banny chinni	banny@gmail.com	4bb52c85cb51237d8c57d894201a0c
<input type="checkbox"/>	 Edit  Copy  Delete	chuchu reddy	chuchu@gmail.com	4bb52c85cb51237d8c57d894201a0c
<input type="checkbox"/>	 Edit  Copy  Delete	hemanth	hemanth@gmail.com	hemanth
<input type="checkbox"/>	 Edit  Copy  Delete	hemanth chuchu	hemanthreddy@gmail.com	0278a02a9e6ac9adaa3ddbd4262089

Blogs:-

		id	head	body	time	email
<input type="checkbox"/>	 Edit  Copy  Delete	1	blog	post	0000-00-00	hemanth@gmail.com
<input type="checkbox"/>	 Edit  Copy  Delete	2	ajith	ajith birthday	0000-00-00	hemanth@gmail.com
<input type="checkbox"/>	 Edit  Copy  Delete	3	hemanth	ajith birthday	0000-00-00	hemanth@gmail.com
<input type="checkbox"/>	 Edit  Copy  Delete	4	chitti	ajith birthday	0000-00-00	hemanth@gmail.com
<input type="checkbox"/>	 Edit  Copy  Delete	5	first	hello blog it	2020-11-19	hemanth@gmail.com
<input type="checkbox"/>	 Edit  Copy  Delete	6	third	third body	2020-11-19	hemanth@gmail.com
<input type="checkbox"/>	 Edit  Copy  Delete	7	Wps Assignment	not so easy to write	2020-11-26	hemanth@gmail.com

Index.php



Registration.php

The screenshot shows a web browser window with the URL `localhost/BlogPost/registration.php`. The page features a dark-themed registration form. At the top, there are two buttons: "Sign Up" (highlighted in green) and "Log In". Below these is the heading "Sign Up for Free". The form includes input fields for "First Name" (containing "Hemanth"), "Last Name" (containing "Tekula"), "Email Address" (containing "hemanthreddy@gmail.com"), and "Set A Password" (displayed as dots). A large green "GET STARTED" button is at the bottom of the form.


The screenshot shows the same web browser window with the URL `localhost/BlogPost/registration.php`. The page features a dark-themed login form. At the top, there are two buttons: "Sign Up" and "Log In" (highlighted in green). Below these is the heading "Welcome Back!". The form includes input fields for "Email Address" (containing "hemanth@gmail.com") and "Password" (displayed as dots). A "Forgot Password?" link is visible next to the password field. A large green "LOG IN" button is at the bottom of the form.

Profile:-


The screenshot shows a web browser window with the URL `localhost/BlogPost/home.php`. The page features a dark-themed user profile interface. On the left, there is a user profile card with a "NAME" label and the name "hemanth", an "EMAIL" label, and a "LOG OUT" button. Above the name is a "WRITE NEW BLOG" button with a pencil icon. Below the profile card is a section titled "Your Blogs" which displays a grid of six blog entries, each with a user icon and a name: "third", "first", "chitti", "hemanth", "ajith", and "blog". On the right side of the page is a section titled "Latest Blogs" which displays a vertical list of six blog entries, each with a user icon and a name: "third", "first", "chitti", "hemanth", "ajith", and "blog".

Your Blogs:- Blogs written by the user


Latest Blogs:- Blogs written by every one sorted in the order of date




Write new Blog:-




Add to Data Base:-





Blog Added in to the Data Base:-



Question 3:-

Create a web service client to consume a rest based service hosted at <https://reqres.in/api/register> to read the users data.

Index.html

```
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <title>Rest Data</title>
  <link rel="stylesheet" href="https://cdnjs.cloudflare.com/ajax/libs/materialize/1.0.0/css/materialize.min.css">
  <style>
    h1,h2,h3,h4,h5,h6 {
      color:crimson;
      font-weight: bold;
    }
    .select{
      color: #000000;
      font-size: large;
      font-weight: 600;
    }
  </style>
</head>
<body>
  <div class="container">
    <div class="row">
      <div class="col s12">
        <h1>Rest Data</h1>
      </div>
    </div>
  </div>
</body>
</html>
```



```

        document.getElementById("personeinformation").innerHTML = tbl;
    }
};
xmlHttp.send();
}
window.onload = function(){
    loadPersons();
}
</script>
</html>

```

Data:-

```

{"page":1,"per_page":6,"total":12,"total_pages":2,"data":[{"id":1,"name":"cerulean","year":2000,"color":"#98B2D1","pantone_value":"15-4020"}, {"id":2,"name":"fuchsia rose","year":2001,"color":"#C74375","pantone_value":"17-2031"}, {"id":3,"name":"true red","year":2002,"color":"#BF1932","pantone_value":"19-1664"}, {"id":4,"name":"aqua sky","year":2003,"color":"#7BC4C4","pantone_value":"14-4811"}, {"id":5,"name":"tigerlily","year":2004,"color":"#E2583E","pantone_value":"17-1456"}, {"id":6,"name":"blue turquoise","year":2005,"color":"#53B0AE","pantone_value":"15-5217"}], "support":{"url":"https://reqres.in/#support-heading","text":"To keep ReqRes free, contributions towards server costs are appreciated!"}}

```

OutPut:-

Rest Data

Color Name	ID	Year	Color	Pantone Value
cerulean	Id : 1	Year : 2000	Color : #98B2D1	pantone_value : 15-4020
fuchsia rose	Id : 2	Year : 2001	Color : #C74375	pantone_value : 17-2031
true red	Id : 3	Year : 2002	Color : #BF1932	pantone_value : 19-1664
aqua sky	Id : 4	Year : 2003	Color : #7BC4C4	pantone_value : 14-4811
tigerlily	Id : 5	Year : 2004	Color : #E2583E	pantone_value : 17-1456
blue turquoise	Id : 6	Year : 2005	Color : #53B0AE	pantone_value : 15-5217