




1.




2.




3.




4.



5.



6.



7.

Cisco Packet Tracer

File Edit Options View Tools Extensions Window Help

Logical Physical 1791 x 107

Router0

PC0

Access Point0

Access Point1

PC-PT PC1

PC1

Wireless0

Port Status: 10 Mbps, On

Bandwidth: 10 Mbps

MAC Address: 0050 0FEA 543A

SSID: bugh

Authentication: ☒ WEP, ☐ WPA2-PSK, ☐ WPA, ☐ 802.1X

WEP Key: 1234567890

PSK Pass Phrase: User ID, Password, User Name

Encryption Type: 40/64-Bits (10 Hex digits)

IP Configuration: ☐ DHCP, ☒ Static

IPv4 Address: 192.168.1.1, Subnet Mask: 255.255.255.0

IPv6 Configuration: ☒ Automatic, ☐ Static

IPv6 Address

Wireless0

Port Status: 24 Mbps, On

Bandwidth: 24 Mbps

MAC Address: 0030 F28C BCB4

SSID: it

Authentication: ☐ Disabled, ☒ WPA2-PSK, ☐ WPA, ☐ 802.1X

WEP Key: PSK Pass Phrase: QWERTYASD, User ID, Password, User Name

Encryption Type: AES

IP Configuration: ☐ DHCP, ☒ Static

IPv4 Address: 192.168.2.1, Subnet Mask: 255.255.255.0

IPv6 Configuration: ☒ Automatic, ☐ Static

IPv6 Address

Simulation