




1. Построили сеть проверили порты.




2.



3. Конфигурация 1 switch.



4. Конфигурация 2 switch.



5. Ping

Cisco Packet Tracer

File Edit Options View Tools Extensions Window Help

Logical Physical 1076 x 53

Time: 00:47:53

PC-PT PC0 Laptop-PT Laptop0 Laptop-PT Laptop1 PC-PT PC1 Switch0 PC-PT PC2 Laptop-PT Laptop2

Physical Config Desktop Programming Attributes

Command Prompt

Cisco Packet Tracer PC Command Line 1.0

C:\>ping 192.168.0.7

Pinging 192.168.0.7 with 32 bytes of data:

Reply from 192.168.0.7: bytes=32 time=1ms TTL=128

Reply from 192.168.0.7: bytes=32 time=1ms TTL=128

Reply from 192.168.0.7: bytes=32 time=1ms TTL=128

Reply from 192.168.0.7: bytes=32 time=1ms TTL=128

Ping statistics for 192.168.0.7:

Packets: Sent = 4, Received = 4, Lost = 0 (0% loss),

Approximate round trip times in milli-seconds:

Minimum = 0ms, Maximum = 0ms, Average = 0ms

C:\>

Realtime Simulation

Toggle PCU List Window

Copper Cross-Over

13:41