



Quiz Completed!

Data Science Quiz 4

Quiz Four

Your answers have been submitted successfully.

Your Overall Score

17 / 20

85%

Submitted: May 9, 2026 6:00 PM Attempt #1

Review Answers

Attempt 1

1. The KFold class for cross-validation belongs to which of the following?

1 point

☐ sklearn.metrics

☐ sklearn.validation

☒ sklearn.model_selection

✓ Correct Answer

Your Answer

☐ sklearn.cluster

2. What does n_splits=5 mean?

1 point

☐ Data is defined 5 random times

☐ Data split into 5 parts

✓ Correct Answer

Your Answer

☐ Both A and B

☐ None

3. model.predict([5.1, 3.5, 1.4, 0.2]); What happens?

1 point

☐ Returns array

✗ Your Answer

☐ Error

✓ Correct Answer

☐ None

☐ Works

4. Outliers can be detected using:

1 point

☐ Splitting

☐ Encoding

☐ percentile

✓ Correct Answer

Your Answer

☐ Mean

5. Which technique is best when data has many outliers?

1 point

☐ Mode

☐ Integration

☒ Median

✓ Correct Answer

Your Answer

☐ Drop all rows

6. Spam detection is an example of

1 point

☐ regression task

☒ classification task

✓ Correct Answer

Your Answer

☐ random task

☐ vector task

7. Label encoding could be used for:

1 point

☐ Numerical data

☐ Nominal data

☒ Ordinal data

✓ Correct Answer

Your Answer

☐ Missing data

8. Name the first two feature selection methods discussed in class (name only!)

1 point

✓ Your Answer (Correct)

Filter, Wrapper

9. Typical train-test split ratio:

1 point

☐ 90-10

☒ 80-20

✓ Correct Answer

Your Answer

☐ 50-50

☐ Any

10. K-fold CV splits data into:

1 point

☐ 2 parts

☒ k parts

✓ Correct Answer

Your Answer

☐ random parts

☐ none

11. Supervised learning uses:

1 point

☐ Unlabeled data

☐ Random data

☐ Labeled data

✓ Correct Answer

Your Answer

☐ No data

12. Clustering is an example of _____ learning.

1 point

✗ Your Answer (Incorrect)

unsupervised learning

✓ Correct Answer

unsupervised

13. Which method uses model performance?

1 point

☐ Filter

☐ Scaling

☐ Encoding

☐ Wrapper

✓ Correct Answer

Your Answer

14. What does NA represent in a dataset?

1 point

☐ Normal Attribute

☐ None

☐ Missing values

✓ Correct Answer

Your Answer

☐ Numerical Average

15. `df.fillna(df.mean())`; Why might this fail?

1 point

☐ It is impossible replace all NA values at once

☒ Non-numeric columns cannot use mean

✓ Correct Answer

Your Answer

☐ The syntax is incorrect

☐ None of the above

16. One-hot encoding creates which columns?

1 point

☐ standard

☐ technical

☒ dummy

✓ Correct Answer

Your Answer

☐ multilateral

17. When one variable can be derived from the rest of the variables, these variables are said to be?

1 point

☐ colinear

☐ supercolinear

☐ multicollinear

✓ Correct Answer

Your Answer

☐ linear variables

18. get_dummies is a method in which library

1 point

☐ numpy

☐ sklearn

✗ Your Answer

☐ pandas

✓ Correct Answer

☐ matplotlib

19. model_selection is a _____ in the sklearn library

1 point

☐ method

☐ modifier

☐ module

✓ Correct Answer

Your Answer

☐ model

20. In which of the following is the LabelEncoder class located?

1 point

☐ sklearn.model_selection

☐ sklearn.linear_model

☐ sklearn.preprocessing

✓ Correct Answer

Your Answer

☐ sklearn.metrics

Attempt History

Attempt #1

May 9, 2026 6:00 PM

17 / 20

[Back to Quizzes](#)