

PHISHING EMAIL ANALYSIS REPORT

Incident Review for ServiceNow-Assigned Suspected Email

Case Title	Suspected phishing email investigation
Reported Through	ServiceNow incident / request ticket [Insert ticket ID]
Evidence Item	suspected_email.eml
Analyst	Adabanija Toheeb
Assessment Status	Pending final disposition until findings are fully documented

1. Executive Summary

A suspicious email, preserved as *suspected_email.eml*, was reported through ServiceNow and assigned for analysis. The investigation focused on validating whether the message exhibited characteristics consistent with phishing or business email compromise. The review covered embedded URLs, attachments, sender IP reputation, SPF/DKIM/DMARC authentication results, and header consistency checks between the visible From address and the Return-Path. Screenshot placeholders have been included throughout this report so the analyst can attach evidence from VirusTotal, URLScan.io, AbuseIPDB, and email header analysis tools.

2. Scope and Objectives

- Confirm whether the embedded URLs or attachments show malicious, suspicious, or clean results based on external reputation and behavioral analysis platforms.
- Assess whether the sender infrastructure has a known history of abuse or malicious activity.
- Validate whether the email authentication controls (SPF, DKIM, and DMARC) passed and whether those results align with the claimed sender domain.
- Identify inconsistencies between the From field and Return-Path that could indicate spoofing, impersonation, or relay abuse.
- Provide a documented analyst conclusion and a recommended response action.

3. Investigation Methodology

Embedded URLs and attachments: Reviewed links and files contained in the email body using VirusTotal and URLScan.io to determine reputation, detection count, redirect behavior, hosting indicators, and rendering outcome.

Sender IP address review: Investigated the originating IP address using AbuseIPDB to determine abuse confidence score, historical reports, category tags, and general reputation.

Email authentication review: Verified SPF, DKIM, and DMARC results from the email headers to determine whether the message passed domain authentication checks.

Header consistency review: Compared the visible From field with the Return-Path and related header values to identify impersonation, envelope sender mismatch, or suspicious routing patterns.

4. Findings Summary

Control / Check	Status	Evidence Source	Analyst Note
-----------------	--------	-----------------	--------------

Embedded URL analysis	https://75cf03ff33327619f546ee0199768471.eu-west-1.resend-clicks-a.com/CL0/https:%2F%2Fisftovlplxehkznjkym.supabase.co%2Ffunctions%2Fv1%2Ftrack-email-click%3Fsid=c743bad7-344b-4c60-bf0a-a49cabd3eddd%26type=browse/1/0102019d7f55861f-9add01d4-54d4-4e4c-9260-1f5a2acae79e-000000/zNy40LIMwFFE4PED6fhVLtqwQ7FlMm7ISgintpX9PF4=452	VirusTotal / URLScan.io	Document detection count, redirects, landing behavior, and any brand impersonation observed.
Attachment analysis	 15 new jobs matching your prefer	VirusTotal	Document file hash, detection ratio, sandbox indicators, or note if no attachment existed.
Sender IP reputation	198.244.57.133	AbuseIPDB	Record abuse confidence score, report history, ASN/ISP, and geolocation if relevant.
SPF, DKIM, DMARC	All pass	Header review	Indicate pass/fail/none for each control and whether alignment appears legitimate.
From vs Return-Path	Not aligned	Header review	Record whether the visible sender and envelope sender are aligned or suspiciously mismatched.

5. Detailed Analysis

5.1 Embedded URLs and Attachments

The email body was reviewed for embedded hyperlinks and file attachments. **VirusTotal** was used to determine whether the URLs or file hashes were flagged by antivirus engines or threat intelligence feeds. **URLScan.io** was used to observe page rendering behavior, redirects, destination infrastructure, and any signs of credential harvesting or impersonation.

- Embedded URL(s) identified: [<https://75cf03ff33327619f546ee0199768471.eu-west-1.resend-clicks-a.com/CL0/https:%2F%2Fisftovlplxehkznjkym.supabase.co%2Ffunctions%2Fv1%2Ftrack-email-click%3Fsid=c743bad7-344b-4c60-bf0a-a49cabd3eddd%26type=browse/1/0102019d7f55861f-9add01d4-54d4-4e4c-9260-1f5a2acae79e-000000/zNy40LIMwFFE4PED6fhVLtqwQ7FlMm7ISgintpX9PF4=452>]





15 new jobs

- Attachment(s) identified: [matching your prefer]

- VirusTotal result summary: [1/93]
- URLScan.io result summary: [<https://75cf03ff33327619f546ee0199768471.eu-west-1.resend-clicks-a.com/CL0/https:%2F%2Fisftovlplxehkznjkym.supabase.co%2Ffunctions%2Fv1%2Ftrack-email-click%3Fsid=c743bad7-344b-4c60-bf0a-a49cabd3eddd%26type=browse/1/0102019d7f55861f-9add01d4-54d4-4e4c-9260-1f5a2acae79e-000000/zNy40LIMwFFE4PED6fhVLtqwQ7FIMm7ISgintpX9PF4=452>]
- Analyst assessment: [Maliciouse]

Screenshot Placeholder – VirusTotal / URLScan.io Results





5.2 Sender IP Reputation Review

The sender IP address was extracted from the email headers and checked against AbuseIPDB to identify whether the infrastructure has been reported for spam, phishing, malicious scanning, botnet activity, or other abusive behavior. The purpose of this step was to determine whether the source infrastructure meaningfully increases suspicion around the email.

- Sender IP address reviewed: [198.244.57.133]
- Abuse confidence score: [0%]
- Number of reports / categories: [3 times]
- Network / ISP / ASN: [Mailgun Technologies Inc / AS396479]
- Analyst assessment: [The IP reputation supports or weakens the phishing suspicion]

Screenshot Placeholder – AbuseIPDB Output

[Insert scr

198.244.57.133 was found in our database!

This IP was reported 3 times. Confidence of Abuse is 0%:

?

0%

ISP	Mailgun Technologies Inc.
Usage Type	Data Center/Web Hosting/Transit
ASN	AS396479
Hostname(s)	c133.cdc51d80.usw1.send.mailgun.net
Domain Name	mailgun.com
Country	 United States of America
City	San Antonio, Texas

IP info including ISP, Usage Type, and Location provided by [IPInfo](#). Updated weekly.

REPORT 198.244.57.133

WHOIS 198.244.57.133

IP Abuse Reports for 198.244.57.133:

This IP address has been reported a total of 3 times from 2 distinct sources. 198.244.57.133 was first reported on July 25th 2025, and the most recent report was 2 months ago.

Old Reports: The most recent abuse report for this IP address is from 2 months ago . It is possible that this IP is no longer involved in abusive activities.

Reporter	IoA Timestamp (UTC) ⓘ	Comment	Categories
 Peter Racine	2026-03-03 20:08:00 (2 months ago)	Phishing email - phishing link - hxxps[:]//d6c8138e-3640-4274-a209-88a5d0e99f11-test[.]ct0[.]app/r/s ... show more	Phishing
 QUADEMU Abuse Dpt	2025-09-21 16:04:14 (7 months ago)	[New] Noxious/Nuisible/вредоносный Host.	Email Spam Brute-Force
 QUADEMU Abuse Dpt	2025-07-25 02:25:55 (9 months ago)	[New] Noxious/Nuisible/вредоносный Host.	Email Spam Brute-Force


Showing 1 to 3 of 3 reports

5.3 SPF, DKIM, and DMARC Validation

Email authentication results were reviewed to determine whether the message passed SPF, DKIM, and DMARC checks. A pass result can support legitimacy, but it does not by itself prove the message is safe. A fail, softfail, none, or misalignment result may increase suspicion depending on the sender domain and the mail flow.

Control	Result	Analyst Comment
SPF	pass	Record pass, fail, softfail, neutral, or none. Note whether the envelope sender domain is authorized.
DKIM	pass	Record pass/fail and whether the signing domain aligns with the visible sender domain.
DMARC	pass	Record pass/fail and whether alignment between SPF/DKIM and From domain is achieved.

Screenshot Placeholder – SPF / DKIM / DMARC Header Evidence




5.4 From Address and Return-Path Review

The visible From address was compared against the Return-Path and other routing header fields. A mismatch does not always indicate phishing, but unexplained differences can point to spoofing, third-party relay abuse, or impersonation. This check is important when the email attempts to appear as if it originated from a trusted business domain while the envelope sender points elsewhere.

- From address: [198.244.57.133]
- Return-Path: [<bounce+c7db36.37d14-toheebadabanija83@gmail.com@workablemail.com><bounce+c7db36.37d14-toheebadabanija83@gmail.com@workablemail.com>]
- Observed alignment / mismatch: [Mismatch]
- Comment on legitimacy of mismatch: []
- Analyst assessment: [The discrepancy is malicious]

Screenshot Placeholder – From / Return-Path Header Comparison



Return-Path: <bounce+c7db36.37d14-toheebadabanija83@gmail.com@workablemail.com>

6. Indicators and Evidence Log

Indicator Type	Indicator Value	Status	Notes
Sender email	noreply@candidates.workablemail.com	Spam	Claimed sender identity
Sender IP	198.244.57.133	Reported	Originating infrastructure from header analysis
Embedded URL	https://75cf03ff33327619f546ee0199768471.eu-west-1.resend-clicks-a.com/CL0/https:%2F%2Fisftovlp lxehkznjkym.supabase.co%2Ffunctions%2Fv1%2Ftrack-email-click%3Fsid=c743bad7-344b-4c60-bf0a-a49cabd3eddd%26type=browse/1/0102019d7f55861f-9add01d4-54d4-4e4c-9260-1f5a2acae79e-000000/zNy40LIMwFFE4PED6fhVLtqwQ7FlMm7ISgintpX9PF4=452	Phishy	Add one row per link if multiple URLs exist
Attachment hash	MD5: d14439c530c2db83c2c1f97ef012892e SHA-1: 34b9ce6e0532e21df5d7dd1f858ef3bf216cf868 SHA-256: 3db588bf58ed9e8e614d68440cc1282227d9444fad9f2bc4e2a0366443c7b8e3		SHA256/MD5 as available
Domain(s)	[Insert]	[Insert]	Visible sender domain, redirect domain, or hosting domain

7. Analyst Conclusion

Based on the evidence collected from link analysis, attachment review, sender IP reputation, authentication checks, and header consistency analysis, the message should be classified using the outcome that matches the actual investigation results recorded above.

- Final classification: [Benign / Suspicious / Confirmed Phishing / Spam / Requires Further Escalation]
- Confidence level: [Low / Medium / High]
- Primary reason for classification: [Insert concise conclusion]
- Impact assessment: [Insert whether user interaction occurred or whether the message was contained before interaction]

8. Recommended Response Actions

- Block or monitor the sender address, sending domain, IP address, and embedded URL(s) where applicable.
- Search for additional recipients of the same message across the environment and quarantine matching emails if confirmed malicious.
- Reset credentials and review sign-in logs if the user interacted with the email or submitted credentials.
- Escalate to incident response or threat hunting if the indicators suggest broader targeting or compromise.
- Document the final disposition in ServiceNow and attach screenshots, hashes, and header evidence for auditability.

Note: This report is intentionally structured with placeholders because the actual platform outputs, header values, URLs, hashes, and final verdict were not supplied. Replace each placeholder with the observed results from your investigation before submitting the report formally.