Voyager Senior Housing Prospect Lead Referral Interface Specifications





Corporate Website
Client Central

Documentation and Online Help Published by Yardi Systems, Inc. 430 South Fairview Avenue Santa Barbara, CA 93117

© 2022 by Yardi Systems, Inc. All rights reserved.

This product or document is protected by copyright, trademark and other intellectual property laws. Use of the product or document is subject to the terms and conditions of an authorized Yardi Systems, Inc. software license or other agreement including, but not limited to, restrictions on its use, copying, disclosure, distribution and decompilation. NOTHING IN THIS DOCUMENTATION IS INTENDED TO SUPERSEDE ANY EXPRESS WRITTEN AGREEMENTS PROVIDED BY YARDI SYSTEMS FOR PORTIONS OF ANY YARDI SYSTEMS PRODUCT OR SERVICE OTHER THAN THIS DOCUMENTATION. No part of this product or document may be disclosed or reproduced in any form by any means without the prior written authorization of Yardi Systems, Inc. This product or document contains proprietary information about software processes, algorithms, and data models which is Confidential Information, and constitutes trade secrets, and which is intended for utilization solely in connection with Yardi software licensees' use of Yardi software and for no other purpose.

The inclusion of any references to third-party products and services in this documentation does not imply endorsement by Yardi Systems of such products or services or the third party, or an affiliation between Yardi Systems and such third party. Yardi Systems is not responsible for, and does not control, any third-party products and services including, without limitation, the compatibility, performance, content, trustworthiness, legality, or any other aspect of such products and services.

RESTRICTED RIGHTS: This documentation is a "Commercial Item" consisting of "Computer Software Documentation," as those terms are defined in Federal Acquisition Regulation 48 C.F.R. 2.101. Consistent with 48 C.F.R. 12.212 and 48 C.F.R. 227.7202-1 through 227.7202-4, U.S. government end users acquire this documentation with only the rights specified in the corresponding license.

The product described in this manual may be protected by one or more U.S. patents, foreign patents, or pending applications.

NON-EXHAUSTIVE LIST OF YARDITRADEMARKS

Yardi Systems, Inc. trademarks are valuable assets of the company. Yardi trademarks and registered trademarks in the United States and certain other countries include: Yardi®, Yardi Systems, Inc., the Yardi logo, ALMSA®, Beacon, CENTERSHIFT®, CHECKscan, COLLECTplus, Commercial Property Executive®, Commercial Property News®, Commercial Property World®, CommercialCafe®, Concierge, CONDOCafé, CONDOCafé Certificates, Context®, CTI®, ENERGYplus, Enerliance®, Genesis2, GoodShield®, HOUSINGCafé®, InvestorPlus, Lead Tracking Solutions®, LeasingKlOSK, LOBOS®, Marketplace, MILITARYCafé, MLS Certified®, Multi-Housing News®, Multi-Housing World®, Optimus EMR®, Orion®, PAYplus, PayScanPayScan, Pierce-Eislen®, Point2®, PopCard®, PowerShopping®, PropertyShark®, Propware, Pulse®, Quandam Pro Lab®, RENTCafé®, RENTCafé® Connect, RENTCafé® Creative, RENTCafé® Reach, RENTCafé® TextPay, Renter Reliability Index, RENTmaximizer, ResidentShield®, ScreeningWorks®, SiteManager, SiteStuff®, Small Energy Group®, Store Advantage, TotalScreen®, VendorCafe®, Voyager®, WIPS®, Yardi Energy Solutions®, YardiOne, and YES Energy Management® are trademarks or registered trademarks of Yardi Systems, Inc. in the United States and may be protected as trademarks in other countries. This list is not all-inclusive and the absence of a product or service name or logo from this list does not imply a waiver of Yardi's trademark or other intellectual property rights concerning that name or logo.

All third-party trademarks are the property of their respective owners.

YARDI SYSTEMS, INC. HAS ATTEMPTED TO ENSURE THE ACCURACY AND QUALITY OF THE CONTENT DESCRIBED IN THIS PRODUCT OR DOCUMENT; HOWEVER, IT IS PROVIDED ON AN "AS IS" BASIS WITHOUT WARRANTY OF ANY KIND. TO THE EXTENT PERMITTED BY APPLICABLE LAW, YARDI DISCLAIMS ALL IMPLIED WARRANTIES WITH RESPECT TO THIS DOCUMENT AND THE PROCEDURES AND TECHNIQUES IT DESCRIBES INCLUDING, WITHOUT LIMITATION, ANY IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR INTENDED PURPOSE, TITLE, NON-INFRINGEMENT, COURSE OF DEALING OR COURSE OF PERFORMANCE. YARDI MAKES NO WARRANTY THAT (i) THE INFORMATION AND MATERIAL HEREIN WILL MEET YOUR REQUIREMENTS, OR (ii) THE RESULTS THAT MAY BE OBTAINED FROM THE USE OF THE INFORMATION AND MATERIALS HEREIN WILL BE ACCURATE OR RELIABLE. YARDI, ITS SUPPLIERS OR ANY THIRD PARTY MENTIONED IN THIS PRODUCT OR DOCUMENT DISCLAIM AND, TO THE MAXIMUM EXTENT PERMITTED BY APPLICABLE LAW IN YOUR JURISDICTION, SHALL NOT BE LIABLE FOR, ANY TYPE OF DAMAGES RELATED TO THIS DOCUMENTATION OR ITS USE, OR PERFORMANCE OR NON-PERFORMANCE OF ANY SOFTWARE, HARDWARE, SERVICE, OR ANY THIRD PARTY PRODUCTS AND SERVICES INCLUDING WITHOUT LIMITATION ANY OF THE FOLLOWING DAMAGES: ANY DIRECT, INCIDENTAL OR CONSEQUENTIAL, SPECIAL OR EXEMPLARY DAMAGES RESULTING FROM THE USE OF THIS DOCUMENT.

v_snh_ins_plr_rev_i

Prospect Lead Referral Interface Specifications

In this document:	
Interface Overview	1
Web Methods	1
XML Document Specification	3
Sample XML Document	7
XML Result Messages	8
Sample XML Result Message	10

This document specifies the requirements for the Senior Housing Prospect Lead Referral Interface. This interface can be used by third-party vendors to send prospect leads data into a Yardi Senior Living database.

Interface Overview

The Senior Housing Prospect Lead Referral Interface is a Web service that uses SOAP messages conveyed over HTTPS. This Web service is available to Yardi Senior Living clients in their installation of the Voyager Senior Housing application. The URL and login information is different for every client, but the Web service message format is the same.



When sending prospect information to multiple Yardi Senior Living clients, ensure that clients have been mapped to the appropriate URL and login before sending the request.

Web Methods

In this section:
Ping
ImportGuest

The GuestCardSenior.asmx Web service has two methods: **Ping** and **ImportGuest**.

Ping

The **Ping** Web method checks for connectivity and verifies that login credentials are valid.

Message Request Format

The Ping message request requires the following five parameters:

Name	Description	Туре
DbUserName	User Name	String
DbPassword	Password	String
DbName	Database Name	String
Server	Server Name	String
Platform	SQL Server	String

ImportGuest

The ImportGuest Web method imports a new prospect record in to the system. The ImportGuest Web method requires a valid login and XML in the following format.

Message Request Format

The **ImportGuest** message request requires the following six parameters:

Name	Description	Туре
DbUserName	User Name	String
DbPassword	Password	String
DbName	Database Name	String
Server	Server Name	String
Platform	SQL Server	String
XmlDoc	XML document containing prospect information. See "XML Document Specification" on page 3.	String

XML Document Specification

Note the required elements.

Data Element	Description	Туре	Required	Comments
SourceName	Source Name	String(50)	Yes	Name of the Source configured in the client's Yardi database that represents your company.
SecondarySourceName	Secondary Source Name	String(50)	No	This value should be a valid Source configured in the client's Yardi database.
ExtReference	External Reference	String(20)	Yes	Unique identifier in your system. Each message should have its own unique ExtReference. If a message is received that has the same ExtReference as an existing record, that message will be rejected.
ContactExtReference	Contact External Reference	String(250)	No	Unique identifier in your system for the primary contact if they are not the actual prospect. This value should not match the ExtReference. If a message is received that has the same ContactExtReference as an existing record, that message will be rejected.
PropertyCode	Property Code	String(8)	Yes	This is the Yardi property code of the Community in which the Prospect is primarily interested. Every property in a client's Yardi database will have a unique alphanumeric code no longer than 8 characters.
OtherCommunities	Other Communities	String(500)	No	These are Yardi property codes representing a prospect's non-Primary Communities. Each property code is at most 8 characters and is separated by a caret (^) character.
FirstName	First Name	String(50)	Yes	Primary contact's name.
MiddleInital	Middle Initial	String(2)	No	_
LastName	Last Name	String(100)	Yes	_
Gender	Gender	String(50)	Yes	-
Salutation	Salutation	String(50)	No	-

Data Element	Description	Туре	Required	Comments
Address1	Address Line 1	String(50)	No	Either a valid mailing address, phone number,
Address2	Address Line 2	String(50)	No	or email address is required. If none of these three are provided, the prospect will not be
Address3	Address Line 3	String(50)	No	imported.
OfficePhone	Phone - Office	String(14)	No	-
HomePhone	Phone - Home	String(14)	No	-
CellPhone	Phone - Cell	String(14)	No	-
Email	Email Address	String(60)	No	-
City	City	String(40)	No	
State	State/Province Code	String(2)	No	
Zip	Zip/Postal Code	String(10)	No	
Country	Country	String(8)	No	
Fax	Phone - Fax	String(14)	No	
OKToMail	OK To Mail	Boolean	No	For any of these OK To fields, the value 1
OKToMassMail	OK To Mass Mail	Boolean	No	represents True, and 0 represents False. Blank values will be defaulted based on System
OKToEmail	OK To Email	Boolean	No	Options.
CallStatus	Call Status	String(16)	No	Must be of one of the following:
				OK to Call
				Not OK to Call
				As Per DNC Rules
PreferredMethodOfCon tact	Preferred method of contact	String(50)	No	Must be one of the following: All, None, Call, Text, Email
Relationship	Primary contact's relation to the prospect, for example, brother, daughter, etc.	String(50)	No	If the primary contact is the actual prospect, then the Relationship value should be Self. Also, if no valid relationship is provided, then the value will default to Self.

Data Element	Description	Туре	Required	Comments
ProspectFirstName	Prospect First Name	String(50)	No	If the primary contact is someone other than the actual prospect, then provide the
ProspectMiddleInitial	Prospect Middle Initial	String(2)	No	prospect's name information here. If the primary contact is the actual prospect (as defined through a Relationship value of Self),
ProspectLastName	Prospect Last Name	String(100)	No	then these 3 prospect name fields will be ignored.
				In the event that the Relationship value is something other than Self but these prospect name fields are left blank, then a prospect record will be created with first name *None and last name the same as the primary contact's last name.
DOB	Date of Birth	Date	No	Prospect's date of birth (mm/dd/yyyy format).
Current Residence	Current Residence	String(50)	No	Must be a valid current residence set up in the client's Yardi Database. Can be multiple items separated by a caret (^) character.
PrefMoveInDate	Expected Move In Date	Date	No	The expected or preferred move in date (mm/dd/yyyy format).
PreferredBedrooms	Number of Bedrooms	Integer	No	Number of bedrooms preferred.
ScheduleTour	Schedule a visit	Boolean	No	If the value is 1, a tour activity will be scheduled. If the value is 0 or blank, no tour activity will be scheduled.
ScheduleTourDate	Date for Tour	Date	No	If ScheduleTour has a value of 1, then a tour activity will be created for the prospect with the date specified in this field. If no date is specified, then the tour activity will be scheduled for the current date.
ScheduleTourTime	Schedule Tour Time	Time	No	If ScheduleTour has a value of 1, then a tour activity will be created for the prospect with the time specified in this field.
Agent	Sales Counselor	String(40)	No	Name of the sales counselor/agent who should be assigned to this prospect.
LeadStatus	Lead Status	String(200)	No	The value in this field must be a valid lead status that is set up in the client's Yardi database.
Initial Activity Type	Type of Initial Activity	String(50)	No	If an initial activity will be created for this prospect, this field determines the type of activity. The values in this field must be the same as the activity type values in the Initial Contact category configured in the client's Yardi database.

Data Element	Description	Type	Required	Comments
Notes	Notes	String(6800)	No	General information about the prospect. This information will appear in the Notes field on the Prospect record.
CareLevel	Care Level	String(50)	No	The values in this field must be the same as the care level values that are set up in the client's Yardi database.
Motivations	Motivations	String(400)	No	Must be a valid motivations set up in the client's Yardi Database. Can be multiple items separated by a caret (^) character.
Values	Values	String(400)	No	Must be a valid values set up in the client's Yardi Database. Can be multiple items separated by a caret (^) character.
FearsConcerns	Fears and/or concerns	String(400)	No	Must be a valid fears/concerns set up in the client's Yardi Database. Can be multiple items separated by a caret (^) character.
Current Challenges	Current challenges	String(400)	No	Must be a valid current challenges set up in the client's Yardi Database. Can be multiple items separated by a caret (^) character.
Interests	Interests	String(400)	No	Must be a valid interests set up in the client's Yardi Database. Can be multiple items separated by a caret (^) character.
CareNeeds	Care Needs	String(400)	No	Must be a valid care needs set up in the client's Yardi Database. Can be multiple items separated by a caret (^) character.
ResearchConducted	Research Conducted	String(400)	No	Must be a valid research conducted set up in the client's Yardi Database. Can be multiple items separated by a caret (^) character.
DesiredRent	Desired Rent	String(50)	No	
FinancialSituation	Financial Situation	String(400)	No	Must be a valid financial situation set up in the client's Yardi Database. Can be multiple items separated by a caret (^) character.
UpdateFlag	Update Flag	Boolean	No	If the value is 1, prospects with duplicate external reference IDs are updated.
				If the value is 0, prospects with duplicate external reference IDs are rejected.

Data Element	Description	Туре	Required	Comments
UserDefinedLabel1	User Defined Label 1	String(50)	No	These six user-defined fields can be used to send additional custom data that is not included in the standard XML fields. The label
UserField01	User Defined Field1	String(50)	No	
UserDefinedLabel2	User Defined Label2	String(50)	No	values (for example, UserDefinedLabel1) can be used to describe the custom data being sent,
UserField02	User Defined Field2	String(50)	No	and the user-field values (for example, UserField01) contain the actual data that
UserDefinedLabel3	User Defined Label3	String(50)	No	corresponds to each label.
UserField03	User Defined Field3	String(50)	No	_
User Defined Label 4	User Defined Label4	String(50)	No	_
UserField04	User Defined Field4	String(50)	No	_
User Defined Label 5	User Defined Label5	String(50)	No	_
UserField05	User Defined Field5	String(50)	No	_
User Defined Label 6	User Defined Label6	String(50)	No	_
UserField06	User Defined Field6	String(50)	No	

Sample XML Document

```
<?xml version="1.0" encoding="utf-8"?>
<soap:Envelope xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"</pre>
xmlns:xsd="http://www.w3.org/2001/XMLSchema"
xmlns:soap="http://schemas.xmlsoap.org/soap/envelope/">
 <soap:Body>
   <ImportGuest xmlns="YSI.Portal.SeniorHousing.WebServices">
     <DbUserName>example</DbUserName>
     <DbPassword>example</DbPassword>
     <DbName>example</DbName>
     <Server>example</Server>
     <Platform>SOL Server</Platform>
     <Xmldoc>
       <Leads xmlns="">
        <Lead>
          <SourceName>Community Website</SourceName>
          <ExtReference>1-1</ExtReference>
          <PropertyCode>a10</PropertyCode>
          <FirstName>LeadTest1</FirstName>
          <LastName>Tews</LastName>
          <CellPhone>8051233333</CellPhone>
          <Email>test@test.com</Email>
          <InitialActivityType>Community Website</InitialActivityType>
          <Notes>Request more information</Notes>
          <UserDefinedLabel1>Source/Medium</UserDefinedLabel1>
          <UserField01>Paid</UserField01>
          <UserDefinedLabel2>Campaign</UserDefinedLabel2>
          <UserField02>Branded</UserField02>
        </Lead>
       </Leads>
     </Xmldoc>
   </soap:Body>
</soap:Envelope>
```

XML Result Messages

Result Message	Message Description
Contact External Reference ID cannot be the same as the External Reference ID.	The contact external reference identification number cannot be the same as the external reference identification number.
Contact External Reference ID exists in the database. Duplicate contact records cannot be created.	The contact external reference identification number in the interface file already exists in the client's Yardi database.
Either a valid address, phone or email address is required.	Contact information for the primary contact is missing in the interface file.
External Reference ID exists in the database. An activity has been added to the existing record.	The external reference identification number in the interface file already exists in the client's Yardi database, and the Update Flag was set to 1.
External Reference ID exists in the database. Duplicate prospect records cannot be created.	The external reference identification number in the interface file already exists in the client's Yardi database, and the Update Flag was not set to 1.
External Reference ID exists in the database. Prospect activated. An activity has been added to the existing record.	The external reference identification number in the interface file already exists in the client's Yardi database for an inactive prospect, and the Update Flag was set to 1.
First Name or Last Name cannot be blank.	Either the primary contact first name or last name are missing in the interface file. Both fields are required.
Property Code is invalid.	The property code in the interface file does not match a valid property code in the client's Yardi database.
Property Code is required.	The property code is missing in the interface file.
Prospect already exists in the database. An activity has been added to the existing record I	The prospect name and one element of the contact information (address, telephone number, or email address) in the interface file matches a prospect in the client's Yardi database. System options are set to add an activity to the existing prospect.
Prospect already exists in the database. An activity has been added to the existing record II	The prospect name and one element of the contact information (address, telephone number, or email address) in the interface file matches a prospect in the client's Yardi database. System options are set to add an activity to the existing prospect.
Prospect already exists in the database. Duplicate prospect records cannot be created I	The prospect name and one element of the contact information (address, telephone number, or email address) in the interface file matches a prospect in the client's Yardi database. System options are set to reject this prospect.
Prospect already exists in the database. Duplicate prospect records cannot be created II	The primary contact name and one element of the contact information (address, telephone number, or email address) in the interface file, matches the contact information in the client's Yardi database. System options are set to reject this prospect.

Result Message	Message Description
Prospect already exists in the database. The duplicate record has been added I	The prospect name and one element of the contact information (address, telephone number, or email address) in the interface file matches a prospect in the client's Yardi database. System options are set to add the new prospect.
Prospect already exists in the database. The duplicate record has been added II	The prospect name and one element of the contact information (address, telephone number, or email address) in the interface file matches a prospect in the client's Yardi database. System options are set to add the new prospect.
Source Name cannot be blank.	The source name (referral name) is missing in the interface file.
Unique External Reference ID is required.	The external reference identification number is missing in the interface file.

Sample XML Result Message

Success

</Imports>

```
<Imports>
     <ResultStatus>Success
     <ResultMessage>Import Successful</ResultMessage>
</Imports>
Failure
<Imports>
     <ResultStatus>Failure</ResultStatus>
     <ResultMessage>Unable to login. Invalid username /
     Password.</ResultMessage>
```