## 3.1 Important Files — Individual Contribution

**Contributor: Muhtarim Afnan Chowdhury (`mc802595`)**

The following files and resources relate to my contributions to RoamReady, including account registration, login, password recovery, notifications, logout, and Supabase integration. Shared files are listed only in relation to the portions I worked on; they do not indicate sole authorship.

| Important file or resource | Description of its purpose and my contribution |
|---|---|
| `src/app/signup/page.tsx` | Account-registration page. My work included connecting the registration form to Supabase, submitting full name, email, and password, displaying confirmation/error messages, and adding a Google authentication option. |
| `src/app/login/page.tsx` | Login page. My work included email/password authentication, Google login integration, feedback messages, and the link to password recovery. |
| `src/app/reset-password/page.tsx` | Password-recovery request page. My work included collecting the user's email, requesting a reset link through Supabase, and displaying feedback. The page was subsequently updated through team collaboration. |
| `src/app/reset-password/update/page.tsx` | Password-update page. Allows users following a recovery link to enter and confirm a new password, checks that both |

| | |
|---|---|
| | values match, and submits the change to Supabase. |
| `src/app/notifications/page.tsx` | Notifications module. Retrieves notifications for authenticated users, displays read/unread status, and allows notifications to be marked as read. My work also included login and signup links for logged-out visitors. |
| `src/components/layout/Navbar.tsx` | Shared navigation component. My contributions included logout functionality and updating the displayed authentication controls according to the user's session. |
| `src/lib/supabase.ts` | Shared Supabase connection used by client-side authentication and notification features. Reads the project URL and public key from environment variables. |
| `src/utils/supabase/client.ts` and `src/utils/supabase/server.ts` | Shared Supabase browser/server utilities. I contributed configuration changes while integrating authentication; these utilities also contain teammates' work. |
| `src/app/auth/callback/route.ts` | Shared authentication callback route. I modified its integration with the server Supabase client and the authorization-code exchange/redirect flow. |
| `src/app/globals.css` | Shared application stylesheet. My contributions included styling the login, signup, password-reset, and notification authentication links to match the |

| | |
|---|---|
| | application’s green color scheme, along with CSS syntax corrections. |
| `.env.local` | Local configuration used to connect my development environment to the Supabase project. Contains environment-specific settings and is not intended to be committed to GitHub. |
| Supabase database and Row Level Security policies | Backend resources used by my authentication and notification features. My work included Supabase initialization, security-policy configuration, and testing access to user-specific data. SQL configured directly in the dashboard is separate from application source files unless exported into migrations. |

## Third-Party Tools and Services Used

| Tool or service | Purpose within my work |
|---|---|
| Supabase Auth | Handles account registration, email/password login, password recovery, Google authentication, and logout. |
| Supabase PostgreSQL | Stores application data, including notifications, with access controlled through database security policies. |
| `@supabase/supabase-js` | JavaScript library used to call Supabase authentication and database functions. |

| | |
|---|---|
| `@supabase/ssr` | Supports browser/server Supabase clients and cookie-based authentication integration. |
| Next.js, React, and TypeScript | Provide page routing, interactive forms, component state, and typed application code. |
| Git and GitHub | Record, synchronize, and integrate my source-code contributions with the team repository. |

Google Cloud OAuth credential configuration was assigned to another team member; my contribution concerned integrating the Google authentication controls into the application.