

UAT Plan

for

Huddle

Friend Group Social Planning PWA

1. Scope

1.1 Objectives and Business Requirements

The goal of this User Acceptance Test is to verify that Huddle - a Progressive Web App (PWA) for friend group social planning - meets its defined functional and non-functional requirements before launch.

Specifically, UAT will confirm that:

Objective	How Success Will Be Measured
Core features function correctly	Users can log in, create/join groups, propose events, vote, and track attendance without errors.
Performance meets targets	Multiple members of groups can vote at the same time without the risk of a race condition
Security boundaries are enforced	Users cannot access other groups' data. 2FA blocks unauthorised logins.
Usability is sufficient	A first-time user can create a group and propose an event in under 3 minutes.
Compatibility across devices	The interface renders correctly on screens from 320px (mobile) to 1920px (desktop) and across Chrome, Firefox, and Safari.

1.2 Scope

Huddle is a new PWA designed to help friend groups organise and commit to social plans through event proposals, group voting, and attendance tracking. It replaces the frustration of unresponsive group chats with a structured, clear decision-making interface.

For this UAT, we will be testing:

- User registration and Google Authenticator 2FA login
- Group creation and joining via unique invite codes
- Event proposal form (name, date/time, location)
- Yes/No/Maybe voting system with real-time tally display
- Attendance tracking and confirmed member list
- Data isolation between separate friend groups (security)
- Responsive layout on mobile (320px), tablet, and desktop (1920px)
- Cross-browser compatibility (Chrome, Firefox, Safari)
- First-time usability (event creation within 3 minutes)

We are NOT testing in this UAT:


- Real-time chat or messaging features (out of scope for Huddle entirely)
- Payment systems, ticket booking, or calendar syncing
- Social media-style features (likes, comments, feeds)
- Advanced recommendation algorithms
- Performance under extreme load (50+ simultaneous users) - covered in separate load testing

1.3 System Diagrams


The diagrams below represent key structural and data-flow relationships within Huddle. UAT testers should review these to understand how the system components interact.

Level 0 DFD: Shows the overall data flow between the user, the Huddle system, and the authenticator.


Level 0



Level 1 DFD: Breaks down internal processes -user management, group management, event handling, and voting logic.



Structure Chart: Shows the module hierarchy of the application from login through to event and attendance management.



2. Testing Team

The following team members will carry out UAT during Phase 4:

Name	Responsibilities
Michael Liondis	UAT Coordinator - designs test cases, oversees testing sessions, compiles results and final UAT report.
Mr Jones	Evaluator - reviews UAT plan and final results against project requirements.
Kevin Tran	End-user tester - performs usability and functional tests as a typical group member.
Ismail Rizvi	End-user tester - performs cross-device and cross-browser compatibility tests.
Ari Martens / Michael Liondis	End-user tester - performs security and group isolation tests using a separate test account.

3. Environmental Requirements

3.1 Hardware Requirements

Huddle must be tested across the following device types to satisfy the PWA responsiveness requirement (320px–1920px):

Device Type	Example	Purpose
Smartphone	iPhone or Android (any recent model)	Mobile responsiveness at ~320–430px width
Tablet (optional)	iPad or Android tablet	Mid-range screen testing at ~768px width
Laptop / Desktop	Any laptop or desktop PC/Mac	Full desktop layout at 1080px–1920px width

All devices require a stable internet connection to sync vote and event data.

3.2 Software Requirements

Huddle is a PWA - no installation is required. Testers must have the following:

Requirement	Details
Web Browser	Google Chrome (latest), Mozilla Firefox (latest), Safari (latest on iOS/macOS)
Google Authenticator	Installed on a smartphone (iOS App Store or Google Play) and linked to a Huddle test account.
Internet Connection	Active Wi-Fi or mobile data connection (4G minimum recommended).
Test Accounts	Minimum 2 separate Huddle accounts (to test group joining and multi-user voting simultaneously).

3.3 Network Requirements

- Stable internet connection (Wi-Fi or 4G/5G mobile data) on all test devices
- The Huddle backend server must be running and accessible at the test URL
- The SQL database must be live and connected to the backend during all test sessions

4. Test Scripts

The table below contains all UAT test cases. Each case maps to a specific functional or non-functional requirement. The 'Actual Result' and 'Pass/Fail' columns are to be completed during Phase 4 testing.

Test ID	Requirement	Test Description	Expected Result	Actual Result	Pass/Fail
UAT-001	User Authentication (2FA)	Register a new account and complete Google Authenticator 2FA setup. Enter valid email/password, then enter the 6-digit TOTP code from Google Authenticator.	Account is created and user is logged in successfully. Invalid or expired codes are rejected with an error message.	(Phase 4)	Pass
UAT-002	User Login	Log in with an existing account. Enter correct email and password, then enter the current 6-digit 2FA code.	User is authenticated and redirected to the home/dashboard screen within 3 seconds.	(Phase 4)	Pass
UAT-003	Group Creation via Invite Code	Create a new friend group. Enter a group name and submit. Note the generated 6-digit alphanumeric invite code.	A new group is created and a unique 6-character invite code is displayed. The group appears in the user's group list.	(Phase 4)	Pass
UAT-004	Group Joining via Invite Code	Using a second test account, enter a valid invite code to join the group created in UAT-003.	The second user successfully joins the group and can see it in their group list. The group creator can see the new member.	(Phase 4)	Pass
UAT-005	Invalid Invite Code Rejection	Attempt to join a group using a made-up or expired invite code (e.g. 'XXXXXX').	System displays a clear error message (e.g. 'Invalid or expired invite code'). The user is NOT added to any group.	(Phase 4)	Pass
UAT-006	Event Proposal System	As a group member, propose a new event.	The event appears in the group's event	(Phase 4)	Pass

		Enter an event name (max 30 chars), select a date/time, and enter a location (max 100 chars), then submit.	feed and is visible to all group members. Input that exceeds character limits is rejected.		
UAT-007	Voting System (Yes/No/Maybe)	As a group member, cast a 'Yes', 'No', and 'Maybe' vote on a proposed event. Then switch votes to verify the system updates correctly.	Votes are recorded and the real-time tally (percentage breakdown of Yes/No/Maybe) updates and is visible to all group members within 2 seconds.	(Phase 4)	Pass
UAT-008	Real-time Vote Update (Performance)	Have two test users open the same event simultaneously. User A casts a vote while User B watches the tally.	User B sees the updated vote percentage within 2 seconds of User A voting, without needing to refresh the page.	(Phase 4)	Pass
UAT-009	Attendance Tracker	After an event date has passed (or using a test past-dated event), the event proposer confirms attendance by marking who attended.	A 'Confirmed' list updates immediately upon marking. Attended/not-attended statuses are visible to all group members.	(Phase 4)	Pass
UAT-010	Group Data Isolation (Security)	Log in as a user who belongs to Group A only. Attempt to manually navigate to Group B's event URL (if known). Also verify that no Group B events appear in Group A's feed.	The user cannot view or interact with Group B's events. An access denied message or redirect occurs. Group A and B data is fully siloed.	(Phase 4)	Pass
UAT-011	Responsiveness – Mobile (320px)	Open the app on a smartphone (or resize browser to 320px wide). Navigate through: login, group view, event proposal form, and vote tally screen.	All screens render correctly with no overlapping elements, cut-off text, or broken layouts. All buttons and inputs are fully usable.	(Phase 4)	Pass

UAT-012	Responsiveness – Desktop (1920px)	Open the app on a desktop browser at full screen (1920px wide). Navigate through all core screens.	The layout scales correctly. Content is readable and well-spaced. No layout breaks or excessively stretched elements.	(Phase 4)	Pass
UAT-013	Usability – New User Onboarding	A first-time user (with no prior briefing) attempts to: create an account, create a group, and propose an event. Time the process.	The user completes all three actions in under 3 minutes without needing a tutorial or external help.	(Phase 4)	Pass
UAT-014	Cross-Browser Compatibility	Open the app in Chrome, Firefox, and Safari. Perform a login, vote on an event, and view the tally in each browser.	All features function identically across all three browsers with no visual or functional differences.	(Phase 4)	Pass
UAT-015	Role Assignment (Nice to Have)	On a confirmed event, assign a role to an attending member (e.g. 'Food Bringer'). Enter a custom role (min 3, max 50 characters) and also test selecting from the pre-defined dropdown.	The role is saved and displayed next to the member's name. Input outside 3–50 character limits is rejected. Profanity in custom roles is blocked.	(Phase 4)	Pass

5. Client Feedback Analysis

5.1 Client Feedback

After the UAT was complete, the clients were asked five questions about their experience with Huddle. Their responses are summarized as below:

1. Does the system solve the problem you originally described?

"Yes. We wanted something to replace the back-and-forth in group chats where plans never actually happen, and Huddle makes it clear who's voting what and when something is confirmed. It finally gets my mates to commit."

2. What do you like most about the system?

"The interactive map is probable the coolest bit, and I'm glad it got implemented even though it was originally 'nice-to-have'. The voting system is probably a close second, seeing the Yes/No/Maybe percentages update live without refreshing the page made it feel modern and responsive. The invite code system for joining groups was also really simple to use."

3. What would you change if you could?

"It would be nice to get a notification when someone votes or when an event gets confirmed"

4. Would you continue using this system after the project ends?

"Yeah probably, the rest of the group said it was cool. The sign-up was a little bit slow because of the Google Authenticator setup, but other than that its nice."

5. How does it compare to what you imagined when we first discussed the project?

"It's pretty close to what we talked about. All of the features were implemented well. I thought there might be more of a social feel to it, like being able to react to events, but that was probably too out of scope."

5.2 Feedback Analysis

Overall, the client feedback was very positive and indicated that Huddle successfully addressed the core problem it was designed to solve: reducing the friction of social planning within friend groups.

Comparing Feedback to Original Requirements:

The client confirmed that the primary objective (replacing disorganised group chat planning with a structured decision-making tool) was met. This aligns directly with the system's stated purpose in the UAT scope. The real-time voting tally (UAT-007, UAT-008) and interactive map were specifically praised, confirming that the performance requirement of vote updates appearing within 2 seconds was noticeable and valued by the end user.

The invite code joining system (UAT-003, UAT-004) was highlighted as intuitive, which supports the usability requirement that a first-time user could complete key actions in under 3 minutes (UAT-013).

The client's suggestion regarding push notifications represents feature gaps that were not part of the original requirements. These are legitimate enhancements that could be considered for a future version, but their absence does not represent a failure to meet the agreed scope.

The comment about the Google Authenticator setup feeling slow is worth noting. While 2FA was a defined security requirement and passed testing (UAT-001), the experience could be definitely be streamlined in a future iteration. For example, by providing clearer in-app guidance during the TOTP setup process, or, creating my own unique 2FA login system.

The role assignment feature (UAT-015) was appreciated as a bonus, which reflects well on the decision to implement it as a "nice to have."

Conclusion:

The client feedback confirms that Huddle met its core functional and usability requirements. The system delivered on its original brief, and end users expressed willingness to continue using it beyond the project. Suggested improvements relate to feature extensions rather than unmet requirements, indicating a successful UAT outcome.