Backend API

Overview

API Documentation

Version information

Version: 1.0

License information

License: Apache 2.0

License URL: http://www.apache.org/licenses/LICENSE-2.0.html

Terms of service : null

Paths

Hello Page

GET /

Responses

HTTP Code	Description	Schema
200	OK	handler.hello

Produces

• application/json

Tags

Hello

Create user

POST /admin/v1/user

Parameters

Type	Name	Description	Schema
Body	request required	Request	types.HttpCreateUse rReq

Responses

HTTP Code	Description	Schema
200	Response	types.HttpRespBas e
400	Bad Request	types.HttpRespErr or

Produces

• application/json

Tags

- User
- V1

Delete user

DELETE /admin/v1/users/{userId}

Parameters

Туре	Name	Description	Schema
Path	userId required	User ID	string

Responses

HTTP Code	Description	Schema
200	Response	types.HttpRespBas e
400	Bad Request	types.HttpRespErr or

Produces

• application/json

Tags

- User
- V1

Native login

POST /api/v1/login/native

Parameters

Туре	Name	Description	Schema
Body	request required	Request	types.HttpLoginReq

Responses

HTTP Code	Description	Schema
200	Response	types.HttpLoginRe
400	Bad Request	types.HttpRespErr or

Produces

• application/json

Tags

- Login
- V1

Wallet transfer

POST /api/v1/transfer

Parameters

Туре	Name	Description	Schema
Body	request required	Request	types.HttpTransferM oneyReq

Responses

HTTP Code	Description	Schema
200	Response	types.HttpRespBas e
400	Bad Request	types.HttpRespErr or

Produces

• application/json

Tags

- V1
- Wallet

Get user Info

GET /api/v1/user/info

Responses

HTTP Code	Description	Schema
200	Response	types.HttpUserInf oResp
400	Bad Request	types.HttpRespErr or

Tags

- User
- V1

Update user info

PUT /api/v1/user/info

Parameters

Туре	Name	Description	Schema
Body	request required	Request	types.HttpUpdateUse rInfoReq

Responses

HTTP Code	Description	Schema
200	Response	types.HttpRespBas e
400	Bad Request	types.HttpRespErr or

Produces

• application/json

Tags

- User
- V1

Get user wallets

GET /api/v1/user/wallets

Responses

HTTP Code	Description	Schema
200	Response	types.HttpGetUser WalletsResp
400	Bad Request	types.HttpRespErr or

Produces

• application/json

Tags

- User
- V1
- Wallet

Get wallet

GET /api/v1/wallets/{walletId}

Parameters

Туре	Name	Description	Schema
Path	walletId required	Wallet ID	string

Responses

HTTP Code	Description	Schema
200	Response	types.HttpGetWall etResp
400	Bad Request	types.HttpRespErr or

Tags

- V1
- Wallet

Wallet deposit

POST /api/v1/wallets/{walletId}/deposit

Parameters

Туре	Name	Description	Schema
Path	walletId required	Wallet ID	string
Body	request required	Request	types.HttpWalletDep ositReq

Responses

HTTP Code	Description	Schema
200	Response	types.HttpRespBas e
400	Bad Request	types.HttpRespErr or

Produces

• application/json

Tags

- V1
- Wallet

Wallet withdraw

POST /api/v1/wallets/{walletId}/withdraw

Parameters

Туре	Name	Description	Schema
Path	walletId required	Wallet ID	string
Body	request required	Request	types.HttpWalletWit hdrawReq

Responses

HTTP Code	Description	Schema
200	Response	types.HttpRespBas e

HTTP Code	Description	Schema
400	Bad Request	types.HttpRespErr or

Produces

• application/json

Tags

- V1
- Wallet

Definitions

handler.hello

Name	Description	Schema
message optional	Example: "Hello"	string
timestamp optional	Example: "2021-07-24T20:01:25.874565+08:00"	string

types.HttpCreateUserReq

Name	Description	Schema
email optional	Example: "example@email.com"	string
nickname optional	Example: "nickname"	string
password required	Example: "password"	string
role optional	Example : "user"	enum (admin, operator, user)
username required	Example: "username"	string

types. Http Get User Wallets Resp

Name	Description	Schema
code optional	Example: 3000	integer
data optional		<pre>types.HttpGetUserW alletsRespData > array</pre>
message optional	Example: "ok"	string
requestId optional	Example : "b8974256-1f17-477f-8638-c7ebbac656d7"	string

types. Http Get User Wallets Resp Data

Name	Description	Schema
balances optional		<pre>types.HttpGetUserW alletsRespDataBalan ce > array</pre>
id optional	Example : "af68a360-d035-469c-8ae9-a8640c2ffd19"	string

types. Http Get User Wallets Resp Data Balance

Name	Description	Schema
amount optional	Example: "100"	string
currency optional	Example: "usd"	string

types. Http GetWalletResp

Name	Description	Schema
code optional	Example : 3000	integer
data optional		types.HttpGetUserW alletsRespData
message optional	Example: "ok"	string
requestId optional	Example : "b8974256-1f17-477f-8638-c7ebbac656d7"	string

types.HttpLoginReq

Name	Description	Schema
password required	Example: "password"	string
username required	Example: "username"	string

types.HttpLoginResp

Name	Description	Schema
code optional	Example: 3000	integer
data optional		data
message optional	Example: "ok"	string
requestId optional	Example : "b8974256-1f17-477f-8638-c7ebbac656d7"	string

data

Name	Description	Schema
token optional	Example : "70596484-67d3-46bd-94bf-08f7c9fb7ac1"	string

types.HttpRespBase

Name	Description	Schema
code optional	Example: 3000	integer
message optional	Example: "ok"	string
requestId optional	Example : "b8974256-1f17-477f-8638-c7ebbac656d7"	string

types. HttpRespError

Name	Description	Schema
code optional	Example: 1024	integer

Name	Description	Schema
message optional	Example: "token unauthorized"	string
requestId optional	Example : "27c0a70e-59ab-4a94-872c-5f014aaa047f"	string

types. Http Transfer Money Req

Name	Description	Schema
amount required	Example: 100	integer
currency required	Example: "usd"	enum (usd, ntd, cny, jpy)
fromWalletId required	Example : "4eb4a439-af97-46e4-8a0c-6d568281c43a"	string
toWalletId required	Example : "d53ce74f-5f74-4c78-b3ca-1e1d2f7fa43d"	string

types.HttpUpdateUserInfoReq

Name	Description	Schema
nickname required	Example: "nickname"	string

types.HttpUserInfoResp

Name	Description	Schema
code optional	Example: 3000	integer
data optional		types.HttpUserInfoR espData
message optional	Example: "ok"	string
requestId optional	Example : "b8974256-1f17-477f-8638-c7ebbac656d7"	string

types. Http User Info Resp Data

Name	Description	Schema
email optional	Example: "example@email.com"	string
nickname optional	Example: "example"	string
role optional	Example: "user"	string
status optional	Example: "activated"	string
userId optional	Example: "userId001"	string

types.HttpWalletDepositReq

Name	Description	Schema
amount required	Example: 100	integer
currency required	Example: "usd"	enum (usd, ntd, cny, jpy)

types. Http Wallet With draw Req

Name	Description	Schema
amount required	Example: 100	integer
currency required	Example: "usd"	enum (usd, ntd, cny, jpy)